

Robert F Cook

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7383138/robert-f-cook-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

194
papers

7,627
citations

45
h-index

81
g-index

200
ext. papers

8,190
ext. citations

3.8
avg, IF

6.04
L-index

#	Paper	IF	Citations
194	High-throughput bend-strengths of ultra-small polysilicon MEMS components. <i>Applied Physics Letters</i> , 2021 , 118, 201601	3.4	1
193	On the failure and fracture of hydrogels for cartilage replacement. <i>JPhys Materials</i> , 2021 , 4, 021001	4.2	2
192	Microscale Mapping of Structure and Stress in Barium Titanate.. <i>Journal of Research of the National Institute of Standards and Technology</i> , 2020 , 125, 125013	1.3	0
191	Critique of materials-based models of ductile machining in brittle solids. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 6096-6100	3.8	20
190	A critical evaluation of indentation crack lengths in air. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 2278-2295	3.8	4
189	Shoulder fillet effects in strength distributions of microelectromechanical system components. <i>Journal of Micromechanics and Microengineering</i> , 2020 , 30, 125013	2	2
188	Fracture sequences during elastic-plastic indentation of brittle materials. <i>Journal of Materials Research</i> , 2019 , 34, 1633-1644	2.5	8
187	Thermal activation effects in crack propagation and reliability of fused silica. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 7575-7583	3.8	2
186	Stress Measurements in Alumina by Optical Fluorescence: Revisited. <i>Journal of Research of the National Institute of Standards and Technology</i> , 2019 , 124, 1-15	1.3	0
185	Predicting strength distributions of MEMS structures using flaw size and spatial density. <i>Microsystems and Nanoengineering</i> , 2019 , 5, 49	7.7	10
184	Lamellar and bundled domain rotations in barium titanate. <i>Journal of Materials Science</i> , 2019 , 54, 116-129	4.3	1
183	Material Flaw Populations and Component Strength Distributions in the Context of the Weibull Function. <i>Experimental Mechanics</i> , 2019 , 59, 279	2.6	10
182	A simple method of short-term mechanical reliability prediction for ceramics in reactive environments. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 2727-2731	3.8	1
181	A flexible model for instrumented indentation of viscoelastic-plastic materials. <i>MRS Communications</i> , 2018 , 8, 586-590	2.7	1
180	Blunt scratch strength of polycrystalline alumina. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 16-19	3.8	
179	Model for instrumented indentation of brittle open-cell foam. <i>MRS Communications</i> , 2018 , 8, 1267-1273	2.7	1
178	Long-term ceramic reliability analysis including the crack-velocity threshold and the Bathtub curve. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 5732-5744	3.8	4

177	Residual stress in polycrystalline alumina: Comparison of two-dimensional maps and integrated scans in fluorescence-based measurements. <i>Acta Materialia</i> , 2018 , 159, 309-319	8.4	2
176	Determination of ceramic flaw populations from component strengths. <i>Journal of the American Ceramic Society</i> , 2018 , 102, 4794	3.8	5
175	Strength of brittle materials in moderately corrosive environments. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 1684-1695	3.8	7
174	Weakly anisotropic residual contact stress in silicon demonstrated by electron backscatter diffraction and expanding cavity models. <i>Applied Physics Letters</i> , 2018 , 113, 231903	3.4	1
173	Review: Coefficients for Stress, Temperature, and Composition Effects in Fluorescence Measurements of Alumina. <i>Journal of Research of the National Institute of Standards and Technology</i> , 2017 , 122, 1-26	1.3	4
172	Stress and strain mapping of micro-domain bundles in barium titanate using electron backscatter diffraction. <i>Journal of Materials Science</i> , 2017 , 52, 12608-12623	4.3	3
171	Two-dimensional strain-mapping by electron backscatter diffraction and confocal Raman spectroscopy. <i>Journal of Applied Physics</i> , 2017 , 122, 205101	2.5	5
170	Quantitative Scanning Probe Microscopy for Nanomechanical Forensics. <i>Experimental Mechanics</i> , 2017 , 57, 1045-1055	2.6	8
169	Fracture mechanics of sharp scratch strength of polycrystalline alumina. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 1146-1160	3.8	11
168	Stochastic behavior of nanoscale dielectric wall buckling. <i>Journal of Applied Physics</i> , 2016 , 119,	2.5	1
167	In situ observations of Berkovich indentation induced phase transitions in crystalline silicon films. <i>Scripta Materialia</i> , 2016 , 120, 19-22	5.6	7
166	Mapping Viscoelastic and Plastic Properties of Polymers and Polymer-Nanotube Composites using Instrumented Indentation. <i>Journal of Materials Research</i> , 2016 , 31, 2347-2360	2.5	12
165	Quantitative Mapping of Stress Heterogeneity in Polycrystalline Alumina using Hyperspectral Fluorescence Microscopy. <i>Acta Materialia</i> , 2016 , 106, 272-282	8.4	10
164	Assessing strain mapping by electron backscatter diffraction and confocal Raman microscopy using wedge-indented Si. <i>Ultramicroscopy</i> , 2016 , 163, 75-86	3.1	16
163	Determination of Residual Stress Distributions in Polycrystalline Alumina using Fluorescence Microscopy. <i>Materials and Design</i> , 2016 , 107, 478-490	8.1	11
162	Near-theoretical fracture strengths in native and oxidized silicon nanowires. <i>Nanotechnology</i> , 2016 , 27, 31LT02	3.4	8
161	Mechanical measurements of heterogeneity and length scale effects in PEG-based hydrogels. <i>Soft Matter</i> , 2015 , 11, 7191-200	3.6	25
160	Fracture strength of micro- and nano-scale silicon components. <i>Applied Physics Reviews</i> , 2015 , 2, 021303	17.3	66

159	In situ observation of the spatial distribution of crystalline phases during pressure-induced transformations of indented silicon thin films. <i>Journal of Materials Research</i> , 2015 , 30, 390-406	2.5	16
158	Designing a standard for strain mapping: HR-EBSD analysis of SiGe thin film structures on Si. <i>Ultramicroscopy</i> , 2015 , 148, 94-104	3.1	20
157	spectroscopic study of the plastic deformation of amorphous silicon under non-hydrostatic conditions induced by indentation. <i>Physical Review B</i> , 2015 , 92,	3.3	17
156	Multi-Scale Effects in the Strength of Ceramics. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2933-2947	3.8	16
155	The Compelling Case for Indentation as a Functional Exploratory and Characterization Tool. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2671-2680	3.8	58
154	Raman Spectroscopy-Enhanced IIT: In Situ Analysis of Mechanically Stressed Polycrystalline Si Thin Films. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2015 , 195-201	0.3	
153	Stress mapping of micromachined polycrystalline silicon devices via confocal Raman microscopy. <i>Applied Physics Letters</i> , 2014 , 104, 191908	3.4	16
152	Orientation, stress, and strain in an (001) barium titanate single crystal with 90° lamellar domains determined using electron backscatter diffraction. <i>Journal of Materials Science</i> , 2014 , 49, 2213-2224	4.3	15
151	Development of a precision nanoindentation platform. <i>Review of Scientific Instruments</i> , 2013 , 84, 075110.	1.7	7
150	. <i>Journal of Microelectromechanical Systems</i> , 2013 , 22, 589-602	2.5	28
149	Decoupling small-scale roughness and long-range features on deep reactive ion etched silicon surfaces. <i>Journal of Applied Physics</i> , 2013 , 114, 113506	2.5	4
148	Accurate spring constant calibration for very stiff atomic force microscopy cantilevers. <i>Review of Scientific Instruments</i> , 2013 , 84, 113706	1.7	9
147	. <i>Journal of Microelectromechanical Systems</i> , 2013 , 22, 34-43	2.5	9
146	Mechanical properties and structure of the biological multilayered material system, Atractosteus spatula scales. <i>Acta Biomaterialia</i> , 2013 , 9, 5289-96	10.8	34
145	Surface-engineered nanomaterials as X-ray absorbing adjuvant agents for Auger-mediated chemo-radiation. <i>Nanoscale</i> , 2013 , 5, 5252-6	7.7	20
144	On the bending strength of single-crystal silicon theta-like specimens Rebecca Kirkpatrick. <i>MRS Communications</i> , 2013 , 3, 113-117	2.7	4
143	Frictional properties of native and functionalized type I collagen thin films. <i>Applied Physics Letters</i> , 2013 , 103, 143703	3.4	2
142	In situ Analysis of Materials Under Mechanical Stress: A Novel Instrument for Simultaneous Nanoindentation and Raman Spectroscopy 2013 ,		2

141	Indentation device for in situ Raman spectroscopic and optical studies. <i>Review of Scientific Instruments</i> , 2012 , 83, 125106	1.7	19
140	Probing material properties with sharp indenters: a retrospective. <i>Journal of Materials Science</i> , 2012 , 47, 1-22	4.3	63
139	Nanomechanical properties of polyethylene glycol brushes on gold substrates. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 3138-47	3.4	18
138	Ultimate bending strength of Si nanowires. <i>Nano Letters</i> , 2012 , 12, 2599-604	11.5	68
137	Bending manipulation and measurements of fracture strength of silicon and oxidized silicon nanowires by atomic force microscopy. <i>Journal of Materials Research</i> , 2012 , 27, 562-570	2.5	25
136	In situ observation of the indentation-induced phase transformation of silicon thin films. <i>Physical Review B</i> , 2012 , 85,	3.3	53
135	Nanoscale mapping of contact stiffness and damping by contact resonance atomic force microscopy. <i>Nanotechnology</i> , 2012 , 23, 215703	3.4	45
134	Advances in metrology for the determination of Young's modulus for low-k dielectric thin films 2012 ,		3
133	High resolution surface morphology measurements using EBSD cross-correlation techniques and AFM. <i>Ultramicroscopy</i> , 2011 , 111, 1206-13	3.1	27
132	Structure-property relationships for methyl-terminated alkyl self-assembled monolayers. <i>Chemical Physics Letters</i> , 2011 , 512, 243-246	2.5	6
131	Direct observation of phase transformation anisotropy in indented silicon studied by confocal Raman spectroscopy. <i>Physical Review B</i> , 2011 , 83,	3.3	30
130	Micro-scale measurement and modeling of stress in silicon surrounding a tungsten-filled through-silicon via. <i>Journal of Applied Physics</i> , 2011 , 110, 073517	2.5	14
129	Prototype cantilevers for quantitative lateral force microscopy. <i>Review of Scientific Instruments</i> , 2011 , 82, 093706	1.7	8
128	Deformation and fracture of single-crystal silicon theta-like specimens. <i>Journal of Materials Research</i> , 2011 , 26, 2575-2589	2.5	23
127	Mechanical and Electrical Properties of Alkanethiol Self-Assembled Monolayers: A Conducting-Probe Atomic Force Microscopy Study. <i>Nanoscience and Technology</i> , 2011 , 439-471	0.6	
126	Compressive stress effect on the radial elastic modulus of oxidized Si nanowires. <i>Nano Letters</i> , 2010 , 10, 2031-7	11.5	36
125	Nanomechanical properties of thin films of type I collagen fibrils. <i>Langmuir</i> , 2010 , 26, 3629-36	4	42
124	Materials science. Probing the nanoscale. <i>Science</i> , 2010 , 328, 183-4	33.3	17

123	Elastic, adhesive, and charge transport properties of a metal-molecule-metal junction: the role of molecular orientation, order, and coverage. <i>Langmuir</i> , 2010 , 26, 1688-99	4	20
122	Strength distribution of single-crystal silicon theta-like specimens. <i>Scripta Materialia</i> , 2010 , 63, 422-425	5.6	25
121	Measurement of residual stress field anisotropy at indentations in silicon. <i>Scripta Materialia</i> , 2010 , 63, 512-515	5.6	24
120	Mechanical Properties of One-Dimensional Nanostructures. <i>Nanoscience and Technology</i> , 2010 , 571-611	0.6	2
119	Effect of crystallographic orientation on phase transformations during indentation of silicon. <i>Journal of Materials Research</i> , 2009 , 24, 1172-1183	2.5	39
118	Elastic modulus of low-k dielectric thin films measured by load-dependent contact-resonance atomic force microscopy. <i>Journal of Materials Research</i> , 2009 , 24, 2960-2964	2.5	32
117	Elastic moduli of faceted aluminum nitride nanotubes measured by contact resonance atomic force microscopy. <i>Nanotechnology</i> , 2009 , 20, 035706	3.4	58
116	Contact-resonance atomic force microscopy for nanoscale elastic property measurements: Spectroscopy and imaging. <i>Ultramicroscopy</i> , 2009 , 109, 929-36	3.1	16
115	A practical guide for analysis of nanoindentation data. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2009 , 2, 396-407	4.1	141
114	Elastic and adhesive properties of alkanethiol self-assembled monolayers on gold. <i>Applied Physics Letters</i> , 2009 , 94, 131909	3.4	62
113	Mapping the elastic properties of granular Au films by contact resonance atomic force microscopy. <i>Nanotechnology</i> , 2008 , 19, 235701	3.4	62
112	Comparison of nanoscale measurements of strain and stress using electron back scattered diffraction and confocal Raman microscopy. <i>Applied Physics Letters</i> , 2008 , 93, 193116	3.4	69
111	Origin of adhesion in humid air. <i>Langmuir</i> , 2008 , 24, 1873-7	4	32
110	Indentation fracture of low-dielectric constant films: Part II. Indentation fracture mechanics model. <i>Journal of Materials Research</i> , 2008 , 23, 2443-2457	2.5	14
109	Indentation fracture of low-dielectric constant films: Part I. Experiments and observations. <i>Journal of Materials Research</i> , 2008 , 23, 2429-2442	2.5	17
108	Surface effects on the elastic modulus of Te nanowires. <i>Applied Physics Letters</i> , 2008 , 92, 241908	3.4	36
107	Mechanical and electrical coupling at metal-insulator-metal nanoscale contacts. <i>Applied Physics Letters</i> , 2008 , 93, 203102	3.4	9
106	Strength and Fracture Measurements at the Nano Scale. <i>AIP Conference Proceedings</i> , 2007 ,	0	2

105	Nanoindentation behavior and mechanical properties measurement of polymeric materials. <i>International Journal of Materials Research</i> , 2007 , 98, 370-378	0.5	26
104	Exploring the Relationship of Scratch Resistance, Hardness, and other Physical Properties of Minerals using Mohs Scale Minerals. <i>Journal of Geoscience Education</i> , 2007 , 55, 56-61	1.8	5
103	Diameter-Dependent Radial and Tangential Elastic Moduli of ZnO Nanowires. <i>Nano Letters</i> , 2007 , 7, 3691-3697	1.3	252
102	Hardness, toughness, and modulus of some common metamorphic minerals. <i>American Mineralogist</i> , 2007 , 92, 281-288	2.9	83
101	Mechanism of nanoparticle manipulation by scanning tunnelling microscopy. <i>Nanotechnology</i> , 2006 , 17, 5519-5524	3.4	23
100	Microhardness, toughness, and modulus of Mohs scale minerals. <i>American Mineralogist</i> , 2006 , 91, 135-142	2.9	142
99	Strength and sharp contact fracture of silicon. <i>Journal of Materials Science</i> , 2006 , 41, 841-872	4.3	144
98	Toughness-Curve Behavior of an Alumina-Mullite Composite. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2613-2623	3.8	15
97	Toughening of a Cordierite Glass-Ceramic by Compressive Surface Layers. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 2798-2808	3.8	10
96	Radial Fracture During Indentation by Acute Probes: II, Experimental Observations of Cube-corner and Vickers Indentation. <i>International Journal of Fracture</i> , 2005 , 136, 265-284	2.3	26
95	Radial Fracture During Indentation by Acute Probes: I, Description by an Indentation Wedging Model. <i>International Journal of Fracture</i> , 2005 , 136, 237-264	2.3	35
94	Stress stability and thermo-mechanical properties of reactively sputtered alumina films. <i>Journal of Materials Science</i> , 2005 , 40, 6345-6355	4.3	5
93	Rheological and mechanical behavior of blends of styrene-butadiene rubber with polypropylene. <i>Polymer Engineering and Science</i> , 2005 , 45, 1487-1497	2.3	15
92	Uniaxial and biaxial mechanical behavior of human amnion. <i>Journal of Materials Research</i> , 2005 , 20, 2902-2909	2.9	49
91	Stress development kinetics in plasma-enhanced chemical-vapor-deposited silicon nitride films. <i>Journal of Applied Physics</i> , 2005 , 97, 114914	2.5	26
90	Microstructural Control of Indentation Crack Extension under Externally Applied Stress 2005 , 57-67		
89	Uniaxial and Biaxial Mechanical Behavior of Human Amnion. <i>Materials Research Society Symposia Proceedings</i> , 2004 , 844, 1		0
88	Sharp probes of varying acuity: Instrumented indentation and fracture behavior. <i>Journal of Materials Research</i> , 2004 , 19, 165-175	2.5	51

87	Hydrogen diffusion as the rate-limiting mechanism of stress development in dielectric films. <i>Applied Physics Letters</i> , 2004 , 85, 404-406	3.4	13
86	Indentation-induced deformation at ultramicroscopic and macroscopic contacts. <i>Journal of Materials Research</i> , 2004 , 19, 124-130	2.5	11
85	Effect of storage in aqueous environments on polymer-metal interfacial fracture. <i>Journal of Materials Research</i> , 2004 , 19, 557-567	2.5	3
84	Depth-sensing indentation response of ordered silica foam. <i>Journal of Materials Research</i> , 2004 , 19, 260-271	3.1	36
83	Indentation responses of time-dependent films on stiff substrates. <i>Journal of Materials Research</i> , 2004 , 19, 2487-2497	2.5	32
82	Organosilicate Spin-On Glasses. <i>Journal of the Electrochemical Society</i> , 2004 , 151, F45	3.9	20
81	In Situ Cube-Corner Indentation of Soda-lime Glass and Fused Silica. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 1494-1501	3.8	50
80	Toughening of an Alumina-Mullite Composite by Unbroken Bridging Elements. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 833-840	3.8	11
79	Indentation crack initiation in ion-exchanged aluminosilicate glass. <i>Journal of Materials Science</i> , 2004 , 39, 2399-2410	4.3	35
78	Mechanical and thermal properties of physical vapour deposited alumina films Part I Thermal stability. <i>Journal of Materials Science</i> , 2004 , 39, 4799-4807	4.3	6
77	Mechanical and thermal properties of physical vapour deposited alumina films Part II Elastic, plastic, fracture, and adhesive behaviour. <i>Journal of Materials Science</i> , 2004 , 39, 4809-4819	4.3	24
76	Uniaxial stress-relaxation and stress-strain responses of human amnion. <i>Journal of Materials Science: Materials in Medicine</i> , 2004 , 15, 619-24	4.5	30
75	Mechanical failure of human fetal membrane tissues. <i>Journal of Materials Science: Materials in Medicine</i> , 2004 , 15, 651-8	4.5	45
74	Stress hysteresis and mechanical properties of plasma-enhanced chemical vapor deposited dielectric films. <i>Journal of Applied Physics</i> , 2004 , 95, 967-976	2.5	32
73	Massive stress changes in plasma-enhanced chemical vapor deposited silicon nitride films on thermal cycling. <i>Thin Solid Films</i> , 2004 , 460, 7-16	2.2	51
72	Four-point bend adhesion measurements of copper and permalloy systems. <i>Engineering Fracture Mechanics</i> , 2004 , 71, 245-261	4.2	35
71	Organosilicate Spin-on Glasses. <i>Journal of the Electrochemical Society</i> , 2004 , 151, F37	3.9	33
70	Indentation Fracture Toughness Measurements of Low Dielectric Constant Materials. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 766, 931		6

69	Stress Stability of PECVD Silicon Nitride Films During Device Fabrication. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 766, 631		3
68	The effects of inter-surface cohesive tractions on linear and penny-shaped cracks. <i>International Journal of Fracture</i> , 2003 , 119, 103-124	2.3	1
67	Mechanical properties of block copolymer vesicle and micelle modified epoxies. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003 , 41, 2444-2456	2.6	188
66	Load-displacement behavior during sharp indentation of viscoelastic-plastic materials. <i>Journal of Materials Research</i> , 2003 , 18, 139-150	2.5	258
65	Adhesion between Immiscible Polymers Correlated with Interfacial Entanglements. <i>Macromolecules</i> , 2003 , 36, 2808-2815	5.5	81
64	Irreversible Tensile Stress Development in PECVD Silicon Nitride Films. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 795, 235		2
63	Toughness and Contact Behavior of Conventional and Low-k Dielectric Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 795, 282		1
62	Influence of deposition conditions on mechanical properties of low-pressure chemical vapor deposited low-stress silicon nitride films. <i>Journal of Applied Physics</i> , 2003 , 94, 6915-6922	2.5	72
61	Stable dielectric fracture at interconnects from electromigration stresses. <i>Acta Materialia</i> , 2002 , 50, 2628-2637	2.6	74
60	Depth-sensing indentation at macroscopic dimensions. <i>Journal of Materials Research</i> , 2002 , 17, 2679-2690	2.5	40
59	Mechanisms Active during Fracture under Constraint. <i>MRS Bulletin</i> , 2002 , 27, 45-51	3.2	22
58	Simplified Area Function for Sharp Indenter Tips in Depth-sensing Indentation. <i>Journal of Materials Research</i> , 2002 , 17, 1143-1146	2.5	69
57	Stress hysteresis during thermal cycling of plasma-enhanced chemical vapor deposited silicon oxide films. <i>Journal of Applied Physics</i> , 2002 , 91, 1988-1992	2.5	59
56	Structural, Electrical, and Mechanical Properties Development during Curing of Low-k Hydrogen Silsesquioxane Films. <i>Journal of the Electrochemical Society</i> , 2002 , 149, F9	3.9	55
55	Application of a physically consistent theory of brittle fracture. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 2002 , 82, 3151-3162		
54	Micellar structure and mechanical properties of block copolymer-modified epoxies. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001 , 39, 2996-3010	2.6	168
53	Technique for estimating fracture resistance of cultured neocartilage. <i>Journal of Materials Science: Materials in Medicine</i> , 2001 , 12, 327-32	4.5	24
52	Chemical vapor deposition of an aluminum nitride-diamond composite in a triple torch plasma reactor. <i>Journal of Materials Research</i> , 2001 , 16, 469-477	2.5	5

51	Stress Hysteresis and Mechanical Characterization of Plasma-Enhanced Chemical Vapor Deposited Dielectrics. <i>Materials Research Society Symposia Proceedings</i> , 2001 , 695, 1		3
50	Effects of Curing Temperature on the Mechanical Reliability of Low Dielectric-Constant Spin-on-Glasses. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 612, 541		5
49	Apatite Growth on Bioactive Glass in Artificial Saliva. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 662, 1		0
48	Load-Displacement Behavior During Sharp Indentation of Viscous-Elastic-Plastic Materials. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 649, 151		1
47	Alumina Agglomerate Effects on Toughness-Curve Behavior of Alumina/Mullite Composites. <i>Journal of the American Ceramic Society</i> , 2000 , 83, 3089-3094	3.8	5
46	Stress-Corrosion Cracking of Low-Dielectric-Constant Spin-On-Glass Thin Films. <i>Journal of the Electrochemical Society</i> , 1999 , 146, 4439-4448	3.9	80
45	Porous Organosilicates for On-Chip Dielectric Applications. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 565, 3		22
44	Mechanical Properties of Low Dielectric-Constant Organic-Inorganic Hybrids. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 576, 301		12
43	Stress-Corrosion Cracking of Spin-On Glass Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 511, 171		6
42	Properties Development During Curing of Low Dielectric-Constant Spin-On Glasses. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 511, 33		14
41	Polymeric Organic/Inorganic Hybrid Nanocomposites: Preparation of Polyimide-Modified Poly(silsesquioxane) Using Functionalized Poly(amic acid alkyl ester) Precursors. <i>Macromolecules</i> , 1997 , 30, 8512-8515	5.5	60
40	Phase-Separated Inorganic-Organic Hybrids for Microelectronic Applications. <i>MRS Bulletin</i> , 1997 , 22, 44-48	3.2	32
39	Trapped cracks at indentations. <i>Journal of Materials Science</i> , 1994 , 29, 2133-2142	4.3	24
38	Trapped cracks at indentations. <i>Journal of Materials Science</i> , 1994 , 29, 2192-2204	4.3	13
37	Deformation and Fracture by Sharp Rolling Contacts. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 1263-1273	3.8	11
36	Sigmoidal Indentation Strength Characteristics of Polycrystalline Alumina. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 303-314	3.8	34
35	Kinetics of Indentation Cracking in Glass. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 1096-1105	3.8	74
34	Mechanical Behavior of Alumina/Silicon Carbide Nanocomposites. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 503-510	3.8	293

33	Reply to Comment on Role of Grain Size in the Strength and R-Curve Properties of Alumina. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 1900-1901	3.8	6
32	Electrical resistance of metallic contacts on silicon and germanium during indentation. <i>Journal of Materials Research</i> , 1992 , 7, 961-972	2.5	116
31	Grain-size effects in the indentation fracture of MgO. <i>Journal of Materials Science</i> , 1992 , 27, 4751-4761	4.3	16
30	Cone Crack Nucleation at Sharp Contacts. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 2877-2880	3.8	5
29	Direct Observation and Analysis of Indentation Cracking in Glasses and Ceramics. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 787-817	3.8	825
28	Lateral Cracks and Microstructural Effects in the Indentation Fracture of Yttria. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 1873-1878	3.8	27
27	Surface Stress Effects on Indentation Fracture Sequences. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 2619-2627	3.8	40
26	Stress-corrosion cracking in silicon. <i>Applied Physics Letters</i> , 1990 , 56, 1962-1964	3.4	18
25	Force measurement using an atomic force microscope. <i>Journal of Applied Physics</i> , 1990 , 67, 4045-4052	2.5	37
24	Rapid measurement of static and dynamic surface forces. <i>Applied Physics Letters</i> , 1990 , 56, 2408-2410	3.4	29
23	Instrumentation of a conventional hardness tester for load-displacement measurement during indentation. <i>Journal of Materials Research</i> , 1990 , 5, 847-851	2.5	37
22	Lanthanide gallate perovskite-type substrates for epitaxial, high-Tc superconducting Ba ₂ YCu ₃ O _{7-δ} films. <i>IBM Journal of Research and Development</i> , 1990 , 34, 916-926	2.5	61
21	The effect of grain size on microstructure and stress relaxation in polycrystalline Y ₁ Ba ₂ Cu ₃ O _{7-δ} . <i>Journal of Materials Research</i> , 1989 , 4, 248-256	2.5	94
20	Influence of crack velocity thresholds on stabilized nonequilibrium fracture. <i>Journal of Applied Physics</i> , 1989 , 65, 1902-1910	2.5	18
19	Effective-medium theory for the fracture of fractal porous media. <i>Physical Review B</i> , 1989 , 39, 2811-2814	4.3	9
18	Calcium Segregation to Grain Boundaries in Alumina. <i>Journal of the American Ceramic Society</i> , 1988 , 71, 50-58	3.8	68
17	Amorphization and conductivity of silicon and germanium induced by indentation. <i>Physical Review Letters</i> , 1988 , 60, 2156-2159	7.4	359
16	Crack resistance by interfacial bridging: Its role in determining strength characteristics. <i>Journal of Materials Research</i> , 1987 , 2, 345-356	2.5	114

15	Fracture toughness measurements of YBa ₂ Cu ₃ O _x single crystals. <i>Applied Physics Letters</i> , 1987 , 51, 454-456	3.4	126
14	Fracture Properties of Polycrystalline YBa ₂ Cu ₃ O _x . <i>Advanced Ceramic Materials</i> , 1987 , 2, 606-614		41
13	Microstructural Effects on Grinding of Alumina and Glass-Ceramics. <i>Journal of the American Ceramic Society</i> , 1987 , 70, C-139-C-140	3.8	50
12	Effect of Changes in Grain Boundary Toughness on the Strength of Alumina. <i>Materials Research Society Symposia Proceedings</i> , 1986 , 78, 199		2
11	The effect of lateral crack growth on the strength of contact flaws in brittle materials. <i>Journal of Materials Research</i> , 1986 , 1, 589-600	2.5	69
10	Crack propagation thresholds: A measure of surface energy. <i>Journal of Materials Research</i> , 1986 , 1, 852-860		40
9	Microstructure and the Strength of Ceramics 1986 , 23-37		23
8	Microstructure-Strength Properties in Ceramics: I, Effect of Crack Size on Toughness. <i>Journal of the American Ceramic Society</i> , 1985 , 68, 604-615	3.8	217
7	Microstructure-Strength Properties in Ceramics: II, Fatigue Relations. <i>Journal of the American Ceramic Society</i> , 1985 , 68, 616-623	3.8	36
6	Controlled Indentation Flaws for the Construction of Toughness and Fatigue Master Maps. <i>Journal of Research of the National Bureau of Standards (United States)</i> , 1984 , 89, 453-465		1
5	Dynamic fatigue of brittle materials containing indentation line flaws. <i>Journal of Materials Science</i> , 1983 , 18, 1306-1314	4.3	19
4	Universal fatigue curves for ceramics using indentation flaws. <i>Journal of Materials Science Letters</i> , 1983 , 2, 683-684		4
3	Fracture of ferroelectric ceramics. <i>Ferroelectrics</i> , 1983 , 50, 267-272	0.6	55
2	Theory of Fatigue for Brittle Flaws Originating from Residual Stress Concentrations. <i>Journal of the American Ceramic Society</i> , 1983 , 66, 314-321	3.8	86
1	A Modified Indentation Toughness Technique. <i>Journal of the American Ceramic Society</i> , 1983 , 66, c200-c208	3.8	155