

# Jie Jin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7385081/publications.pdf>

Version: 2024-02-01

34  
papers

438  
citations

759233

12  
h-index

794594

19  
g-index

39  
all docs

39  
docs citations

39  
times ranked

877  
citing authors

#	ARTICLE	IF	CITATIONS
1	Potent antitumour of the mTORC1/2 dual inhibitor AZD2014 in docetaxel-sensitive and docetaxel-resistant castration-resistant prostate cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 2436-2449.	3.6	17
2	Clinical and Pathological Features of Prostatic Stromal Tumor of Uncertain Malignant Potential: A Retrospective Study of 23 Chinese Cases. <i>Urologia Internationalis</i> , 2021, 105, 206-214.	1.3	4
3	The role of macrophage migration inhibitory factor in promoting benign prostatic hyperplasia epithelial cell growth by modulating COX-2 and P53 signaling. <i>Biology Open</i> , 2020, 9, .	1.2	7
4	Prognostic value of the bone scan index in patients with metastatic castration-resistant prostate cancer: a systematic review and meta-analysis. <i>BMC Cancer</i> , 2020, 20, 238.	2.6	9
5	Obesity: An independent protective factor for localized renal cell carcinoma in a systemic inflammation state. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020, 46, 585-598.	1.5	5
6	Expression of programmed cell death ligand 1 in primary testicular diffuse large B cell lymphoma: A retrospective study. <i>Oncology Letters</i> , 2019, 18, 2670-2676.	1.8	3
7	Short-term benefit of neoadjuvant hormone therapy in patients with localized high-risk or limited progressive prostate cancer. <i>Cancer Management and Research</i> , 2019, Volume 11, 4143-4151.	1.9	5
8	Infiltrating CD4+ T cells attenuate chemotherapy sensitivity in prostate cancer via CCL5 signaling. <i>Prostate</i> , 2019, 79, 1018-1031.	2.3	32
9	Activation of cGMP/PKG/p65 signaling associated with PDE5 downregulates CCL5 secretion by CD8+ T cells in benign prostatic hyperplasia. <i>Prostate</i> , 2019, 79, 909-919.	2.3	14
10	Are prostate biopsies necessary for all patients 75 years and older?. <i>Journal of Geriatric Oncology</i> , 2018, 9, 124-129.	1.0	4
11	Lower posterior mediastinal benign schwannoma successfully resected with retroperitoneoscopy using a transdiaphragmatic approach: A case report. <i>Thoracic Cancer</i> , 2018, 9, 1087-1089.	1.9	3
12	The Institute of Urology, Peking University prostatectomy score: a simple preoperative classification of prostate cancer for predicting surgical difficulty and risk. <i>Asian Journal of Andrology</i> , 2018, 20, 581.	1.6	3
13	CD8+ T cells promote proliferation of benign prostatic hyperplasia epithelial cells under low androgen level via modulation of CCL5/STAT5/CCND1 signaling pathway. <i>Scientific Reports</i> , 2017, 7, 42893.	3.3	28
14	Prognostic significance of PD-L1 expression on tumor cells and tumor-infiltrating mononuclear cells in upper tract urothelial carcinoma. <i>Medical Oncology</i> , 2017, 34, 94.	2.5	52
15	Preoperative characteristics of the P.R.O.S.T.A.T.E. scores: a novel predictive tool for the risk of positive surgical margin after radical prostatectomy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 687-692.	2.5	9
16	Preoperative Gamma-Glutamyltransferase Is Associated with Cancer-Specific Survival and Recurrence-Free Survival of Nonmetastatic Renal Cell Carcinoma with Venous Tumor Thrombus. <i>BioMed Research International</i> , 2017, 2017, 1-7.	1.9	22
17	Epigenetic inactivation of HOXA11, a novel functional tumor suppressor for renal cell carcinoma, is associated with RCC TNM classification. <i>Oncotarget</i> , 2017, 8, 21861-21870.	1.8	25
18	The prognostic value of preoperative serum albumin-globulin ratio for high-grade bladder urothelial carcinoma treated with radical cystectomy: A propensity score-matched analysis. <i>Journal of Cancer Research and Therapeutics</i> , 2017, 13, 837.	0.9	14

#	ARTICLE	IF	CITATIONS
19	Impact of preoperative diagnostic TURBT on progression-free survival in patients with pathological high-grade, stage T3/T4 bladder urothelial carcinoma. <i>Oncotarget</i> , 2017, 8, 89228-89235.	1.8	1
20	Removal of foreign bodies embedded in the urinary bladder wall by a combination of laparoscopy and carbon dioxide cystoscopic assistance: Case report and literature review. <i>Investigative and Clinical Urology</i> , 2016, 57, 449.	2.0	10
21	The Silencing of CCND2 by Promoter Aberrant Methylation in Renal Cell Cancer and Analysis of the Correlation between CCND2 Methylation Status and Clinical Features. <i>PLoS ONE</i> , 2016, 11, e0161859.	2.5	16
22	Abiraterone acetate for metastatic castration-resistant prostate cancer after docetaxel failure: A randomized, double-blind, placebo-controlled phase 3 bridging study. <i>International Journal of Urology</i> , 2016, 23, 404-411.	1.0	26
23	Pretreatment serum pseudocholinesterase level as a novel prognostic biomarker for upper tract urothelial carcinoma. <i>International Urology and Nephrology</i> , 2016, 48, 1993-1999.	1.4	5
24	Repair of complex vesicovaginal fistulas by combining a rotational bladder flap and full thick vascular peritoneal interposition. <i>Neurourology and Urodynamics</i> , 2016, 35, 934-938.	1.5	4
25	Expression profile of hydrogen sulfide and its synthases correlates with tumor stage and grade in urothelial cell carcinoma of bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 166.e15-166.e20.	1.6	41
26	Association of ABO blood types and clinicopathological features of ureteral transitional cell carcinoma in a single-center in China. <i>Journal of Cancer Research and Therapeutics</i> , 2016, 12, 601.	0.9	2
27	Hypermethylation of the 16q23.1 Tumor Suppressor Gene ADAMTS18 in Clear Cell Renal Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2015, 16, 1051-1065.	4.1	22
28	Adult renal cell carcinoma with rhabdoid differentiation: incidence and clinicopathologic features in Chinese patients. <i>Annals of Diagnostic Pathology</i> , 2015, 19, 57-63.	1.3	10
29	Prognostic Impact of ALDH1 Expression in Transitional Cell Carcinoma of the Renal Pelvis. <i>Anticancer Research</i> , 2015, 35, 4829-36.	1.1	6
30	Treatment of bladder transitional cell carcinoma in children: a single center experience from China. <i>Archives of Iranian Medicine</i> , 2015, 18, 250-2.	0.6	4
31	Re: Factors affecting recurrence and progression of high grade non invasive bladder cancer treated by intravesical BCG.. <i>Pakistan Journal of Medical Sciences</i> , 2014, 30, 1432.	0.6	2
32	Low Intraprostatic DHT Promotes the Infiltration of CD8+ T Cells in BPH Tissues via Modulation of CCL5 Secretion. <i>Mediators of Inflammation</i> , 2014, 2014, 1-9.	3.0	21
33	Inhibition of presenilins attenuates proliferation and invasion in bladder cancer cells through multiple pathways. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 36.e19-36.e25.	1.6	1
34	Efficacy of sunitinib in patients with metastatic renal cell carcinoma: initial experience in two Chinese centers. <i>Chinese Medical Journal</i> , 2014, 127, 1450-3.	2.3	6