

# Hua Zhou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7386053/publications.pdf>

Version: 2024-02-01

12  
papers

621  
citations

1040056

9  
h-index

1199594

12  
g-index

12  
all docs

12  
docs citations

12  
times ranked

995  
citing authors

#	ARTICLE	IF	CITATIONS
1	Emerging Role of Circular RNAs in Kidney Diseases in Nephrology. <i>Current Drug Targets</i> , 2021, 22, .	2.1	2
2	Co-occurrence of IgA nephropathy and IgG4-Tubulointerstitial nephritis effectively treated with tacrolimus: a case report. <i>BMC Nephrology</i> , 2021, 22, 279.	1.8	1
3	circHIPK3 Exacerbates Folic Acid-Induced Renal Tubulointerstitial Fibrosis by Sponging miR-30a. <i>Frontiers in Physiology</i> , 2021, 12, 715567.	2.8	11
4	miR-150 inhibitor ameliorates adriamycin-induced focal segmental glomerulosclerosis. <i>Biochemical and Biophysical Research Communications</i> , 2020, 522, 618-625.	2.1	12
5	CircZNF609 is involved in the pathogenesis of focal segmental glomerulosclerosis by sponging miR-615-5p. <i>Biochemical and Biophysical Research Communications</i> , 2020, 531, 341-349.	2.1	17
6	miR-150-Based RNA Interference Attenuates Tubulointerstitial Fibrosis through the SOCS1/JAK/STAT Pathway In Vivo and In Vitro. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 22, 871-884.	5.1	33
7	LNA-anti-miR-150 ameliorated kidney injury of lupus nephritis by inhibiting renal fibrosis and macrophage infiltration. <i>Arthritis Research and Therapy</i> , 2019, 21, 276.	3.5	35
8	circHLA-C Plays an Important Role in Lupus Nephritis by Sponging miR-150. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 10, 245-253.	5.1	81
9	Nrf2 deficiency promotes the progression from acute tubular damage to chronic renal fibrosis following unilateral ureteral obstruction. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 771-783.	0.7	30
10	miR-150 Promotes Renal Fibrosis in Lupus Nephritis by Downregulating SOCS1. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1073-1087.	6.1	149
11	Interleukin-17 Cytokines Are Critical in Development of Fatal Lupus Glomerulonephritis. <i>Immunity</i> , 2012, 37, 1104-1115.	14.3	151
12	Pre-existing renal disease promotes sepsis-induced acute kidney injury and worsens outcome. <i>Kidney International</i> , 2008, 74, 1017-1025.	5.2	99