List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/738642/publications.pdf Version: 2024-02-01



KEVIN MUNDO

#	Article	IF	CITATIONS
1	Listening effort and fatigue: What exactly are we measuring? A British Society of Audiology Cognition in Hearing Special Interest Group â€~white paper'. International Journal of Audiology, 2014, 53, 433-445.	1.7	356
2	Hearing Loss and Cognition: The Role of Hearing Aids, Social Isolation and Depression. PLoS ONE, 2015, 10, e0119616.	2.5	356
3	Tinnitus with a normal audiogram: Relation to noise exposure but no evidence for cochlear synaptopathy. Hearing Research, 2017, 344, 265-274.	2.0	179
4	Effects of noise exposure on young adults with normal audiograms I: Electrophysiology. Hearing Research, 2017, 344, 68-81.	2.0	176
5	Relation between Speech-in-Noise Threshold, Hearing Loss and Cognition from 40–69 Years of Age. PLoS ONE, 2014, 9, e107720.	2.5	172
6	Hearing in Middle Age. Ear and Hearing, 2014, 35, e44-e51.	2.1	135
7	Impaired speech perception in noise with a normal audiogram: No evidence for cochlear synaptopathy and no relation to lifetime noise exposure. Hearing Research, 2018, 364, 142-151.	2.0	134
8	Listening effort at signal-to-noise ratios that are typical of the school classroom. International Journal of Audiology, 2010, 49, 928-932.	1.7	120
9	Measures of Listening Effort Are Multidimensional. Ear and Hearing, 2019, 40, 1084-1097.	2.1	120
10	Cigarette Smoking, Passive Smoking, Alcohol Consumption, and Hearing Loss. JARO - Journal of the Association for Research in Otolaryngology, 2014, 15, 663-674.	1.8	118
11	Self-Reported Listening-Related Effort and Fatigue in Hearing-Impaired Adults. Ear and Hearing, 2017, 38, e39-e48.	2.1	117
12	The prevalence of tinnitus and the relationship with neuroticism in a middle-aged UK population. Journal of Psychosomatic Research, 2014, 76, 56-60.	2.6	110
13	GWAS Identifies 44 Independent Associated Genomic Loci for Self-Reported Adult Hearing Difficulty in UK Biobank. American Journal of Human Genetics, 2019, 105, 788-802.	6.2	101
14	Effects of noise exposure on young adults with normal audiograms II: Behavioral measures. Hearing Research, 2017, 356, 74-86.	2.0	93
15	One year on: an updated systematic review of SARS-CoV-2, COVID-19 and audio-vestibular symptoms. International Journal of Audiology, 2021, 60, 935-945.	1.7	90
16	Does coronavirus affect the audio-vestibular system? A rapid systematic review. International Journal of Audiology, 2020, 59, 487-491.	1.7	86
17	Cognitive predictors of perceptual adaptation to accented speech. Journal of the Acoustical Society of America, 2015, 137, 2015-2024.	1.1	85
18	Extended high frequency hearing and speech perception implications in adults and children. Hearing Research, 2020, 397, 107922.	2.0	85

#	Article	IF	CITATIONS
19	Reversible Induction of Phantom Auditory Sensations through Simulated Unilateral Hearing Loss. PLoS ONE, 2012, 7, e35238.	2.5	73
20	Persistent self-reported changes in hearing and tinnitus in post-hospitalisation COVID-19 cases. International Journal of Audiology, 2020, 59, 889-890.	1.7	73
21	Toward a Diagnostic Test for Hidden Hearing Loss. Trends in Hearing, 2016, 20, 233121651665746.	1.3	68
22	Expanding the genotypic spectrum of Perrault syndrome. Clinical Genetics, 2017, 91, 302-312.	2.0	68
23	Pupillometry reveals changes in physiological arousal during a sustained listening task. Psychophysiology, 2017, 54, 193-203.	2.4	67
24	The effect of speech presentation level on measurement of auditory acclimatization to amplified speech. Journal of the Acoustical Society of America, 2003, 114, 484-495.	1.1	65
25	Adaptive plasticity in brainstem of adult listeners following earplug-induced deprivation. Journal of the Acoustical Society of America, 2009, 126, 568-571.	1.1	63
26	The impact of self-efficacy, expectations, and readiness on hearing aid outcomes. International Journal of Audiology, 2016, 55, S34-S41.	1.7	57
27	Investigating the association between tinnitus severity and symptoms of depression and anxiety, while controlling for neuroticism, in a large middle-aged UK population. International Journal of Audiology, 2015, 54, 599-604.	1.7	55
28	Supra-threshold auditory brainstem response amplitudes in humans: Test-retest reliability, electrode montage and noise exposure. Hearing Research, 2018, 364, 38-47.	2.0	53
29	Acclimatization to Hearing Aids. Ear and Hearing, 2014, 35, 203-212.	2.1	48
30	Reorganization of the Adult Auditory System: Perceptual and Physiological Evidence From Monaural Fitting of Hearing Aids. Trends in Amplification, 2008, 12, 254-271.	2.4	47
31	Hearing Handicap and Speech Recognition Correlate With Self-Reported Listening Effort and Fatigue. Ear and Hearing, 2018, 39, 470-474.	2.1	46
32	Correlates of Hearing Aid Use in UK Adults. Ear and Hearing, 2019, 40, 1061-1068.	2.1	43
33	Relationship Between Diet, Tinnitus, and Hearing Difficulties. Ear and Hearing, 2020, 41, 289-299.	2.1	42
34	Measuring listening-related effort and fatigue in school-aged children using pupillometry. Journal of Experimental Child Psychology, 2017, 161, 95-112.	1.4	40
35	Pump Up the Volume: Could Excessive Neural Gain Explain Tinnitus and Hyperacusis?. Audiology and Neuro-Otology, 2015, 20, 273-282.	1.3	39
36	Reliability and interrelations of seven proxy measures of cochlear synaptopathy. Hearing Research, 2019. 375. 34-43.	2.0	38

#	Article	IF	CITATIONS
37	Placebo effects in hearing-aid trials are reliable. International Journal of Audiology, 2013, 52, 472-477.	1.7	37
38	Timing Of Primary Surgery for cleft palate (TOPS): protocol for a randomised trial of palate surgery at 6 months versus 12 months of age. BMJ Open, 2019, 9, e029780.	1.9	37
39	Investigating the effects of noise exposure on self-report, behavioral and electrophysiological indices of hearing damage in musicians with normal audiometric thresholds. Hearing Research, 2020, 395, 108021.	2.0	37
40	Does cognitive function predict frequency compressed speech recognition in listeners with normal hearing and normal cognition?. International Journal of Audiology, 2013, 52, 14-22.	1.7	36
41	â€~Getting used to' hearing aids from the perspective of adult hearing-aid users. International Journal of Audiology, 2014, 53, 861-870.	1.7	36
42	Acoustic Middle-Ear-Muscle-Reflex Thresholds in Humans with Normal Audiograms: No Relations to Tinnitus, Speech Perception in Noise, or Noise Exposure. Neuroscience, 2019, 407, 75-82.	2.3	36
43	Benefit from non-linear frequency compression hearing aids in a clinical setting: The effects of duration of experience and severity of high-frequency hearing loss. International Journal of Audiology, 2014, 53, 219-228.	1.7	35
44	Plasticity and modified loudness following short-term unilateral deprivation: Evidence of multiple gain mechanisms within the auditory system. Journal of the Acoustical Society of America, 2014, 135, 315-322.	1.1	35
45	Vision impairment and dual sensory problems in middle age. Ophthalmic and Physiological Optics, 2014, 34, 479-488.	2.0	35
46	Effects of Age and Noise Exposure on Proxy Measures of Cochlear Synaptopathy. Trends in Hearing, 2019, 23, 233121651987730.	1.3	33
47	Adoption, use and non-use of hearing aids: a robust estimate based on Welsh national survey statistics. International Journal of Audiology, 2020, 59, 567-573.	1.7	31
48	Association of Dietary Factors with Presence and Severity of Tinnitus in a Middle-Aged UK Population. PLoS ONE, 2014, 9, e114711.	2.5	31
49	Obligatory Cortical Auditory Evoked Potential Waveform Detection and Differentiation Using a Commercially Available Clinical System: HEARLabâ,,¢. Ear and Hearing, 2011, 32, 782-786.	2.1	29
50	Stimulus level effects on speech-evoked obligatory cortical auditory evoked potentials in infants with normal hearing. Clinical Neurophysiology, 2013, 124, 474-480.	1.5	29
51	Application of the TEN test to hearing-impaired teenagers with severe-to-profound hearing loss: Aplicación de la prueba TEN en adolescentes con hipoacusias severas a profundas. International Journal of Audiology, 2003, 42, 465-474.	1.7	28
52	Auditory acclimatization and hearing aids: Late auditory evoked potentials and speech recognition following unilateral and bilateral amplification. Journal of the Acoustical Society of America, 2014, 135, 3560-3569.	1.1	28
53	Deriving the Real-Ear SPL of Audiometric Data Using the "Coupler to Dial Difference―and the "Real Ear to Coupler Difference― Ear and Hearing, 2003, 24, 100-110.	2.1	27
54	Evidence for multiple mechanisms of cortical plasticity: A study of humans with late-onset profound unilateral deafness. Clinical Neurophysiology, 2013, 124, 1414-1421.	1.5	27

#	Article	IF	CITATIONS
55	The Placebo Effect and the Influence of Participant Expectation on Hearing Aid Trials. Ear and Hearing, 2011, 32, 767-774.	2.1	26
56	Tinnitus with a normal audiogram: Role of high-frequency sensitivity and reanalysis of brainstem-response measures to avoid audiometric over-matching. Hearing Research, 2017, 356, 116-117.	2.0	26
57	Bi-allelic variants in the mitochondrial RNase P subunit PRORP cause mitochondrial tRNA processing defects and pleiotropic multisystem presentations. American Journal of Human Genetics, 2021, 108, 2195-2204.	6.2	26
58	Self-reported outcome in new hearing aid users over a 24-week post-fitting period. International Journal of Audiology, 2004, 43, 555-562.	1.7	25
59	Asymmetry in the auditory brainstem response following experience of monaural amplification. NeuroReport, 2007, 18, 1871-1874.	1.2	25
60	Audiological findings after multichannel cochlear implantation in patients with Mondini dysplasia. International Journal of Audiology, 1996, 30, 369-379.	0.7	24
61	Auditory Distraction and Acclimatization to Hearing Aids. Ear and Hearing, 2017, 38, 174-183.	2.1	24
62	Evidence for adaptive plasticity in elderly monaural hearing aid users. NeuroReport, 2007, 18, 1237-1240.	1.2	23
63	Source analysis reveals plasticity in the auditory cortex: Evidence for reduced hemispheric asymmetries following unilateral deafness. Clinical Neurophysiology, 2013, 124, 391-399.	1.5	23
64	Customized Acoustic Transform Functions and Their Accuracy at Predicting Real-Ear Hearing Aid Performance. Ear and Hearing, 2000, 21, 59-69.	2.1	23
65	Normative auditory brainstem response data for hearing threshold and neuroâ€otological diagnosis in the dog. Journal of Small Animal Practice, 1997, 38, 103-107.	1.2	22
66	A comparison of inter-aural attenuation with the Etymotic ER-3A insert earphone and the Telephonies TDH-39 supra-aural earphone. International Journal of Audiology, 1999, 33, 259-262.	0.7	22
67	Effects of broadband noise on cortical evoked auditory responses at different loudness levels in young adults. NeuroReport, 2014, 25, 312-319.	1.2	22
68	Audiovisual cues benefit recognition of accented speech in noise but not perceptual adaptation. Frontiers in Human Neuroscience, 2015, 9, 422.	2.0	22
69	Benefit from, and acclimatization to, frequency compression hearing aids in experienced adult hearing-aid users. International Journal of Audiology, 2015, 54, 37-47.	1.7	22
70	Brainstem plasticity and modified loudness following short-term use of hearing aids. Journal of the Acoustical Society of America, 2013, 133, 343-349.	1.1	20
71	Fast method for psychophysical tuning curve measurement in school-age children. International Journal of Audiology, 2009, 48, 546-553.	1.7	19
72	Prevalence of Cochlear Dead Regions in New Referrals and Existing Adult Hearing Aid Users. Ear and Hearing, 2014, 35, e99-e109.	2.1	19

#	Article	IF	CITATIONS
73	Using probe-microphone measurements to improve the match to target gain and frequency response slope, as a function of earmould style, frequency, and input level. International Journal of Audiology, 2016, 55, 215-223.	1.7	19
74	Preliminary evidence of asymmetry in uncomfortable loudness levels after unilateral hearing aid experience: Evidence of functional plasticity in the adult auditory system. International Journal of Audiology, 2006, 45, 684-688.	1.7	18
75	Direct-to-Consumer Hearing Devices: Capabilities, Costs, and Cosmetics. Trends in Hearing, 2019, 23, 233121651985830.	1.3	18
76	Beyond motivation: identifying targets for intervention to increase hearing aid use in adults. International Journal of Audiology, 2019, 58, 53-58.	1.7	18
77	Unilateral and bilateral hearing aids, spatial release from masking and auditory acclimatization. Journal of the Acoustical Society of America, 2013, 134, 596-606.	1.1	17
78	Increased auditory cortex neural response amplitude in adults with chronic unilateral conductive hearing impairment. Hearing Research, 2019, 372, 10-16.	2.0	17
79	Real-Ear to Coupler Differences in Children with Grommets. International Journal of Audiology, 1997, 31, 63-69.	0.7	16
80	Repeatability of the TEN(HL) test for detecting cochlear dead regions. International Journal of Audiology, 2007, 46, 575-584.	1.7	16
81	Uncomfortable loudness levels in experienced unilateral and bilateral hearing aid users: Evidence of adaptive plasticity following asymmetrical sensory input?. International Journal of Audiology, 2010, 49, 667-671.	1.7	16
82	Earplug-induced changes in acoustic reflex thresholds suggest that increased subcortical neural gain may be necessary but not sufficient for the occurrence of tinnitus. Neuroscience, 2019, 407, 192-199.	2.3	16
83	The Effect of Prenatal and Childhood Development on Hearing, Vision and Cognition in Adulthood. PLoS ONE, 2015, 10, e0136590.	2.5	16
84	Investigation of hearing impairment in Cavalier King Charles spaniels using auditory brainstem response audiometry. Journal of Small Animal Practice, 1997, 38, 2-5.	1.2	15
85	Balancing the Caloric-Induced Nystagmus Velocity with Cold Air and Water. International Journal of Audiology, 1998, 32, 301-304.	0.7	15
86	Use of the â€~real-ear to dial difference' to derive real-ear SPL from hearing level obtained with insert earphones. International Journal of Audiology, 2001, 35, 297-306.	0.7	15
87	Diagnosing Cochlear Dead Regions in Children. Ear and Hearing, 2010, 31, 238-246.	2.1	15
88	Predictors of aided speech recognition, with and without frequency compression, in older adults. International Journal of Audiology, 2015, 54, 467-475.	1.7	15
89	Tinnitus and Sleep Difficulties After Cochlear Implantation. Ear and Hearing, 2016, 37, e402-e408.	2.1	15
90	Hearing Difficulties and Tinnitus in Construction, Agricultural, Music, and Finance Industries: Contributions of Demographic, Health, and Lifestyle Factors. Trends in Hearing, 2019, 23, 233121651988557.	1.3	15

#	Article	IF	CITATIONS
91	Dimensions of self-reported listening effort and fatigue on a digits-in-noise task, and association with baseline pupil size and performance accuracy. International Journal of Audiology, 2021, 60, 762-772.	1.7	15
92	The Effect of Head Size on the Auditory Brainstem Response for Two Breeds of Dog. International Journal of Audiology, 1997, 31, 309-314.	0.7	14
93	Are Clinical Measurements of Uncomfortable Loudness Levels a Valid Indicator of Real-World Auditory Discomfort?. International Journal of Audiology, 1998, 32, 287-293.	0.7	14
94	Is the real-ear to coupler difference independent of the measurement earphone?: Es independiente del auricular de medición, la diferencia entre el oÃdo real y el acoplador?. International Journal of Audiology, 2002, 41, 408-413.	1.7	14
95	Modification of the Threshold Equalising Noise (TEN) test for cochlear dead regions for use with steeply sloping high-frequency hearing loss. International Journal of Audiology, 2006, 45, 91-98.	1.7	14
96	Investigation of cortical and subcortical plasticity following short-term unilateral auditory deprivation in normal hearing adults. NeuroReport, 2013, 24, 287-291.	1.2	14
97	Benefits of Extended High-Frequency Audiometry for Everyone. Hearing Journal, 2017, 70, 50,52,55.	0.1	14
98	Hearing loss in adults, assessment and management: summary of NICE guidance. BMJ: British Medical Journal, 2018, 361, k2219.	2.3	14
99	FreeHear: A New Sound-Field Speech-in-Babble Hearing Assessment Tool. Trends in Hearing, 2019, 23, 233121651987237.	1.3	14
100	Biopsychosocial Classification of Hearing Health Seeking in Adults Aged Over 50 Years in England. Ear and Hearing, 2020, 41, 1215-1225.	2.1	14
101	Normative auditory brainstem response data for bone conduction in the dog. Journal of Small Animal Practice, 1997, 38, 353-356.	1.2	13
102	Sonotubometry findings in children at high risk from middle ear effusion. Clinical Otolaryngology, 1999, 24, 223-227.	0.0	13
103	Comparison of Real-Ear to Coupler Difference Values in the Right and Left Ear of Adults Using Three Earmold Configurations. Ear and Hearing, 2005, 26, 290-298.	2.1	13
104	Measuring the Real-Ear to Coupler Difference Transfer Function With an Insert Earphone and a Hearing Instrument: Are They the Same?. Ear and Hearing, 2005, 26, 27-34.	2.1	13
105	Supporting living well with hearing loss: A Delphi review of self-management support. International Journal of Audiology, 2015, 54, 691-699.	1.7	13
106	Using acoustic reflex threshold, auditory brainstem response and loudness judgments to investigate changes in neural gain following acute unilateral deprivation in normal hearing adults. Hearing Research, 2017, 345, 88-95.	2.0	13
107	Is COVID-19 associated with self-reported audio-vestibular symptoms?. International Journal of Audiology, 2022, 61, 832-840.	1.7	13
108	Developmental changes in word recognition threshold from two to five years of age in children with different middle ear status. International Journal of Audiology, 2007, 46, 355-361.	1.7	12

#	Article	IF	CITATIONS
109	No association between apolipoprotein <scp>E</scp> or <scp>N</scp> â€Acetyltransferase 2 gene polymorphisms and ageâ€related hearing loss. Laryngoscope, 2015, 125, E33-8.	2.0	12
110	Time course and frequency specificity of sub-cortical plasticity in adults following acute unilateral deprivation. Hearing Research, 2016, 341, 210-219.	2.0	12
111	Epidemiology of the extent of recreational noise exposure and hearing protection use: cross-sectional survey in a nationally representative UK adult population sample. BMC Public Health, 2020, 20, 1529.	2.9	12
112	The Effect of Low-Pass Filtering on Identification of Nonsense Syllables in Quiet by School-Age Children With and Without Cochlear Dead Regions. Ear and Hearing, 2013, 34, 458-469.	2.1	11
113	Brainstem processing following unilateral and bilateral hearing-aid amplification. NeuroReport, 2013, 24, 271-275.	1.2	11
114	Enhanced intensity discrimination in the intact ear of adults with unilateral deafness. Journal of the Acoustical Society of America, 2015, 137, EL408-EL414.	1.1	11
115	Shedding Light on SARS-CoV-2, COVID-19, COVID-19 Vaccination, and Auditory Symptoms: Causality or Spurious Conjunction?. Frontiers in Public Health, 2022, 10, 837513.	2.7	11
116	Perforation of the tympanic membrane and its effect on the real-ear-to-coupler difference acoustic transform function. International Journal of Audiology, 2001, 35, 259-264.	0.7	10
117	Reassessment of cochlear dead regions in hearing-impaired teenagers with severe-to-profound hearing loss. International Journal of Audiology, 2005, 44, 470-477.	1.7	10
118	Reorganization of the Adult Auditory System: Perceptual and Physiological Evidence From Monaural Fitting of Hearing Aids. Trends in Amplification, 2008, 12, 85-102.	2.4	10
119	Duration-sensitive neurons in the auditory cortex. NeuroReport, 2009, 20, 1129-1133.	1.2	10
120	Does Probe-Tube Verification of Real-Ear Hearing Aid Amplification Characteristics Improve Outcomes in Adults? A Systematic Review and Meta-Analysis. Trends in Hearing, 2021, 25, 233121652199956.	1.3	10
121	The Role of the Clinically Obtained Acoustic Reflex as a Research Tool for Subclinical Hearing Pathologies. Trends in Hearing, 2020, 24, 233121652097286.	1.3	10
122	Repeatability, agreement, and feasibility of using the threshold equalizing noise test and fast psychophysical tuning curves in a clinical setting. International Journal of Audiology, 2014, 53, 745-752.	1.7	9
123	Preliminary support for a brief psychological intervention to improve firstâ€time hearing aid use among adults. British Journal of Health Psychology, 2017, 22, 686-700.	3.5	9
124	What do hearing healthcare professionals do to promote hearing aid use and benefit among adults? A systematic review. International Journal of Audiology, 2019, 58, 63-76.	1.7	9
125	Extracochlear Stimulation of Electrically Evoked Auditory Brainstem Responses (eABRs) Remains the Preferred Pre-implant Auditory Nerve Function Test in an Assessor-blinded Comparison. Otology and Neurotology, 2019, 40, 47-55.	1.3	9
126	Revised meta-analysis and pooled estimate of audio-vestibular symptoms associated with COVID-19. International Journal of Audiology, 2022, 61, 705-709.	1.7	9

#	Article	IF	CITATIONS
127	The test-retest variability of the caloric test: A comparison of a modified air irrigation with the conventional water technique. International Journal of Audiology, 1996, 30, 303-306.	0.7	8
128	Sound quality judgements of new hearing instrument users over a 24-week post-fitting period Juicios sobre la calidad del sonido en nuevos usuarios de auxiliares auditivos durante un perÃodo de 24 semanas después de la adaptación. International Journal of Audiology, 2005, 44, 92-101.	1.7	8
129	Comparison of Real-Ear to Coupler Difference Values in the Right and Left Ear of Hearing Aid Users. Ear and Hearing, 2010, 31, 146-150.	2.1	8
130	Inter-aural attenuation with insert earphones. International Journal of Audiology, 2010, 49, 799-801.	1.7	8
131	Web- and app-based tools for remote hearing assessment: a scoping review. International Journal of Audiology, 2023, 62, 699-712.	1.7	8
132	A discussion of current sound field calibration procedures. International Journal of Audiology, 1993, 27, 427-435.	0.7	7
133	A comparison of test-retest variability of caloric induced nystagmus in a normal population using an air stimulus presented via a standard and modified irrigating probe. International Journal of Audiology, 1996, 30, 221-226.	0.7	7
134	Encouraging pre-registration of research studies. International Journal of Audiology, 2019, 58, 123-124.	1.7	7
135	Recording Obligatory Cortical Auditory Evoked Potentials in Infants: Quantitative Information on Feasibility and Parent Acceptability. Ear and Hearing, 2020, 41, 630-639.	2.1	7
136	Prevalence and correlates of COVID-19-related traumatic stress symptoms among older adults: A national survey. Journal of Psychiatric Research, 2022, 147, 190-193.	3.1	7
137	A randomised controlled trial comparing palate surgery at 6Âmonths versus 12Âmonths of age (the TOPS) Tj E	ſQq <u>]</u> 1 0.7	'84314 rgBT
138	What health policy makers need to know about mismatches between public perceptions of disease risk, prevalence and severity: a national survey. International Journal of Audiology, 2021, 60, 979-984.	1.7	6
139	Associations between pre-stimulus alpha power, hearing level and performance in a digits-in-noise task. International Journal of Audiology, 2022, 61, 197-204.	1.7	6
140	Identifying barriers and facilitators of hearing protection use in early-career musicians: a basis for designing interventions to promote uptake and sustained use. International Journal of Audiology, 2022, 61, 463-472.	1.7	6
141	Eye Gaze and Perceptual Adaptation to Audiovisual Degraded Speech. Journal of Speech, Language, and Hearing Research, 2021, 64, 3432-3445.	1.6	6
142	Associations Between Hearing Health and Well-Being in Unilateral Hearing Impairment. Ear and Hearing, 2021, 42, 520-530.	2.1	6
143	Longitudinal Changes in Hearing Aid Use and Hearing Aid Management Challenges in Infants. Ear and Hearing, 2021, 42, 961-972.	2.1	6
144	Financial reward has differential effects on behavioural and self-report measures of listening effort. International Journal of Audiology, 2021, 60, 900-910.	1.7	6

#	Article	IF	CITATIONS
145	Is non-linear frequency compression amplification beneficial to adults and children with hearing loss? A systematic review. International Journal of Audiology, 2018, 57, 262-273.	1.7	5
146	A systematic narrative synthesis of acute amplification-induced improvements in cognitive ability in hearing-impaired adults. International Journal of Audiology, 2019, 58, 455-463.	1.7	5
147	Quantifying the Effects of Motivation on Listening Effort: A Systematic Review and Meta-Analysis. Trends in Hearing, 2022, 26, 233121652110599.	1.3	5
148	Difficulties experienced in implementing the ABR travelling wave velocity (Delta V) technique with two commercially available systems. International Journal of Audiology, 1995, 29, 23-29.	0.7	4
149	The Influence of RECD Transducer When Deriving Real-Ear Sound Pressure Level. Ear and Hearing, 2006, 27, 409-423.	2.1	4
150	Efficient Detection of Cortical Auditory Evoked Potentials in Adults Using Bootstrapped Methods. Ear and Hearing, 2021, 42, 574-583.	2.1	4
151	Measurement of variability in sound field audiometry due to subject movement. International Journal of Audiology, 1995, 29, 285-291.	0.7	3
152	The relationship between uncomfortable loudness level and maximum power output in subjects recently fitted with NHS hearing aids. International Journal of Audiology, 1996, 30, 275-285.	0.7	3
153	The influence of visual feedback on closed-set word test performance over time. International Journal of Audiology, 2005, 44, 701-705.	1.7	3
154	Effect of presentation level on diagnosis of dead regions using the threshold equalizing noise test. International Journal of Audiology, 2009, 48, 55-62.	1.7	3
155	Clinical Verification of Hearing Aid Performance. Springer Handbook of Auditory Research, 2016, , 253-289.	0.7	3
156	Adult hearing-aid users with cochlear dead regions restricted to high frequencies: Implications for amplification. International Journal of Audiology, 2016, 55, 20-29.	1.7	3
157	A Set of Time-and-Frequency-Localized Short-Duration Speech-Like Stimuli for Assessing Hearing-Aid Performance via Cortical Auditory-Evoked Potentials. Trends in Hearing, 2019, 23, 233121651988556.	1.3	3
158	Establishing the reliability and the validity of the Arabic translated versions of the Effort Assessment Scale and the Fatigue Assessment Scale. International Journal of Audiology, 2023, 62, 853-858.	1.7	3
159	Adaptation to nonlinear frequency compression in normal-hearing adults: A comparison of training approaches. International Journal of Audiology, 2014, 53, 719-729.	1.7	2
160	Rapid Increase in Neural Conduction Time in the Adult Human Auditory Brainstem Following Sudden Unilateral Deafness. JARO - Journal of the Association for Research in Otolaryngology, 2015, 16, 631-640.	1.8	2
161	No Effect of Interstimulus Interval on Acoustic Reflex Thresholds. Trends in Hearing, 2019, 23, 233121651987416.	1.3	2
162	A Quasi-Randomized Controlled Trial of the I-PLAN Intervention to Promote Hearing Aid Use Among First-Time Adult Hearing Aid Users. Trends in Hearing, 2021, 25, 233121652096947.	1.3	2

#	Article	IF	CITATIONS
163	Exploring the lived experiences of British Sign Language (BSL) users who access NHS adult hearing aid clinics: an interpretative phenomenological analysis. International Journal of Audiology, 2022, 61, 744-751.	1.7	2
164	Do we need audiogram-based prescriptions? A systematic review. International Journal of Audiology, 2023, 62, 500-511.	1.7	2
165	A role for HLAâ€DRB1*1101 and DRB1*0801 in cognitive ability and its decline with age. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 209-214.	1.7	1
166	No change in the acoustic reflex threshold and auditory brainstem response following short-term acoustic stimulation in normal hearing adults. Journal of the Acoustical Society of America, 2016, 140, 2725-2734.	1.1	1
167	Audiological Assessment and Management in the Era of Precision Medicine. Monographs in Human Genetics, 2016, , 19-29.	0.5	1
168	Does probe-tube verification of real-ear hearing aid amplification characteristics improve outcomes in adult hearing aid users? A protocol for a systematic review. BMJ Open, 2020, 10, e038113.	1.9	1
169	Uptake of internet-delivered UK adult hearing assessment. International Journal of Audiology, 2021, 60, 885-889.	1.7	1
170	Is the outcome of fitting hearing aids to adults affected by whether an audiogram-based prescription formula is individually applied? A systematic review protocol. BMJ Open, 2021, 11, e045899.	1.9	1
171	Inter-rater reliability in classification of canonical babbling status based on canonical babbling ratio in infants with isolated cleft palate randomised to Timing of Primary Surgery for Cleft Palate (TOPS). Clinical Linguistics and Phonetics, 2023, 37, 77-98.	0.9	1
172	Brain plasticity: There's more to hearing than your ears. Hearing Journal, 2010, 63, 10.	0.1	0
173	Author's Reply. Ophthalmic and Physiological Optics, 2015, 35, 107-108.	2.0	0
174	No evidence for enhanced processing of speech that is low-pass filtered near the edge frequency of cochlear dead regions in children. International Journal of Audiology, 2018, 57, 632-637.	1.7	0
175	ManCAD100: 100 Years of Audiology and Deaf Education at Manchester. Trends in Hearing, 2019, 23, 233121651988623.	1.3	0
176	Clinical Trials and Outcome Measures in Adults With Hearing Loss. Frontiers in Psychology, 2021, 12, 733060.	2.1	0
177	Evaluation of the I-PLAN Intervention to Promote Hearing Aid Use in New Adult Users. Ear and Hearing, 2022, Publish Ahead of Print, .	2.1	0
178	Longitudinal assessment of listening skills in UK infants with hearing aids using the LittlEARS [®] auditory questionnaire. International Journal of Audiology, 2022, , 1-9.	1.7	0