

# Kevin Munro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/738642/publications.pdf>

Version: 2024-02-01

178  
papers

5,541  
citations

109264

35  
h-index

114418

63  
g-index

185  
all docs

185  
docs citations

185  
times ranked

3839  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                                                                      | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | Inter-rater reliability in classification of canonical babbling status based on canonical babbling ratio in infants with isolated cleft palate randomised to Timing of Primary Surgery for Cleft Palate (TOPS). <i>Clinical Linguistics and Phonetics</i> , 2023, 37, 77-98. | 0.5 | 1         |
| 2  | Do we need audiogram-based prescriptions? A systematic review. <i>International Journal of Audiology</i> , 2023, 62, 500-511.                                                                                                                                                | 0.9 | 2         |
| 3  | Web- and app-based tools for remote hearing assessment: a scoping review. <i>International Journal of Audiology</i> , 2023, 62, 699-712.                                                                                                                                     | 0.9 | 8         |
| 4  | Establishing the reliability and the validity of the Arabic translated versions of the Effort Assessment Scale and the Fatigue Assessment Scale. <i>International Journal of Audiology</i> , 2023, 62, 853-858.                                                              | 0.9 | 3         |
| 5  | Associations between pre-stimulus alpha power, hearing level and performance in a digits-in-noise task. <i>International Journal of Audiology</i> , 2022, 61, 197-204.                                                                                                       | 0.9 | 6         |
| 6  | Identifying barriers and facilitators of hearing protection use in early-career musicians: a basis for designing interventions to promote uptake and sustained use. <i>International Journal of Audiology</i> , 2022, 61, 463-472.                                           | 0.9 | 6         |
| 7  | Is COVID-19 associated with self-reported audio-vestibular symptoms?. <i>International Journal of Audiology</i> , 2022, 61, 832-840.                                                                                                                                         | 0.9 | 13        |
| 8  | Revised meta-analysis and pooled estimate of audio-vestibular symptoms associated with COVID-19. <i>International Journal of Audiology</i> , 2022, 61, 705-709.                                                                                                              | 0.9 | 9         |
| 9  | Exploring the lived experiences of British Sign Language (BSL) users who access NHS adult hearing aid clinics: an interpretative phenomenological analysis. <i>International Journal of Audiology</i> , 2022, 61, 744-751.                                                   | 0.9 | 2         |
| 10 | Evaluation of the I-PLAN Intervention to Promote Hearing Aid Use in New Adult Users. <i>Ear and Hearing</i> , 2022, Publish Ahead of Print, .                                                                                                                                | 1.0 | 0         |
| 11 | Quantifying the Effects of Motivation on Listening Effort: A Systematic Review and Meta-Analysis. <i>Trends in Hearing</i> , 2022, 26, 233121652110599.                                                                                                                      | 0.7 | 5         |
| 12 | Prevalence and correlates of COVID-19-related traumatic stress symptoms among older adults: A national survey. <i>Journal of Psychiatric Research</i> , 2022, 147, 190-193.                                                                                                  | 1.5 | 7         |
| 13 | Shedding Light on SARS-CoV-2, COVID-19, COVID-19 Vaccination, and Auditory Symptoms: Causality or Spurious Conjunction?. <i>Frontiers in Public Health</i> , 2022, 10, 837513.                                                                                               | 1.3 | 11        |
| 14 | Longitudinal assessment of listening skills in UK infants with hearing aids using the LittLEARS <sup>®</sup> auditory questionnaire. <i>International Journal of Audiology</i> , 2022, , 1-9.                                                                                | 0.9 | 0         |
| 15 | Dimensions of self-reported listening effort and fatigue on a digits-in-noise task, and association with baseline pupil size and performance accuracy. <i>International Journal of Audiology</i> , 2021, 60, 762-772.                                                        | 0.9 | 15        |
| 16 | Does Probe-Tube Verification of Real-Ear Hearing Aid Amplification Characteristics Improve Outcomes in Adults? A Systematic Review and Meta-Analysis. <i>Trends in Hearing</i> , 2021, 25, 233121652199956.                                                                  | 0.7 | 10        |
| 17 | A randomised controlled trial comparing palate surgery at 6 months versus 12 months of age (the TOPS) Tj ETQq1 1 0.784314 rgBT 0.7 6                                                                                                                                         | 0.7 | 6         |
| 18 | What health policy makers need to know about mismatches between public perceptions of disease risk, prevalence and severity: a national survey. <i>International Journal of Audiology</i> , 2021, 60, 979-984.                                                               | 0.9 | 6         |

| #  | ARTICLE                                                                                                                                                                                                                 | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | One year on: an updated systematic review of SARS-CoV-2, COVID-19 and audio-vestibular symptoms. <i>International Journal of Audiology</i> , 2021, 60, 935-945.                                                         | 0.9 | 90        |
| 20 | Uptake of internet-delivered UK adult hearing assessment. <i>International Journal of Audiology</i> , 2021, 60, 885-889.                                                                                                | 0.9 | 1         |
| 21 | Is the outcome of fitting hearing aids to adults affected by whether an audiogram-based prescription formula is individually applied? A systematic review protocol. <i>BMJ Open</i> , 2021, 11, e045899.                | 0.8 | 1         |
| 22 | Eye Gaze and Perceptual Adaptation to Audiovisual Degraded Speech. <i>Journal of Speech, Language, and Hearing Research</i> , 2021, 64, 3432-3445.                                                                      | 0.7 | 6         |
| 23 | A Quasi-Randomized Controlled Trial of the I-PLAN Intervention to Promote Hearing Aid Use Among First-Time Adult Hearing Aid Users. <i>Trends in Hearing</i> , 2021, 25, 233121652096947.                               | 0.7 | 2         |
| 24 | Associations Between Hearing Health and Well-Being in Unilateral Hearing Impairment. <i>Ear and Hearing</i> , 2021, 42, 520-530.                                                                                        | 1.0 | 6         |
| 25 | Bi-allelic variants in the mitochondrial RNase P subunit PRORP cause mitochondrial tRNA processing defects and pleiotropic multisystem presentations. <i>American Journal of Human Genetics</i> , 2021, 108, 2195-2204. | 2.6 | 26        |
| 26 | Longitudinal Changes in Hearing Aid Use and Hearing Aid Management Challenges in Infants. <i>Ear and Hearing</i> , 2021, 42, 961-972.                                                                                   | 1.0 | 6         |
| 27 | Clinical Trials and Outcome Measures in Adults With Hearing Loss. <i>Frontiers in Psychology</i> , 2021, 12, 733060.                                                                                                    | 1.1 | 0         |
| 28 | Efficient Detection of Cortical Auditory Evoked Potentials in Adults Using Bootstrapped Methods. <i>Ear and Hearing</i> , 2021, 42, 574-583.                                                                            | 1.0 | 4         |
| 29 | Financial reward has differential effects on behavioural and self-report measures of listening effort. <i>International Journal of Audiology</i> , 2021, 60, 900-910.                                                   | 0.9 | 6         |
| 30 | Relationship Between Diet, Tinnitus, and Hearing Difficulties. <i>Ear and Hearing</i> , 2020, 41, 289-299.                                                                                                              | 1.0 | 42        |
| 31 | Recording Obligatory Cortical Auditory Evoked Potentials in Infants: Quantitative Information on Feasibility and Parent Acceptability. <i>Ear and Hearing</i> , 2020, 41, 630-639.                                      | 1.0 | 7         |
| 32 | Epidemiology of the extent of recreational noise exposure and hearing protection use: cross-sectional survey in a nationally representative UK adult population sample. <i>BMC Public Health</i> , 2020, 20, 1529.      | 1.2 | 12        |
| 33 | Adoption, use and non-use of hearing aids: a robust estimate based on Welsh national survey statistics. <i>International Journal of Audiology</i> , 2020, 59, 567-573.                                                  | 0.9 | 31        |
| 34 | Persistent self-reported changes in hearing and tinnitus in post-hospitalisation COVID-19 cases. <i>International Journal of Audiology</i> , 2020, 59, 889-890.                                                         | 0.9 | 73        |
| 35 | Does probe-tube verification of real-ear hearing aid amplification characteristics improve outcomes in adult hearing aid users? A protocol for a systematic review. <i>BMJ Open</i> , 2020, 10, e038113.                | 0.8 | 1         |
| 36 | Biopsychosocial Classification of Hearing Health Seeking in Adults Aged Over 50 Years in England. <i>Ear and Hearing</i> , 2020, 41, 1215-1225.                                                                         | 1.0 | 14        |

| #  | ARTICLE                                                                                                                                                                                                                 | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Does coronavirus affect the audio-vestibular system? A rapid systematic review. <i>International Journal of Audiology</i> , 2020, 59, 487-491.                                                                          | 0.9 | 86        |
| 38 | Investigating the effects of noise exposure on self-report, behavioral and electrophysiological indices of hearing damage in musicians with normal audiometric thresholds. <i>Hearing Research</i> , 2020, 395, 108021. | 0.9 | 37        |
| 39 | Extended high frequency hearing and speech perception implications in adults and children. <i>Hearing Research</i> , 2020, 397, 107922.                                                                                 | 0.9 | 85        |
| 40 | The Role of the Clinically Obtained Acoustic Reflex as a Research Tool for Subclinical Hearing Pathologies. <i>Trends in Hearing</i> , 2020, 24, 233121652097286.                                                       | 0.7 | 10        |
| 41 | Direct-to-Consumer Hearing Devices: Capabilities, Costs, and Cosmetics. <i>Trends in Hearing</i> , 2019, 23, 233121651985830.                                                                                           | 0.7 | 18        |
| 42 | Effects of Age and Noise Exposure on Proxy Measures of Cochlear Synaptopathy. <i>Trends in Hearing</i> , 2019, 23, 233121651987730.                                                                                     | 0.7 | 33        |
| 43 | No Effect of Interstimulus Interval on Acoustic Reflex Thresholds. <i>Trends in Hearing</i> , 2019, 23, 233121651987416.                                                                                                | 0.7 | 2         |
| 44 | GWAS Identifies 44 Independent Associated Genomic Loci for Self-Reported Adult Hearing Difficulty in UK Biobank. <i>American Journal of Human Genetics</i> , 2019, 105, 788-802.                                        | 2.6 | 101       |
| 45 | What do hearing healthcare professionals do to promote hearing aid use and benefit among adults? A systematic review. <i>International Journal of Audiology</i> , 2019, 58, 63-76.                                      | 0.9 | 9         |
| 46 | A systematic narrative synthesis of acute amplification-induced improvements in cognitive ability in hearing-impaired adults. <i>International Journal of Audiology</i> , 2019, 58, 455-463.                            | 0.9 | 5         |
| 47 | Earplug-induced changes in acoustic reflex thresholds suggest that increased subcortical neural gain may be necessary but not sufficient for the occurrence of tinnitus. <i>Neuroscience</i> , 2019, 407, 192-199.      | 1.1 | 16        |
| 48 | Encouraging pre-registration of research studies. <i>International Journal of Audiology</i> , 2019, 58, 123-124.                                                                                                        | 0.9 | 7         |
| 49 | Beyond motivation: identifying targets for intervention to increase hearing aid use in adults. <i>International Journal of Audiology</i> , 2019, 58, 53-58.                                                             | 0.9 | 18        |
| 50 | Reliability and interrelations of seven proxy measures of cochlear synaptopathy. <i>Hearing Research</i> , 2019, 375, 34-43.                                                                                            | 0.9 | 38        |
| 51 | A Set of Time-and-Frequency-Localized Short-Duration Speech-Like Stimuli for Assessing Hearing-Aid Performance via Cortical Auditory-Evoked Potentials. <i>Trends in Hearing</i> , 2019, 23, 233121651988556.           | 0.7 | 3         |
| 52 | ManCAD100: 100 Years of Audiology and Deaf Education at Manchester. <i>Trends in Hearing</i> , 2019, 23, 233121651988623.                                                                                               | 0.7 | 0         |
| 53 | Hearing Difficulties and Tinnitus in Construction, Agricultural, Music, and Finance Industries: Contributions of Demographic, Health, and Lifestyle Factors. <i>Trends in Hearing</i> , 2019, 23, 233121651988557.      | 0.7 | 15        |
| 54 | Correlates of Hearing Aid Use in UK Adults. <i>Ear and Hearing</i> , 2019, 40, 1061-1068.                                                                                                                               | 1.0 | 43        |

| #  | ARTICLE                                                                                                                                                                                                                                   | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Measures of Listening Effort Are Multidimensional. <i>Ear and Hearing</i> , 2019, 40, 1084-1097.                                                                                                                                          | 1.0 | 120       |
| 56 | FreeHear: A New Sound-Field Speech-in-Babble Hearing Assessment Tool. <i>Trends in Hearing</i> , 2019, 23, 233121651987237.                                                                                                               | 0.7 | 14        |
| 57 | Extracochlear Stimulation of Electrically Evoked Auditory Brainstem Responses (eABRs) Remains the Preferred Pre-implant Auditory Nerve Function Test in an Assessor-blinded Comparison. <i>Otology and Neurotology</i> , 2019, 40, 47-55. | 0.7 | 9         |
| 58 | Timing Of Primary Surgery for cleft palate (TOPS): protocol for a randomised trial of palate surgery at 6 months versus 12 months of age. <i>BMJ Open</i> , 2019, 9, e029780.                                                             | 0.8 | 37        |
| 59 | Acoustic Middle-Ear-Muscle-Reflex Thresholds in Humans with Normal Audiograms: No Relations to Tinnitus, Speech Perception in Noise, or Noise Exposure. <i>Neuroscience</i> , 2019, 407, 75-82.                                           | 1.1 | 36        |
| 60 | Increased auditory cortex neural response amplitude in adults with chronic unilateral conductive hearing impairment. <i>Hearing Research</i> , 2019, 372, 10-16.                                                                          | 0.9 | 17        |
| 61 | Is non-linear frequency compression amplification beneficial to adults and children with hearing loss? A systematic review. <i>International Journal of Audiology</i> , 2018, 57, 262-273.                                                | 0.9 | 5         |
| 62 | Supra-threshold auditory brainstem response amplitudes in humans: Test-retest reliability, electrode montage and noise exposure. <i>Hearing Research</i> , 2018, 364, 38-47.                                                              | 0.9 | 53        |
| 63 | No evidence for enhanced processing of speech that is low-pass filtered near the edge frequency of cochlear dead regions in children. <i>International Journal of Audiology</i> , 2018, 57, 632-637.                                      | 0.9 | 0         |
| 64 | Impaired speech perception in noise with a normal audiogram: No evidence for cochlear synaptopathy and no relation to lifetime noise exposure. <i>Hearing Research</i> , 2018, 364, 142-151.                                              | 0.9 | 134       |
| 65 | Hearing Handicap and Speech Recognition Correlate With Self-Reported Listening Effort and Fatigue. <i>Ear and Hearing</i> , 2018, 39, 470-474.                                                                                            | 1.0 | 46        |
| 66 | Hearing loss in adults, assessment and management: summary of NICE guidance. <i>BMJ: British Medical Journal</i> , 2018, 361, k2219.                                                                                                      | 2.4 | 14        |
| 67 | Expanding the genotypic spectrum of Perrault syndrome. <i>Clinical Genetics</i> , 2017, 91, 302-312.                                                                                                                                      | 1.0 | 68        |
| 68 | Using acoustic reflex threshold, auditory brainstem response and loudness judgments to investigate changes in neural gain following acute unilateral deprivation in normal hearing adults. <i>Hearing Research</i> , 2017, 345, 88-95.    | 0.9 | 13        |
| 69 | Auditory Distraction and Acclimatization to Hearing Aids. <i>Ear and Hearing</i> , 2017, 38, 174-183.                                                                                                                                     | 1.0 | 24        |
| 70 | Measuring listening-related effort and fatigue in school-aged children using pupillometry. <i>Journal of Experimental Child Psychology</i> , 2017, 161, 95-112.                                                                           | 0.7 | 40        |
| 71 | Self-Reported Listening-Related Effort and Fatigue in Hearing-Impaired Adults. <i>Ear and Hearing</i> , 2017, 38, e39-e48.                                                                                                                | 1.0 | 117       |
| 72 | Tinnitus with a normal audiogram: Relation to noise exposure but no evidence for cochlear synaptopathy. <i>Hearing Research</i> , 2017, 344, 265-274.                                                                                     | 0.9 | 179       |

| #  | ARTICLE                                                                                                                                                                                                                           | IF  | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Tinnitus with a normal audiogram: Role of high-frequency sensitivity and reanalysis of brainstem-response measures to avoid audiometric over-matching. <i>Hearing Research</i> , 2017, 356, 116-117.                              | 0.9 | 26        |
| 74 | Preliminary support for a brief psychological intervention to improve first-time hearing aid use among adults. <i>British Journal of Health Psychology</i> , 2017, 22, 686-700.                                                   | 1.9 | 9         |
| 75 | Benefits of Extended High-Frequency Audiometry for Everyone. <i>Hearing Journal</i> , 2017, 70, 50,52,55.                                                                                                                         | 0.1 | 14        |
| 76 | Effects of noise exposure on young adults with normal audiograms II: Behavioral measures. <i>Hearing Research</i> , 2017, 356, 74-86.                                                                                             | 0.9 | 93        |
| 77 | Pupillometry reveals changes in physiological arousal during a sustained listening task. <i>Psychophysiology</i> , 2017, 54, 193-203.                                                                                             | 1.2 | 67        |
| 78 | Effects of noise exposure on young adults with normal audiograms I: Electrophysiology. <i>Hearing Research</i> , 2017, 344, 68-81.                                                                                                | 0.9 | 176       |
| 79 | The impact of self-efficacy, expectations, and readiness on hearing aid outcomes. <i>International Journal of Audiology</i> , 2016, 55, S34-S41.                                                                                  | 0.9 | 57        |
| 80 | A role for HLA-DRB1*1101 and DRB1*0801 in cognitive ability and its decline with age. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 209-214.                                         | 1.1 | 1         |
| 81 | Tinnitus and Sleep Difficulties After Cochlear Implantation. <i>Ear and Hearing</i> , 2016, 37, e402-e408.                                                                                                                        | 1.0 | 15        |
| 82 | No change in the acoustic reflex threshold and auditory brainstem response following short-term acoustic stimulation in normal hearing adults. <i>Journal of the Acoustical Society of America</i> , 2016, 140, 2725-2734.        | 0.5 | 1         |
| 83 | Time course and frequency specificity of sub-cortical plasticity in adults following acute unilateral deprivation. <i>Hearing Research</i> , 2016, 341, 210-219.                                                                  | 0.9 | 12        |
| 84 | Clinical Verification of Hearing Aid Performance. <i>Springer Handbook of Auditory Research</i> , 2016, , 253-289.                                                                                                                | 0.3 | 3         |
| 85 | Using probe-microphone measurements to improve the match to target gain and frequency response slope, as a function of earmould style, frequency, and input level. <i>International Journal of Audiology</i> , 2016, 55, 215-223. | 0.9 | 19        |
| 86 | Audiological Assessment and Management in the Era of Precision Medicine. <i>Monographs in Human Genetics</i> , 2016, , 19-29.                                                                                                     | 0.5 | 1         |
| 87 | Toward a Diagnostic Test for Hidden Hearing Loss. <i>Trends in Hearing</i> , 2016, 20, 233121651665746.                                                                                                                           | 0.7 | 68        |
| 88 | Adult hearing-aid users with cochlear dead regions restricted to high frequencies: Implications for amplification. <i>International Journal of Audiology</i> , 2016, 55, 20-29.                                                   | 0.9 | 3         |
| 89 | No association between apolipoprotein E or N- $\epsilon$ -Acetyltransferase 2 gene polymorphisms and age-related hearing loss. <i>Laryngoscope</i> , 2015, 125, E33-8.                                                            | 1.1 | 12        |
| 90 | Enhanced intensity discrimination in the intact ear of adults with unilateral deafness. <i>Journal of the Acoustical Society of America</i> , 2015, 137, EL408-EL414.                                                             | 0.5 | 11        |

| #   | ARTICLE                                                                                                                                                                                                                                 | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91  | Audiovisual cues benefit recognition of accented speech in noise but not perceptual adaptation. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 422.                                                                                  | 1.0 | 22        |
| 92  | Hearing Loss and Cognition: The Role of Hearing Aids, Social Isolation and Depression. <i>PLoS ONE</i> , 2015, 10, e0119616.                                                                                                            | 1.1 | 356       |
| 93  | Benefit from, and acclimatization to, frequency compression hearing aids in experienced adult hearing-aid users. <i>International Journal of Audiology</i> , 2015, 54, 37-47.                                                           | 0.9 | 22        |
| 94  | Pump Up the Volume: Could Excessive Neural Gain Explain Tinnitus and Hyperacusis?. <i>Audiology and Neuro-Otology</i> , 2015, 20, 273-282.                                                                                              | 0.6 | 39        |
| 95  | Cognitive predictors of perceptual adaptation to accented speech. <i>Journal of the Acoustical Society of America</i> , 2015, 137, 2015-2024.                                                                                           | 0.5 | 85        |
| 96  | Rapid Increase in Neural Conduction Time in the Adult Human Auditory Brainstem Following Sudden Unilateral Deafness. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2015, 16, 631-640.                       | 0.9 | 2         |
| 97  | Supporting living well with hearing loss: A Delphi review of self-management support. <i>International Journal of Audiology</i> , 2015, 54, 691-699.                                                                                    | 0.9 | 13        |
| 98  | Predictors of aided speech recognition, with and without frequency compression, in older adults. <i>International Journal of Audiology</i> , 2015, 54, 467-475.                                                                         | 0.9 | 15        |
| 99  | Author's Reply. <i>Ophthalmic and Physiological Optics</i> , 2015, 35, 107-108.                                                                                                                                                         | 1.0 | 0         |
| 100 | Investigating the association between tinnitus severity and symptoms of depression and anxiety, while controlling for neuroticism, in a large middle-aged UK population. <i>International Journal of Audiology</i> , 2015, 54, 599-604. | 0.9 | 55        |
| 101 | The Effect of Prenatal and Childhood Development on Hearing, Vision and Cognition in Adulthood. <i>PLoS ONE</i> , 2015, 10, e0136590.                                                                                                   | 1.1 | 16        |
| 102 | Relation between Speech-in-Noise Threshold, Hearing Loss and Cognition from 40 to 69 Years of Age. <i>PLoS ONE</i> , 2014, 9, e107720.                                                                                                  | 1.1 | 172       |
| 103 | Repeatability, agreement, and feasibility of using the threshold equalizing noise test and fast psychophysical tuning curves in a clinical setting. <i>International Journal of Audiology</i> , 2014, 53, 745-752.                      | 0.9 | 9         |
| 104 | Listening effort and fatigue: What exactly are we measuring? A British Society of Audiology Cognition in Hearing Special Interest Group "white paper"™. <i>International Journal of Audiology</i> , 2014, 53, 433-445.                  | 0.9 | 356       |
| 105 | Benefit from non-linear frequency compression hearing aids in a clinical setting: The effects of duration of experience and severity of high-frequency hearing loss. <i>International Journal of Audiology</i> , 2014, 53, 219-228.     | 0.9 | 35        |
| 106 | Plasticity and modified loudness following short-term unilateral deprivation: Evidence of multiple gain mechanisms within the auditory system. <i>Journal of the Acoustical Society of America</i> , 2014, 135, 315-322.                | 0.5 | 35        |
| 107 | Auditory acclimatization and hearing aids: Late auditory evoked potentials and speech recognition following unilateral and bilateral amplification. <i>Journal of the Acoustical Society of America</i> , 2014, 135, 3560-3569.         | 0.5 | 28        |
| 108 | Adaptation to nonlinear frequency compression in normal-hearing adults: A comparison of training approaches. <i>International Journal of Audiology</i> , 2014, 53, 719-729.                                                             | 0.9 | 2         |

| #   | ARTICLE                                                                                                                                                                                      | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Effects of broadband noise on cortical evoked auditory responses at different loudness levels in young adults. <i>NeuroReport</i> , 2014, 25, 312-319.                                       | 0.6 | 22        |
| 110 | Prevalence of Cochlear Dead Regions in New Referrals and Existing Adult Hearing Aid Users. <i>Ear and Hearing</i> , 2014, 35, e99-e109.                                                      | 1.0 | 19        |
| 111 | Acclimatization to Hearing Aids. <i>Ear and Hearing</i> , 2014, 35, 203-212.                                                                                                                 | 1.0 | 48        |
| 112 | Hearing in Middle Age. <i>Ear and Hearing</i> , 2014, 35, e44-e51.                                                                                                                           | 1.0 | 135       |
| 113 | â€œGetting used toâ€™ hearing aids from the perspective of adult hearing-aid users. <i>International Journal of Audiology</i> , 2014, 53, 861-870.                                           | 0.9 | 36        |
| 114 | Vision impairment and dual sensory problems in middle age. <i>Ophthalmic and Physiological Optics</i> , 2014, 34, 479-488.                                                                   | 1.0 | 35        |
| 115 | Cigarette Smoking, Passive Smoking, Alcohol Consumption, and Hearing Loss. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2014, 15, 663-674.                      | 0.9 | 118       |
| 116 | The prevalence of tinnitus and the relationship with neuroticism in a middle-aged UK population. <i>Journal of Psychosomatic Research</i> , 2014, 76, 56-60.                                 | 1.2 | 110       |
| 117 | Association of Dietary Factors with Presence and Severity of Tinnitus in a Middle-Aged UK Population. <i>PLoS ONE</i> , 2014, 9, e114711.                                                    | 1.1 | 31        |
| 118 | Stimulus level effects on speech-evoked obligatory cortical auditory evoked potentials in infants with normal hearing. <i>Clinical Neurophysiology</i> , 2013, 124, 474-480.                 | 0.7 | 29        |
| 119 | Evidence for multiple mechanisms of cortical plasticity: A study of humans with late-onset profound unilateral deafness. <i>Clinical Neurophysiology</i> , 2013, 124, 1414-1421.             | 0.7 | 27        |
| 120 | Source analysis reveals plasticity in the auditory cortex: Evidence for reduced hemispheric asymmetries following unilateral deafness. <i>Clinical Neurophysiology</i> , 2013, 124, 391-399. | 0.7 | 23        |
| 121 | Brainstem plasticity and modified loudness following short-term use of hearing aids. <i>Journal of the Acoustical Society of America</i> , 2013, 133, 343-349.                               | 0.5 | 20        |
| 122 | Unilateral and bilateral hearing aids, spatial release from masking and auditory acclimatization. <i>Journal of the Acoustical Society of America</i> , 2013, 134, 596-606.                  | 0.5 | 17        |
| 123 | Placebo effects in hearing-aid trials are reliable. <i>International Journal of Audiology</i> , 2013, 52, 472-477.                                                                           | 0.9 | 37        |
| 124 | Does cognitive function predict frequency compressed speech recognition in listeners with normal hearing and normal cognition?. <i>International Journal of Audiology</i> , 2013, 52, 14-22. | 0.9 | 36        |
| 125 | The Effect of Low-Pass Filtering on Identification of Nonsense Syllables in Quiet by School-Age Children With and Without Cochlear Dead Regions. <i>Ear and Hearing</i> , 2013, 34, 458-469. | 1.0 | 11        |
| 126 | Brainstem processing following unilateral and bilateral hearing-aid amplification. <i>NeuroReport</i> , 2013, 24, 271-275.                                                                   | 0.6 | 11        |



| #   | ARTICLE                                                                                                                                                                                                                        | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Investigation of cortical and subcortical plasticity following short-term unilateral auditory deprivation in normal hearing adults. <i>NeuroReport</i> , 2013, 24, 287-291.                                                    | 0.6 | 14        |
| 128 | Reversible Induction of Phantom Auditory Sensations through Simulated Unilateral Hearing Loss. <i>PLoS ONE</i> , 2012, 7, e35238.                                                                                              | 1.1 | 73        |
| 129 | Obligatory Cortical Auditory Evoked Potential Waveform Detection and Differentiation Using a Commercially Available Clinical System: HEARLab <sup>®</sup> . <i>Ear and Hearing</i> , 2011, 32, 782-786.                        | 1.0 | 29        |
| 130 | The Placebo Effect and the Influence of Participant Expectation on Hearing Aid Trials. <i>Ear and Hearing</i> , 2011, 32, 767-774.                                                                                             | 1.0 | 26        |
| 131 | Comparison of Real-Ear to Coupler Difference Values in the Right and Left Ear of Hearing Aid Users. <i>Ear and Hearing</i> , 2010, 31, 146-150.                                                                                | 1.0 | 8         |
| 132 | Brain plasticity: There's more to hearing than your ears. <i>Hearing Journal</i> , 2010, 63, 10.                                                                                                                               | 0.1 | 0         |
| 133 | Diagnosing Cochlear Dead Regions in Children. <i>Ear and Hearing</i> , 2010, 31, 238-246.                                                                                                                                      | 1.0 | 15        |
| 134 | Listening effort at signal-to-noise ratios that are typical of the school classroom. <i>International Journal of Audiology</i> , 2010, 49, 928-932.                                                                            | 0.9 | 120       |
| 135 | Inter-aural attenuation with insert earphones. <i>International Journal of Audiology</i> , 2010, 49, 799-801.                                                                                                                  | 0.9 | 8         |
| 136 | Uncomfortable loudness levels in experienced unilateral and bilateral hearing aid users: Evidence of adaptive plasticity following asymmetrical sensory input?. <i>International Journal of Audiology</i> , 2010, 49, 667-671. | 0.9 | 16        |
| 137 | Adaptive plasticity in brainstem of adult listeners following earplug-induced deprivation. <i>Journal of the Acoustical Society of America</i> , 2009, 126, 568-571.                                                           | 0.5 | 63        |
| 138 | Fast method for psychophysical tuning curve measurement in school-age children. <i>International Journal of Audiology</i> , 2009, 48, 546-553.                                                                                 | 0.9 | 19        |
| 139 | Effect of presentation level on diagnosis of dead regions using the threshold equalizing noise test. <i>International Journal of Audiology</i> , 2009, 48, 55-62.                                                              | 0.9 | 3         |
| 140 | Duration-sensitive neurons in the auditory cortex. <i>NeuroReport</i> , 2009, 20, 1129-1133.                                                                                                                                   | 0.6 | 10        |
| 141 | Reorganization of the Adult Auditory System: Perceptual and Physiological Evidence From Monaural Fitting of Hearing Aids. <i>Trends in Amplification</i> , 2008, 12, 85-102.                                                   | 2.4 | 10        |
| 142 | Reorganization of the Adult Auditory System: Perceptual and Physiological Evidence From Monaural Fitting of Hearing Aids. <i>Trends in Amplification</i> , 2008, 12, 254-271.                                                  | 2.4 | 47        |
| 143 | Repeatability of the TEN(HL) test for detecting cochlear dead regions. <i>International Journal of Audiology</i> , 2007, 46, 575-584.                                                                                          | 0.9 | 16        |
| 144 | Developmental changes in word recognition threshold from two to five years of age in children with different middle ear status. <i>International Journal of Audiology</i> , 2007, 46, 355-361.                                 | 0.9 | 12        |

| #   | ARTICLE                                                                                                                                                                                                                                                                                             | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Evidence for adaptive plasticity in elderly monaural hearing aid users. <i>NeuroReport</i> , 2007, 18, 1237-1240.                                                                                                                                                                                   | 0.6 | 23        |
| 146 | Asymmetry in the auditory brainstem response following experience of monaural amplification. <i>NeuroReport</i> , 2007, 18, 1871-1874.                                                                                                                                                              | 0.6 | 25        |
| 147 | Preliminary evidence of asymmetry in uncomfortable loudness levels after unilateral hearing aid experience: Evidence of functional plasticity in the adult auditory system. <i>International Journal of Audiology</i> , 2006, 45, 684-688.                                                          | 0.9 | 18        |
| 148 | Modification of the Threshold Equalising Noise (TEN) test for cochlear dead regions for use with steeply sloping high-frequency hearing loss. <i>International Journal of Audiology</i> , 2006, 45, 91-98.                                                                                          | 0.9 | 14        |
| 149 | The Influence of RECD Transducer When Deriving Real-Ear Sound Pressure Level. <i>Ear and Hearing</i> , 2006, 27, 409-423.                                                                                                                                                                           | 1.0 | 4         |
| 150 | Comparison of Real-Ear to Coupler Difference Values in the Right and Left Ear of Adults Using Three Earmold Configurations. <i>Ear and Hearing</i> , 2005, 26, 290-298.                                                                                                                             | 1.0 | 13        |
| 151 | Measuring the Real-Ear to Coupler Difference Transfer Function With an Insert Earphone and a Hearing Instrument: Are They the Same?. <i>Ear and Hearing</i> , 2005, 26, 27-34.                                                                                                                      | 1.0 | 13        |
| 152 | Reassessment of cochlear dead regions in hearing-impaired teenagers with severe-to-profound hearing loss. <i>International Journal of Audiology</i> , 2005, 44, 470-477.                                                                                                                            | 0.9 | 10        |
| 153 | Sound quality judgements of new hearing instrument users over a 24-week post-fitting period Juicios sobre la calidad del sonido en nuevos usuarios de auxiliares auditivos durante un período de 24 semanas después de la adaptación. <i>International Journal of Audiology</i> , 2005, 44, 92-101. | 0.9 | 8         |
| 154 | The influence of visual feedback on closed-set word test performance over time. <i>International Journal of Audiology</i> , 2005, 44, 701-705.                                                                                                                                                      | 0.9 | 3         |
| 155 | Self-reported outcome in new hearing aid users over a 24-week post-fitting period. <i>International Journal of Audiology</i> , 2004, 43, 555-562.                                                                                                                                                   | 0.9 | 25        |
| 156 | Application of the TEN test to hearing-impaired teenagers with severe-to-profound hearing loss: Aplicación de la prueba TEN en adolescentes con hipoacusias severas a profundas. <i>International Journal of Audiology</i> , 2003, 42, 465-474.                                                     | 0.9 | 28        |
| 157 | The effect of speech presentation level on measurement of auditory acclimatization to amplified speech. <i>Journal of the Acoustical Society of America</i> , 2003, 114, 484-495.                                                                                                                   | 0.5 | 65        |
| 158 | Deriving the Real-Ear SPL of Audiometric Data Using the "Coupler to Dial Difference" and the "Real Ear to Coupler Difference". <i>Ear and Hearing</i> , 2003, 24, 100-110.                                                                                                                          | 1.0 | 27        |
| 159 | Is the real-ear to coupler difference independent of the measurement earphone?: Es independiente del auricular de medición, la diferencia entre el oído real y el acoplador?. <i>International Journal of Audiology</i> , 2002, 41, 408-413.                                                        | 0.9 | 14        |
| 160 | Perforation of the tympanic membrane and its effect on the real-ear-to-coupler difference acoustic transform function. <i>International Journal of Audiology</i> , 2001, 35, 259-264.                                                                                                               | 0.7 | 10        |
| 161 | Use of the "real-ear to dial difference"™ to derive real-ear SPL from hearing level obtained with insert earphones. <i>International Journal of Audiology</i> , 2001, 35, 297-306.                                                                                                                  | 0.7 | 15        |
| 162 | Customized Acoustic Transform Functions and Their Accuracy at Predicting Real-Ear Hearing Aid Performance. <i>Ear and Hearing</i> , 2000, 21, 59-69.                                                                                                                                                | 1.0 | 23        |

| #   | ARTICLE                                                                                                                                                                                                                                  | IF  | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | A comparison of inter-aural attenuation with the Etymotic ER-3A insert earphone and the Telephonics TDH-39 supra-aural earphone. <i>International Journal of Audiology</i> , 1999, 33, 259-262.                                          | 0.7 | 22        |
| 164 | Sonotubometry findings in children at high risk from middle ear effusion. <i>Clinical Otolaryngology</i> , 1999, 24, 223-227.                                                                                                            | 0.0 | 13        |
| 165 | Are Clinical Measurements of Uncomfortable Loudness Levels a Valid Indicator of Real-World Auditory Discomfort?. <i>International Journal of Audiology</i> , 1998, 32, 287-293.                                                          | 0.7 | 14        |
| 166 | Balancing the Caloric-Induced Nystagmus Velocity with Cold Air and Water. <i>International Journal of Audiology</i> , 1998, 32, 301-304.                                                                                                 | 0.7 | 15        |
| 167 | The Effect of Head Size on the Auditory Brainstem Response for Two Breeds of Dog. <i>International Journal of Audiology</i> , 1997, 31, 309-314.                                                                                         | 0.7 | 14        |
| 168 | Real-Ear to Coupler Differences in Children with Grommets. <i>International Journal of Audiology</i> , 1997, 31, 63-69.                                                                                                                  | 0.7 | 16        |
| 169 | Investigation of hearing impairment in Cavalier King Charles spaniels using auditory brainstem response audiometry. <i>Journal of Small Animal Practice</i> , 1997, 38, 2-5.                                                             | 0.5 | 15        |
| 170 | Normative auditory brainstem response data for hearing threshold and neurootological diagnosis in the dog. <i>Journal of Small Animal Practice</i> , 1997, 38, 103-107.                                                                  | 0.5 | 22        |
| 171 | Normative auditory brainstem response data for bone conduction in the dog. <i>Journal of Small Animal Practice</i> , 1997, 38, 353-356.                                                                                                  | 0.5 | 13        |
| 172 | Audiological findings after multichannel cochlear implantation in patients with Mondini dysplasia. <i>International Journal of Audiology</i> , 1996, 30, 369-379.                                                                        | 0.7 | 24        |
| 173 | A comparison of test-retest variability of caloric induced nystagmus in a normal population using an air stimulus presented via a standard and modified irrigating probe. <i>International Journal of Audiology</i> , 1996, 30, 221-226. | 0.7 | 7         |
| 174 | The relationship between uncomfortable loudness level and maximum power output in subjects recently fitted with NHS hearing aids. <i>International Journal of Audiology</i> , 1996, 30, 275-285.                                         | 0.7 | 3         |
| 175 | The test-retest variability of the caloric test: A comparison of a modified air irrigation with the conventional water technique. <i>International Journal of Audiology</i> , 1996, 30, 303-306.                                         | 0.7 | 8         |
| 176 | Measurement of variability in sound field audiometry due to subject movement. <i>International Journal of Audiology</i> , 1995, 29, 285-291.                                                                                             | 0.7 | 3         |
| 177 | Difficulties experienced in implementing the ABR travelling wave velocity (Delta V) technique with two commercially available systems. <i>International Journal of Audiology</i> , 1995, 29, 23-29.                                      | 0.7 | 4         |
| 178 | A discussion of current sound field calibration procedures. <i>International Journal of Audiology</i> , 1993, 27, 427-435.                                                                                                               | 0.7 | 7         |