

Jennie Louise Ponsford

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7386552/jennie-louise-ponsford-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

301
papers

13,175
citations

60
h-index

107
g-index

317
ext. papers

15,257
ext. citations

3.8
avg, IF

6.77
L-index

#	Paper	IF	Citations
301	Decompressive craniectomy in diffuse traumatic brain injury. <i>New England Journal of Medicine</i> , 2011 , 364, 1493-502	59.2	1088
300	Factors influencing outcome following mild traumatic brain injury in adults. <i>Journal of the International Neuropsychological Society</i> , 2000 , 6, 568-79	3.1	436
299	Predictors of clinical recovery from concussion: a systematic review. <i>British Journal of Sports Medicine</i> , 2017 , 51, 941-948	10.3	427
298	Outcome following traumatic brain injury: a comparison between 2 and 5 years after injury. <i>Brain Injury</i> , 1996 , 10, 841-8	2.1	405
297	Prehospital hypertonic saline resuscitation of patients with hypotension and severe traumatic brain injury: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 1350-7	27.4	337
296	Longitudinal follow-up of patients with traumatic brain injury: outcome at two, five, and ten years post-injury. <i>Journal of Neurotrauma</i> , 2014 , 31, 64-77	5.4	321
295	Attentional deficits following closed-head injury. <i>Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology</i> , 1992 , 14, 822-38		311
294	Predictors of postconcussive symptoms 3 months after mild traumatic brain injury. <i>Neuropsychology</i> , 2012 , 26, 304-13	3.8	253
293	A profile of outcome: 2 years after traumatic brain injury. <i>Brain Injury</i> , 1995 , 9, 1-10	2.1	253
292	Functional outcome 10 years after traumatic brain injury: its relationship with demographic, injury severity, and cognitive and emotional status. <i>Journal of the International Neuropsychological Society</i> , 2008 , 14, 233-42	3.1	245
291	Cognitive functioning ten years following traumatic brain injury and rehabilitation. <i>Neuropsychology</i> , 2008 , 22, 618-625	3.8	241
290	Psychiatric disorders following traumatic brain injury: their nature and frequency. <i>Journal of Head Trauma Rehabilitation</i> , 2009 , 24, 324-32	3	212
289	Long-term outcomes after uncomplicated mild traumatic brain injury: a comparison with trauma controls. <i>Journal of Neurotrauma</i> , 2011 , 28, 937-46	5.4	192
288	Sleep disturbance and melatonin levels following traumatic brain injury. <i>Neurology</i> , 2010 , 74, 1732-8	6.5	185
287	Psychosocial and emotional outcomes 10 years following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2007 , 22, 278-87	3	185
286	Cognitive and behavioral outcome following mild traumatic head injury in children. <i>Journal of Head Trauma Rehabilitation</i> , 1999 , 14, 360-72	3	183
285	Prediction of employment status 2 years after traumatic brain injury. <i>Brain Injury</i> , 1995 , 9, 11-20	2.1	180

284	Long-term adjustment of families following traumatic brain injury where comprehensive rehabilitation has been provided. <i>Brain Injury</i> , 2003 , 17, 453-68	2.1	172
283	Coping and emotional adjustment following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2006 , 21, 248-59	3	168
282	Validity of the Hospital Anxiety and Depression Scale to assess depression and anxiety following traumatic brain injury as compared with the Structured Clinical Interview for DSM-IV. <i>Journal of Affective Disorders</i> , 2009 , 114, 94-102	6.6	158
281	Fatigue and sleep disturbance following traumatic brain injury--their nature, causes, and potential treatments. <i>Journal of Head Trauma Rehabilitation</i> , 2012 , 27, 224-33	3	158
280	INCOG recommendations for management of cognition following traumatic brain injury, part IV: cognitive communication. <i>Journal of Head Trauma Rehabilitation</i> , 2014 , 29, 353-68	3	152
279	The Glasgow Outcome Scale - 40 years of application and refinement. <i>Nature Reviews Neurology</i> , 2016 , 12, 477-85	15	136
278	The nature, frequency and course of psychiatric disorders in the first year after traumatic brain injury: a prospective study. <i>Psychological Medicine</i> , 2011 , 41, 2099-109	6.9	131
277	Selective attention deficits and subjective fatigue following traumatic brain injury. <i>Neuropsychology</i> , 2006 , 20, 383-90	3.8	129
276	Evaluation of a coping skills group following traumatic brain injury. <i>Brain Injury</i> , 2006 , 20, 167-78	2.1	124
275	Coping strategies and emotional outcome following traumatic brain injury: a comparison with orthopedic patients. <i>Journal of Head Trauma Rehabilitation</i> , 2000 , 15, 1256-74	3	124
274	Self-reported changes to nighttime sleep after traumatic brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 278-85	2.8	120
273	Return to Work and Functional Outcomes After Major Trauma: Who Recovers, When, and How Well?. <i>Annals of Surgery</i> , 2016 , 263, 623-32	7.8	111
272	The use of a rating scale of attentional behaviour. <i>Neuropsychological Rehabilitation</i> , 1991 , 1, 241-257	3.1	111
271	Poor sleep quality and changes in objectively recorded sleep after traumatic brain injury: a preliminary study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 843-50	2.8	105
270	Factors influencing outcome after orthopedic trauma. <i>Journal of Trauma</i> , 2008 , 64, 1001-9		102
269	Alcohol and drug use following traumatic brain injury: a prospective study. <i>Brain Injury</i> , 2007 , 21, 1385-92.	2.1	96
268	INCOG recommendations for management of cognition following traumatic brain injury, part III: executive function and self-awareness. <i>Journal of Head Trauma Rehabilitation</i> , 2014 , 29, 338-52	3	95
267	Measurement and prediction of subjective fatigue following traumatic brain injury. <i>Journal of the International Neuropsychological Society</i> , 2005 , 11, 416-25	3.1	93

266	Long-term health status and trajectories of seriously injured patients: A population-based longitudinal study. <i>PLoS Medicine</i> , 2017 , 14, e1002322	11.6	90
265	Validity of the Depression Anxiety Stress Scales in assessing depression and anxiety following traumatic brain injury. <i>Journal of Affective Disorders</i> , 2013 , 151, 392-6	6.6	90
264	Impact of age on long-term cognitive function after traumatic brain injury. <i>Neuropsychology</i> , 2010 , 24, 336-344	3.8	87
263	Association between cognitive performance and functional outcome following traumatic brain injury: a longitudinal multilevel examination. <i>Neuropsychology</i> , 2012 , 26, 604-12	3.8	84
262	Family functioning and emotional state two and five years after traumatic brain injury. <i>Journal of the International Neuropsychological Society</i> , 2010 , 16, 306-17	3.1	82
261	INCOG guidelines for cognitive rehabilitation following traumatic brain injury: methods and overview. <i>Journal of Head Trauma Rehabilitation</i> , 2014 , 29, 290-306	3	80
260	Factors contributing to outcome following traumatic brain injury. <i>NeuroRehabilitation</i> , 2013 , 32, 803-15	2	78
259	Vigilance and fatigue following traumatic brain injury. <i>Journal of the International Neuropsychological Society</i> , 2006 , 12, 100-10	3.1	78
258	Sexual changes associated with traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2003 , 13, 275-89	1	78
257	Randomized controlled trial of light therapy for fatigue following traumatic brain injury. <i>Neurorehabilitation and Neural Repair</i> , 2014 , 28, 303-13	4.7	75
256	INCOG recommendations for management of cognition following traumatic brain injury, part II: attention and information processing speed. <i>Journal of Head Trauma Rehabilitation</i> , 2014 , 29, 321-37	3	74
255	The association between apolipoprotein E and traumatic brain injury severity and functional outcome in a rehabilitation sample. <i>Journal of Neurotrauma</i> , 2011 , 28, 1683-92	5.4	73
254	The Relationship between age, injury severity, and MRI findings after traumatic brain injury. <i>Journal of Neurotrauma</i> , 2009 , 26, 2157-67	5.4	72
253	Rehabilitation interventions after mild head injury. <i>Current Opinion in Neurology</i> , 2005 , 18, 692-7	7.1	72
252	The factor structure of the Hospital Anxiety and Depression Scale in individuals with traumatic brain injury. <i>Psychiatry Research</i> , 2010 , 179, 342-9	9.9	71
251	Predictors of psychiatric disorders following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2010 , 25, 320-9	3	71
250	INCOG recommendations for management of cognition following traumatic brain injury, part V: memory. <i>Journal of Head Trauma Rehabilitation</i> , 2014 , 29, 369-86	3	70
249	Who benefits? Outcome following a coping skills group intervention for traumatically brain injured individuals. <i>Brain Injury</i> , 2006 , 20, 1-13	2.1	70

248	Changes in sleep patterns following traumatic brain injury: a controlled study. <i>Neurorehabilitation and Neural Repair</i> , 2013 , 27, 613-21	4.7	69
247	INCOG recommendations for management of cognition following traumatic brain injury, part I: posttraumatic amnesia/delirium. <i>Journal of Head Trauma Rehabilitation</i> , 2014 , 29, 307-20	3	63
246	Motivational interviewing and cognitive behaviour therapy for anxiety following traumatic brain injury: a pilot randomised controlled trial. <i>Neuropsychological Rehabilitation</i> , 2012 , 22, 585-608	3.1	63
245	The ecological and construct validity of a newly developed measure of executive function: the Virtual Library Task. <i>Journal of the International Neuropsychological Society</i> , 2012 , 18, 440-50	3.1	63
244	Early decompressive craniectomy for patients with severe traumatic brain injury and refractory intracranial hypertension—a pilot randomized trial. <i>Journal of Critical Care</i> , 2008 , 23, 387-93	4	62
243	Efficacy of melatonin for sleep disturbance following traumatic brain injury: a randomised controlled trial. <i>BMC Medicine</i> , 2018 , 16, 8	11.4	61
242	The experience of challenging behaviours following severe TBI: A family perspective. <i>Brain Injury</i> , 2015 , 29, 813-21	2.1	59
241	Sleep Disturbances in Traumatic Brain Injury: A Meta-Analysis. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 419-28	3.1	58
240	White matter integrity following traumatic brain injury: the association with severity of injury and cognitive functioning. <i>Brain Topography</i> , 2013 , 26, 648-60	4.3	58
239	Use of the Westmead PTA scale to monitor recovery of memory after mild head injury. <i>Brain Injury</i> , 2004 , 18, 603-14	2.1	58
238	Association between psychiatric state and outcome following traumatic brain injury. <i>Journal of Rehabilitation Medicine</i> , 2008 , 40, 850-7	3.4	57
237	The temporal relationship between depression, anxiety, and functional status after traumatic brain injury: a cross-lagged analysis. <i>Journal of the International Neuropsychological Society</i> , 2011 , 17, 781-7	3.1	56
236	Assessment of executive dysfunction following traumatic brain injury: comparison of the BADS with other clinical neuropsychological measures. <i>Journal of the International Neuropsychological Society</i> , 2005 , 11, 606-13	3.1	54
235	Factors contributing to attentional impairments after traumatic brain injury. <i>Neuropsychology</i> , 2009 , 23, 424-32	3.8	53
234	Cognitive Behavior Therapy to Treat Sleep Disturbance and Fatigue After Traumatic Brain Injury: A Pilot Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 1508-1517.e2	2.8	52
233	Relationship between psychiatric disorders and 1-year psychosocial outcome following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2011 , 26, 79-89	3	50
232	Long-term outcome following traumatic brain injury: a comparison of subjective reports by those injured and their relatives. <i>Neuropsychological Rehabilitation</i> , 2009 , 19, 645-61	3.1	50
231	Prediction of functional and employment outcome 1 year after traumatic brain injury: a structural equation modelling approach. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 936-41	5.5	50

230	Circadian Melatonin Rhythm Following Traumatic Brain Injury. <i>Neurorehabilitation and Neural Repair</i> , 2016 , 30, 972-977	4.7	50
229	A Model of Fatigue Following Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2015 , 30, 277-82	3	44
228	Epidemiology and Natural History of Psychiatric Disorders After TBI. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2018 , 30, 262-270	2.7	44
227	Stability of employment over the first 3 years following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2015 , 30, E1-11	3	43
226	Using Post-Traumatic Amnesia To Predict Outcome after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016 , 33, 997-1004	5.4	41
225	Association between cognitive impairments and anxiety disorders following traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014 , 36, 1-14	2.1	41
224	Smartphones as assistive technology following traumatic brain injury: a preliminary study of what helps and what hinders. <i>Disability and Rehabilitation</i> , 2017 , 39, 2387-2394	2.4	41
223	The application of Goal Management Training to aspects of financial management in individuals with traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2012 , 22, 852-73	3.1	41
222	Comparison of long-term outcomes following traumatic injury: what is the unique experience for those with brain injury compared with orthopaedic injury?. <i>Injury</i> , 2015 , 46, 142-9	2.5	40
221	Actigraphic assessment of sleep disturbances following traumatic brain injury. <i>Behavioral Sleep Medicine</i> , 2014 , 12, 13-27	4.2	38
220	Gender differences in outcome in patients with hypotension and severe traumatic brain injury. <i>Injury</i> , 2008 , 39, 67-76	2.5	38
219	Goal attainment scaling in brain injury rehabilitation: strengths, limitations and recommendations for future applications. <i>Neuropsychological Rehabilitation</i> , 2014 , 24, 661-77	3.1	37
218	Costs of care after traumatic brain injury. <i>Journal of Neurotrauma</i> , 2013 , 30, 1498-505	5.4	37
217	The effect of traumatic brain injury on the timing of sleep. <i>Chronobiology International</i> , 2005 , 22, 89-105	3.6	37
216	Cognitive behavioural therapy for post-stroke fatigue and sleep disturbance: a pilot randomised controlled trial with blind assessment. <i>Neuropsychological Rehabilitation</i> , 2019 , 29, 723-738	3.1	37
215	Speed of processing and strategic control of attention after traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2015 , 37, 1024-35	2.1	35
214	Sexual changes in individuals with traumatic brain injury: a control comparison. <i>Journal of Head Trauma Rehabilitation</i> , 2013 , 28, 171-8	3	34
213	Developing a targeted, theory-informed implementation intervention using two theoretical frameworks to address health professional and organisational factors: a case study to improve the management of mild traumatic brain injury in the emergency department. <i>Implementation Science</i> , 2015 , 10, 71	8.4	33

212	The relations among cognitive impairment, coping style, and emotional adjustment following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2013 , 28, 116-25	3	33
211	Patient Outcomes at Twelve Months after Early Decompressive Craniectomy for Diffuse Traumatic Brain Injury in the Randomized DECRA Clinical Trial. <i>Journal of Neurotrauma</i> , 2020 , 37, 810-816	5.4	32
210	Outcome Measurement in an Inpatient and Outpatient Traumatic Brain Injury Rehabilitation Programme. <i>Neuropsychological Rehabilitation</i> , 1999 , 9, 517-534	3.1	32
209	Predictive and associated factors of psychiatric disorders after traumatic brain injury: a prospective study. <i>Journal of Neurotrauma</i> , 2011 , 28, 1155-63	5.4	31
208	Does the fear avoidance model explain persistent symptoms after traumatic brain injury?. <i>Brain Injury</i> , 2017 , 31, 1597-1604	2.1	30
207	Cognitive Reserve and Age Predict Cognitive Recovery after Mild to Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019 , 36, 2753-2761	5.4	30
206	Self-concept and self-esteem after acquired brain injury: a control group comparison. <i>Brain Injury</i> , 2014 , 28, 146-54	2.1	30
205	Sleep and fatigue following traumatic brain injury. <i>Psychiatric Clinics of North America</i> , 2014 , 37, 77-89	3.1	29
204	Outcome instruments in moderate-to-severe adult traumatic brain injury: recommendations for use in psychosocial research. <i>Neuropsychological Rehabilitation</i> , 2019 , 29, 896-916	3.1	29
203	Fatigue as a cause, not a consequence of depression and daytime sleepiness: a cross-lagged analysis. <i>Journal of Head Trauma Rehabilitation</i> , 2014 , 29, 427-31	3	28
202	The influence of cultural background on motivation for and participation in rehabilitation and outcome following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2007 , 22, 132-9	3	28
201	Patterns and Predictors of Return to Work After Major Trauma: A Prospective, Population-based Registry Study. <i>Annals of Surgery</i> , 2019 , 269, 972-978	7.8	28
200	Sustained attention following traumatic brain injury: use of the Psychomotor Vigilance Task. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013 , 35, 210-24	2.1	27
199	Co-occurrence of posttraumatic stress symptoms, pain, and disability 12 months after traumatic injury. <i>Pain Reports</i> , 2017 , 2, e622	3.5	26
198	Long-term employment outcomes following traumatic brain injury and orthopaedic trauma: A ten-year prospective study. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 932-40	3.4	26
197	Factors associated with sexuality following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2013 , 28, 195-201	3	26
196	The experience of return to work in individuals with traumatic brain injury (TBI): A qualitative study. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 412-429	3.1	26
195	Core competencies in clinical neuropsychology training across the world. <i>Clinical Neuropsychologist</i> , 2018 , 32, 642-656	4.4	26

194	A cognitive behaviour therapy (CBT) programme for anxiety following moderate-severe traumatic brain injury (TBI): two case studies. <i>Brain Injury</i> , 2012 , 26, 126-38	2.1	25
193	Factors influencing self-awareness following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2015 , 30, E43-54	3	24
192	Imaging in Pediatric Concussion: A Systematic Review. <i>Pediatrics</i> , 2018 , 141,	7.4	23
191	Psychological Resilience Is Associated With Participation Outcomes Following Mild to Severe Traumatic Brain Injury. <i>Frontiers in Neurology</i> , 2018 , 9, 563	4.1	23
190	COMT Val158Met and cognitive and functional outcomes after traumatic brain injury. <i>Journal of Neurotrauma</i> , 2014 , 31, 1507-14	5.4	23
189	RESTORE: REcovery after Serious Trauma--Outcomes, Resource use and patient Experiences study protocol. <i>Injury Prevention</i> , 2015 , 21, 348-54	3.2	22
188	Quality of guidelines for cognitive rehabilitation following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2014 , 29, 277-89	3	22
187	A new kind of normal: qualitative accounts of Multifamily Group Therapy for acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2014 , 24, 809-32	3.1	22
186	Changes in self-reported pre- to postinjury coping styles in the first 3 years after traumatic brain injury and the effects on psychosocial and emotional functioning and quality of life. <i>Journal of Head Trauma Rehabilitation</i> , 2014 , 29, E43-53	3	22
185	The relationship between alcohol and cognitive functioning following traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013 , 35, 103-12	2.1	22
184	Psychosis Following Traumatic Brain Injury. <i>Brain Impairment</i> , 2013 , 14, 21-41	1	22
183	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale - Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020 , 122, 109800	4.1	22
182	Telehealth Delivery of Memory Rehabilitation Following Stroke. <i>Journal of the International Neuropsychological Society</i> , 2020 , 26, 58-71	3.1	21
181	Efficacy of Activities of Daily Living Retraining During Posttraumatic Amnesia: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 329-337.e2	2.8	21
180	Factor structure of the Depression Anxiety Stress Scales in individuals with traumatic brain injury. <i>Brain Injury</i> , 2013 , 27, 1377-82	2.1	21
179	Disrupted White Matter Microstructure and Mood Disorders after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2017 , 34, 807-815	5.4	21
178	Exploring variables associated with change in cognitive behaviour therapy (CBT) for anxiety following traumatic brain injury. <i>Disability and Rehabilitation</i> , 2012 , 34, 408-15	2.4	21
177	The association of age and time postinjury with long-term emotional outcome following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2010 , 25, 330-8	3	21

176	The Evolution of Post-Traumatic Stress Disorder following Moderate-to-Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016 , 33, 825-31	5.4	20
175	Comparing memory group training and computerized cognitive training for improving memory function following stroke: A phase II randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2019 , 51, 343-351	3.4	20
174	Chronic Pain Following Motor Vehicle Collision: A Systematic Review of Outcomes Associated With Seeking or Receiving Compensation. <i>Clinical Journal of Pain</i> , 2016 , 32, 817-27	3.5	20
173	Behaviours of concern following moderate to severe traumatic brain injury in individuals living in the community. <i>Brain Injury</i> , 2017 , 31, 1312-1319	2.1	19
172	Assessment of sexuality following traumatic brain injury: validation of the Brain Injury Questionnaire of Sexuality. <i>Journal of Head Trauma Rehabilitation</i> , 2013 , 28, 164-70	3	19
171	Expressed emotion and its relationship to anxiety and depression after traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2012 , 22, 374-90	3.1	19
170	Predictors of the On-Road Driving Assessment After Traumatic Brain Injury: Comparing Cognitive Tests, Injury Factors, and Demographics. <i>Journal of Head Trauma Rehabilitation</i> , 2016 , 31, E44-E52	3	19
169	An investigation of white matter integrity and attention deficits following traumatic brain injury. <i>Brain Injury</i> , 2018 , 32, 776-783	2.1	18
168	Implementing evidence-based recommended practices for the management of patients with mild traumatic brain injuries in Australian emergency care departments: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2014 , 15, 281	2.8	18
167	The Influence of Cultural Background on Experiences and Beliefs about Traumatic Brain Injury and their Association with Outcome. <i>Brain Impairment</i> , 2008 , 9, 1-13	1	18
166	The experience of traumatic brain injury in Botswana. <i>Neuropsychological Rehabilitation</i> , 2015 , 25, 936-58.1	3.1	17
165	Neurocognitive and Self-efficacy Benefits of Cognitive Remediation in Schizophrenia: A Randomized Controlled Trial. <i>Journal of the International Neuropsychological Society</i> , 2018 , 24, 549-562	3.1	17
164	Effect of COMT Val158Met genotype on attention and response to methylphenidate following traumatic brain injury. <i>Brain Injury</i> , 2013 , 27, 1281-6	2.1	17
163	Traumatic injury and perceived injustice: Fault attributions matter in a "no-fault" compensation state. <i>PLoS ONE</i> , 2017 , 12, e0178894	3.7	17
162	Traumatic Brain Injury as a Risk Factor for Dementia and Alzheimer Disease: Critical Review of Study Methodologies. <i>Journal of Neurotrauma</i> , 2019 , 36, 3191-3219	5.4	16
161	Predictors of on-road driver performance following traumatic brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 440-6	2.8	16
160	Sleep complications following traumatic brain injury. <i>Current Opinion in Pulmonary Medicine</i> , 2017 , 23, 493-499	3	16
159	Frequency and quality of return to study following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2014 , 29, 248-56	3	16

158	The relationship between mood disorders and MRI findings following traumatic brain injury. <i>Brain Injury</i> , 2011 , 25, 543-50	2.1	16
157	International growth of neuropsychology. <i>Neuropsychology</i> , 2017 , 31, 921-933	3.8	16
156	Self-Awareness of Falls Risk Among Elderly Patients: Characterizing Awareness Deficits and Exploring Associated Factors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 2145-52	2.8	15
155	The use of videoconferencing in clinical neuropsychology practice: A mixed methods evaluation of neuropsychologists' experiences and views. <i>Australian Psychologist</i> , 2020 , 55, 618-633	1.7	15
154	Self-Awareness and Self-Ratings of On-Road Driving Performance After Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2017 , 32, E50-E59	3	14
153	Predictors of global functioning and employment 10 years following traumatic brain injury compared with orthopaedic injury. <i>Brain Injury</i> , 2015 , 29, 1539-46	2.1	14
152	Combined cognitive and vocational interventions after mild to moderate traumatic brain injury: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 483	2.8	14
151	The impact of intrinsic motivation on session attendance and reliable cognitive improvement in cognitive remediation in schizophrenia. <i>Schizophrenia Research</i> , 2018 , 202, 354-360	3.6	14
150	The lived experience of behaviours of concern: A qualitative study of men with traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2019 , 29, 376-394	3.1	14
149	Care coordination experiences of people with traumatic brain injury and their family members in the 4-years after injury: a qualitative analysis. <i>Brain Injury</i> , 2019 , 33, 574-583	2.1	13
148	Evaluation of a targeted, theory-informed implementation intervention designed to increase uptake of emergency management recommendations regarding adult patients with mild traumatic brain injury: results of the NET cluster randomised trial. <i>Implementation Science</i> , 2019 , 14, 4	8.4	13
147	Interventions for resuming driving after traumatic brain injury. <i>Disability and Rehabilitation</i> , 2018 , 40, 757-764	2.4	13
146	The Neuropsychology of Traumatic Brain Injury: Looking Back, Peering Ahead. <i>Journal of the International Neuropsychological Society</i> , 2017 , 23, 806-817	3.1	13
145	Development of a motivational interviewing programme as a prelude to CBT for anxiety following traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2012 , 22, 563-84	3.1	13
144	On the road again after traumatic brain injury: driver safety and behaviour following on-road assessment and rehabilitation. <i>Disability and Rehabilitation</i> , 2016 , 38, 994-1005	2.4	13
143	The Efficacy and Harms of Pharmacological Interventions for Aggression After Traumatic Brain Injury-Systematic Review. <i>Frontiers in Neurology</i> , 2019 , 10, 1169	4.1	13
142	Acute post-concussive symptoms in young children. <i>Brain Injury</i> , 2017 , 31, 1414-1421	2.1	12
141	Exploring the Self through Songwriting: An Analysis of Songs Composed by People with Acquired Neurodisability in an Inpatient Rehabilitation Program. <i>Journal of Music Therapy</i> , 2017 , 54, 35-54	1.7	12

140	Do Concussive Symptoms Really Resolve in Young Children?. <i>Journal of Head Trauma Rehabilitation</i> , 2017 , 32, 413-424	3	12
139	Investigating the relationship between reduced self-awareness of falls risk, rehabilitation engagement and falls in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2017 , 69, 38-44	4	12
138	Cost prediction following traumatic brain injury: model development and validation. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 173-80	5.5	12
137	Two-Year Outcome Following Traumatic Brain Injury and Rehabilitation: A Comparison of Patients From Metropolitan Melbourne and Those Residing in Regional Victoria. <i>Brain Impairment</i> , 2010 , 11, 253-261	1	12
136	Traumatic injury survivors' perceptions of their future: a longitudinal qualitative study. <i>Disability and Rehabilitation</i> , 2020 , 42, 2707-2717	2.4	12
135	Family caregiving of individuals with traumatic brain injury in Botswana. <i>Disability and Rehabilitation</i> , 2017 , 39, 559-567	2.4	11
134	Cognitive training approaches to remediate attention and executive dysfunction after traumatic brain injury: A single-case series. <i>Neuropsychological Rehabilitation</i> , 2016 , 26, 866-94	3.1	11
133	Do Smartphones have the Potential to Support Cognition and Independence Following Stroke?. <i>Brain Impairment</i> , 2017 , 18, 310-320	1	11
132	Associations between compensable injury, perceived fault and pain and disability 1 year after injury: a registry-based Australian cohort study. <i>BMJ Open</i> , 2017 , 7, e017350	3	10
131	The trajectory of awareness across the first year after traumatic brain injury: the role of biopsychosocial factors. <i>Brain Injury</i> , 2014 , 28, 1711-20	2.1	10
130	Compensation System Experience at 12 Months After Road or Workplace Injury in Victoria, Australia. <i>Psychological Injury and Law</i> , 2016 , 9, 376-389	2.8	10
129	The practice of clinical neuropsychology in Australia. <i>Clinical Neuropsychologist</i> , 2016 , 30, 1179-1192	4.4	10
128	A therapeutic songwriting intervention to promote reconstruction of self-concept and enhance well-being following brain or spinal cord injury: pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2019 , 33, 1045-1055	3.3	9
127	Physical activity: perceptions of people with severe traumatic brain injury living in the community. <i>Brain Injury</i> , 2018 , 32, 209-217	2.1	9
126	Efficacy and Harms of Pharmacological Interventions for Neurobehavioral Symptoms in Post-Traumatic Amnesia after Traumatic Brain Injury: A Systematic Review. <i>Journal of Neurotrauma</i> , 2018 , 35, 2755-2775	5.4	9
125	Development of a new self-awareness of falls risk measure (SAFRM). <i>Archives of Gerontology and Geriatrics</i> , 2014 , 59, 249-56	4	9
124	Impact of a family-focused intervention on self-concept after acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2013 , 23, 563-79	3.1	9
123	Effectiveness of a manualised group training intervention for memory dysfunction following stroke: a series of single case studies. <i>Disability and Rehabilitation</i> , 2020 , 42, 3033-3042	2.4	9

122	Positive behaviour support for challenging behaviour after acquired brain injury: An introduction to PBS + PLUS and three case studies. <i>Neuropsychological Rehabilitation</i> , 2021 , 31, 57-91	3.1	9
121	Verbal fluency, clustering, and switching in patients with psychosis following traumatic brain injury (PFTBI). <i>Psychiatry Research</i> , 2015 , 227, 152-9	9.9	8
120	Key Hospital Anxiety and Depression Scale (HADS) items associated with DSM-IV depressive and anxiety disorder 12-months post traumatic brain injury. <i>Journal of Affective Disorders</i> , 2018 , 236, 164-171	6.6	8
119	Screening for Substance Use Disorders Following Traumatic Brain Injury: Examining the Validity of the AUDIT and the DAST. <i>Journal of Head Trauma Rehabilitation</i> , 2015 , 30, E40-8	3	8
118	Word discrimination therapy: A new technique for the treatment of a phonologically based word-finding impairment. <i>Aphasiology</i> , 2009 , 23, 676-693	1.6	8
117	Moving Ahead: A New Centre of Research Excellence in Brain Recovery, Focusing on Psychosocial Reintegration Following Traumatic Brain Injury. <i>Brain Impairment</i> , 2012 , 13, 256-270	1	8
116	Comparing Prospectively Recorded Posttraumatic Amnesia Duration With Retrospective Accounts. <i>Journal of Head Trauma Rehabilitation</i> , 2016 , 31, E71-7	3	8
115	Cognitive Rehabilitation Following Traumatic Brain Injury: A Survey of Current Practice in Australia. <i>Brain Impairment</i> , 2019 , 20, 24-36	1	8
114	Understanding the experience of compensatory and restorative memory rehabilitation: A qualitative study of stroke survivors. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 503-522	3.1	8
113	Brain lesion correlates of fatigue in individuals with traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2017 , 27, 1056-1070	3.1	7
112	Executive dysfunction in psychosis following traumatic brain injury (PFTBI). <i>Journal of Clinical and Experimental Neuropsychology</i> , 2015 , 37, 917-30	2.1	7
111	Investigation of the effectiveness of brief interventions to reduce alcohol consumption following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2012 , 27, 331-41	3	7
110	Factors Associated With Response to Adapted Cognitive Behavioral Therapy for Anxiety and Depression Following Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2020 , 35, 117-126	3	7
109	Understanding Australian Community ABI Therapists' Preferences for Training in and Implementing Behaviour Interventions: A Focus on Positive Behaviour Support. <i>Brain Impairment</i> , 2020 , 21, 191-207	1	7
108	Case Report: F-MK6240 Tau Positron Emission Tomography Pattern Resembling Chronic Traumatic Encephalopathy in a Retired Australian Rules Football Player. <i>Frontiers in Neurology</i> , 2020 , 11, 598980	4.1	7
107	A brief neurocognitive assessment of patients with psychosis following traumatic brain injury (PFTBI): Use of the Repeatable battery for the Assessment of Neuropsychological Status (RBANS). <i>Psychiatry Research</i> , 2016 , 237, 27-36	9.9	7
106	Toward a global and reproducible science for brain imaging in neurotrauma: the ENIGMA adult moderate/severe traumatic brain injury working group. <i>Brain Imaging and Behavior</i> , 2021 , 15, 526-554	4.1	7
105	Agitated Behavior and Activities of Daily Living Retraining During Posttraumatic Amnesia. <i>Journal of Head Trauma Rehabilitation</i> , 2018 , 33, 317-325	3	7

104	Cultural beliefs about TBI in Botswana. <i>Neuropsychological Rehabilitation</i> , 2017 , 27, 38-59	3.1	6
103	The development and initial validation of a new tool to measure self-awareness of driving ability after brain injury. <i>Australian Occupational Therapy Journal</i> , 2017 , 64, 33-40	1.7	6
102	White matter integrity of the medial forebrain bundle and attention and working memory deficits following traumatic brain injury. <i>Brain and Behavior</i> , 2017 , 7, e00608	3.4	6
101	Characterizing Early and Late Return to Work after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019 , 36, 2533-2540	5.4	6
100	Exploring predictors of treatment outcome in cognitive behavior therapy for sleep disturbance following acquired brain injury. <i>Disability and Rehabilitation</i> , 2018 , 40, 1906-1913	2.4	6
99	Retrospective analysis of the recovery of orientation and memory during posttraumatic amnesia. <i>Neuropsychology</i> , 2015 , 29, 522-9	3.8	6
98	The impact of cultural background on outcome following traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 85-100	3.1	6
97	Behavioural and functional correlates of post-traumatic growth following traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 1205-1223	3.1	6
96	Current practice of cognitive rehabilitation following traumatic brain injury: An international survey. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 1976-1995	3.1	6
95	The relationship between agitation and impairments of orientation and memory during the PTA period after traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 579-590	3.1	6
94	Patterns of Cognitive Test Scores and Symptom Complaints in Persons with TBI Who Failed Performance Validity Testing. <i>Journal of the International Neuropsychological Society</i> , 2020 , 26, 932-938	3.1	5
93	Sexuality in individuals with traumatic brain injury and their partners. <i>Neuropsychological Rehabilitation</i> , 2018 , 28, 1028-1037	3.1	5
92	Who responds better? Factors influencing a positive response to brief alcohol interventions for individuals with traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2012 , 27, 342-8	3	5
91	Fatigue and Attention Following Traumatic Brain Injury. <i>Zeitschrift für Neuropsychologie = Journal of Neuropsychology</i> , 2003 , 14, 155-163	0.5	5
90	Surviving the "silent epidemic": A qualitative exploration of the long-term journey after traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2021 , 31, 1582-1606	3.1	5
89	Acceptability of telehealth in post-stroke memory rehabilitation: A qualitative analysis. <i>Neuropsychological Rehabilitation</i> , 2020 , 1-21	3.1	5
88	Clinical Translation of Cognitive Behavioural Therapy for Anxiety and Depression: Adapted for Brain Injury (CBT-ABI): How Do We Train Competent Clinicians?. <i>International Journal of Cognitive Therapy</i> , 2020 , 13, 379-395	1.4	5
87	Home-based light therapy for fatigue following acquired brain injury: a pilot randomized controlled trial. <i>BMC Neurology</i> , 2021 , 21, 262	3.1	5

86	Economic Evaluation of Activities of Daily Living Retraining During Posttraumatic Amnesia for Inpatient Rehabilitation Following Severe Traumatic Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019 , 100, 648-655	2.8	5
85	Prophylaxis Pharmacotherapy to Prevent the Onset of Post-Traumatic Brain Injury Depression: A Systematic Review. <i>Journal of Neurotrauma</i> , 2019 , 36, 2053-2064	5.4	5
84	Characterizing on-road driving performance in individuals with traumatic brain injury who pass or fail an on-road driving assessment. <i>Disability and Rehabilitation</i> , 2019 , 41, 1313-1320	2.4	5
83	Feasibility and effectiveness of computerised cognitive training for memory dysfunction following stroke: A series of single case studies. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 829-852	3.1	5
82	How cognitive remediation can be utilized strategically to enhance social and independent living self-efficacy. <i>Schizophrenia Research</i> , 2019 , 204, 421-422	3.6	4
81	Exploring What the Austin Maze Measures: A Comparison Across Conventional and Computer Versions. <i>Brain Impairment</i> , 2013 , 14, 243-252	1	4
80	Comparing Performance of Young Adults on a Computer-based Version of the Austin Maze and the Conventional Form of the Test. <i>Brain Impairment</i> , 2012 , 13, 339-346	1	4
79	Rehabilitation of attention following traumatic brain injury 507-521		4
78	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2020 , 139, 110256	4.1	4
77	Adaptation, self-motivation and support services are key to physical activity participation three to five years after major trauma: a qualitative study. <i>Journal of Physiotherapy</i> , 2020 , 66, 188-195	2.9	4
76	Activities of daily living retraining and goal attainment during posttraumatic amnesia. <i>Neuropsychological Rehabilitation</i> , 2019 , 29, 1655-1670	3.1	4
75	Self-regulation upon return to driving after traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2019 , 29, 92-106	3.1	4
74	Psychosocial functioning following moderate-to-severe pediatric traumatic brain injury: recommended outcome instruments for research and remediation studies. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 973-987	3.1	4
73	The experience of a recreational camp for families with a child or young person with acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 233-248	3.1	4
72	Assessment and Management of Patients in the Acute Stages of Recovery after Traumatic Brain Injury in Adults: A Worldwide Survey. <i>Journal of Neurotrauma</i> , 2021 , 38, 1060-1067	5.4	4
71	Economic evaluation of the NET intervention versus guideline dissemination for management of mild head injury in hospital emergency departments. <i>Implementation Science</i> , 2018 , 13, 147	8.4	4
70	Cognitive and vocational rehabilitation after mild-to-moderate traumatic brain injury: A randomised controlled trial. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021 , 64, 101538	3.8	4
69	Predictors of Anxiety and Depression Symptom Improvement in CBT Adapted for Traumatic Brain Injury: Pre/Post-Injury and Therapy Process Factors. <i>Journal of the International Neuropsychological Society</i> , 2020 , 26, 97-107	3.1	3

68	The sibling relationship after acquired brain injury (ABI): perspectives of siblings with ABI and uninjured siblings. <i>Brain Injury</i> , 2020 , 34, 1504-1512	2.1	3
67	Relevance of the Fear-Avoidance Model for Chronic Disability after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020 , 37, 2639-2646	5.4	3
66	"I've never been positive I am now": Participant perspectives of a Positive Behaviour Support intervention (PBS + PLUS) for community-living individuals with ABI and their close others. <i>Neuropsychological Rehabilitation</i> , 2021 , 1-18	3.1	3
65	Who "jumps to conclusions"? A comprehensive assessment of probabilistic reasoning in psychosis following traumatic brain injury (PFTBI), and comparison with TBI, schizophrenia, and nonclinical controls. <i>Cognitive Neuropsychiatry</i> , 2016 , 21, 32-44	2	3
64	Klüver-Bucy Syndrome Following Traumatic Brain Injury: A Systematic Synthesis and Review of Pharmacological Treatment From Cases in Adolescents and Adults. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019 , 31, 6-16	2.7	3
63	Predictors of working alliance in cognitive behaviour therapy adapted for traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 1682-1700	3.1	3
62	Supporting children and young people with an acquired brain injury (ABI) and their siblings: The experience of a camp for families with a child with an ABI. <i>Neuropsychological Rehabilitation</i> , 2021 , 31, 797-813	3.1	3
61	"We struggle and muddle." A qualitative study exploring community ABI therapists' experiences of using, training in and implementing behaviour interventions. <i>Brain Impairment</i> , 2021 , 22, 34-49	1	3
60	The development of a simulator-based intervention to rehabilitate driving skills in people with acquired brain injury. <i>Disability and Rehabilitation: Assistive Technology</i> , 2021 , 16, 289-300	1.8	3
59	Outcome assessment after traumatic brain injury. <i>Lancet Neurology</i> , 2018 , 17, 299	24.1	2
58	Desire for greater clarity when defining 'cognitive remediation' in reviews of treatment efficacy for schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 497	2.6	2
57	Unraveling the Biopsychosocial Factors of Fatigue and Sleep Problems After Traumatic Brain Injury: Protocol for a Multicenter Longitudinal Cohort Study. <i>JMIR Research Protocols</i> , 2018 , 7, e11295	2	2
56	Postconcussive Symptoms Following Mild TBI and Extracranial Injury: What Are the Contributing Factors?. <i>Journal of the International Neuropsychological Society</i> , 2020 , 26, 451-463	3.1	2
55	Prognostic Role of Demographic, Injury and Claim Factors in Disabling Pain and Mental Health Conditions 12 Months after Compensable Injury. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
54	Use of olanzapine to treat agitation in traumatic brain injury: study protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 662	2.8	2
53	Health and return to work in the first two years following road traffic injury: a comparison of outcomes between compensation claimants in Victoria and New South Wales, Australia. <i>Injury</i> , 2020 , 51, 2199-2208	2.5	2
52	Understanding the Multidimensional Nature of Sexuality After Traumatic Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2080-2086	2.8	2
51	Do stroke survivors agree with their clinicians on the extent of their post-stroke activity limitation and participation restriction?. <i>Neuropsychological Rehabilitation</i> , 2020 , 30, 1430-1448	3.1	2

50	Factors facilitating recovery following severe traumatic brain injury: A qualitative study. <i>Neuropsychological Rehabilitation</i> , 2021 , 31, 889-913	3.1	2
49	Outcomes 1 and 2 Years After Moderate to Severe Traumatic Brain Injury: An International Comparative Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021 , 102, 371-377	2.8	2
48	Pharmacotherapy for the pseudobulbar affect in individuals who have sustained a traumatic brain injury: a systematic review protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2018 , 16, 1739-1757	1.6	2
47	Post-concussion symptoms three months after mild-to-moderate TBI: characteristics of sick-listed patients referred to specialized treatment and consequences of intracranial injury. <i>Brain Injury</i> , 2021 , 35, 1054-1064	2.1	2
46	Individualized goal attainment scaling during a trial of positive behaviour support in adults with acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2021 , 1-19	3.1	2
45	Development of a Home-Based Light Therapy for Fatigue Following Traumatic Brain Injury: Two Case Studies. <i>Frontiers in Neurology</i> , 2021 , 12, 651498	4.1	2
44	Factors associated with employment stability following traumatic brain injury, in a sample who have received comprehensive vocational rehabilitation. <i>Disability and Rehabilitation</i> , 2021 , 1-8	2.4	2
43	Cognitive behavioural therapy versus health education for sleep disturbance and fatigue after acquired brain injury: A pilot randomised trial. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021 , 64, 101560	3.8	2
42	"They just say how stupid I was for being conned". Cyberscams and acquired brain injury: A qualitative exploration of the lived experience of survivors and close others.. <i>Neuropsychological Rehabilitation</i> , 2021 , 1-21	3.1	2
41	Pharmacotherapy for the Pseudobulbar Affect in Individuals Who Have Sustained a Traumatic Brain Injury: a Systematic Review. <i>Neuropsychology Review</i> , 2020 , 30, 28-50	7.7	1
40	Prospective evaluation of first and last memory reports following moderate to severe traumatic brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2019 , 41, 109-117	2.1	1
39	Efficacy and harms of pharmacological interventions for neurobehavioral symptoms in post traumatic amnesia after traumatic brain injury: a systematic review and meta-analysis protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2017 , 15, 2890-2912	1.6	1
38	Positive Behaviour Support for adults with acquired brain injury and challenging behaviour: a randomised controlled trial. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021 , 65, 101604	3.8	1
37	Coping and wellbeing in families with a child with acquired brain injury compared with families in the community. <i>Disability and Rehabilitation</i> , 2021 , 1-8	2.4	1
36	Comparing Performance Across In-person and Videoconference-Based Administrations of Common Neuropsychological Measures in Community-Based Survivors of Stroke. <i>Journal of the International Neuropsychological Society</i> , 2021 , 27, 697-710	3.1	1
35	The bidirectional relationship between sleep and physical activity following traumatic brain injury. <i>Journal of Sleep Research</i> , 2021 , 30, e13334	5.8	1
34	Survey on the experiences, attitudes, and training needs of Australian healthcare professionals related to sexuality and service delivery in individuals with acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2021 , 1-21	3.1	1
33	Cognitive Behavioral Therapy for Sleep Disturbance and Fatigue Following Acquired Brain Injury: Predictors of Treatment Response. <i>Journal of Head Trauma Rehabilitation</i> , 2021 ,	3	1

32	The relationship between family expressed emotion, perceived criticism and criticism sensitivity and psychiatric outcomes following traumatic brain injury. <i>Psychiatry Research</i> , 2016 , 246, 827-832	9.9	1
31	Retrograde Autobiographical Memory From PTA Emergence to Six-Month Follow-Up in Moderate to Severe Traumatic Brain Injury. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019 , 31, 112-122 ²⁻⁷		1
30	Psychometric properties of the French version of the Rating Scale of Attentional Behaviour. <i>Neuropsychological Rehabilitation</i> , 2019 , 29, 1149-1162	3.1	1
29	Predictors of Homework Engagement in CBT Adapted for Traumatic Brain Injury: Pre/post-Injury and Therapy Process Factors. <i>Cognitive Therapy and Research</i> , 2020 , 44, 40-51	2.7	1
28	Emotional discomfort mediates the relationship between self-efficacy and subjective quality of life in people with schizophrenia. <i>Journal of Mental Health</i> , 2021 , 30, 20-26	2.7	1
27	Efficacy and Harms of Pharmacological Interventions for Anxiety after Traumatic Brain Injury: Systematic Review. <i>Journal of Neurotrauma</i> , 2021 , 38, 519-528	5.4	1
26	The experience of employers of individuals with traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2021 , 1-23	3.1	1
25	Poorer sleep quality predicts melatonin response in patients with traumatic brain injury: findings from a randomized controlled trial. <i>Journal of Clinical Sleep Medicine</i> , 2021 , 17, 1545-1551	3.1	1
24	Managing agitation during early recovery in adults with traumatic brain injury: An international survey. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021 , 64, 101532	3.8	1
23	Perspectives of major traumatic injury survivors on accessibility and quality of rehabilitation services in rural Australia.. <i>Disability and Rehabilitation</i> , 2022 , 1-10	2.4	1
22	The Residential Status of Working Age Adults Following Severe Traumatic Brain Injury. <i>Brain Impairment</i> , 2018 , 19, 201-214	1	0
21	Highlights in traumatic brain injury research in 2021.. <i>Lancet Neurology, The</i> , 2022 , 21, 5-6	24.1	0
20	Exploring employment following traumatic brain injury in persons who completed an insurer funded vocational rehabilitation program in Australia. <i>Disability and Rehabilitation</i> , 2021 , 1-11	2.4	0
19	Comparing the Westmead Posttraumatic Amnesia Scale, Galveston Orientation and Amnesia Test, and Confusion Assessment Protocol as Measures of Acute Recovery Following Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2021 , 36, 156-163	3	0
18	Does cognitive decline occur decades after moderate to severe traumatic brain injury? A prospective controlled study. <i>Neuropsychological Rehabilitation</i> , 2021 , 1-20	3.1	0
17	Aspects of Cognitive Impairment Associated with Agitated Behaviour during Post-traumatic Amnesia. <i>Journal of the International Neuropsychological Society</i> , 2021 , 1-9	3.1	0
16	Factors Associated With Response to Pilot Home-Based Light Therapy for Fatigue Following Traumatic Brain Injury and Stroke. <i>Frontiers in Neurology</i> , 2021 , 12, 651392	4.1	0
15	Factors Affecting Participation in Physical Therapy During Posttraumatic Amnesia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021 , 102, 378-385	2.8	0

14	Agitated Behaviors following Traumatic Brain Injury: A Systematic Review and Meta-Analysis of Prevalence by Post-Traumatic Amnesia Status, Hospital Setting, and Agitated Behavior Type. <i>Journal of Neurotrauma</i> , 2021 , 38, 3047-3067	5.4	○
13	Moderators of gene-outcome associations following traumatic brain injury. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 130, 107-124	9	○
12	"It's been a long hard road": challenges faced in the first three years following traumatic brain injury. <i>Disability and Rehabilitation</i> , 2021 , 1-10	2.4	○
11	Clinical perspectives on delivering a Positive Behaviour Support intervention for challenging behaviours following acquired brain injury.. <i>Neuropsychological Rehabilitation</i> , 2021 , 1-24	3.1	○
10	Do we need to know about cybercams in neurorehabilitation? A cross-sectional scoping survey of Australasian clinicians and service providers. <i>Brain Impairment</i> , 1-16	1	○
9	Introduction to the JINS Special Issue on Rehabilitation. <i>Journal of the International Neuropsychological Society</i> , 2020 , 26, 3-6	3.1	
8	Psychological effects of mild traumatic brain injury: their nature and treatment 43-53		
7	Long-term health and mobility of older adults following traumatic injury: a qualitative longitudinal study. <i>Disability and Rehabilitation</i> , 2021 , 1-11	2.4	
6	Evaluating telehealth delivery of a compensatory memory rehabilitation programme following stroke: A single-case experimental design. <i>Neuropsychological Rehabilitation</i> , 2021 , 1-25	3.1	
5	Predicting co-morbid traumatic brain injury and psychosis from neuropsychological profile. <i>Schizophrenia Research</i> , 2016 , 172, 143-4	3.6	
4	User experiences and perspectives of a driving simulator intervention for individuals with acquired brain injury: A qualitative study. <i>Neuropsychological Rehabilitation</i> , 2021 , 31, 773-796	3.1	
3	Aberrant modulation of brain activity underlies impaired working memory following traumatic brain injury. <i>NeuroImage: Clinical</i> , 2021 , 31, 102777	5.3	
2	A qualitative study on the attitudes and approaches of Australian clinicians in addressing sexuality after acquired brain injury.. <i>Disability and Rehabilitation</i> , 2021 , 1-9	2.4	
1	Brain age in chronic traumatic brain injury.. <i>NeuroImage: Clinical</i> , 2022 , 35, 103039	5.3	