Gallus Bischof

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7387696/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	An international consensus for assessing internet gaming disorder using the new <scp>DSM</scp> â€5 approach. Addiction, 2014, 109, 1399-1406.	3.3	710
2	Effectiveness and treatment moderators of internet interventions for adult problem drinking: An individual patient data meta-analysis of 19 randomised controlled trials. PLoS Medicine, 2018, 15, e1002714.	8.4	186
3	Occurence of Internet Addiction in a General Population Sample: A Latent Class Analysis. European Addiction Research, 2014, 20, 159-166.	2.4	155
4	The Reliability and Validity of the Alcohol Use Disorders Identification Test (AUDIT) in a German General Practice Population Sample. Journal of Studies on Alcohol and Drugs, 2006, 67, 473-481.	2.3	130
5	Types of natural recovery from alcohol dependence: a cluster analytic approach. Addiction, 2003, 98, 1737-1746.	3.3	106
6	Screening Questionnaires for Problem Drinking in Adolescents: Performance of AUDIT, AUDIT-C, CRAFFT and POSIT. European Addiction Research, 2013, 19, 121-127.	2.4	105
7	Evaluation of a telephone-based stepped care intervention for alcohol-related disorders: A randomized controlled trial. Drug and Alcohol Dependence, 2008, 93, 244-251.	3.2	97
8	Genome-wide association study of pathological gambling. European Psychiatry, 2016, 36, 38-46.	0.2	82
9	Proactive interventions for smoking cessation in general medical practice: a quasiâ€randomized controlled trial to examine the efficacy of computerâ€tailored letters and physicianâ€delivered brief advice*. Addiction, 2008, 103, 294-304.	3.3	74
10	Studies on natural recovery from alcohol dependence: sample selection bias by media solicitation?. Addiction, 2000, 95, 765-775.	3.3	65
11	Randomized controlled trial of a brief intervention for problematic prescription drug use in nonâ€ŧreatmentâ€seeking patients. Addiction, 2009, 104, 109-117.	3.3	59
12	Influence of psychiatric comorbidity in alcoholâ€dependent subjects in a representative population survey on treatment utilization and natural recovery. Addiction, 2005, 100, 405-413.	3.3	55
13	Comorbid Axis I-disorders among subjects with pathological, problem, or at-risk gambling recruited from the general population in Germany: Results of the PAGE study. Psychiatry Research, 2013, 210, 1065-1070.	3.3	55
14	The association between Internet addiction and personality disorders in a general population-based sample. Journal of Behavioral Addictions, 2016, 5, 691-699.	3.7	55
15	Brief alcohol intervention for general hospital inpatients: A randomized controlled trial. Drug and Alcohol Dependence, 2008, 93, 233-243.	3.2	54
16	Excess Mortality of Alcoholâ€Dependent Individuals After 14ÂYears and Mortality Predictors Based on Treatment Participation and Severity of Alcohol Dependence. Alcoholism: Clinical and Experimental Research, 2013, 37, 156-163.	2.4	53
17	Efficacy of the Community Reinforcement and Family Training for concerned significant others of treatment-refusing individuals with alcohol dependence: A randomized controlled trial. Drug and Alcohol Dependence, 2016, 163, 179-185.	3.2	49
18	Suicidal events among pathological gamblers: The role of comorbidity of axis I and axis II disorders. Psychiatry Research, 2015, 225, 413-419.	3.3	48

#	Article	IF	CITATIONS
19	Adherence to the principles of Motivational Interviewing, clients' characteristics and behavior outcome in a smoking cessation and relapse prevention trial in women postpartum. Addictive Behaviors, 2007, 32, 2297-2303.	3.0	45
20	Factors influencing remission from alcohol dependence without formal help in a representative population sample. Addiction, 2001, 96, 1327-1336.	3.3	43
21	Diagnostic performance of the Alcohol Use Disorders Identification Test (AUDIT) in detecting DSM-5 alcohol use disorders in the General population. Drug and Alcohol Dependence, 2019, 204, 107530.	3.2	42
22	Effectiveness of brief alcohol interventions for general practice patients with problematic drinking behavior and comorbid anxiety or depressive disorders. Drug and Alcohol Dependence, 2008, 94, 214-220.	3.2	39
23	Maintenance Factors of Recovery From Alcohol Dependence in Treated and Untreated Individuals. Alcoholism: Clinical and Experimental Research, 2000, 24, 1773-1777.	2.4	37
24	Brief intervention in general hospital for problematic prescription drug use: 12-Month outcome. Drug and Alcohol Dependence, 2009, 105, 221-226.	3.2	37
25	The "Pathological Gambling and Epidemiology―(PAGE) study program: design and fieldwork. International Journal of Methods in Psychiatric Research, 2015, 24, 11-31.	2.1	36
26	Gender differences in natural recovery from alcohol dependence Journal of Studies on Alcohol and Drugs, 2000, 61, 783-786.	2.3	34
27	Internet-Related Disorders: Development of the Short Compulsive Internet Use Scale. Cyberpsychology, Behavior, and Social Networking, 2017, 20, 709-717.	3.9	33
28	Stability of subtypes of natural recovery from alcohol dependence after two years. Addiction, 2007, 102, 904-908.	3.3	32
29	In-person alcohol counseling versus computer-generated feedback: Results from a randomized controlled trial Health Psychology, 2018, 37, 70-80.	1.6	31
30	Motivational Interviewing: An Evidence-Based Approach for Use in Medical Practice. Deutsches Ärzteblatt International, 2021, 118, 109-115.	0.9	29
31	Development and Evaluation of a Screening Instrument for Alcohol-Use Disorders and At-Risk Drinking: The Brief Alcohol Screening Instrument for Medical Care (BASIC). Journal of Studies on Alcohol and Drugs, 2007, 68, 607-614.	1.0	28
32	Measurement invariance of the alcohol use disorders identification test: Establishing its factor structure in different settings and across gender. Drug and Alcohol Dependence, 2018, 189, 55-61.	3.2	28
33	INTENTION TO CHANGE DRINKING BEHAVIOUR IN GENERAL PRACTICE PATIENTS WITH PROBLEMATIC DRINKING AND COMORBID DEPRESSION OR ANXIETY. Alcohol and Alcoholism, 2005, 40, 394-400.	1.6	27
34	The relationship between impaired decision-making, sensation seeking and readiness to change in cigarette smokers. Addictive Behaviors, 2006, 31, 581-592.	3.0	27
35	Does stage tailoring matter in brief alcohol interventions for jobâ€seekers? A randomized controlled trial. Addiction, 2014, 109, 1845-1856.	3.3	27
36	The Role of Family and Partnership in Recovery from Alcohol Dependence: Comparison of Individuals Remitting with and without Formal Help. European Addiction Research, 2002, 8, 122-127.	2.4	26

#	Article	IF	CITATIONS
37	Type of gambling as an independent risk factor for suicidal events in pathological gamblers Psychology of Addictive Behaviors, 2016, 30, 263-269.	2.1	26
38	Remission from alcohol dependence without help: how restrictive should our definition of treatment be?. Journal of Studies on Alcohol and Drugs, 2002, 63, 229-236.	2.3	24
39	Intention to utilize formal help in a sample with alcohol problems: A prospective study. Drug and Alcohol Dependence, 2007, 87, 210-216.	3.2	24
40	Gender differences in the efficacy of brief interventions with a stepped care approach in general practice patients with alcohol-related disorders. Alcohol and Alcoholism, 2008, 43, 334-340.	1.6	24
41	Griffiths <i>et al</i> .'s comments on the international consensus statement of internet gaming disorder: furthering consensus or hindering progress?. Addiction, 2016, 111, 175-178.	3.3	24
42	Performance of the DSM-5-based criteria for Internet addiction: A factor analytical examination of three samples. Journal of Behavioral Addictions, 2019, 8, 288-294.	3.7	24
43	Effects of item sequence on the performance of the AUDIT in general practices. Drug and Alcohol Dependence, 2005, 79, 373-377.	3.2	23
44	Prevalence of dependence on prescription drugs and associated mental disorders in a representative sample of general hospital patients. General Hospital Psychiatry, 2007, 29, 257-263.	2.4	23
45	STABILITY OF REMISSION FROM ALCOHOL DEPENDENCE WITHOUT FORMAL HELP. Alcohol and Alcoholism, 2006, 41, 311-314.	1.6	22
46	How alcohol use problem severity affects the outcome of brief intervention delivered in-person versus through computer-generated feedback letters. Drug and Alcohol Dependence, 2018, 183, 82-88.	3.2	20
47	Alcohol problem drinking among general hospital inpatients in northeastern Germany. General Hospital Psychiatry, 2008, 30, 147-154.	2.4	19
48	Differences in help seeking rates after brief intervention for alcohol use disorders in general practice patients with and without comorbid anxiety or depressive disorders. International Journal of Methods in Psychiatric Research, 2008, 17, S74-S77.	2.1	18
49	The role of self-esteem in Internet addiction within the context of comorbid mental disorders: Findings from a general population-based sample. Journal of Behavioral Addictions, 2018, 7, 976-984.	3.7	18
50	Computer-generated tailored feedback letters for smoking cessation: Theoretical and empirical variability of tailoring. International Journal of Medical Informatics, 2008, 77, 715-722.	3.3	16
51	Multiple dimensions of health locus of control in a representative population sample: ordinal factor analysis and cross-validation of an existing three and a new four factor model. BMC Medical Research Methodology, 2011, 11, 114.	3.1	16
52	Changes in drinking behavior among control group participants in early intervention studies targeting unhealthy alcohol use recruited in general hospitals and general practices. Drug and Alcohol Dependence, 2012, 125, 81-88.	3.2	16
53	How well do TTM measures work among a sample of individuals with unhealthy alcohol use that is characterized by low readiness to change?. Psychology of Addictive Behaviors, 2013, 27, 573-583.	2.1	16
54	Association of Sociodemographic, Psychopathological and Gambling-Related Factors with Treatment Utilization for Pathological Gambling. European Addiction Research, 2014, 20, 167-173.	2.4	16

#	Article	IF	CITATIONS
55	Gender differences in temptation to drink, self-efficacy to abstain and coping behavior in treated alcohol-dependent individuals: Controlling for severity of dependence. Addiction Research and Theory, 2005, 13, 129-136.	1.9	15
56	Moving internet gaming disorder forward: A reply. Addiction, 2014, 109, 1412-1413.	3.3	15
57	Can brief alcohol interventions in general hospital inpatients improve mental and general health over 2 years? Results from a randomized controlled trial. Psychological Medicine, 2019, 49, 1722-1730.	4.5	15
58	Performance of the Pictorial Representation of Illness and Self Measure in Individuals with Alcohol Dependence, Alcohol Abuse or At-Risk Drinking. Psychotherapy and Psychosomatics, 2006, 75, 249-256.	8.8	14
59	Motivating smokers to quit using computer-generated letters that target either reduction or cessation: A population-based randomized controlled trial among smokers who do not intend to quit. Drug and Alcohol Dependence, 2016, 166, 177-186.	3.2	14
60	Alcohol Screening in General Practices Using the AUDIT: How Many Response Categories Are Necessary?. European Addiction Research, 2007, 13, 25-30.	2.4	13
61	Population-based smoking cessation in women post partum: adherence to motivational interviewing in relation to client characteristics and behavioural outcomes. Midwifery, 2010, 26, 202-210.	2.3	13
62	Proactive multipurpose health risk screening in health care settings: Methods, design, and reach. International Journal of Methods in Psychiatric Research, 2019, 28, e1760.	2.1	13
63	Feasibility and Acceptability of an Intervention Providing Computer-Generated Tailored Feedback to Target Alcohol Consumption and Depressive Symptoms in Proactively Recruited Health Care Patients and Reactively Recruited Media Volunteers: Results of a Pilot Study. European Addiction Research, 2019, 25, 119-131.	2.4	12
64	Severity of unhealthy alcohol consumption in medical inpatients and the general population: is the general hospital a suitable place for brief interventions?. International Journal of Public Health, 2010, 55, 637-643.	2.3	11
65	Who benefits from computer-based brief alcohol intervention? Day-to-day drinking patterns as a moderator of intervention efficacy. Drug and Alcohol Dependence, 2017, 175, 119-126.	3.2	11
66	Variability of tailoring of a smoking cessation intervention based on the transtheoretical model. Addictive Behaviors, 2007, 32, 3083-3087.	3.0	10
67	Early Intervention in Gaming Disorder: What Can We Learn from Findings in the Substance Abuse Field?. Current Addiction Reports, 2018, 5, 511-516.	3.4	10
68	Deficits in emotion regulation strategies among problematic and pathological gamblers in a sample of vocational school students. Journal of Behavioral Addictions, 2019, 8, 94-102.	3.7	10
69	Sick days in general hospital patients two years after brief alcohol intervention: Secondary outcomes from a randomized controlled trial. Preventive Medicine, 2020, 139, 106106.	3.4	9
70	How concerned significant others experience Community Reinforcement and Family Training (CRAFT) – a qualitative study. BMC Family Practice, 2021, 22, 241.	2.9	9
71	Does prior recall of past week alcohol use affect screening results for at-risk drinking? Findings from a randomized study. PLoS ONE, 2019, 14, e0217595.	2.5	8
72	Community reinforcement and family training (CRAFT) - design of a cluster randomized controlled trial comparing individual, group and self-help interventions. BMC Public Health, 2019, 19, 307.	2.9	8

#	Article	IF	CITATIONS
73	German Guidelines on Screening, Diagnosis, and Treatment of Alcohol Use Disorders: Update 2021. European Addiction Research, 2022, 28, 309-322.	2.4	8
74	Effects of a brief alcohol intervention addressing the full spectrum of drinking in an adult general population sample: a randomized controlled trial. Addiction, 2021, 116, 2056-2066.	3.3	7
75	Remission without Formal Help: New Directions in Studies Using Survey Data. , 2007, , 73-85.		7
76	The association of cognitive distortions and the type of gambling in problematic and disordered gambling. Addictive Behaviors, 2020, 108, 106445.	3.0	6
77	Latent alcohol use patterns and their link to depressive symptomatology in medical care patients. Addiction, 2021, 116, 1063-1073.	3.3	6
78	Dispositional and online-specific Fear of Missing Out are associated with the development of IUD symptoms in different internet applications. Journal of Behavioral Addictions, 2021, 10, 747-758.	3.7	6
79	Primary Outcome from a cluster-randomized trial of three formats for delivering CommunityÂReinforcement and Family Training (CRAFT) to the significant others of problem drinkers. BMC Public Health, 2022, 22, 928.	2.9	6
80	Predicting utilization of formal and informal help among general hospital inpatients with alcohol use disorders. International Journal of Methods in Psychiatric Research, 2008, 17, S70-S73.	2.1	5
81	Motivation to change and readiness for counseling in prescription-drug-dependent patients in a general hospital population. Addiction Research and Theory, 2009, 17, 186-190.	1.9	5
82	Untreated pathological gamblers: who recovers and who does not?. International Gambling Studies, 2020, 20, 200-213.	2.1	5
83	Mini-Review: Recovery without treatment in gambling disorder and problematic gambling. Sucht, 2018, 64, 275-282.	0.2	5
84	Prevalence and selfâ€rated health and depression of family members affected by addictive disorders: results of a nationâ€wide crossâ€sectional study. Addiction, 2022, 117, 3140-3147.	3.3	5
85	Measuring readiness to change for problematic consumption of prescription drugs: Development of an adapted and shortened Readiness to Change Questionnaire. Addiction Research and Theory, 2010, 18, 110-118.	1.9	4
86	The Impact of Having a Loved One With Alcohol Consumption-Related Problems on Subjective Health Status and Health-Risk Behaviors in a General Hospital Sample. Substance Use and Misuse, 2010, 45, 2470-2480.	1.4	3
87	Internet gaming and addiction: a reply to King & Delfabbro. Addiction, 2014, 109, 1567-1568.	3.3	3
88	Reduced drinking and harm reduction in the treatment of alcohol use disorders. Drugs and Alcohol Today, 2021, 21, 31-44.	0.7	3
89	Social Equity in the Efficacy of Computer-Based and In-Person Brief Alcohol Interventions Among General Hospital Patients With At-Risk Alcohol Use: A Randomized Controlled Trial. JMIR Mental Health, 2022, 9, e31712.	3.3	3
90	The Moderating Effect of Educational Background on the Efficacy of a Computer-Based Brief Intervention Addressing the Full Spectrum of Alcohol Use: Randomized Controlled Trial. JMIR Public Health and Surveillance, 2022, 8, e33345.	2.6	3

#	Article	IF	CITATIONS
91	Copattern of depression and alcohol use in medical care patients: cross-sectional study in Germany. BMJ Open, 2020, 10, e032826.	1.9	2
92	The role of migration background and cognitive distortions in the trajectories of gambling problems - a longitudinal study. International Gambling Studies, 2021, 21, 17-37.	2.1	2
93	Association of Increased Impulsiveness and Internet Use Disorder in Adolescents and Young Adults with Different Main Activities on the Internet. Zeitschrift FÜr Kinder- Und Jugendpsychiatrie Und Psychotherapie, 2021, , .	0.7	2
94	Longitudinal measurement invariance of the patient health questionnaire in a German sample. BMC Psychiatry, 2021, 21, 386.	2.6	2
95	Brief Intervention for Medical Inpatients with Unhealthy Alcohol Use. Annals of Internal Medicine, 2007, 147, 589.	3.9	2
96	Suchtkranke in der somatischenÂMedizin. Suchttherapie, 2001, 2, 15-19.	0.1	1
97	Supporting the intention to change health risk behaviors. Zeitschrift Fur Gesundheitswissenschaften, 2006, 14, 377-383.	1.6	1
98	Male At-Risk Drinkers With Heavy Episodic Drinking: A Subclinical Diagnosis?. Journal of Studies on Alcohol and Drugs, 2008, 69, 85-90.	1.0	1
99	Estimates on severity of alcohol use depend upon methodology. International Journal of Public Health, 2010, 55, 529-530.	2.3	1
100	Optimizing alcohol screening according to DSM-5 severity by adaptive testing using the AUDIT. Addiction Science & Clinical Practice, 2015, 10, .	2.6	1
101	Do brief alcohol interventions among unemployed at-risk drinkers increase re-employment after 15 month?. European Journal of Public Health, 2018, 28, 510-515.	0.3	1
102	The Role of Tobacco Smoking in the Efficacy of Brief Alcohol Intervention: Results from a Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2022, 19, 5847.	2.6	1
103	Think-aloud analysis of commonly used screening instruments for Internet use disorders: The CIUS, the IGDT-10, and the BSMAS. Journal of Behavioral Addictions, 2022, , .	3.7	1
104	Dual Diagnosis. Key Readings in Addiction Psychiatry. Addiction, 2004, 99, 654-654.	3.3	0
105	[Commentary] SUPPORTING GPS IN THE PROVISION OF SMOKING CESSATION INTERVENTION—FROM RESEARCH TO DAILY ROUTINE. Addiction, 2008, 103, 309-309.	3.3	0
106	Problematischer Alkoholkonsum: PrÃ ¤ alenz und Frühintervention. Public Health Forum, 2010, 18, 29-30.	0.2	0
107	Development and validation of the Decisional Balance Scale for problematic Prescription Drug use (DBS-PD)-20. Addictive Behaviors, 2012, 37, 444-448.	3.0	0
108	Efficacy of brief alcohol interventions at general hospitals: The role of employment status. European Journal of Public Health, 2017, 27, .	0.3	0

#	Article	IF	CITATIONS
109	Do brief alcohol interventions have impact on sick days? Results from a randomized controlled trial. European Journal of Public Health, 2017, 27, .	0.3	0
110	Context matters: On the importance of context-specific analysis for the use of screening questionnaires. Drug and Alcohol Dependence, 2019, 205, 107663.	3.2	0
111	KinderĀĦztliche Empfehlungen und motivierende Beratung zur sportlichen BetĀĦgung. , 2021, , 157-163.		0
112	Pharmacotherapy of Alcohol Dependence: Treatment Readiness and Compliance Barriers. , 2021, , 1-12.		0
113	Replik zum Leserbrief von R. Hüllinghorst. Sucht, 2019, 65, 385-386.	0.2	0
114	Gender and Age in Gambling Participation, Gambling Onset, and Problematic Gambling in a General Population Sample: Empirical Findings from Germany. International Journal of Mental Health and Addiction, 0, , 1.	7.4	0