

# Gallus Bischof

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7387696/publications.pdf>

Version: 2024-02-01

114  
papers

3,651  
citations

172457

29  
h-index

155660

55  
g-index

169  
all docs

169  
docs citations

169  
times ranked

3486  
citing authors

#	ARTICLE	IF	CITATIONS
1	Social Equity in the Efficacy of Computer-Based and In-Person Brief Alcohol Interventions Among General Hospital Patients With At-Risk Alcohol Use: A Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2022, 9, e31712.	3.3	3
2	German Guidelines on Screening, Diagnosis, and Treatment of Alcohol Use Disorders: Update 2021. <i>European Addiction Research</i> , 2022, 28, 309-322.	2.4	8
3	The Role of Tobacco Smoking in the Efficacy of Brief Alcohol Intervention: Results from a Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5847.	2.6	1
4	Primary Outcome from a cluster-randomized trial of three formats for delivering Community Reinforcement and Family Training (CRAFT) to the significant others of problem drinkers. <i>BMC Public Health</i> , 2022, 22, 928.	2.9	6
5	Prevalence and self-rated health and depression of family members affected by addictive disorders: results of a nationwide cross-sectional study. <i>Addiction</i> , 2022, 117, 3140-3147.	3.3	5
6	Think-aloud analysis of commonly used screening instruments for Internet use disorders: The CIUS, the IGD-10, and the BSMAS. <i>Journal of Behavioral Addictions</i> , 2022, , .	3.7	1
7	The Moderating Effect of Educational Background on the Efficacy of a Computer-Based Brief Intervention Addressing the Full Spectrum of Alcohol Use: Randomized Controlled Trial. <i>JMIR Public Health and Surveillance</i> , 2022, 8, e33345.	2.6	3
8	Latent alcohol use patterns and their link to depressive symptomatology in medical care patients. <i>Addiction</i> , 2021, 116, 1063-1073.	3.3	6
9	The role of migration background and cognitive distortions in the trajectories of gambling problems - a longitudinal study. <i>International Gambling Studies</i> , 2021, 21, 17-37.	2.1	2
10	Effects of a brief alcohol intervention addressing the full spectrum of drinking in an adult general population sample: a randomized controlled trial. <i>Addiction</i> , 2021, 116, 2056-2066.	3.3	7
11	KinderÄrztliche Empfehlungen und motivierende Beratung zur sportlichen BetÄtigkeit. , 2021, , 157-163.		0
12	Pharmacotherapy of Alcohol Dependence: Treatment Readiness and Compliance Barriers. , 2021, , 1-12.		0
13	Motivational Interviewing: An Evidence-Based Approach for Use in Medical Practice. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2021, 118, 109-115.	0.9	29
14	Association of Increased Impulsiveness and Internet Use Disorder in Adolescents and Young Adults with Different Main Activities on the Internet. <i>Zeitschrift FÄr Kinder- Und Jugendpsychiatrie Und Psychotherapie</i> , 2021, , .	0.7	2
15	Longitudinal measurement invariance of the patient health questionnaire in a German sample. <i>BMC Psychiatry</i> , 2021, 21, 386.	2.6	2
16	Dispositional and online-specific Fear of Missing Out are associated with the development of IUD symptoms in different internet applications. <i>Journal of Behavioral Addictions</i> , 2021, 10, 747-758.	3.7	6
17	Reduced drinking and harm reduction in the treatment of alcohol use disorders. <i>Drugs and Alcohol Today</i> , 2021, 21, 31-44.	0.7	3
18	How concerned significant others experience Community Reinforcement and Family Training (CRAFT) â€“ a qualitative study. <i>BMC Family Practice</i> , 2021, 22, 241.	2.9	9

#	ARTICLE	IF	CITATIONS
19	Untreated pathological gamblers: who recovers and who does not?. <i>International Gambling Studies</i> , 2020, 20, 200-213.	2.1	5
20	The association of cognitive distortions and the type of gambling in problematic and disordered gambling. <i>Addictive Behaviors</i> , 2020, 108, 106445.	3.0	6
21	Copattern of depression and alcohol use in medical care patients: cross-sectional study in Germany. <i>BMJ Open</i> , 2020, 10, e032826.	1.9	2
22	Sick days in general hospital patients two years after brief alcohol intervention: Secondary outcomes from a randomized controlled trial. <i>Preventive Medicine</i> , 2020, 139, 106106.	3.4	9
23	Context matters: On the importance of context-specific analysis for the use of screening questionnaires. <i>Drug and Alcohol Dependence</i> , 2019, 205, 107663.	3.2	0
24	Diagnostic performance of the Alcohol Use Disorders Identification Test (AUDIT) in detecting DSM-5 alcohol use disorders in the General population. <i>Drug and Alcohol Dependence</i> , 2019, 204, 107530.	3.2	42
25	Proactive multipurpose health risk screening in health care settings: Methods, design, and reach. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1760.	2.1	13
26	Performance of the DSM-5-based criteria for Internet addiction: A factor analytical examination of three samples. <i>Journal of Behavioral Addictions</i> , 2019, 8, 288-294.	3.7	24
27	Does prior recall of past week alcohol use affect screening results for at-risk drinking? Findings from a randomized study. <i>PLoS ONE</i> , 2019, 14, e0217595.	2.5	8
28	Feasibility and Acceptability of an Intervention Providing Computer-Generated Tailored Feedback to Target Alcohol Consumption and Depressive Symptoms in Proactively Recruited Health Care Patients and Reactively Recruited Media Volunteers: Results of a Pilot Study. <i>European Addiction Research</i> , 2019, 25, 119-131.	2.4	12
29	Community reinforcement and family training (CRAFT) - design of a cluster randomized controlled trial comparing individual, group and self-help interventions. <i>BMC Public Health</i> , 2019, 19, 307.	2.9	8
30	Deficits in emotion regulation strategies among problematic and pathological gamblers in a sample of vocational school students. <i>Journal of Behavioral Addictions</i> , 2019, 8, 94-102.	3.7	10
31	Can brief alcohol interventions in general hospital inpatients improve mental and general health over 2 years? Results from a randomized controlled trial. <i>Psychological Medicine</i> , 2019, 49, 1722-1730.	4.5	15
32	Replik zum Leserbrief von R. HÄ¼llinghorst. <i>Sucht</i> , 2019, 65, 385-386.	0.2	0
33	How alcohol use problem severity affects the outcome of brief intervention delivered in-person versus through computer-generated feedback letters. <i>Drug and Alcohol Dependence</i> , 2018, 183, 82-88.	3.2	20
34	The role of self-esteem in Internet addiction within the context of comorbid mental disorders: Findings from a general population-based sample. <i>Journal of Behavioral Addictions</i> , 2018, 7, 976-984.	3.7	18
35	Effectiveness and treatment moderators of internet interventions for adult problem drinking: An individual patient data meta-analysis of 19 randomised controlled trials. <i>PLoS Medicine</i> , 2018, 15, e1002714.	8.4	186
36	Early Intervention in Gaming Disorder: What Can We Learn from Findings in the Substance Abuse Field?. <i>Current Addiction Reports</i> , 2018, 5, 511-516.	3.4	10

#	ARTICLE	IF	CITATIONS
37	Do brief alcohol interventions among unemployed at-risk drinkers increase re-employment after 15 month?. <i>European Journal of Public Health</i> , 2018, 28, 510-515.	0.3	1
38	Measurement invariance of the alcohol use disorders identification test: Establishing its factor structure in different settings and across gender. <i>Drug and Alcohol Dependence</i> , 2018, 189, 55-61.	3.2	28
39	Mini-Review: Recovery without treatment in gambling disorder and problematic gambling. <i>Sucht</i> , 2018, 64, 275-282.	0.2	5
40	In-person alcohol counseling versus computer-generated feedback: Results from a randomized controlled trial.. <i>Health Psychology</i> , 2018, 37, 70-80.	1.6	31
41	Who benefits from computer-based brief alcohol intervention? Day-to-day drinking patterns as a moderator of intervention efficacy. <i>Drug and Alcohol Dependence</i> , 2017, 175, 119-126.	3.2	11
42	Internet-Related Disorders: Development of the Short Compulsive Internet Use Scale. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2017, 20, 709-717.	3.9	33
43	Efficacy of brief alcohol interventions at general hospitals: The role of employment status. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
44	Do brief alcohol interventions have impact on sick days? Results from a randomized controlled trial. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
45	The association between Internet addiction and personality disorders in a general population-based sample. <i>Journal of Behavioral Addictions</i> , 2016, 5, 691-699.	3.7	55
46	Efficacy of the Community Reinforcement and Family Training for concerned significant others of treatment-refusing individuals with alcohol dependence: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2016, 163, 179-185.	3.2	49
47	Griffiths <i>et al</i>.â€™s comments on the international consensus statement of internet gaming disorder: furthering consensus or hindering progress?. <i>Addiction</i> , 2016, 111, 175-178.	3.3	24
48	Motivating smokers to quit using computer-generated letters that target either reduction or cessation: A population-based randomized controlled trial among smokers who do not intend to quit. <i>Drug and Alcohol Dependence</i> , 2016, 166, 177-186.	3.2	14
49	Genome-wide association study of pathological gambling. <i>European Psychiatry</i> , 2016, 36, 38-46.	0.2	82
50	Type of gambling as an independent risk factor for suicidal events in pathological gamblers.. <i>Psychology of Addictive Behaviors</i> , 2016, 30, 263-269.	2.1	26
51	Optimizing alcohol screening according to DSM-5 severity by adaptive testing using the AUDIT. <i>Addiction Science &amp; Clinical Practice</i> , 2015, 10, .	2.6	1
52	Suicidal events among pathological gamblers: The role of comorbidity of axis I and axis II disorders. <i>Psychiatry Research</i> , 2015, 225, 413-419.	3.3	48
53	The â€œPathological Gambling and Epidemiologyâ€•(PAGE) study program: design and fieldwork. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 11-31.	2.1	36
54	Internet gaming and addiction: a reply to King & Delfabbro. <i>Addiction</i> , 2014, 109, 1567-1568.	3.3	3

#	ARTICLE	IF	CITATIONS
55	Occurrence of Internet Addiction in a General Population Sample: A Latent Class Analysis. <i>European Addiction Research</i> , 2014, 20, 159-166.	2.4	155
56	Association of Sociodemographic, Psychopathological and Gambling-Related Factors with Treatment Utilization for Pathological Gambling. <i>European Addiction Research</i> , 2014, 20, 167-173.	2.4	16
57	An international consensus for assessing internet gaming disorder using the new <sc>DSM</sc> approach. <i>Addiction</i> , 2014, 109, 1399-1406.	3.3	710
58	Moving internet gaming disorder forward: A reply. <i>Addiction</i> , 2014, 109, 1412-1413.	3.3	15
59	Does stage tailoring matter in brief alcohol interventions for job seekers? A randomized controlled trial. <i>Addiction</i> , 2014, 109, 1845-1856.	3.3	27
60	Comorbid Axis I-disorders among subjects with pathological, problem, or at-risk gambling recruited from the general population in Germany: Results of the PAGE study. <i>Psychiatry Research</i> , 2013, 210, 1065-1070.	3.3	55
61	Excess Mortality of Alcohol-Dependent Individuals After 14 Years and Mortality Predictors Based on Treatment Participation and Severity of Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 156-163.	2.4	53
62	Screening Questionnaires for Problem Drinking in Adolescents: Performance of AUDIT, AUDIT-C, CRAFFT and POSIT. <i>European Addiction Research</i> , 2013, 19, 121-127.	2.4	105
63	How well do TTM measures work among a sample of individuals with unhealthy alcohol use that is characterized by low readiness to change?. <i>Psychology of Addictive Behaviors</i> , 2013, 27, 573-583.	2.1	16
64	Development and validation of the Decisional Balance Scale for problematic Prescription Drug use (DBS-PD)-20. <i>Addictive Behaviors</i> , 2012, 37, 444-448.	3.0	0
65	Changes in drinking behavior among control group participants in early intervention studies targeting unhealthy alcohol use recruited in general hospitals and general practices. <i>Drug and Alcohol Dependence</i> , 2012, 125, 81-88.	3.2	16
66	Multiple dimensions of health locus of control in a representative population sample: ordinal factor analysis and cross-validation of an existing three and a new four factor model. <i>BMC Medical Research Methodology</i> , 2011, 11, 114.	3.1	16
67	Severity of unhealthy alcohol consumption in medical inpatients and the general population: is the general hospital a suitable place for brief interventions?. <i>International Journal of Public Health</i> , 2010, 55, 637-643.	2.3	11
68	Estimates on severity of alcohol use depend upon methodology. <i>International Journal of Public Health</i> , 2010, 55, 529-530.	2.3	1
69	Measuring readiness to change for problematic consumption of prescription drugs: Development of an adapted and shortened Readiness to Change Questionnaire. <i>Addiction Research and Theory</i> , 2010, 18, 110-118.	1.9	4
70	Population-based smoking cessation in women post partum: adherence to motivational interviewing in relation to client characteristics and behavioural outcomes. <i>Midwifery</i> , 2010, 26, 202-210.	2.3	13
71	Problematischer Alkoholkonsum: Prävalenz und Frühintervention. <i>Public Health Forum</i> , 2010, 18, 29-30.	0.2	0
72	The Impact of Having a Loved One With Alcohol Consumption-Related Problems on Subjective Health Status and Health-Risk Behaviors in a General Hospital Sample. <i>Substance Use and Misuse</i> , 2010, 45, 2470-2480.	1.4	3

#	ARTICLE	IF	CITATIONS
73	Randomized controlled trial of a brief intervention for problematic prescription drug use in non-treatment-seeking patients. <i>Addiction</i> , 2009, 104, 109-117.	3.3	59
74	Brief intervention in general hospital for problematic prescription drug use: 12-Month outcome. <i>Drug and Alcohol Dependence</i> , 2009, 105, 221-226.	3.2	37
75	Motivation to change and readiness for counseling in prescription-drug-dependent patients in a general hospital population. <i>Addiction Research and Theory</i> , 2009, 17, 186-190.	1.9	5
76	Predicting utilization of formal and informal help among general hospital inpatients with alcohol use disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, S70-S73.	2.1	5
77	Differences in help seeking rates after brief intervention for alcohol use disorders in general practice patients with and without comorbid anxiety or depressive disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, S74-S77.	2.1	18
78	Proactive interventions for smoking cessation in general medical practice: a quasi-randomized controlled trial to examine the efficacy of computer-tailored letters and physician-delivered brief advice*. <i>Addiction</i> , 2008, 103, 294-304.	3.3	74
79	[Commentary] SUPPORTING GPS IN THE PROVISION OF SMOKING CESSATION INTERVENTION"FROM RESEARCH TO DAILY ROUTINE. <i>Addiction</i> , 2008, 103, 309-309.	3.3	0
80	Alcohol problem drinking among general hospital inpatients in northeastern Germany. <i>General Hospital Psychiatry</i> , 2008, 30, 147-154.	2.4	19
81	Computer-generated tailored feedback letters for smoking cessation: Theoretical and empirical variability of tailoring. <i>International Journal of Medical Informatics</i> , 2008, 77, 715-722.	3.3	16
82	Brief alcohol intervention for general hospital inpatients: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2008, 93, 233-243.	3.2	54
83	Evaluation of a telephone-based stepped care intervention for alcohol-related disorders: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2008, 93, 244-251.	3.2	97
84	Effectiveness of brief alcohol interventions for general practice patients with problematic drinking behavior and comorbid anxiety or depressive disorders. <i>Drug and Alcohol Dependence</i> , 2008, 94, 214-220.	3.2	39
85	Gender differences in the efficacy of brief interventions with a stepped care approach in general practice patients with alcohol-related disorders. <i>Alcohol and Alcoholism</i> , 2008, 43, 334-340.	1.6	24
86	Male At-Risk Drinkers With Heavy Episodic Drinking: A Subclinical Diagnosis?. <i>Journal of Studies on Alcohol and Drugs</i> , 2008, 69, 85-90.	1.0	1
87	Alcohol Screening in General Practices Using the AUDIT: How Many Response Categories Are Necessary?. <i>European Addiction Research</i> , 2007, 13, 25-30.	2.4	13
88	Development and Evaluation of a Screening Instrument for Alcohol-Use Disorders and At-Risk Drinking: The Brief Alcohol Screening Instrument for Medical Care (BASIC). <i>Journal of Studies on Alcohol and Drugs</i> , 2007, 68, 607-614.	1.0	28
89	Adherence to the principles of Motivational Interviewing, clients' characteristics and behavior outcome in a smoking cessation and relapse prevention trial in women postpartum. <i>Addictive Behaviors</i> , 2007, 32, 2297-2303.	3.0	45
90	Variability of tailoring of a smoking cessation intervention based on the transtheoretical model. <i>Addictive Behaviors</i> , 2007, 32, 3083-3087.	3.0	10

#	ARTICLE	IF	CITATIONS
91	Intention to utilize formal help in a sample with alcohol problems: A prospective study. <i>Drug and Alcohol Dependence</i> , 2007, 87, 210-216.	3.2	24
92	Stability of subtypes of natural recovery from alcohol dependence after two years. <i>Addiction</i> , 2007, 102, 904-908.	3.3	32
93	Prevalence of dependence on prescription drugs and associated mental disorders in a representative sample of general hospital patients. <i>General Hospital Psychiatry</i> , 2007, 29, 257-263.	2.4	23
94	Remission without Formal Help: New Directions in Studies Using Survey Data. , 2007, , 73-85.		7
95	Brief Intervention for Medical Inpatients with Unhealthy Alcohol Use. <i>Annals of Internal Medicine</i> , 2007, 147, 589.	3.9	2
96	The relationship between impaired decision-making, sensation seeking and readiness to change in cigarette smokers. <i>Addictive Behaviors</i> , 2006, 31, 581-592.	3.0	27
97	STABILITY OF REMISSION FROM ALCOHOL DEPENDENCE WITHOUT FORMAL HELP. <i>Alcohol and Alcoholism</i> , 2006, 41, 311-314.	1.6	22
98	The Reliability and Validity of the Alcohol Use Disorders Identification Test (AUDIT) in a German General Practice Population Sample. <i>Journal of Studies on Alcohol and Drugs</i> , 2006, 67, 473-481.	2.3	130
99	Supporting the intention to change health risk behaviors. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2006, 14, 377-383.	1.6	1
100	Performance of the Pictorial Representation of Illness and Self Measure in Individuals with Alcohol Dependence, Alcohol Abuse or At-Risk Drinking. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 249-256.	8.8	14
101	Influence of psychiatric comorbidity in alcoholâ€dependent subjects in a representative population survey on treatment utilization and natural recovery. <i>Addiction</i> , 2005, 100, 405-413.	3.3	55
102	INTENTION TO CHANGE DRINKING BEHAVIOUR IN GENERAL PRACTICE PATIENTS WITH PROBLEMATIC DRINKING AND COMORBID DEPRESSION OR ANXIETY. <i>Alcohol and Alcoholism</i> , 2005, 40, 394-400.	1.6	27
103	Gender differences in temptation to drink, self-efficacy to abstain and coping behavior in treated alcohol-dependent individuals: Controlling for severity of dependence. <i>Addiction Research and Theory</i> , 2005, 13, 129-136.	1.9	15
104	Effects of item sequence on the performance of the AUDIT in general practices. <i>Drug and Alcohol Dependence</i> , 2005, 79, 373-377.	3.2	23
105	Dual Diagnosis. <i>Key Readings in Addiction Psychiatry</i> . <i>Addiction</i> , 2004, 99, 654-654.	3.3	0
106	Types of natural recovery from alcohol dependence: a cluster analytic approach. <i>Addiction</i> , 2003, 98, 1737-1746.	3.3	106
107	The Role of Family and Partnership in Recovery from Alcohol Dependence: Comparison of Individuals Remitting with and without Formal Help. <i>European Addiction Research</i> , 2002, 8, 122-127.	2.4	26
108	Remission from alcohol dependence without help: how restrictive should our definition of treatment be?. <i>Journal of Studies on Alcohol and Drugs</i> , 2002, 63, 229-236.	2.3	24

#	ARTICLE	IF	CITATIONS
109	Factors influencing remission from alcohol dependence without formal help in a representative population sample. <i>Addiction</i> , 2001, 96, 1327-1336.	3.3	43
110	Suchtkranke in der somatischen Medizin. <i>Suchttherapie</i> , 2001, 2, 15-19.	0.1	1
111	Gender differences in natural recovery from alcohol dependence.. <i>Journal of Studies on Alcohol and Drugs</i> , 2000, 61, 783-786.	2.3	34
112	Studies on natural recovery from alcohol dependence: sample selection bias by media solicitation?. <i>Addiction</i> , 2000, 95, 765-775.	3.3	65
113	Maintenance Factors of Recovery From Alcohol Dependence in Treated and Untreated Individuals. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 1773-1777.	2.4	37
114	Gender and Age in Gambling Participation, Gambling Onset, and Problematic Gambling in a General Population Sample: Empirical Findings from Germany. <i>International Journal of Mental Health and Addiction</i> , 0, , 1.	7.4	0