

Alexander Pabst

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7387705/alexander-pabst-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

1,256
citations

21
h-index

31
g-index

113
ext. papers

1,749
ext. citations

3.4
avg. IF

4.52
L-index

#	Paper	IF	Citations
94	Substanzkonsum und substanzbezogene Störungen in Deutschland im Jahr 2012. <i>Sucht</i> , 2013 , 59, 321-331	1.5	110
93	Association of average daily alcohol consumption, binge drinking and alcohol-related social problems: results from the German Epidemiological Surveys of Substance Abuse. <i>Alcohol and Alcoholism</i> , 2009 , 44, 314-20	3.5	59
92	Age, period and cohort effects on time trends in alcohol consumption in the Swedish adult population 1979-2011. <i>Alcohol and Alcoholism</i> , 2015 , 50, 319-27	3.5	50
91	Gambling Among Adults in Germany: Prevalence, Disorder and Risk Factors. <i>Sucht</i> , 2011 , 57, 249-257	0.5	44
90	Is dementia incidence declining in high-income countries? A systematic review and meta-analysis. <i>Clinical Epidemiology</i> , 2018 , 10, 1233-1247	5.9	43
89	Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002853	11.6	42
88	Substanzkonsum und substanzbezogene Störungen. <i>Sucht</i> , 2010 , 56, 327-336	0.5	41
87	Changes in alcohol consumption and beverage preference among adolescents after the introduction of the alcopops tax in Germany. <i>Addiction</i> , 2010 , 105, 1205-13	4.6	40
86	Alkoholkonsum, alkoholbezogene Störungen und Trends. Ergebnisse des Epidemiologischen Suchtsurveys 2006. <i>Sucht</i> , 2008 , 54, 36-46	0.5	31
85	The assessment of met and unmet care needs in the oldest old with and without depression using the Camberwell Assessment of Need for the Elderly (CANE): Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016 , 193, 309-17	6.6	30
84	Direct and indirect effects of alcohol expectancies on alcohol-related problems. <i>Psychology of Addictive Behaviors</i> , 2014 , 28, 20-30	3.4	30
83	Preferences for Depression Treatment Including Internet-Based Interventions: Results From a Large Sample of Primary Care Patients. <i>Frontiers in Psychiatry</i> , 2018 , 9, 181	5	28
82	Studiendesign und Methodik des Epidemiologischen Suchtsurveys 2012. <i>Sucht</i> , 2013 , 59, 309-320	0.5	28
81	Studiendesign und Methodik des Epidemiologischen Suchtsurveys 2009. <i>Sucht</i> , 2010 , 56, 315-326	0.5	28
80	Age, Period, and Cohort Effects on Time Trends in Alcohol Consumption in the German Adult Population. <i>Sucht</i> , 2010 , 56, 349-359	0.5	28
79	Properties of the Cannabis Abuse Screening Test (CAST) in the general population. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 170-83	4.3	26
78	Alcohol-expectancy dimensions and alcohol consumption at different ages in the general population. <i>Journal of Studies on Alcohol and Drugs</i> , 2010 , 71, 46-53	1.9	25

77	Computerized cognitive behavior therapy for patients with mild to moderately severe depression in primary care: A pragmatic cluster randomized controlled trial (@ktiv). <i>Journal of Affective Disorders</i> , 2018 , 238, 317-326	6.6	23
76	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017 , 29, 1939-1950	3.4	22
75	An age-period-cohort analysis of cannabis use prevalence and frequency in Germany, 1990-2009. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 908-13	5.1	22
74	Age-, sex-, and education-specific norms for an extended CERAD Neuropsychological Assessment Battery-Results from the population-based LIFE-Adult-Study. <i>Neuropsychology</i> , 2018 , 32, 461-475	3.8	22
73	Age differences in diagnostic criteria of DSM-IV alcohol dependence among adults with similar drinking behaviour. <i>Addiction</i> , 2012 , 107, 331-8	4.6	21
72	Cannabis und andere illegale Drogen: Prävalenz, Konsummuster und Trends. Ergebnisse des Epidemiologischen Suchtsurveys 2006. <i>Sucht</i> , 2008 , 54, 16-25	0.5	19
71	Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. <i>Journal of Alzheimer's Disease</i> , 2019 , 68, 1469-1478	4.3	18
70	To What Extent Do Age, Period, and Cohort Patterns Account for Time Trends and Social Inequalities in Smoking?. <i>Sucht</i> , 2010 , 56, 361-371	0.5	18
69	Alkoholkonsum und alkoholbezogene Mortalität, Morbidität, soziale Probleme und Folgekosten in Deutschland. <i>Sucht</i> , 2011 , 57, 119-129	0.5	17
68	Substanzkonsum und substanzbezogene Störungen: Trends in Deutschland 1980-2012. <i>Sucht</i> , 2013 , 59, 333-345	0.5	16
67	Trends des Substanzkonsums und substanzbezogener Störungen. <i>Sucht</i> , 2010 , 56, 337-347	0.5	16
66	Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 167	9	15
65	Loss experiences in old age and their impact on the social network and depression- results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Journal of Affective Disorders</i> , 2018 , 241, 94-102	6.6	13
64	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). <i>Journal of Affective Disorders</i> , 2019 , 256, 650-657	6.6	13
63	The relationship between alcohol consumption and perceived drunkenness: a multilevel cross-national comparison in samples of adolescents. <i>Alcohol and Alcoholism</i> , 2011 , 46, 399-406	3.5	13
62	Internet Use in Old Age: Results of a German Population-Representative Survey. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15543	7.6	13
61	Patterns of concurrent alcohol, tobacco, and cannabis use in Germany: Prevalence and correlates. <i>Drugs: Education, Prevention and Policy</i> , 2014 , 21, 102-109	1.2	12
60	AgeWell.de - study protocol of a pragmatic multi-center cluster-randomized controlled prevention trial against cognitive decline in older primary care patients. <i>BMC Geriatrics</i> , 2019 , 19, 203	4.1	11

59	Associations Between Anxiety, Body Mass Index, and Sex Hormones in Women. <i>Frontiers in Psychiatry</i> , 2019 , 10, 479	5	11
58	Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017 , 44, 71-83	2.6	11
57	Temporal Changes in Alcohol-Related Morbidity and Mortality in Germany. <i>European Addiction Research</i> , 2015 , 21, 262-72	4.6	11
56	Problembewusstsein und Inanspruchnahme von Hilfe bei substanzbezogenen Problemen. <i>Sucht</i> , 2013 , 59, 355-366	0.5	11
55	Risk factors and protective factors of depression in older people 65+. A systematic review. <i>PLoS ONE</i> , 2021 , 16, e0251326	3.7	11
54	Testosterone imbalance may link depression and increased body weight in premenopausal women. <i>Translational Psychiatry</i> , 2019 , 9, 160	8.6	10
53	APOE ϵ and the Influence of Sex, Age, Vascular Risk Factors, and Ethnicity on Cognitive Decline. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1863-1873	6.4	10
52	Social Network Types in Old Age and Incident Dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2018 , 31, 163-170	3.8	10
51	The impact of school nonresponse on substance use prevalence estimates - Germany as a case study. <i>International Journal of Drug Policy</i> , 2016 , 27, 164-72	5.5	9
50	Five A@ counseling in weight management of obese patients in primary care: a cluster-randomized controlled trial (INTERACT). <i>BMC Family Practice</i> , 2018 , 19, 97	2.6	9
49	Alkoholpolitik. <i>Suchttherapie</i> , 2008 , 9, 103-110	0.4	9
48	Unmet care needs of the oldest old with late-life depression: A comparison of patient, caring relative and general practitioner perceptions - Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016 , 205, 182-189	6.6	9
47	Does a Change Over All Equal a Change in All? Testing for Polarized Alcohol Use Within and Across Socio-Economic Groups in Germany. <i>Alcohol and Alcoholism</i> , 2015 , 50, 700-7	3.5	8
46	Effects of psychological eating behaviour domains on the association between socio-economic status and BMI. <i>Public Health Nutrition</i> , 2017 , 20, 2706-2712	3.3	8
45	Komorbide Substanzstörungen in der erwachsenen Allgemeinbevölkerung. <i>Sucht</i> , 2013 , 59, 347-354	0.5	7
44	Secular trends in the incidence of dementia in high-income countries: a protocol of a systematic review and a planned meta-analysis. <i>BMJ Open</i> , 2017 , 7, e013630	3	6
43	Decomposing social inequalities in alcohol consumption in Germany 1995-2015: an age-period-cohort analysis. <i>Addiction</i> , 2019 , 114, 1359-1368	4.6	6
42	The Course of Pain Intensity in Patients Undergoing Herniated Disc Surgery: A 5-Year Longitudinal Observational Study. <i>PLoS ONE</i> , 2016 , 11, e0156647	3.7	6

41	Changes in Exposure to Secondhand Smoke and Smoking Behavior. <i>Sucht</i> , 2010 , 56, 373-384	0.5	5
40	Attitudes and treatment practice of general practitioners towards patients with obesity in primary care. <i>BMC Family Practice</i> , 2020 , 21, 169	2.6	5
39	A Self-Help App for Syrian Refugees With Posttraumatic Stress (Sanadak): Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e24807	5.5	5
38	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020 , 16, 1745-1749	1.2	4
37	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. <i>International Psychogeriatrics</i> , 2020 , 32, 645-659	3.4	4
36	Does parity matter in women's risk of dementia? A COSMIC collaboration cohort study. <i>BMC Medicine</i> , 2020 , 18, 210	11.4	4
35	Psychometric properties of the Patient Assessment of Chronic Illness Care measure (PACIC-5A) among patients with obesity. <i>BMC Health Services Research</i> , 2019 , 19, 61	2.9	3
34	Unmet care needs in the oldest old with social loss experiences: results of a representative survey. <i>BMC Geriatrics</i> , 2020 , 20, 416	4.1	3
33	Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. <i>Journal of Alzheimer's Disease</i> , 2020 , 74, 151-161	4.3	3
32	Unmet needs in the depressed primary care elderly and their relation to severity of depression: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2018 , 22, 1032-1039	3.5	3
31	Categorical and dimensional perspectives on depression in elderly primary care patients - Results of the AgeMooDe study. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27,	4.3	3
30	Trends im Substanzkonsum Jugendlicher: Gibt es regionale Unterschiede?. <i>Sucht</i> , 2014 , 60, 163-172	0.5	3
29	A cross-national study of depression in preclinical dementia: A COSMIC collaboration study. <i>Alzheimer's and Dementia</i> , 2020 , 16, 1544-1552	1.2	3
28	Internet-Based Cognitive Behavior Therapy Only for the Young? A Secondary Analysis of a Randomized Controlled Trial of Depression Treatment. <i>Frontiers in Psychiatry</i> , 2020 , 11, 735	5	3
27	Using a brief web-based 5A intervention to improve weight management in primary care: results of a cluster-randomized controlled trial. <i>BMC Family Practice</i> , 2021 , 22, 61	2.6	3
26	The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
25	General cognitive ability assessment in the German National Cohort (NAKO) - The block-adaptive number series task.. <i>World Journal of Biological Psychiatry</i> , 2022 , 1-12	3.8	3
24	The assessment of cognitive function in the German National Cohort (NAKO) - Associations of demographics and psychiatric symptoms with cognitive test performance.. <i>World Journal of Biological Psychiatry</i> , 2022 , 1-15	3.8	3

23	Lifetime and current depression in the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2021 , 1-31	3.8	3
22	Socioeconomic inequalities in cognitive function in midlife and early late-life are partially attributable to modifiable health and lifestyle factors. <i>Alzheimer's and Dementia</i> , 2020 , 16, e045760	1.2	2
21	Do self-reported hearing and visual impairments predict longitudinal dementia in older adults?. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 1519-1528	5.6	2
20	Employment status and desire for work in severe mental illness: results from an observational, cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1657-1667	4.5	2
19	Effects of APOE e4-allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 152-162	3.9	2
18	Mental Health Self-Stigma of Syrian Refugees With Posttraumatic Stress Symptoms: Investigating Sociodemographic and Psychopathological Correlates. <i>Frontiers in Psychiatry</i> , 2021 , 12, 642618	5	2
17	Involvement in alcohol-related verbal or physical aggression. Does social status matter?. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2015 , 32, 449-464	1.1	1
16	Internet Use in Old Age: Results of a German Population-Representative Survey (Preprint)		1
15	Effectiveness and feasibility of internet-based and mobile-based interventions for individuals experiencing bereavement: a systematic review protocol. <i>BMJ Open</i> , 2020 , 10, e036034	3	1
14	Unmet needs of the oldest old primary care patients with common somatic and psychiatric disorders-A psychometric evaluation. <i>International Journal of Methods in Psychiatric Research</i> , 2021 , 30, e1872	4.3	1
13	Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
12	Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients - A Longitudinal Cohort Study. <i>Clinical Interventions in Aging</i> , 2019 , 14, 1881-1888	4	1
11	Effectiveness and Feasibility of Internet-Based Interventions for Grief After Bereavement: Systematic Review and Meta-analysis. <i>JMIR Mental Health</i> , 2021 , 8, e29661	6	1
10	Predictors of competitive employment in individuals with severe mental illness: results from an observational, cross-sectional study in Germany.. <i>Journal of Occupational Medicine and Toxicology</i> , 2022 , 17, 3	2.7	0
9	Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2021 , 1-9	5.5	0
8	Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 91, 104112	4	0
7	Leipzig - Individual Placement and Support for people with mental illnesses (LIPSY): study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2021 , 21, 410	4.2	0
6	Risk for disorientation: Longitudinal evidence from three old-age cohorts in Germany (AgeDifferent.de). <i>Alzheimer's and Dementia</i> , 2020 , 16, e039676	1.2	

- 5 CERAD [Neue Normwerte für eine der wichtigsten neuropsychologischen Testbatterien verfügbar. *Psychiatrische Praxis*, **2018**, 45, 164-165 0.1
- 4 Verbreitung und Einflussfaktoren cannabis-bezogener Probleme bei Jugendlichen. Ergebnisse der Europäischen Schärstudie zu Alkohol und anderen Drogen (ESPAD) in Deutschland. *Suchttherapie*, **2009**, 10, 162-168 0.4
- 3 Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). *Journal of Alzheimer's Disease*, **2021**, 79, 1589-1599 4.3
- 2 Gender-specific design and effectiveness of non-pharmacological interventions against cognitive decline and dementia-protocol for a systematic review and meta-analysis. *PLoS ONE*, **2021**, 16, e0256826^{3,7}
- 1 Loss and bereavement in late life (60+): Study protocol for a randomized controlled trial regarding an internet-based self-help intervention. *Internet Interventions*, **2021**, 26, 100451 4.4