

Johan Askling

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7387945/johan-askling-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

219
papers

6,915
citations

46
h-index

77
g-index

256
ext. papers

8,745
ext. citations

4.6
avg, IF

6.07
L-index

#	Paper	IF	Citations
219	Validation and characterization of venous thromboembolism diagnoses in the Swedish National Patient Register among patients with rheumatoid arthritis.. <i>Scandinavian Journal of Rheumatology</i> , 2022 , 1-7	1.9	0
218	Effectiveness of baricitinib and tofacitinib compared to bDMARDs in RA: results from a cohort study using nationwide Swedish register data.. <i>Rheumatology</i> , 2022 ,	3.9	1
217	Women's Earnings are more Affected by Inflammatory Bowel Disease than Men's: A Register-Based Swedish Cohort Study. <i>Journal of Crohns and Colitis</i> , 2021 , 15, 980-987	1.5	1
216	Inflammatory bowel disease and risk of small bowel cancer: a binational population-based cohort study from Denmark and Sweden. <i>Gut</i> , 2021 , 70, 297-308	19.2	9
215	Reply: Survival in Crohn's disease-associated small bowel adenocarcinoma. <i>Gut</i> , 2021 , 70, 998	19.2	1
214	Influenza outcomes in patients with inflammatory joint diseases and DMARDs: how do they compare to those of COVID-19?. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	1
213	Comment on: Incidence of extra-articular manifestations in AS, PsA and undifferentiated SpA-results from a national register-based cohort study. Reply. <i>Rheumatology</i> , 2021 ,	3.9	
212	Comparison of treatment retention and response to secukinumab versus tumour necrosis factor inhibitors in psoriatic arthritis. <i>Rheumatology</i> , 2021 , 60, 3635-3645	3.9	2
211	Incidence of extra-articular manifestations in ankylosing spondylitis, psoriatic arthritis and undifferentiated spondyloarthritis: results from a national register-based cohort study. <i>Rheumatology</i> , 2021 , 60, 2725-2734	3.9	9
210	Comorbidities at diagnosis of rheumatoid arthritis: a population-based case-control study. <i>Rheumatology</i> , 2021 , 60, 3760-3769	3.9	0
209	Effectiveness of a Second Biologic After Failure of a Non-tumor Necrosis Factor Inhibitor As First Biologic in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2021 , 48, 1512-1518	4.1	3
208	Tuberculosis in Biologic-naïve Patients With Rheumatoid Arthritis: Risk Factors and Tuberculosis Characteristics. <i>Journal of Rheumatology</i> , 2021 , 48, 1243-1250	4.1	0
207	OP0140 BIOLOGIC REFRACTORY DISEASE IN AXIAL SPONDYLOARTHRITIS - DEFINITION, PREVALENCE AND PATIENT CHARACTERISTICS. A COLLABORATION BETWEEN FIVE NORDIC BIOLOGIC REGISTRIES. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 82-83	2.4	
206	Risk and predictors of heart failure in sarcoidosis in a population-based cohort study from Sweden. <i>Heart</i> , 2021 ,	5.1	4
205	AB0122 THE NORA PROJECT - PREDICTION OF THERAPY RESPONSE IN RHEUMATOID ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1090.2-1090	2.4	
204	OP0218 MORTALITY IN PATIENTS WITH PSORIATIC ARTHRITIS IN SWEDEN. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 130.1-131	2.4	
203	OP0122 COMPARATIVE EFFECTIVENESS OF JAKI VERSUS BDMARDs; A NATIONWIDE STUDY IN RA. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 68.2-68	2.4	1

202	POS0027 SECULAR TRENDS IN BASELINE CHARACTERISTICS, TREATMENT RETENTION AND RESPONSE RATES IN 27189 BIO-NATIVE AXIAL SPONDYLOARTHRITIS PATIENTS INITIATING TNFI □ RESULTS FROM THE EUROSPA COLLABORATION. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 217-218	2.4	0
201	POS0484 THE ASSOCIATION BETWEEN SOCIAL STRESSORS AND DISEASE REMISSION AMONG MEN AND WOMEN WITH EARLY RHEUMATOID ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 474-475 ^{2,4}		
200	Effectiveness and treatment retention of TNF inhibitors when used as monotherapy versus comedication with csDMARDs in 15 332 patients with psoriatic arthritis. Data from the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1410-1418	2.4	6
199	Anterior uveitis in patients with spondyloarthritis treated with secukinumab or tumour necrosis factor inhibitors in routine care: does the choice of biological therapy matter?. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1445-1452	2.4	1
198	Short- and longer-term cancer risks with biologic and targeted synthetic disease modifying antirheumatic drugs as used against rheumatoid arthritis in clinical practice. <i>Rheumatology</i> , 2021 ,	3.9	3
197	Inflammatory hallmarks of lesser prominence in psoriatic arthritis patients starting biologics: a Nordic population-based cohort study. <i>Rheumatology</i> , 2021 , 60, 140-146	3.9	1
196	Risk of venous thromboembolism in rheumatoid arthritis, and its association with disease activity: a nationwide cohort study from Sweden. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 169-175	2.4	21
195	Mortality over 14 years in MTX-refractory patients randomized to a strategy of addition of infliximab or sulfasalazine and hydroxychloroquine. <i>Rheumatology</i> , 2021 , 60, 2217-2222	3.9	
194	The impact of seropositivity on the effectiveness of biologic anti-rheumatic agents: results from a collaboration of 16 registries. <i>Rheumatology</i> , 2021 , 60, 820-828	3.9	14
193	Respiratory Diseases as Risk Factors for Seropositive and Seronegative Rheumatoid Arthritis and in Relation to Smoking. <i>Arthritis and Rheumatology</i> , 2021 , 73, 61-68	9.5	10
192	Lymphoma risks in patients with rheumatoid arthritis treated with biological drugs-a Swedish cohort study of risks by time, drug and lymphoma subtype. <i>Rheumatology</i> , 2021 , 60, 809-819	3.9	6
191	Characteristics and outcome of a first acute myocardial infarction in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2021 , 40, 1321-1329	3.9	3
190	Social stressors and risk of rheumatoid arthritis and their relationship to known modifiable risk factors: results from the Swedish EIRA study. <i>Scandinavian Journal of Rheumatology</i> , 2021 , 50, 178-182	1.9	0
189	Morbidity, risk of cancer and mortality in 3645 HFE mutations carriers. <i>Liver International</i> , 2021 , 41, 545-553	3.9	4
188	Risk of solid cancers overall and by subtypes in patients with psoriatic arthritis treated with TNF inhibitors - a Nordic cohort study. <i>Rheumatology</i> , 2021 , 60, 3656-3668	3.9	1
187	Adaptation of the Charlson Comorbidity Index for Register-Based Research in Sweden. <i>Clinical Epidemiology</i> , 2021 , 13, 21-41	5.9	12
186	Response to: 'Correspondence on 'Risk of venous thromboembolism in rheumatoid arthritis and its association with disease activity: a nationwide cohort study from Sweden'' by Zervou. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	0
185	Impact of the COVID-19 pandemic on morbidity and mortality in patients with inflammatory joint diseases and in the general population: a nationwide Swedish cohort study. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	37

184	Hepatobiliary Cancer Risk in Patients with Inflammatory Bowel Disease: A Scandinavian Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 886-894	4	5
183	Adult-onset inflammatory bowel disease and rate of serious infections compared to the general population: a nationwide register-based cohort study 2002-2017. <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 56, 1152-1162	2.4	1
182	Risk of acute myocardial infarction in sarcoidosis: A population-based cohort study from Sweden. <i>Respiratory Medicine</i> , 2021 , 188, 106624	4.6	1
181	Infection risk in sarcoidosis patients treated with methotrexate compared to azathioprine: A retrospective 'target trial' emulated with Swedish real-world data. <i>Respirology</i> , 2021 , 26, 452-460	3.6	3
180	Rheumatoid arthritis autoantibodies and their association with age and sex. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 879-882	2.2	1
179	Effects of the COVID-19 pandemic on patients with inflammatory joint diseases in Sweden: from infection severity to impact on care provision. <i>RMD Open</i> , 2021 , 7,	5.9	1
178	Anti-Citrullinated Protein Antibody Specificities, Rheumatoid Factor Isotypes, and Incident Cardiovascular Events in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1658-1667	9.5	6
177	Risk of first and recurrent serious infection in sarcoidosis: a Swedish register-based cohort study. <i>European Respiratory Journal</i> , 2020 , 56,	13.6	10
176	Response to: 'Neuroinflammatory events after anti-TNF α therapy' by Kaltsonoudis. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	
175	FLT3 stop mutation increases FLT3 ligand level and risk of autoimmune thyroid disease. <i>Nature</i> , 2020 , 584, 619-623	50.4	23
174	Risk of neuroinflammatory events in arthritis patients treated with tumour necrosis factor alpha inhibitors: a collaborative population-based cohort study from Denmark and Sweden. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 566-572	2.4	17
173	Population-based study of patients with primary Sjögren's syndrome and lymphoma: lymphoma subtypes, clinical characteristics, and gender differences. <i>Scandinavian Journal of Rheumatology</i> , 2020 , 49, 225-232	1.9	5
172	Adult height in patients with childhood-onset inflammatory bowel disease: a nationwide population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 51, 789-800	6.1	8
171	OP14 Risk of colorectal cancer diagnosis and colorectal cancer mortality in Crohn's disease: A Scandinavian population-based cohort study. <i>Journal of Crohns and Colitis</i> , 2020 , 14, S013-S014	1.5	
170	Work Loss in Relation to Pharmacological and Surgical Treatment for Crohn's Disease: A Population-Based Cohort Study. <i>Clinical Epidemiology</i> , 2020 , 12, 273-285	5.9	3
169	Risk of breast cancer before and after rheumatoid arthritis, and the impact of hormonal factors. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 581-586	2.4	12
168	Colorectal cancer in Crohn's disease: a Scandinavian population-based cohort study. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 475-484	18.8	51
167	Cancer Risk for Fingolimod, Natalizumab, and Rituximab in Multiple Sclerosis Patients. <i>Annals of Neurology</i> , 2020 , 87, 688-699	9.4	43

166	Impact of discordance between patient's and evaluator's global assessment on treatment outcomes in 14868 patients with spondyloarthritis. <i>Rheumatology</i> , 2020 , 59, 2455-2461	3.9	4
165	SAT0069 TUBERCULOSIS IN BIOLOGIC-NAÏVE PATIENTS WITH RHEUMATOID ARTHRITIS - RISK FACTORS AND TUBERCULOSIS CHARACTERISTICS. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 969.2-969 ² .4		
164	Are infectious diseases risk factors for sarcoidosis or a result of reverse causation? Findings from a population-based nested case-control study. <i>European Journal of Epidemiology</i> , 2020 , 35, 1087-1097	12.1	7
163	Colorectal cancer in ulcerative colitis: a Scandinavian population-based cohort study. <i>Lancet, The</i> , 2020 , 395, 123-131	40	113
162	How do we use biologics in rheumatoid arthritis patients with a history of malignancy? An assessment of treatment patterns using Scandinavian registers. <i>RMD Open</i> , 2020 , 6,	5.9	5
161	Gastrointestinal perforations in patients with rheumatoid arthritis treated with biological disease-modifying antirheumatic drugs in Sweden: a nationwide cohort study. <i>RMD Open</i> , 2020 , 6,	5.9	4
160	One-year treatment outcomes of secukinumab versus tumor necrosis factor inhibitors in Spondyloarthritis. <i>Arthritis Care and Research</i> , 2020 ,	4.7	7
159	Validity of administrative codes associated with cirrhosis in Sweden. <i>Scandinavian Journal of Gastroenterology</i> , 2020 , 55, 1205-1210	2.4	16
158	Concordance in survival among first-degree relatives diagnosed with indolent lymphoid malignancies including chronic lymphocytic leukemia. <i>European Journal of Haematology</i> , 2020 , 105, 779-785	3.8	1
157	Drug retention, inactive disease and response rates in 1860 patients with axial spondyloarthritis initiating secukinumab treatment: routine care data from 13 registries in the EuroSpA collaboration. <i>RMD Open</i> , 2020 , 6,	5.9	10
156	Mortality in adult-onset and elderly-onset IBD: a nationwide register-based cohort study 1964-2014. <i>Gut</i> , 2020 , 69, 453-461	19.2	35
155	Response to: 'Inflammatory and non-inflammatory triggers of acute coronary syndromes' by Eyuboglu. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, e50	2.4	
154	OP08 Inflammatory bowel disease and risk of small bowel cancer: A binational population-based cohort study from Denmark and Sweden. <i>Journal of Crohns and Colitis</i> , 2020 , 14, S007-S010	1.5	
153	Treatment response and drug retention rates in 24 195 biologic-naïve patients with axial spondyloarthritis initiating TNFi treatment: routine care data from 12 registries in the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1536-1544	2.4	23
152	Changes in inflammatory bowel disease subtype during follow-up and over time in 44,302 patients. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 55-63	2.4	22
151	Comparative effectiveness of abatacept, rituximab, tocilizumab and TNFi biologics in RA: results from the nationwide Swedish register. <i>Rheumatology</i> , 2019 ,	3.9	13
150	Biological treatment of ankylosing spondylitis: a nationwide study of treatment trajectories on a patient level in clinical practice. <i>Arthritis Research and Therapy</i> , 2019 , 21, 128	5.7	7
149	Correspondence for "Clinical epidemiology of familial sarcoidosis: A systematic literature review". <i>Respiratory Medicine</i> , 2019 , 160, 105696	4.6	1

148	Comment on: Comparative effectiveness of abatacept, rituximab, tocilizumab and TNFi biologics in RA: results from the nationwide Swedish register: reply. <i>Rheumatology</i> , 2019 , 58, 1510-1511	3.9	7
147	2018 EULAR recommendations for a core data set to support observational research and clinical care in giant cell arteritis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1160-1166	2.4	16
146	Comment on: Comparative effectiveness of abatacept, rituximab, tocilizumab and TNFi biologics in RA: results from the nationwide Swedish register: reply. <i>Rheumatology</i> , 2019 , 58, 1507-1509	3.9	2
145	Effects of Childhood-onset Inflammatory Bowel Disease on School Performance: A Nationwide Population-based Cohort Study Using Swedish Health and Educational Registers. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, 1663-1673	4.5	6
144	Siblings of patients with rheumatoid arthritis are at increased risk of acute coronary syndrome. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 683-687	2.4	5
143	Treatment retention of infliximab and etanercept originators versus their corresponding biosimilars: Nordic collaborative observational study of 2334 biologics naïve patients with spondyloarthritis. <i>RMD Open</i> , 2019 , 5, e001079	5.9	9
142	Juvenile idiopathic arthritis and risk of cancer before and after the introduction of biological therapies. <i>RMD Open</i> , 2019 , 5, e001055	5.9	5
141	Occupational exposure to asbestos and silica and risk of developing rheumatoid arthritis: findings from a Swedish population-based case-control study. <i>RMD Open</i> , 2019 , 5, e000978	5.9	19
140	Work Loss Before and After Diagnosis of Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, 1237-1247	4.9	8
139	Increased Mortality of Patients With Childhood-Onset Inflammatory Bowel Diseases, Compared With the General Population. <i>Gastroenterology</i> , 2019 , 156, 614-622	13.3	30
138	Comparison of patients with and without pre-existing lymphoma at diagnosis of primary Sjögren's syndrome. <i>Scandinavian Journal of Rheumatology</i> , 2019 , 48, 207-212	1.9	7
137	Risk of serious infections in patients with rheumatoid arthritis treated in routine care with abatacept, rituximab and tocilizumab in Denmark and Sweden. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 320-327	2.4	31
136	Gastrointestinal Infection Increases Odds of Inflammatory Bowel Disease in a Nationwide Case-Control Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1311-1322.e7	6.9	35
135	Cardiovascular risk factors in non-alcoholic fatty liver disease. <i>Liver International</i> , 2019 , 39, 197-204	7.9	42
134	Sarcoidosis mortality in Sweden: a population-based cohort study. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	36
133	Transmission of rheumatoid arthritis through blood transfusion: a retrospective cohort study. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1536-1537	2.4	1
132	Uptake of rheumatology biosimilars in the absence of forced switching. <i>Expert Opinion on Biological Therapy</i> , 2018 , 18, 499-504	5.4	8
131	Surgical Treatment in Childhood-onset Inflammatory Bowel Disease-A Nationwide Register-based Study of 4695 Incident Patients in Sweden 2002-2014. <i>Journal of Crohns and Colitis</i> , 2018 , 12, 157-166	1.5	11

130	Anti-cyclic citrullinated peptide antibodies, other common autoantibodies, and smoking as risk factors for lymphoma in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2018 , 47, 270-275	1.9	1
129	Risk of cardiac rhythm disturbances and aortic regurgitation in different spondyloarthritis subtypes in comparison with general population: a register-based study from Sweden. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 541-548	2.4	22
128	2017 EULAR recommendations for a core data set to support observational research and clinical care in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 476-479	2.4	45
127	Mortality following new-onset Rheumatoid Arthritis: has modern Rheumatology had an impact?. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 85-91	2.4	33
126	Familial aggregation and heritability of sarcoidosis: a Swedish nested case-control study. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	28
125	Biological treatment in ankylosing spondylitis in the Nordic countries during 2010-2016: a collaboration between five biological registries. <i>Scandinavian Journal of Rheumatology</i> , 2018 , 47, 465-474	1.9	15
124	Tumor Necrosis Factor Inhibitors and Cancer Recurrence in Swedish Patients With Rheumatoid Arthritis: A Nationwide Population-Based Cohort Study. <i>Annals of Internal Medicine</i> , 2018 , 169, 291-299	8	29
123	Mediterranean diet and risk of rheumatoid arthritis: a population-based case-control study. <i>Arthritis Research and Therapy</i> , 2018 , 20, 175	5.7	30
122	Seropositivity combined with smoking is associated with increased prevalence of periodontitis in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1236-1238	2.4	12
121	Incidence and Treatment of Patients Diagnosed With Inflammatory Bowel Diseases at 60 Years or Older in Sweden. <i>Gastroenterology</i> , 2018 , 154, 518-528.e15	13.3	98
120	Patient characteristics influence the choice of biological drug in RA, and will make non-TNFi biologics appear more harmful than TNFi biologics. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 650-657	2.4	27
119	Performance of the Expanded Cardiovascular Risk Prediction Score for Rheumatoid Arthritis in a geographically distant National Register-based cohort: an external validation. <i>RMD Open</i> , 2018 , 4, e000779	5.9	7
118	Opportunities and challenges for real-world studies on chronic inflammatory joint diseases through data enrichment and collaboration between national registers: the Nordic example. <i>RMD Open</i> , 2018 , 4, e000655	5.9	11
117	Impact of extra-articular spondyloarthritis manifestations and comorbidities on drug retention of a first TNF-inhibitor in ankylosing spondylitis: a population-based nationwide study. <i>RMD Open</i> , 2018 , 4, e000762	5.9	14
116	Pancreatic Cancer Following Acute Pancreatitis: A Population-based Matched Cohort Study. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1711-1719	0.7	46
115	Risk of Thyroxine-Treated Autoimmune Thyroid Disease Associated With Disease Onset in Patients With Rheumatoid Arthritis. <i>JAMA Network Open</i> , 2018 , 1, e183567	10.4	7
114	Sick Leave and Disability Pension in Prevalent Patients With Crohn's Disease. <i>Journal of Crohns and Colitis</i> , 2018 , 12, 1418-1428	1.5	9
113	Risk of invasive melanoma in patients with rheumatoid arthritis treated with biologics: results from a collaborative project of 11 European biologic registers. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 386-391	2.4	105

112	Cancer risk in patients with spondyloarthritis treated with TNF inhibitors: a collaborative study from the ARTIS and DANBIO registers. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 105-111	2.4	73
111	Is ankylosing spondylitis a risk factor for cardiovascular disease, and how do these risks compare with those in rheumatoid arthritis?. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 364-370	2.4	60
110	How well do ACPA discriminate and predict RA in the general population: a study based on 12 590 population-representative Swedish twins. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 119-125	2.4	45
109	Predictors of work disability after start of anti-TNF therapy in a national cohort of Swedish patients with rheumatoid arthritis: does early anti-TNF therapy bring patients back to work?. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1245-1252	2.4	22
108	Tumour necrosis factor inhibitor treatment and occurrence of anterior uveitis in ankylosing spondylitis: results from the Swedish biologics register. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1515-1521	2.4	56
107	Association Between Rheumatoid Arthritis and Risk of Ischemic and Nonischemic Heart Failure. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1275-1285	15.1	61
106	Possible Interaction Between Cigarette Smoking and HLA-DRB1 Variation in the Risk of Follicular Lymphoma. <i>American Journal of Epidemiology</i> , 2017 , 185, 681-687	3.8	7
105	Rheumatoid Arthritis and Risk of Malignant Lymphoma: Is the Risk Still Increased?. <i>Arthritis and Rheumatology</i> , 2017 , 69, 700-708	9.5	53
104	Malignant Neoplasms in Patients With Rheumatoid Arthritis Treated With Tumor Necrosis Factor Inhibitors, Tocilizumab, Abatacept, or Rituximab in Clinical Practice: A Nationwide Cohort Study From Sweden. <i>JAMA Internal Medicine</i> , 2017 , 177, 1605-1612	11.5	72
103	Spectrum of lymphomas across different drug treatment groups in rheumatoid arthritis: a European registries collaborative project. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 2025-2030	2.4	46
102	Long-term outcomes and secondary prevention after acute coronary events in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 2017-2024	2.4	12
101	Acute coronary syndrome in new-onset rheumatoid arthritis: a population-based nationwide cohort study of time trends in risks and excess risks. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1642-1647	2.4	35
100	Infection rates in patients from five rheumatoid arthritis (RA) registries: contextualising an RA clinical trial programme. <i>RMD Open</i> , 2017 , 3, e000498	5.9	15
99	Prevalence of paediatric inflammatory bowel disease in Sweden: a nationwide population-based register study. <i>BMC Gastroenterology</i> , 2017 , 17, 23	3	24
98	Are ankylosing spondylitis, psoriatic arthritis and undifferentiated spondyloarthritis associated with an increased risk of cardiovascular events? A prospective nationwide population-based cohort study. <i>Arthritis Research and Therapy</i> , 2017 , 19, 102	5.7	66
97	Juvenile onset arthritis and pregnancy outcome: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1809-1814	2.4	18
96	Childhood onset inflammatory bowel disease and risk of cancer: a Swedish nationwide cohort study 1964-2014. <i>BMJ, The</i> , 2017 , 358, j3951	5.9	78
95	Cervical neoplasia in systemic lupus erythematosus: a nationwide study. <i>Rheumatology</i> , 2017 , 56, 613-619	3.9	14

94	Mortality in ankylosing spondylitis: results from a nationwide population-based study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1466-72	2.4	56
93	Does a family history of RA influence the clinical presentation and treatment response in RA?. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1120-5	2.4	9
92	Comparative analysis of first-year fingolimod and natalizumab drug discontinuation among Swedish patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 85-93	5	27
91	What is the impact of chronic systemic inflammation such as rheumatoid arthritis on mortality following cancer?. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 862-6	2.4	12
90	FRI0596 Rheumatoid Arthritis Risk Alleles, Hla-Drb1 Haplotypes, and Response To TNFI Therapy □ Results from A Swedish Cohort Study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 658.1-658	2.4	
89	Sarcoidosis incidence and prevalence: a nationwide register-based assessment in Sweden. <i>European Respiratory Journal</i> , 2016 , 48, 1690-1699	13.6	104
88	Oral Contraceptive Use and Risk of Ulcerative Colitis Progression: A Nationwide Study. <i>American Journal of Gastroenterology</i> , 2016 , 111, 1614-1620	0.7	9
87	Childhood hospitalisation with infections and later development of ankylosing spondylitis: a national case-control study. <i>Arthritis Research and Therapy</i> , 2016 , 18, 240	5.7	11
86	Patient global assessment in measuring disease activity in rheumatoid arthritis: a review of the literature. <i>Arthritis Research and Therapy</i> , 2016 , 18, 251	5.7	114
85	SAT0309 Primary Sjögren's Syndrome and Lymphoma □ A Population-Based Study Focused on Lymphoma as Exclusion Criterion for Primary Sjögren's Syndrome Diagnosis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 779.3-780	2.4	
84	A10.16 Risk for lung cancer in ra and different ra phenotypes: Results from a population-based case-control study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, A79.1-A79	2.4	1
83	OP0189 Rate of Cervical Neoplasia in Systemic Lupus Erythematosus: A Nationwide Cohort-Study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 128.2-128	2.4	
82	Does disease activity at start of biologic therapy influence work-loss in RA patients?. <i>Rheumatology</i> , 2016 , 55, 729-34	3.9	5
81	Perinatal characteristics, older siblings, and risk of ankylosing spondylitis: a case-control study based on national registers. <i>Arthritis Research and Therapy</i> , 2016 , 18, 16	5.7	5
80	Familial aggregation of arthritis-related diseases in seropositive and seronegative rheumatoid arthritis: a register-based case-control study in Sweden. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 183-3.4	3.4	25
79	Can rheumatoid arthritis (RA) registries provide contextual safety data for modern RA clinical trials? The case for mortality and cardiovascular disease. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1797-805	2.4	14
78	Rheumatoid arthritis, anti-tumour necrosis factor treatment, and risk of squamous cell and basal cell skin cancer: cohort study based on nationwide prospectively recorded data from Sweden. <i>BMJ, The</i> , 2016 , 352, i262	5.9	65
77	Do RA or TNF inhibitors increase the risk of cervical neoplasia or of recurrence of previous neoplasia? A nationwide study from Sweden. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1272-8	2.4	35

76	Pregnancy outcomes in patients with ankylosing spondylitis: a nationwide register study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1838-42	2.4	48
75	OP0082 Infections of The Gut, Urogenital and Respiratory Tract and Appendicitis during Childhood, and The Risk of Developing Ankylosing Spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 85.2-86	2.4	2
74	FRI0136 Risk for Lung Cancer in RA and Different RA Phenotypes: Results from A Population-Based Case-Control Study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 477.2-477	2.4	
73	Prevalence of Periodontitis in Patients with Established Rheumatoid Arthritis: A Swedish Population Based Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0155956	3.7	49
72	A3.07 How well do acpa discriminate and predict ra in the general population -A study based on 12,590 population-representative swedish twins. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, A35.1-A35	2.4	2
71	How comparable are rates of malignancies in patients with rheumatoid arthritis across the world? A comparison of cancer rates, and means to optimise their comparability, in five RA registries. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1789-96	2.4	12
70	A genetic risk score composed of rheumatoid arthritis risk alleles, HLA-DRB1 haplotypes, and response to TNFi therapy - results from a Swedish cohort study. <i>Arthritis Research and Therapy</i> , 2016 , 18, 288	5.7	4
69	Response to biological treatment and subsequent risk of coronary events in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 2087-2094	2.4	47
68	Family history of rheumatoid arthritis: an old concept with new developments. <i>Nature Reviews Rheumatology</i> , 2016 , 12, 335-43	8.1	49
67	Costs for hospital care, drugs and lost work days in incident and prevalent rheumatoid arthritis: how large, and how are they distributed?. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 648-54	2.4	33
66	Physical activity and risk of rheumatoid arthritis in women: a population-based prospective study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 40	5.7	31
65	Does disease activity at the start of biologic therapy influence health care costs in patients with RA?. <i>Rheumatology</i> , 2015 , 54, 1472-7	3.9	1
64	TNF inhibitor therapy and risk of breast cancer recurrence in patients with rheumatoid arthritis: a nationwide cohort study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 2137-43	2.4	58
63	Rheumatoid arthritis is associated with a more severe presentation of acute coronary syndrome and worse short-term outcome. <i>European Heart Journal</i> , 2015 , 36, 3413-22	9.5	68
62	Validity of ankylosing spondylitis and undifferentiated spondyloarthritis diagnoses in the Swedish National Patient Register. <i>Scandinavian Journal of Rheumatology</i> , 2015 , 44, 369-76	1.9	38
61	Effectiveness and survival-on-drug of certolizumab pegol in rheumatoid arthritis in clinical practice: results from the national Swedish register. <i>Scandinavian Journal of Rheumatology</i> , 2015 , 44, 431-7	1.9	20
60	Are patients with rheumatoid arthritis still at an increased risk of tuberculosis and what is the role of biological treatments?. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1212-7	2.4	63
59	Effectiveness of TNF inhibitor switch in RA: results from the national Swedish register. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 890-6	2.4	52

58	Improved performance of epidemiologic and genetic risk models for rheumatoid arthritis serologic phenotypes using family history. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1522-9	2.4	32
57	Environmental and genetic factors in the development of anticitrullinated protein antibodies (ACPAs) and ACPA-positive rheumatoid arthritis: an epidemiological investigation in twins. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 375-80	2.4	105
56	Surgical interventions for nephrolithiasis in ankylosing spondylitis and the general population. <i>Scandinavian Journal of Urology</i> , 2015 , 49, 486-491	1.6	2
55	Using epidemiological registry data to provide background rates as context for adverse events in a rheumatoid arthritis drug development program: a coordinated approach. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1121-32	2.6	6
54	Methodological Challenges When Comparing Demographic and Clinical Characteristics of International Observational Registries. <i>Arthritis Care and Research</i> , 2015 , 67, 1637-45	4.7	13
53	OP0275 Birth Characteristics and Childhood Infections Predict Ankylosing Spondylitis. A National Register Based Nested Case-Control Study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 176.1-176	2.4	
52	Risk factors for the rapid increase in risk of acute coronary events in patients with new-onset rheumatoid arthritis: a nested case-control study. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2845-54	9.5	30
51	How good is the coverage and how accurate are exposure data in the Swedish Biologics Register (ARTIS)?. <i>Scandinavian Journal of Rheumatology</i> , 2015 , 44, 22-8	1.9	34
50	The prevalence of clinically diagnosed ankylosing spondylitis and its clinical manifestations: a nationwide register study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 118	5.7	56
49	The effect of comedication with conventional synthetic disease modifying antirheumatic drugs on TNF inhibitor drug survival in patients with ankylosing spondylitis and undifferentiated spondyloarthritis: results from a nationwide prospective study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 970-6	2.4	61
48	Drug survival on TNF inhibitors in patients with rheumatoid arthritis comparison of adalimumab, etanercept and infliximab. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 354-60	2.4	129
47	Leukemia and myelodysplastic syndrome in granulomatosis with polyangiitis: subtypes, clinical characteristics, and outcome. <i>Journal of Rheumatology</i> , 2015 , 42, 690-4	4.1	2
46	Long-term intake of dietary long-chain n-3 polyunsaturated fatty acids and risk of rheumatoid arthritis: a prospective cohort study of women. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1949-53	2.4	91
45	The risk of acute coronary syndrome in rheumatoid arthritis in relation to tumour necrosis factor inhibitors and the risk in the general population: a national cohort study. <i>Arthritis Research and Therapy</i> , 2014 , 16, R127	5.7	50
44	Lymphoma development in patients with autoimmune and inflammatory disorders--what are the driving forces?. <i>Seminars in Cancer Biology</i> , 2014 , 24, 61-70	12.7	109
43	THU0081 Pregnancy Outcome in Patients with Ankylosing Spondylitis [A National Register Study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 205.1-205	2.4	
42	THU0095 Is Nephrolithiasis an Unrecognized Extra-Articular Manifestation in Ankylosing Spondylitis? A Prospective Population-Based National Cohort Study with Matched General Population Comparator Subjects. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 209.2-209	2.4	
41	SAT0098 Validity of Ankylosing Spondylitis and Spondyloarthritis Diagnoses in the Swedish National Patient Register. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 625.3-626	2.4	1

40	AB1105 Epidemiological Assessment of Baseline Characteristics of the Abatacept-Treated Patients in Select Real-World Rheumatoid Arthritis Data Sources. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1167.2-1167	2.4	
39	FRI0202 Does Disease Activity at Start of Biologic Therapy Influence Productivity Losses in Patients with Ra?. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 456.1-456	2.4	
38	AB0118 Physical Activity and Risk of Rheumatoid Arthritis in Women. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 843.1-843	2.4	
37	Is nephrolithiasis an unrecognized extra-articular manifestation in ankylosing spondylitis? A prospective population-based Swedish national cohort study with matched general population comparator subjects. <i>PLoS ONE</i> , 2014 , 9, e113602	3.7	16
36	THU0182 Tumour Necrosis Factor Inhibitors and the Risk of Acute Coronary Syndromes in Rheumatoid Arthritis Patients. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 244.2-244	2.4	
35	THU0410 When Does the Female Predominance in RA Start Does Sex Influence the Risk of ACPA Development?. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 323.2-324	2.4	
34	No association between rheumatoid arthritis, amyotrophic lateral sclerosis, and tumour necrosis factor inhibitor treatment. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 2061-2	2.4	1
33	Validation of the rheumatoid arthritis diagnosis in the Swedish National Patient Register: a cohort study from Stockholm County. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 432	2.8	40
32	The association between schizophrenia and rheumatoid arthritis: a nationwide population-based Swedish study on intraindividual and familial risks. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1552-9	1.3	41
31	SAT0140 The risk of acute coronary syndromes in RA in relation to TNF inhibitors and risks in the general population: A national cohort study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 518.3-519	2.4	2
30	Occurrence and relative risk of stroke in incident and prevalent contemporary rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 541-6	2.4	34
29	FRI0166 Does biological therapy alter the lymphoma risk or distribution of lymphoma subtypes in patients with ra?. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A427.2-A427	2.4	1
28	OP0171 Screening for Anti-CCP in a Large Population Based Cohort and its Association with Prevalent Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A110.3-A111	2.4	
27	OP0189 Long term work disability in anti-TNF therapy treated patients with psoriatic arthritis: A population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 118.3-119	2.4	
26	SAT0232 Lymphoma in patients with primary sjögren's syndrome: A population-based study of lymphoma subtypes, risk factors and survival. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 550.2-550	2.4	
25	THU0218 Hematological malignancies (other than lymphoma) in patients with granulomatous polyangiitis (wegener). <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 229.1-229	2.4	
24	Risk of venous thromboembolism in patients with rheumatoid arthritis and association with disease duration and hospitalization. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 1350-6	27.4	92
23	Efficacy of TNF switch after failure of one TNF inhibitor Results from a nation-wide observational study. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A14-A15	2.4	1

22	Analysis of ACPA positivity and ACPA fine specificities in a large Swedish twin cohort (TwinGene). <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A23.2-A24	2.4	
21	Cancer risk with tumor necrosis factor alpha (TNF) inhibitors: meta-analysis of randomized controlled trials of adalimumab, etanercept, and infliximab using patient level data. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 119-30	2.6	199
20	The risk of malignancies in RA patients treated with biologics. <i>Zeitschrift Fur Rheumatologie</i> , 2010 , 69, 774-9	1.9	0
19	No increased occurrence of ischemic heart disease prior to the onset of rheumatoid arthritis: results from two Swedish population-based rheumatoid arthritis cohorts. <i>Arthritis and Rheumatism</i> , 2009 , 60, 2861-9		59
18	Cancer risk in patients with rheumatoid arthritis treated with anti-tumor necrosis factor alpha therapies: does the risk change with the time since start of treatment?. <i>Arthritis and Rheumatism</i> , 2009 , 60, 3180-9		172
17	Anti-tumour necrosis factor therapy in rheumatoid arthritis and risk of malignant lymphomas: relative risks and time trends in the Swedish Biologics Register. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 648-53	2.4	204
16	Malignancy and biologic therapy in rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2008 , 20, 334-9	5.3	43
15	The safety of anti-tumour necrosis factor therapy in rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2008 , 20, 138-44	5.3	80
14	Lymphomas in Rheumatoid Arthritis Patients Treated with Anti-TNF Therapy: A Report from the Swedish Biologics Register (ARTIS) and the ARTIS Study Group 1998-2006. <i>Blood</i> , 2008 , 112, 3754-3754	2.2	
13	Malignancy and rheumatoid arthritis. <i>Current Rheumatology Reports</i> , 2007 , 9, 421-6	4.9	24
12	Time-dependent increase in risk of hospitalisation with infection among Swedish RA patients treated with TNF antagonists. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1339-44	2.4	243
11	Swedish registers to examine drug safety and clinical issues in RA. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 707-12	2.4	111
10	Risk for malignant lymphoma in ankylosing spondylitis: a nationwide Swedish case-control study. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 1184-7	2.4	54
9	Risks of solid cancers in patients with rheumatoid arthritis and after treatment with tumour necrosis factor antagonists. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 1421-6	2.4	268
8	Haematopoietic malignancies in rheumatoid arthritis: lymphoma risk and characteristics after exposure to tumour necrosis factor antagonists. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 1414-20	2.4	296
7	Risk and case characteristics of tuberculosis in rheumatoid arthritis associated with tumor necrosis factor antagonists in Sweden. <i>Arthritis and Rheumatism</i> , 2005 , 52, 1986-92		334
6	Do steroids increase lymphoma risk? A case-control study of lymphoma risk in polymyalgia rheumatica/giant cell arteritis. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 1765-8	2.4	29
5	Risk of haematopoietic cancer in patients with inflammatory bowel disease. <i>Gut</i> , 2005 , 54, 617-22	19.2	158

4	Rheumatoid arthritis registries in Sweden. <i>Clinical and Experimental Rheumatology</i> , 2005 , 23, S195-200	2.2	31
3	Cancer incidence in a population-based cohort of individuals hospitalized with celiac disease or dermatitis herpetiformis. <i>Gastroenterology</i> , 2002 , 123, 1428-35	13.3	364
2	Risk of non-Hodgkin's lymphoma following tuberculosis. <i>British Journal of Cancer</i> , 2001 , 84, 113-5	8.7	21
1	Is history of squamous-cell skin cancer a marker of poor prognosis in patients with cancer?. <i>Annals of Internal Medicine</i> , 1999 , 131, 655-9	8	20