

Marie Karanian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7388720/publications.pdf>

Version: 2024-02-01

19
papers

780
citations

706676

14
h-index

939365

18
g-index

19
all docs

19
docs citations

19
times ranked

1037
citing authors

#	ARTICLE	IF	CITATIONS
1	Wholistic approach: Transcriptomic analysis and beyond using archival material for molecular diagnosis. <i>Genes Chromosomes and Cancer</i> , 2022, 61, 382-393.	1.5	18
2	Intra- and extra-cranial BCOR-ITD tumours are separate entities within the BCOR-rearranged family. <i>Journal of Pathology: Clinical Research</i> , 2022, 8, 217-232.	1.3	10
3	A subset of lung adenofibromas are morphological variants of solitary fibrous tumour. <i>Histopathology</i> , 2022, , .	1.6	0
4	Identification of a novel translocation producing an in-frame fusion of TAF15 and ETV4 in a case of extrasosseous Ewing sarcoma revealed in the prenatal period. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 665-669.	1.4	3
5	Nationwide incidence of sarcomas and connective tissue tumors of intermediate malignancy over four years using an expert pathology review network. <i>PLoS ONE</i> , 2021, 16, e0246958.	1.1	131
6	Impact of histological subtype on radiological and pathological response after neoadjuvant radiotherapy in soft tissue sarcoma. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2995-3003.	0.5	9
7	Superficial CD34-positive fibroblastic tumor and PRDM10-rearranged soft tissue tumor are overlapping entities: a comprehensive study of 20 cases. <i>Histopathology</i> , 2021, 79, 810-825.	1.6	26
8	Melanocytic tumors with MAP3K8 fusions: report of 33 cases with morphological-genetic correlations. <i>Modern Pathology</i> , 2020, 33, 846-857.	2.9	38
9	Molecular Classification of Endometrial Stromal Sarcomas Using RNA Sequencing Defines Nosological and Prognostic Subgroups with Different Natural History. <i>Cancers</i> , 2020, 12, 2604.	1.7	22
10	Integrative clinical and biopathology analyses to understand the clinical heterogeneity of infantile rhabdomyosarcoma: A report from the French MMT committee. <i>Cancer Medicine</i> , 2020, 9, 2698-2709.	1.3	28
11	The combination of radiotherapy and ALK inhibitors is effective in the treatment of intraosseous rhabdomyosarcoma with FUS-FCP2 fusion transcript. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28185.	0.8	24
12	NFATc2-rearranged sarcomas: clinicopathologic, molecular, and cytogenetic study of 7 cases with evidence of AGGRECAN as a novel diagnostic marker. <i>Modern Pathology</i> , 2020, 33, 1930-1944.	2.9	38
13	SRF-FOXO1 and SRF-NCOA1 Fusion Genes Delineate a Distinctive Subset of Well-differentiated Rhabdomyosarcoma. <i>American Journal of Surgical Pathology</i> , 2020, 44, 607-616.	2.1	37
14	SRF Fusions Other Than With RELA Expand the Molecular Definition of SRF-fused Perivascular Tumors. <i>American Journal of Surgical Pathology</i> , 2020, 44, 1725-1735.	2.1	14
15	Transcriptomic definition of molecular subgroups of small round cell sarcomas. <i>Journal of Pathology</i> , 2018, 245, 29-40.	2.1	235
16	Cutaneous Melanocytoma With CRTC1-TRIM11 Fusion. <i>American Journal of Surgical Pathology</i> , 2018, 42, 382-391.	2.1	49
17	Genetic analyses of undifferentiated small round cell sarcoma identifies a novel sarcoma subtype with a recurrent CRTC1-SS18 gene fusion. <i>Journal of Pathology</i> , 2018, 245, 186-196.	2.1	26
18	Melanocytic Myxoid Spindle Cell Tumor With ALK Rearrangement (MMySTAR). <i>American Journal of Surgical Pathology</i> , 2018, 42, 595-603.	2.1	16

#	ARTICLE	IF	CITATIONS
19	Alternative PDGFD rearrangements in dermatofibrosarcomas protuberans without PDGFB fusions. Modern Pathology, 2018, 31, 1683-1693.	2.9	56