List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7388977/publications.pdf Version: 2024-02-01

	1172	2243
53,454	111	201
citations	h-index	g-index
572	572	44269
docs citations	times ranked	citing authors
	citations 572	53,454 111 citations h-index 572 572

#	Article	IF	CITATIONS
1	Multidisciplinary research priorities for the COVID-19 pandemic: a call for action for mental health science. Lancet Psychiatry,the, 2020, 7, 547-560.	7.4	4,086
2	Perceived barriers and facilitators to mental health help-seeking in young people: a systematic review. BMC Psychiatry, 2010, 10, 113.	2.6	2,018
3	"Mental health literacy†a survey of the public's ability to recognise mental disorders and their beliefs about the effectiveness of treatment. Medical Journal of Australia, 1997, 166, 182-186.	1.7	1,667
4	Suicide risk and prevention during the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 468-471.	7.4	1,054
5	Adherence in Internet Interventions for Anxiety and Depression. Journal of Medical Internet Research, 2009, 11, e13.	4.3	970
6	Smartphones for Smarter Delivery of Mental Health Programs: A Systematic Review. Journal of Medical Internet Research, 2013, 15, e247.	4.3	968
7	Delivering interventions for depression by using the internet: randomised controlled trial. BMJ: British Medical Journal, 2004, 328, 265-0.	2.3	734
8	A Systematic Review of the Impact of Adherence on the Effectiveness of e-Therapies. Journal of Medical Internet Research, 2011, 13, e52.	4.3	696
9	Effect of web-based depression literacy and cognitive–behavioural therapy interventions on stigmatising attitudes to depression. British Journal of Psychiatry, 2004, 185, 342-349.	2.8	618
10	A short form of the Positive and Negative Affect Schedule: evaluation of factorial validity and invariance across demographic variables in a community sample. Personality and Individual Differences, 1999, 27, 405-416.	2.9	575
11	Stigma about Depression and its Impact on Help-Seeking Intentions. Australian and New Zealand Journal of Psychiatry, 2006, 40, 51-54.	2.3	567
12	Efficacy of Self-guided Internet-Based Cognitive Behavioral Therapy in the Treatment of Depressive Symptoms. JAMA Psychiatry, 2017, 74, 351.	11.0	560
13	School-based depression and anxiety prevention programs for young people: A systematic review and meta-analysis. Clinical Psychology Review, 2017, 51, 30-47.	11.4	509
14	Clinical review of user engagement with mental health smartphone apps: evidence, theory and improvements. Evidence-Based Mental Health, 2018, 21, 116-119.	4.5	499
15	Can work make you mentally ill? A systematic meta-review of work-related risk factors for common mental health problems. Occupational and Environmental Medicine, 2017, 74, 301-310.	2.8	449
16	Internet and Computer-Based Cognitive Behavioral Therapy for Anxiety and Depression in Youth: A Meta-Analysis of Randomized Controlled Outcome Trials. PLoS ONE, 2015, 10, e0119895.	2.5	407
17	Efficacy and effectiveness of school-based prevention and early intervention programs for anxiety. Clinical Psychology Review, 2009, 29, 208-215.	11.4	402
18	Sexual orientation and mental health: results from a community survey of young and middle – aged adults. British Journal of Psychiatry, 2002, 180, 423-427.	2.8	399

#	Article	IF	CITATIONS
19	Using the BIS/BAS scales to measure behavioural inhibition and behavioural activation: Factor structure, validity and norms in a large community sample. Personality and Individual Differences, 1998, 26, 49-58.	2.9	385
20	Mobile Apps for Bipolar Disorder: A Systematic Review of Features and Content Quality. Journal of Medical Internet Research, 2015, 17, e198.	4.3	364
21	Is Telomere Length a Biomarker of Aging? A Review. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 202-213.	3.6	362
22	Barriers and facilitators to mental health help-seeking for young elite athletes: a qualitative study. BMC Psychiatry, 2012, 12, 157.	2.6	353
23	Acute mental health responses during the COVID-19 pandemic in Australia. PLoS ONE, 2020, 15, e0236562.	2.5	339
24	Workplace interventions for common mental disorders: a systematic meta-review. Psychological Medicine, 2016, 46, 683-697.	4.5	336
25	Stigma in response to mental disorders: a comparison of Australia and Japan. BMC Psychiatry, 2006, 6, 21.	2.6	328
26	Education, Activity, Health, Blood Pressure and Apolipoprotein E as Predictors of Cognitive Change in Old Age: A Review. Gerontology, 2000, 46, 163-177.	2.8	322
27	Psychoeducation for depression, anxiety and psychological distress: a meta-analysis. BMC Medicine, 2009, 7, 79.	5.5	318
28	Detecting suicidality on Twitter. Internet Interventions, 2015, 2, 183-188.	2.7	317
29	The WPA- Lancet Psychiatry Commission on the Future of Psychiatry. Lancet Psychiatry,the, 2017, 4, 775-818.	7.4	305
30	Predictors of depression stigma. BMC Psychiatry, 2008, 8, 25.	2.6	300
31	Gender differences in depression and anxiety across the adult lifespan: the role of psychosocial mediators. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 983-998.	3.1	285
32	Systematic review of schoolâ€based prevention and early intervention programs for depression. Journal of Adolescence, 2010, 33, 429-438.	2.4	284
33	Attitudes Towards People with a Mental Disorder: A Survey of the Australian Public and Health Professionals. Australian and New Zealand Journal of Psychiatry, 1999, 33, 77-83.	2.3	282
34	Predictors of treatment dropout in self-guided web-based interventions for depression: an â€~individual patient data' meta-analysis. Psychological Medicine, 2015, 45, 2717-2726.	4.5	281
35	Effectiveness of an online insomnia program (SHUTi) for prevention of depressive episodes (the) Tj ETQq1 1 0.7	84314 rgBT 7.4	Overlock 1 280
36	Apolipoprotein E allele ∈4, dementia, and cognitive decline in a population sample. Lancet, The, 1995, 346, 1387-1390.	13.7	274

#	Article	IF	CITATIONS
37	The YouthMood Project: A cluster randomized controlled trial of an online cognitive behavioral program with adolescents Journal of Consulting and Clinical Psychology, 2009, 77, 1021-1032.	2.0	274
38	The Suicidal Ideation Attributes Scale (<scp>SIDAS</scp>): Communityâ€Based Validation Study of a New Scale for the Measurement of Suicidal Ideation. Suicide and Life-Threatening Behavior, 2014, 44, 408-419.	1.9	272
39	A quantitative review of cognitive deficits in depression and Alzheimer-type dementia. Journal of the International Neuropsychological Society, 1997, 3, 631-651.	1.8	266
40	Economic evaluations of Internet interventions for mental health: a systematic review. Psychological Medicine, 2015, 45, 3357-3376.	4.5	261
41	The efficacy of internet interventions for depression and anxiety disorders: a review of randomised controlled trials. Medical Journal of Australia, 2010, 192, S4-11.	1.7	256
42	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. BMJ, The, 2013, 346, f540-f540.	6.0	251
43	Web-based Cognitive Behavior Therapy: Analysis of Site Usage and Changes in Depression and Anxiety Scores. Journal of Medical Internet Research, 2002, 4, e3.	4.3	245
44	What Cognitive Changes can be Expected with Normal Ageing?. Australian and New Zealand Journal of Psychiatry, 2001, 35, 768-775.	2.3	242
45	Towards a consensus around standards for smartphone apps andÂdigital mental health. World Psychiatry, 2019, 18, 97-98.	10.4	237
46	Impact of a mobile phone and web program on symptom and functional outcomes for people with mild-to-moderate depression, anxiety and stress: a randomised controlled trial. BMC Psychiatry, 2013, 13, 312.	2.6	236
47	The mental health benefits of employment: Results of a systematic meta-review. Australasian Psychiatry, 2016, 24, 331-336.	0.7	236
48	Internet-based mental health programs: A powerful tool in the rural medical kit. Australian Journal of Rural Health, 2007, 15, 81-87.	1.5	231
49	A systematic review of help-seeking interventions for depression, anxiety and general psychological distress. BMC Psychiatry, 2012, 12, 81.	2.6	228
50	Age differences in depression and anxiety symptoms: a structural equation modelling analysis of data from a general population sample. Psychological Medicine, 1999, 29, 325-339.	4.5	226
51	A Systematic Assessment of Smartphone Tools for Suicide Prevention. PLoS ONE, 2016, 11, e0152285.	2.5	224
52	Helpfulness of interventions for mental disorders: Beliefs of health professionals compared with the general public. British Journal of Psychiatry, 1997, 171, 233-237.	2.8	217
53	Stigma about depression and its impact on help-seeking intentions. Australian and New Zealand Journal of Psychiatry, 2006, 40, 51-54.	2.3	216
54	The Impact of <i>Beyondblue: The National Depression Initiative</i> on the Australian Public's Recognition of Depression and Beliefs About Treatments. Australian and New Zealand Journal of Psychiatry, 2005, 39, 248-254.	2.3	215

#	Article	IF	CITATIONS
55	Health, cognitive, and psychosocial factors as predictors of mortality in an elderly community sample. Journal of Epidemiology and Community Health, 1999, 53, 83-88.	3.7	214
56	Do cognitive complaints either predict future cognitive decline or reflect past cognitive decline? A longitudinal study of an elderly community sample. Psychological Medicine, 1997, 27, 91-98.	4.5	212
57	The course of depression in the elderly: a longitudinal community-based study in Australia. Psychological Medicine, 1997, 27, 119-129.	4.5	203
58	Association of obesity with anxiety, depression and emotional wellâ€being: a community survey. Australian and New Zealand Journal of Public Health, 2003, 27, 434-440.	1.8	199
59	Online randomized controlled trial of brief and full cognitive behaviour therapy for depression. Psychological Medicine, 2006, 36, 1737-1746.	4.5	199
60	The Public's Ability to Recognize Mental Disorders and their Beliefs about Treatment: Changes in Australia Over 8 Years. Australian and New Zealand Journal of Psychiatry, 2006, 40, 36-41.	2.3	197
61	Toward clinical digital phenotyping: a timely opportunity to consider purpose, quality, and safety. Npj Digital Medicine, 2019, 2, 88.	10.9	197
62	Public beliefs about treatment and outcome of mental disorders: a comparison of Australia and Japan. BMC Medicine, 2005, 3, 12.	5.5	196
63	A Comparison of Changes in Anxiety and Depression Symptoms of Spontaneous Users and Trial Participants of a Cognitive Behavior Therapy Website. Journal of Medical Internet Research, 2004, 6, e46.	4.3	196
64	Cohort Profile: The PATH through life project. International Journal of Epidemiology, 2012, 41, 951-960.	1.9	195
65	The prevalence of depressive disorders and the distribution of depressive symptoms in later life: a survey using Draft ICD-10 and DSM-III-R. Psychological Medicine, 1993, 23, 719-729.	4.5	192
66	Symptoms of depression and anxiety during adult life: evidence for a decline in prevalence with age. Psychological Medicine, 1998, 28, 1321-1328.	4.5	186
67	A systematic review and evaluation of measures for suicidal ideation and behaviors in population-based research Psychological Assessment, 2015, 27, 501-512.	1.5	183
68	Review of randomised controlled trials of Internet interventions for mental disorders and related conditions. Clinical Psychologist, 2006, 10, 16-29.	0.8	182
69	The "common cause hypothesis" of cognitive aging: Evidence for not only a common factor but also specific associations of age with vision and grip strength in a cross-sectional analysis Psychology and Aging, 2001, 16, 588-599.	1.6	179
70	Age differences in mental health literacy. BMC Public Health, 2008, 8, 125.	2.9	179
71	Pet Ownership and Health in Older Adults: Findings from a Survey of 2,551 Community-Based Australians Aged 60–64. Gerontology, 2005, 51, 40-47.	2.8	176
72	Natural language processing in mental health applications using non-clinical texts. Natural Language Engineering, 2017, 23, 649-685.	2.5	173

#	Article	IF	CITATIONS
73	Memory complaints in a community sample aged 60–64 years: associations with cognitive functioning, psychiatric symptoms, medical conditions, APOE genotype, hippocampus and amygdala volumes, and white-matter hyperintensities. Psychological Medicine, 2004, 34, 1495-1506.	4.5	172
74	Age group differences in psychological distress: the role of psychosocial risk factors that vary with age. Psychological Medicine, 2005, 35, 1253-1263.	4.5	172
75	Predictors of help-seeking for suicidal ideation in the community: Risks and opportunities for public suicide prevention campaigns. Psychiatry Research, 2014, 219, 525-530.	3.3	171
76	Correlates of Suicide Stigma and Suicide Literacy in the Community. Suicide and Life-Threatening Behavior, 2013, 43, 406-417.	1.9	170
77	Public beliefs about causes and risk factors for depression and schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 1997, 32, 143-148.	3.1	170
78	Free Range users and One Hit Wonders: Community Users of an Internet-Based Cognitive Behaviour Therapy Program. Australian and New Zealand Journal of Psychiatry, 2006, 40, 59-62.	2.3	169
79	An analysis of diversity in the cognitive performance of elderly community dwellers: Individual differences in change scores as a function of age Psychology and Aging, 1999, 14, 365-379.	1.6	167
80	Internet-Based Interventions to Promote Mental Health Help-Seeking in Elite Athletes: An Exploratory Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e69.	4.3	166
81	Review of internetâ€based prevention and treatment programs for anxiety and depression in children and adolescents. Medical Journal of Australia, 2010, 192, S12-4.	1.7	164
82	The Stigma of Suicide Scale. Crisis, 2013, 34, 13-21.	1.2	162
83	Public Beliefs About the Helpfulness of Interventions for Depression: Effects on Actions Taken When Experiencing Anxiety and Depression Symptoms. Australian and New Zealand Journal of Psychiatry, 2000, 34, 619-626.	2.3	161
84	Preventing the development of depression at work: a systematic review and meta-analysis of universal interventions in the workplace. BMC Medicine, 2014, 12, 74.	5.5	161
85	Research on Mental Health Literacy: What we know and what we Still Need to know. Australian and New Zealand Journal of Psychiatry, 2006, 40, 3-5.	2.3	159
86	Ibobbly mobile health intervention for suicide prevention in Australian Indigenous youth: a pilot randomised controlled trial. BMJ Open, 2017, 7, e013518.	1.9	158
87	Comparison of data analysis strategies for intent-to-treat analysis in pre-test–post-test designs with substantial dropout rates. Psychiatry Research, 2008, 160, 335-345.	3.3	157
88	Effectiveness of complementary and selfâ€help treatments for depression. Medical Journal of Australia, 2002, 176, S84-96.	1.7	155
89	A controlled trial of a school-based Internet program for reducing depressive symptoms in adolescent girls. Depression and Anxiety, 2009, 26, 65-72.	4.1	155
90	Non-linear relationships in associations of depression and anxiety with alcohol use. Psychological Medicine, 2000, 30, 421-432.	4.5	154

#	Article	IF	CITATIONS
91	Complaints of cognitive decline in the elderly: a comparison of reports by subjects and informants in a community survey. Psychological Medicine, 1994, 24, 365-374.	4.5	152
92	Patterns of association between alcohol consumption and symptoms of depression and anxiety in young adults. Addiction, 2002, 97, 583-594.	3.3	152
93	Comparative randomised trial of online cognitive–behavioural therapy and an information website for depression: 12-month outcomes. British Journal of Psychiatry, 2008, 192, 130-134.	2.8	152
94	Rethinking the Dose-Response Relationship Between Usage and Outcome in an Online Intervention for Depression: Randomized Controlled Trial. Journal of Medical Internet Research, 2013, 15, e231.	4.3	152
95	Quantifying App Store Dynamics: Longitudinal Tracking of Mental Health Apps. JMIR MHealth and UHealth, 2016, 4, e96.	3.7	151
96	Theme Issue on E-Mental Health: A Growing Field in Internet Research. Journal of Medical Internet Research, 2010, 12, e74.	4.3	150
97	Suicide prevention using self-guided digital interventions: a systematic review and meta-analysis of randomised controlled trials. The Lancet Digital Health, 2020, 2, e25-e36.	12.3	145
98	Effects of a Cognitiveâ€Behavioural Internet Program on Depression, Vulnerability to Depression and Stigma in Adolescent Males: A Schoolâ€Based Controlled Trial. Cognitive Behaviour Therapy, 2006, 35, 43-54.	3.5	144
99	APOE genotype and cognitive functioning in a large age-stratified population sample Neuropsychology, 2007, 21, 1-8.	1.3	143
100	Effectiveness of a Web-Based Cognitive-Behavioral Tool to Improve Mental Well-Being in the General Population: Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 15, e2.	4.3	142
101	A systematic review of psychosocial suicide prevention interventions for youth. European Child and Adolescent Psychiatry, 2016, 25, 467-482.	4.7	140
102	Associations of pre-trauma attributes and trauma exposure with screening positive for PTSD: analysis of a community-based study of 2085 young adults. Psychological Medicine, 2006, 36, 387-395.	4.5	139
103	Oral folic acid and vitamin B-12 supplementation to prevent cognitive decline in community-dwelling older adults with depressive symptoms—the Beyond Ageing Project: a randomized controlled trial. American Journal of Clinical Nutrition, 2012, 95, 194-203.	4.7	139
104	White matter hyperintensities are related to physical disability and poor motor function. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 362-367.	1.9	137
105	The Law of Attrition Revisited. Journal of Medical Internet Research, 2006, 8, e20.	4.3	136
106	Website Quality Indicators for Consumers. Journal of Medical Internet Research, 2005, 7, e55.	4.3	133
107	A population survey found an association between self-reports of traumatic brain injury and increased psychiatric symptoms. Journal of Clinical Epidemiology, 2004, 57, 1202-1209.	5.0	132
108	Predictors of Adherence by Adolescents to a Cognitive Behavior Therapy Website in School and Community-Based Settings. Journal of Medical Internet Research, 2009, 11, e6.	4.3	130

#	Article	IF	CITATIONS
109	The impact of COVID-19 on the lives and mental health of Australian adolescents. European Child and Adolescent Psychiatry, 2022, 31, 1465-1477.	4.7	129
110	Behavior therapy and tricyclic medication in the treatment of obsessive-compulsive disorder: A quantitative review Journal of Consulting and Clinical Psychology, 1987, 55, 701-711.	2.0	126
111	EDUCATION AND DECLINE IN COGNITIVE PERFORMANCE: COMPENSATORY BUT NOT PROTECTIVE. International Journal of Geriatric Psychiatry, 1997, 12, 323-330.	2.7	126
112	Internet-Based CBT for Depression with and without Telephone Tracking in a National Helpline: Randomised Controlled Trial. PLoS ONE, 2011, 6, e28099.	2.5	126
113	The Reviews Are in: A Qualitative Content Analysis of Consumer Perspectives on Apps for Bipolar Disorder. Journal of Medical Internet Research, 2017, 19, e105.	4.3	126
114	A test of the Interpersonal Theory of Suicide in a large community-based cohort. Journal of Affective Disorders, 2013, 144, 225-234.	4.1	124
115	Internet-Delivered Interpersonal Psychotherapy Versus Internet-Delivered Cognitive Behavioral Therapy for Adults With Depressive Symptoms: Randomized Controlled Noninferiority Trial. Journal of Medical Internet Research, 2013, 15, e82.	4.3	124
116	Gender differences in cognitive abilities: The mediating role of health state and health habits. Intelligence, 2004, 32, 7-23.	3.0	120
117	We Feel: Mapping Emotion on Twitter. IEEE Journal of Biomedical and Health Informatics, 2015, 19, 1246-1252.	6.3	120
118	Effects of a classroomâ€based educational resource on adolescent mental health literacy: A cluster randomised controlled trial. Journal of Adolescence, 2014, 37, 1143-1151.	2.4	118
119	Royal Australian and New Zealand College of Psychiatrists clinical practice guideline for the management of deliberate self-harm. Australian and New Zealand Journal of Psychiatry, 2016, 50, 939-1000.	2.3	118
120	Workplace mental health training for managers and its effect on sick leave in employees: a cluster randomised controlled trial. Lancet Psychiatry,the, 2017, 4, 850-858.	7.4	115
121	The prevention of depression using the Internet. Medical Journal of Australia, 2002, 177, S122-5.	1.7	114
122	Homocysteine and the Brain in Midadult Life. Archives of Neurology, 2004, 61, 1369.	4.5	114
123	Cannabis use and cognitive function: 8â€year trajectory in a young adult cohort. Addiction, 2011, 106, 2195-2203.	3.3	113
124	Effects of mental health self-efficacy on outcomes of a mobile phone and web intervention for mild-to-moderate depression, anxiety and stress: secondary analysis of a randomised controlled trial. BMC Psychiatry, 2014, 14, 272.	2.6	113
125	Rates of forgetting in Alzheimer dementia. Neuropsychologia, 1998, 36, 547-557.	1.6	112
126	E-Health Interventions for Suicide Prevention. International Journal of Environmental Research and Public Health, 2014, 11, 8193-8212.	2.6	111

#	Article	IF	CITATIONS
127	Effectiveness of training workplace managers to understand and support the mental health needs of employees: a systematic review and meta-analysis. Occupational and Environmental Medicine, 2018, 75, 462-470.	2.8	111
128	Factors associated with the Wish to Die in Elderly People. Age and Ageing, 1995, 24, 389-392.	1.6	110
129	Providing information about the effectiveness of treatment options to depressed people in the community: a randomized controlled trial of effects on mental health literacy, help-seeking and symptoms. Psychological Medicine, 2003, 33, 1071-1079.	4.5	110
130	Relationship of homocysteine, folic acid and vitamin B ₁₂ with depression in a middle-aged community sample. Psychological Medicine, 2005, 35, 529-538.	4.5	110
131	Belief systems of the general public concerning the appropriate treatments for mental disorders. Social Psychiatry and Psychiatric Epidemiology, 1997, 32, 468-473.	3.1	109
132	Smoking and mental health: results from a community survey. Medical Journal of Australia, 1999, 170, 74-77.	1.7	107
133	Predicting anxiety and depression from personality: Is there a synergistic effect of neuroticism and extraversion?. Journal of Abnormal Psychology, 2000, 109, 145-149.	1.9	106
134	Actions taken to cope with depression at different levels of severity: a community survey. Psychological Medicine, 2004, 34, 293-299.	4.5	106
135	Changes in Depression Awareness and Attitudes in Australia: The Impact of <i>Beyondblue: The National Depression Initiative</i> . Australian and New Zealand Journal of Psychiatry, 2006, 40, 42-46.	2.3	106
136	Is self-guided internet-based cognitive behavioural therapy (iCBT) harmful? An individual participant data meta-analysis. Psychological Medicine, 2018, 48, 2456-2466.	4.5	106
137	Age differences and interindividual variation in cognition in community-dwelling elderly Psychology and Aging, 1994, 9, 381-390.	1.6	105
138	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. Lancet Psychiatry,the, 2021, 8, 500-511.	7.4	105
139	Effectiveness of treatments for depression in older people. Medical Journal of Australia, 2005, 182, 627-632.	1.7	104
140	Exploring the nature of stigmatising beliefs about depression and help-seeking: Implications for reducing stigma. BMC Public Health, 2009, 9, 61.	2.9	104
141	Corpus callosum size, reaction time speed and variability in mild cognitive disorders and in a normative sample. Neuropsychologia, 2007, 45, 1911-1920.	1.6	103
142	The Effectiveness of an Online Support Group for Members of the Community with Depression: A Randomised Controlled Trial. PLoS ONE, 2012, 7, e53244.	2.5	103
143	Association of smoking and personality with a polymorphism of the dopamine transporter gene: Results from a community survey. American Journal of Medical Genetics Part A, 2000, 96, 331-334.	2.4	101
144	Interventions to reduce symptoms of common mental disorders and suicidal ideation in physicians: a systematic review and meta-analysis. Lancet Psychiatry,the, 2019, 6, 225-234.	7.4	101

#	Article	IF	CITATIONS
145	White matter hyperintensities and within-person variability in community-dwelling adults aged 60–64 years. Neuropsychologia, 2007, 45, 2009-2015.	1.6	100
146	Activity Levels and Cognitive Functioning in an Elderly Community Sample. Age and Ageing, 1996, 25, 72-80.	1.6	99
147	Internet-Delivered Cognitive Behavioural Therapy for Adults with Mild to Moderate Depression and High Cardiovascular Disease Risks: A Randomised Attention-Controlled Trial. PLoS ONE, 2013, 8, e59139.	2.5	97
148	Directions for the International Society for Research on Internet Interventions (ISRII). Journal of Medical Internet Research, 2006, 8, e23.	4.3	97
149	Predictors of adherence among community users of a cognitive behavior therapy website. Patient Preference and Adherence, 2008, 2, 97-105.	1.8	96
150	Risk factors for depression and anxiety in abstainers, moderate drinkers and heavy drinkers. Addiction, 2000, 95, 1833-1845.	3.3	95
151	The Internet and Mental Health Literacy. Australian and New Zealand Journal of Psychiatry, 2000, 34, 975-979.	2.3	94
152	Effectiveness of complementary and selfâ€help treatments for anxiety disorders. Medical Journal of Australia, 2004, 181, S29-46.	1.7	94
153	Biomarkers, Health, Lifestyle, and Demographic Variables as Correlates of Reaction Time Performance in Early, Middle, and Late Adulthood. Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology, 2005, 58, 5-21.	2.3	94
154	Australian schoolâ€based prevention and early intervention programs for anxiety and depression: a systematic review. Medical Journal of Australia, 2007, 186, 305-308.	1.7	94
155	Predictors and moderators of response to internet-delivered Interpersonal Psychotherapy and Cognitive Behavior Therapy for depression. Journal of Affective Disorders, 2013, 151, 343-351.	4.1	94
156	The "common cause hypothesis" of cognitive aging: Evidence for not only a common factor but also specific associations of age with vision and grip strength in a cross-sectional analysis Psychology and Aging, 2001, 16, 588-599.	1.6	94
157	The associations between work stress and mental health: A comparison of organizationally employed and self-employed workers. Work and Stress, 2004, 18, 231-244.	4.5	93
158	Age is no kinder to the better educated: absence of an association investigated using latent growth techniques in a community sample. Psychological Medicine, 2001, 31, 15-28.	4.5	92
159	Personal and perceived depression stigma in Australian adolescents: Magnitude and predictors. Journal of Affective Disorders, 2011, 129, 104-108.	4.1	92
160	Adherence to the MoodGYM program: Outcomes and predictors for an adolescent school-based population. Journal of Affective Disorders, 2013, 147, 338-344.	4.1	91
161	The psychometric differentiation of dementia from normal aging: A meta-analysis Psychological Assessment, 1991, 3, 147-155.	1.5	89
162	Public beliefs about causes and risk factors for mental disorders: a comparison of Japan and Australia. BMC Psychiatry, 2005, 5, 33.	2.6	89

#	Article	IF	CITATIONS
163	Best strategies for reducing the suicide rate in Australia. Australian and New Zealand Journal of Psychiatry, 2016, 50, 115-118.	2.3	89
164	A Linguistic Analysis of Suicide-Related Twitter Posts. Crisis, 2017, 38, 319-329.	1.2	88
165	The Relationship between Health and Cognitive Functioning in a Sample of Elderly People in the Community. Age and Ageing, 1994, 23, 204-212.	1.6	86
166	The great escape: A neuropsychological study of psychogenic amnesia. Neuropsychologia, 1994, 32, 675-691.	1.6	86
167	The Association between Mental, Social and Physical Activity and Cognitive Performance in Young and Old Subjects. Age and Ageing, 1993, 22, 175-182.	1.6	85
168	Within-Occasion Intraindividual Variability and Preclinical Diagnostic Status: Is Intraindividual Variability an Indicator of Mild Cognitive Impairment?. Neuropsychology, 2005, 19, 309-317.	1.3	85
169	Neuroimaging and <i>APOE</i> Genotype: A Systematic Qualitative Review. Dementia and Geriatric Cognitive Disorders, 2007, 24, 348-362.	1.5	85
170	Internetâ€based interventions for young people with problematic substance use: a systematic review. Medical Journal of Australia, 2010, 192, S15-21.	1.7	85
171	Using Mobile Phone Sensor Technology for Mental Health Research: Integrated Analysis to Identify Hidden Challenges and Potential Solutions. Journal of Medical Internet Research, 2018, 20, e10131.	4.3	85
172	Online interventions for anxiety disorders. Current Opinion in Psychiatry, 2014, 27, 7-13.	6.3	83
173	Factors associated with young adults' obtaining general practitioner services. Australian Health Review, 2002, 25, 109.	1.1	82
174	Predictors of the risk factors for suicide identified by the interpersonal-psychological theory of suicidal behaviour. Psychiatry Research, 2014, 219, 290-297.	3.3	82
175	The Brain Reserve Hypothesis, Brain Atrophy and Aging. Gerontology, 2007, 53, 82-95.	2.8	81
176	Sleep disturbance, personality and the onset of depression and anxiety: Prospective cohort study. Australian and New Zealand Journal of Psychiatry, 2012, 46, 1089-1098.	2.3	80
177	The Emerging Imperative for a Consensus Approach Toward the Rating and Clinical Recommendation of Mental Health Apps. Journal of Nervous and Mental Disease, 2018, 206, 662-666.	1.0	80
178	COMT andDRD3 polymorphisms, environmental exposures, and personality traits related to common mental disorders. American Journal of Medical Genetics Part A, 2000, 96, 102-107.	2.4	78
179	Using eâ€health applications to deliver new mental health services. Medical Journal of Australia, 2010, 192, S53-6.	1.7	78
180	School-based depression and anxiety prevention programs: An updated systematic review and meta-analysis. Clinical Psychology Review, 2021, 89, 102079.	11.4	78

#	Article	IF	CITATIONS
181	Depression, anxiety and cognition in community-dwelling adults aged 70 years and over. Journal of Psychiatric Research, 2012, 46, 1662-1666.	3.1	77
182	Suicide literacy, suicide stigma and help-seeking intentions in Australian medical students. Australasian Psychiatry, 2014, 22, 132-139.	0.7	77
183	The effect of web based depression interventions on self reported help seeking: randomised controlled trial [ISRCTN77824516]. BMC Psychiatry, 2006, 6, 13.	2.6	76
184	Insomnia in the elderly: its prevalence and correlates in the general population. Medical Journal of Australia, 1995, 162, 22-24.	1.7	75
185	Gender differences in factors affecting use of health services: an analysis of a community study of middle-aged and older Australians. Social Science and Medicine, 2004, 59, 2121-2129.	3.8	75
186	A systematic review of telephone-based interventions for mental disorders. Journal of Telemedicine and Telecare, 2006, 12, 122-129.	2.7	75
187	Psychotic symptoms in the elderly: a prospective study in a population sample. , 1998, 13, 484-492.		73
188	Public beliefs about causes and risk factors for mental disorders. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 764-767.	3.1	73
189	Changes in depression awareness and attitudes in Australia: the impact of beyondblue: the national depression initiative. Australian and New Zealand Journal of Psychiatry, 2006, 40, 42-46.	2.3	73
190	Risk Factors of Transition from Normal Cognition to Mild Cognitive Disorder: The PATH through Life Study. Dementia and Geriatric Cognitive Disorders, 2009, 28, 47-55.	1,5	73
191	Cognition in pregnancy and motherhood: prospective cohort study. British Journal of Psychiatry, 2010, 196, 126-132.	2.8	73
192	What Interrupts Suicide Attempts in Men: A Qualitative Study. PLoS ONE, 2015, 10, e0128180.	2.5	73
193	Developing a roadmap for the translation of e-mental health services for depression. Australian and New Zealand Journal of Psychiatry, 2015, 49, 776-784.	2.3	73
194	Prevalence of Mild Cognitive Impairment in 60- to 64-Year-Old Community-Dwelling Individuals: The Personality and Total Health through Life 60+ Study. Dementia and Geriatric Cognitive Disorders, 2005, 19, 67-74.	1.5	72
195	Pulmonary Function, Cognitive Impairment and Brain Atrophy in a Middle-Aged Community Sample. Dementia and Geriatric Cognitive Disorders, 2006, 21, 300-308.	1.5	72
196	Activity engagement is related to level, but not change in cognitive ability across adulthood Psychology and Aging, 2012, 27, 219-228.	1.6	72
197	Preventing Depression in Final Year Secondary Students: School-Based Randomized Controlled Trial. Journal of Medical Internet Research, 2017, 19, e369.	4.3	72
198	Informant ratings of cognitive decline in old age: validation against change on cognitive tests over 7 to 8 years. Psychological Medicine, 2000, 30, 981-985.	4.5	71

#	Article	IF	CITATIONS
199	Improving screening accuracy for dementia in a community sample by augmenting cognitive testing with informant report. Journal of Clinical Epidemiology, 2003, 56, 358-366.	5.0	71
200	Effect of Engagement With Digital Interventions on Mental Health Outcomes: A Systematic Review and Meta-Analysis. Frontiers in Digital Health, 2021, 3, 764079.	2.8	71
201	Informant Ratings of Cognitive Decline of Elderly People: Relationship to Longitudinal Change on Cognitive Tests. Age and Ageing, 1996, 25, 125-129.	1.6	70
202	Mental health literacy, folic acid and vitamin B ₁₂ , and physical activity for the prevention of depression in older adults: randomised controlled trial. British Journal of Psychiatry, 2010, 197, 45-54.	2.8	70
203	Community-Based Prevention Programs for Anxiety and Depression in Youth: A Systematic Review. Journal of Primary Prevention, 2010, 31, 139-170.	1.6	70
204	A prospective study of cognitive function in the elderly. Psychological Medicine, 1997, 27, 919-930.	4.5	69
205	Change in cognitive functioning associated with ApoE genotype in a community sample of older adults Psychology and Aging, 2002, 17, 194-208.	1.6	68
206	The public's ability to recognize mental disorders and their beliefs about treatment: changes in Australia over 8 years. Australian and New Zealand Journal of Psychiatry, 2006, 40, 36-41.	2.3	67
207	Models in the delivery of depression care: A systematic review of randomised and controlled intervention trials. BMC Family Practice, 2008, 9, 25.	2.9	66
208	A Mobile App–Based Intervention for Depression: End-User and Expert Usability Testing Study. JMIR Mental Health, 2018, 5, e54.	3.3	64
209	Attitudes Towards People with Depression: Effects on the Public's Help-Seeking and Outcome When Experiencing Common Psychiatric Symptoms. Australian and New Zealand Journal of Psychiatry, 2000, 34, 612-618.	2.3	63
210	The Selfâ€Stigma of Depression Scale (SSDS): development and psychometric evaluation of a new instrument. International Journal of Methods in Psychiatric Research, 2010, 19, 243-254.	2.1	63
211	The use of eâ€health applications for anxiety and depression in young people: challenges and solutions. Microbial Biotechnology, 2011, 5, 58-62.	1.7	63
212	The quality and accessibility of Australian depression sites on the World Wide Web. Medical Journal of Australia, 2002, 176, S97-S104.	1.7	62
213	Association of adverse childhood experiences, age of menarche, and adult reproductive behavior: Does the androgen receptor gene play a role?. American Journal of Medical Genetics Part A, 2004, 125B, 105-111.	2.4	61
214	Websites as a mode of delivering mental health information: perceptions from the Australian public. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 167-172.	3.1	61
215	State of the e-mental health field in Australia: Where are we now?. Australian and New Zealand Journal of Psychiatry, 2013, 47, 117-120.	2.3	61
216	An international, phase III randomized trial in patients with mucinous epithelial ovarian cancer (mEOC/GOG 0241) with long-term follow-up: and experience of conducting a clinical trial in a rare gynecological tumor. Gynecologic Oncology, 2019, 153, 541-548.	1.4	61

#	Article	IF	CITATIONS
217	Trajectories of change and long-term outcomes in a randomised controlled trial of internet-based insomnia treatment to prevent depression. BJPsych Open, 2017, 3, 228-235.	0.7	60
218	Is the prevalence of mental illness increasing in Australia? Evidence from national health surveys and administrative data, 2001–2014. Medical Journal of Australia, 2017, 206, 490-493.	1.7	60
219	Predictors of refusal to participate: a longitudinal health survey of the elderly in Australia. BMC Public Health, 2002, 2, 4.	2.9	59
220	The effectiveness of a suicide prevention app for indigenous Australian youths: study protocol for a randomized controlled trial. Trials, 2013, 14, 396.	1.6	59
221	A Systematic Review of Mass Media Campaigns for Suicide Prevention: Understanding Their Efficacy and the Mechanisms Needed for Successful Behavioral and Literacy Change. Suicide and Life-Threatening Behavior, 2017, 47, 672-687.	1.9	59
222	Effectiveness of a Web-Based Self-Help Program for Suicidal Thinking in an Australian Community Sample: Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e15.	4.3	59
223	Using linguistic and topic analysis to classify sub-groups of online depression communities. Multimedia Tools and Applications, 2017, 76, 10653-10676.	3.9	58
224	â€~Tell Your Story': a randomized controlled trial of an online intervention to reduce mental health stigma and increase help-seeking in refugee men with posttraumatic stress. Psychological Medicine, 2020, 50, 781-792.	4.5	58
225	Interaction between mother's and father's affection as a risk factor for anxiety and depression symptoms. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 173-179.	3.1	57
226	Age and Gender Differences Among Australian Suicide Ideators. Journal of Nervous and Mental Disease, 2007, 195, 130-136.	1.0	57
227	Adolescents and young adults who are not in employment, education, or training. BMJ, The, 2013, 347, f5270-f5270.	6.0	57
228	Automated Assessment of the Quality of Depression Websites. Journal of Medical Internet Research, 2005, 7, e59.	4.3	57
229	Use It and Still Lose It? The Association Between Activity and Cognitive Performance Established Using Latent Growth Techniques in a Community Sample. Aging, Neuropsychology, and Cognition, 2003, 10, 215-229.	1.3	56
230	Eâ€mental health: a new era in delivery of mental health services. Medical Journal of Australia, 2010, 192, S2-3.	1.7	56
231	Does stigma predict a belief in dealing with depression alone?. Journal of Affective Disorders, 2011, 132, 413-417.	4.1	56
232	Mental health literacy as a function of remoteness of residence: an Australian national study. BMC Public Health, 2009, 9, 92.	2.9	55
233	Health e-Cards as a Means of Encouraging Help Seeking for Depression Among Young Adults: Randomized Controlled Trial. Journal of Medical Internet Research, 2009, 11, e42.	4.3	55
234	Prevention of Generalized Anxiety Disorder Using a Web Intervention, iChill: Randomized Controlled Trial. Journal of Medical Internet Research, 2014, 16, e199.	4.3	55

#	Article	IF	CITATIONS
235	Neuroticism and self-reported health in an elderly community sample. Personality and Individual Differences, 1993, 15, 515-521.	2.9	54
236	Belief in the harmfulness of antidepressants: Results from a national survey of the Australian public. Journal of Affective Disorders, 2005, 88, 47-53.	4.1	54
237	MRI Hyperintensities and Depressive Symptoms in a Community Sample of Individuals 60–64 Years Old. American Journal of Psychiatry, 2005, 162, 699-705.	7.2	54
238	Nonâ€linear relationships between cognitive function and alcohol consumption in young, middleâ€aged and older adults: the PATH Through Life Project. Addiction, 2005, 100, 1280-1290.	3.3	53
239	The association of APOE genotype and cognitive decline in interaction with risk factors in a 65–69 year old community sample. BMC Geriatrics, 2008, 8, 14.	2.7	53
240	Internet-Based, Culturally Sensitive, Problem-Solving Therapy for Turkish Migrants With Depression: Randomized Controlled Trial. Journal of Medical Internet Research, 2013, 15, e227.	4.3	53
241	Cognitive Deficits Are Associated with Frontal and Temporal Lobe White Matter Lesions in Middle-Aged Adults Living in the Community. PLoS ONE, 2010, 5, e13567.	2.5	52
242	Research priorities in mental health, Part 2: an evaluation of the current research effort against stakeholders' priorities. Australian and New Zealand Journal of Psychiatry, 2002, 36, 327-339.	2.3	51
243	Predicting anxiety and depression from personality: Is there a synergistic effect of neuroticism and extraversion?. Journal of Abnormal Psychology, 2000, 109, 145-149.	1.9	51
244	The validity of memory complaints by elderly persons. International Journal of Geriatric Psychiatry, 1991, 6, 307-312.	2.7	49
245	An online intervention for reducing depressive symptoms: Secondary benefits for self-esteem, empowerment and quality of life. Psychiatry Research, 2014, 216, 60-66.	3.3	49
246	Digital Technologies in the Treatment of Anxiety: Recent Innovations and Future Directions. Current Psychiatry Reports, 2018, 20, 44.	4.5	49
247	Working hours, common mental disorder and suicidal ideation among junior doctors in Australia: a cross-sectional survey. BMJ Open, 2020, 10, e033525.	1.9	48
248	Behavior therapy and tricyclic medication in the treatment of obsessive-compulsive disorder: A quantitative review Journal of Consulting and Clinical Psychology, 1987, 55, 701-711.	2.0	48
249	Predictors of Adherence and Outcome in Internet-Based Cognitive Behavior Therapy Delivered in a Telephone Counseling Setting. Cognitive Therapy and Research, 2014, 38, 358-367.	1.9	47
250	Suicide Prevention in Australian Aboriginal Communities: A Review of Past and Present Programs. Suicide and Life-Threatening Behavior, 2015, 45, 111-140.	1.9	47
251	Preventing depression using a smartphone app: a randomized controlled trial. Psychological Medicine, 2022, 52, 457-466.	4.5	47

Aspirin, anti-inflammatory drugs and risk of dementia. , 1997, 12, 926-930.

46

#	Article	IF	CITATIONS
253	The effect of a web-based depression intervention on suicide ideation: secondary outcome from a randomised controlled trial in a helpline. BMJ Open, 2013, 3, e002886.	1.9	46
254	Causal Associations Between Depression Symptoms and Cognition in a Community-Based Cohort of Older Adults. American Journal of Geriatric Psychiatry, 2014, 22, 1583-1591.	1.2	46
255	Pilot evaluation of the Sleep Ninja: a smartphone application for adolescent insomnia symptoms. BMJ Open, 2019, 9, e026502.	1.9	46
256	Consistency of trajectories of suicidal ideation and depression symptoms: Evidence from a randomized controlled trial. Depression and Anxiety, 2019, 36, 321-329.	4.1	46
257	Web-Based Cognitive Behavior Therapy for Depression With and Without Telephone Tracking in a National Helpline: Secondary Outcomes From a Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e68.	4.3	46
258	Web-Based and Mobile Suicide Prevention Interventions for Young People: A Systematic Review. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2016, 25, 73-9.	0.6	46
259	ICD-10 mild cognitive disorder: epidemiological evidence on its validity. Psychological Medicine, 1995, 25, 105-120.	4.5	45
260	Association of Pulmonary Function with Cognitive Performance in Early, Middle and Late Adulthood. Gerontology, 2004, 50, 230-234.	2.8	45
261	ANXIETY SYMPTOMS AS PRECURSORS OF MAJOR DEPRESSION AND SUICIDAL IDEATION. Depression and Anxiety, 2013, 30, n/a-n/a.	4.1	45
262	Modifiable risk factors predicting major depressive disorder at four year follow-up: a decision tree approach. BMC Psychiatry, 2009, 9, 75.	2.6	44
263	Longitudinal risk profiling for suicidal thoughts and behaviours in a community cohort using decision trees. Journal of Affective Disorders, 2012, 142, 306-314.	4.1	44
264	A randomised controlled trial of a relationshipâ€focussed mobile phone application for improving adolescents' mental health. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2020, 61, 899-913.	5.2	44
265	e-CBT (myCompass), Antidepressant Medication, and Face-to-Face Psychological Treatment for Depression in Australia: A Cost-Effectiveness Comparison. Journal of Medical Internet Research, 2015, 17, e255.	4.3	44
266	The Canberra Longitudinal Study: Design, Aims, Methodology, Outcomes and Recent Empirical Investigations. Aging, Neuropsychology, and Cognition, 2004, 11, 169-195.	1.3	43
267	Hippocampus and amygdala volumes in a random community-based sample of 60–64Âyear olds and their relationship to cognition. Psychiatry Research - Neuroimaging, 2007, 156, 185-197.	1.8	43
268	The influence of job stress, social support and health status on intermittent and chronic sleep disturbance: an 8-year longitudinal analysis. Sleep Medicine, 2014, 15, 979-985.	1.6	43
269	Academic Consumer Researchers: A Bridge Between Consumers and Researchers. Australian and New Zealand Journal of Psychiatry, 2004, 38, 191-196.	2.3	42
270	Follow-Up of Mild Cognitive Impairment and Related Disorders over Four Years in Adults in Their Sixties: The PATH Through Life Study. Dementia and Geriatric Cognitive Disorders, 2008, 26, 226-233.	1.5	42

#	Article	IF	CITATIONS
271	Is age kinder to the initially more able? A study of eminent scientists and academics. Psychological Medicine, 1991, 21, 935-946.	4.5	41
272	Does ageing inevitably lead to declines in cognitive performance? A longitudinal study of elite academics. Personality and Individual Differences, 1997, 23, 67-78.	2.9	41
273	No Associations Between Telomere Length and Age-Sensitive Indicators of Physical Function in Mid and Later Life. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 792-799.	3.6	41
274	The GoodNight study—online CBT for insomnia for the indicated prevention of depression: study protocol for a randomised controlled trial. Trials, 2014, 15, 56.	1.6	41
275	A Smartphone App for Adolescents With Sleep Disturbance: Development of the Sleep Ninja. JMIR Mental Health, 2017, 4, e28.	3.3	41
276	The ANU WellBeing study: a protocol for a quasi-factorial randomised controlled trial of the effectiveness of an Internet support group and an automated Internet intervention for depression. BMC Psychiatry, 2010, 10, 20.	2.6	40
277	Multiple imputation was an efficient method for harmonizing the Mini-Mental State Examination with missing item-level data. Journal of Clinical Epidemiology, 2011, 64, 787-793.	5.0	40
278	Funding for mental health research: the gap remains. Medical Journal of Australia, 2011, 195, 681-684.	1.7	40
279	Changing the Direction of Suicide Prevention Research. JAMA Psychiatry, 2016, 73, 435.	11.0	40
280	A comparison of multi-component systems approaches to suicide prevention. Australasian Psychiatry, 2018, 26, 128-131.	0.7	40
281	Reproductive period and cognitive function in a representative sample of naturally postmenopausal women aged 60–64 years. Climacteric, 2005, 8, 380-389.	2.4	39
282	Mental health profile of callers to a telephone counselling service. Journal of Telemedicine and Telecare, 2008, 14, 42-47.	2.7	39
283	Education, Atrophy, and Cognitive Change in an Epidemiological Sample in Early Old Age. American Journal of Geriatric Psychiatry, 2009, 17, 218-226.	1.2	39
284	Cluster randomised controlled trial of the e-couch Anxiety and Worry program in schools. Journal of Affective Disorders, 2016, 196, 210-217.	4.1	39
285	School teachers: the forgotten frontline workers of Covid-19. Australasian Psychiatry, 2021, 29, 420-422.	0.7	38
286	Free range users and one hit wonders: community users of an Internet-based cognitive behaviour therapy program. Australian and New Zealand Journal of Psychiatry, 2006, 40, 59-62.	2.3	38
287	Severe mental illness and work: What can we do to maximise the employment opportunities for individuals with psychosis?. Australian and New Zealand Journal of Psychiatry, 2013, 47, 421-424.	2.3	37
288	Attitudes towards suicide attempts broadcast on social media: an exploratory study of Chinese microblogs. PeerJ, 2015, 3, e1209.	2.0	37

#	Article	IF	CITATIONS
289	Explicit and implicit memory in dementia and normal ageing. Psychological Research, 1991, 53, 149-161.	1.7	36
290	The impact of beyondblue: the national depression initiative on the Australian public's recognition of depression and beliefs about treatments. Australian and New Zealand Journal of Psychiatry, 2005, 39, 248-254.	2.3	36
291	Practitionerâ€supported delivery of internetâ€based cognitive behaviour therapy: evaluation of the feasibility of conducting a cluster randomised trial. Medical Journal of Australia, 2010, 192, S31-5.	1.7	36
292	Does possession of apolipoprotein E ɛ4 benefit cognitive function in healthy young adults?. Neuropsychologia, 2011, 49, 1693-1697.	1.6	36
293	A comparison of non-fatal self-poisoning among males and females, in Sri Lanka. BMC Psychiatry, 2014, 14, 221.	2.6	36
294	Cognitive functioning and neuroticism in an elderly community sample. Personality and Individual Differences, 1993, 15, 721-723.	2.9	35
295	Emotional response of participants to a mental health survey. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 80-84.	3.1	35
296	A population study comparing screening performance of prototypes for depression and anxiety with standard scales. BMC Medical Research Methodology, 2011, 11, 154.	3.1	35
297	Characteristics of non-fatal self-poisoning in Sri Lanka: a systematic review. BMC Public Health, 2013, 13, 331.	2.9	35
298	Beacon: a web portal to highâ€quality mental health websites for use by health professionals and the public. Medical Journal of Australia, 2010, 192, S40-4.	1.7	34
299	Information technology as the key to accelerating advances in mental health care. Australian and New Zealand Journal of Psychiatry, 2013, 47, 114-116.	2.3	34
300	Intra-individual reaction time variability and all-cause mortality over 17 years: a community-based cohort study. Age and Ageing, 2014, 43, 84-90.	1.6	34
301	Six-Month Outcomes of a Web-Based Intervention for Users of Amphetamine-Type Stimulants: Randomized Controlled Trial. Journal of Medical Internet Research, 2015, 17, e105.	4.3	34
302	Impact of pet ownership on elderly Australians' use of medical services: an analysis using Medicare data. Medical Journal of Australia, 1997, 166, 376-377.	1.7	33
303	Cognitive performance and leukocyte telomere length in two narrow age-range cohorts: a population study. BMC Geriatrics, 2010, 10, 62.	2.7	33
304	Estimation of the prevalence of adverse drug reactions from social media. International Journal of Medical Informatics, 2017, 102, 130-137.	3.3	33
305	Assessing the Applicability of E-Therapies for Depression, Anxiety, and Other Mood Disorders Among Lesbians and Gay Men: Analysis of 24 Web- and Mobile Phone-Based Self-Help Interventions. Journal of Medical Internet Research, 2014, 16, e166.	4.3	33
306	An Instrument to Measure Engagement in Life: Factor Analysis and Associations with Sociodemographic, Health and Cognition Measures. Gerontology, 2006, 52, 188-198.	2.8	32

#	Article	IF	CITATIONS
307	Factors Associated with Successful Ageing. Australasian Journal on Ageing, 1998, 17, 33-37.	0.9	32
308	Internet-based treatment for older adults with depression and co-morbid cardiovascular disease: protocol for a randomised, double-blind, placebo controlled trial. BMC Psychiatry, 2011, 11, 10.	2.6	32
309	The use of technology in Suicide Prevention. , 2015, 2015, 7316-9.		32
310	Experience of Health Care Services After a Suicide Attempt: Results from an Online Survey. Suicide and Life-Threatening Behavior, 2018, 48, 779-787.	1.9	32
311	Multidisciplinary research priorities for the COVID-19 pandemic – Authors' reply. Lancet Psychiatry,the, 2020, 7, e44-e45.	7.4	32
312	Clickety-click: E-Mental Health Train on Track. Australasian Psychiatry, 2007, 15, 100-108.	0.7	31
313	Men, depression, and coping: Are we on the right path?. Psychology of Men and Masculinity, 2015, 16, 426-438.	1.3	31
314	Efficacy of Acceptance and Commitment Therapy in Reducing Suicidal Ideation and Deliberate Self-Harm: Systematic Review. JMIR Mental Health, 2018, 5, e10732.	3.3	31
315	A Web-Based Cognitive Behavior Therapy Intervention to Improve Social and Occupational Functioning in Adults With Type 2 Diabetes (The SpringboarD Trial): Randomized Controlled Trial. Journal of Medical Internet Research, 2019, 21, e12246.	4.3	31
316	A Web-Based Intervention for Users of Amphetamine-Type Stimulants: 3-Month Outcomes of a Randomized Controlled Trial. JMIR Mental Health, 2014, 1, e1.	3.3	31
317	Structure of beliefs about the helpfulness of interventions for depression and schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 877-883.	3.1	30
318	Men's use of positive strategies for preventing and managing depression: A qualitative investigation. Journal of Affective Disorders, 2015, 188, 179-187.	4.1	30
319	mHealth in psychiatry: time for methodological change. Evidence-Based Mental Health, 2016, 19, 33-34.	4.5	30
320	Independent Effects of Mental Disorders on Suicidal Behavior in the Community. Suicide and Life-Threatening Behavior, 2018, 48, 512-521.	1.9	30
321	The rate of reply and nature of responses to suicide-related posts on Twitter. Internet Interventions, 2018, 13, 105-107.	2.7	30
322	Usage and Acceptability of the iBobbly App: Pilot Trial for Suicide Prevention in Aboriginal and Torres Strait Islander Youth. JMIR Mental Health, 2020, 7, e14296.	3.3	30
323	Research priorities in mental health, part 1: an evaluation of the current research effort against the criteria of disease burden and health system costs. Australian and New Zealand Journal of Psychiatry, 2002, 36, 322-326.	2.3	29
324	The effect of education on the onset and rate of terminal decline Psychology and Aging, 2011, 26, 339-350.	1.6	29

#	Article	IF	CITATIONS
325	Lower cognitive test scores observed in alcohol abstainers are associated with demographic, personality, and biological factors: the PATH Through Life Project. Addiction, 2005, 100, 1291-1301.	3.3	28
326	Clinical and Neuroimaging Correlates of Mild Cognitive Impairment in a Middle-Aged Community Sample: The Personality and Total Health through Life 60+ Study. Dementia and Geriatric Cognitive Disorders, 2006, 21, 44-50.	1.5	28
327	The Effectiveness of Distance Interventions for Increasing Physical Activity: A Review. American Journal of Health Promotion, 2009, 24, 102-117.	1.7	28
328	Australian mental health consumers' priorities for research: Qualitative findings from the SCOPE for Research project. Health Expectations, 2014, 17, 365-375.	2.6	28
329	Digitally-delivered cognitive-behavioural therapy for youth insomnia: A systematic review. Internet Interventions, 2018, 11, 71-78.	2.7	28
330	Adjunctive Internet-delivered cognitive behavioural therapy for insomnia in men with depression: A randomised controlled trial. Australian and New Zealand Journal of Psychiatry, 2019, 53, 350-360.	2.3	28
331	Protocol for a stepped-wedge, cluster randomized controlled trial of the LifeSpan suicide prevention trial in four communities in New South Wales, Australia. Trials, 2020, 21, 332.	1.6	28
332	Using Cluster Analysis to Explore Engagement and e-Attainment as Emergent Behavior in Electronic Mental Health. Journal of Medical Internet Research, 2019, 21, e14728.	4.3	28
333	Reducing suicidal thoughts in the Australian general population through web-based self-help: study protocol for a randomized controlled trial. Trials, 2015, 16, 62.	1.6	27
334	A longitudinal test of the predictions of the interpersonal-psychological theory of suicidal behaviour for passive and active suicidal ideation in a large community-based cohort. Journal of Affective Disorders, 2018, 227, 97-102.	4.1	27
335	Suicide Stigma and Suicide Literacy in a Clinical Sample. Suicide and Life-Threatening Behavior, 2019, 49, 1136-1147.	1.9	27
336	A Mobile Text Message Intervention to Reduce Repeat Suicidal Episodes: Design and Development of Reconnecting After a Suicide Attempt (RAFT). JMIR Mental Health, 2017, 4, e56.	3.3	27
337	The impact of employee level and work stress on mental health and GP service use: an analysis of a sample of Australian government employees. BMC Public Health, 2004, 4, 41.	2.9	26
338	eâ€hub: an online selfâ€help mental health service in the community. Medical Journal of Australia, 2010, 192, S48-52.	1.7	26
339	The effectiveness of an online e-health application compared to attention placebo or Sertraline in the treatment of Generalised Anxiety Disorder. Internet Interventions, 2014, 1, 169-174.	2.7	26
340	Effectiveness of universal programmes for the prevention of suicidal ideation, behaviour and mental ill health in medical students: a systematic review and meta-analysis. Evidence-Based Mental Health, 2019, 22, 84-90.	4.5	26
341	Public beliefs about the helpfulness of interventions for depression: effects on actions taken when experiencing anxiety and depression symptoms. Australian and New Zealand Journal of Psychiatry, 2000, 34, 619-626.	2.3	26
342	People Who Die by Suicide Without Receiving Mental Health Services: A Systematic Review. Frontiers in Public Health, 2021, 9, 736948.	2.7	26

#	Article	IF	CITATIONS
343	The disabled elderly living in the community: care received from family and formal services. Medical Journal of Australia, 1993, 158, 383-388.	1.7	25
344	THE PSYCHOGERIATRIC ASSESSMENT SCALES (PAS): FURTHER DATA ON PSYCHOMETRIC PROPERTIES AND VALIDITY FROM A LONGITUDINAL STUDY OF THE ELDERLY. , 1997, 12, 93-100.		25
345	The internet and mental health practice. Evidence-Based Mental Health, 2003, 6, 66-69.	4.5	25
346	Level of cognitive performance as a correlate and predictor of health behaviors that protect against cognitive decline in late life: The path through life study. Intelligence, 2009, 37, 600-606.	3.0	25
347	The association between suicidal ideation and increased mortality from natural causes. Journal of Affective Disorders, 2013, 150, 855-860.	4.1	25
348	Temporal effects of separation on suicidal thoughts and behaviours. Social Science and Medicine, 2014, 111, 58-63.	3.8	25
349	Kernel-based features for predicting population health indices from geocoded social media data. Decision Support Systems, 2017, 102, 22-31.	5.9	25
350	Tailored implementation of internet-based cognitive behavioural therapy in the multinational context of the ImpleMentAll project: a study protocol for a stepped wedge cluster randomized trial. Trials, 2020, 21, 893.	1.6	25
351	Unemployment, suicide and <scp>COVID</scp> â€19: using the evidence to plan for prevention. Medical Journal of Australia, 2020, 213, 153.	1.7	25
352	Multicentre trial of carboplatin/paclitaxel versus oxaliplatin/capecitabine, each with/without bevacizumab, as first line chemotherapy for patients with mucinous epithelial ovarian cancer (mEOC) Journal of Clinical Oncology, 2015, 33, 5528-5528.	1.6	25
353	The effect of a therapeutic smartphone application on suicidal ideation in young adults: Findings from a randomized controlled trial in Australia. PLoS Medicine, 2022, 19, e1003978.	8.4	25
354	Short report: Effect of premorbid intelligence on the Mini-Mental State and IQCODE. International Journal of Geriatric Psychiatry, 1992, 7, 159-160.	2.7	24
355	Participants' perceptions of motivation, randomisation and withdrawal in a randomised controlled trial of interventions for prevention of depression. Journal of Medical Ethics, 2009, 35, 768-773.	1.8	24
356	No clear potentiation of antidepressant medication effects by folic acid+vitamin B12 in a large community sample. Journal of Affective Disorders, 2011, 130, 37-45.	4.1	24
357	Associations of objective and subjective sleep disturbance with cognitive function in older men with comorbid depression and insomnia. Sleep Health, 2017, 3, 178-183.	2.5	24
358	Smartphone app to investigate the relationship between social connectivity and mental health. , 2017, 2017, 2017, 287-290.		24
359	The lifetime productivity of eminent Australian academics. International Journal of Geriatric Psychiatry, 1992, 7, 681-686.	2.7	23
360	Gender-differences in risk factors for suicidal behaviour identified by perceived burdensomeness, thwarted belongingness and acquired capability: cross-sectional analysis from a longitudinal cohort study. BMC Psychology, 2014, 2, 20.	2.1	23

#	Article	IF	CITATIONS
361	Positive strategies men regularly use to prevent and manage depression: a national survey of Australian men. BMC Public Health, 2015, 15, 1135.	2.9	23
362	What might interrupt men's suicide? Results from an online survey of men. BMJ Open, 2015, 5, e008172.	1.9	23
363	Community mental health care after self-harm: A retrospective cohort study. Australian and New Zealand Journal of Psychiatry, 2017, 51, 727-735.	2.3	23
364	A trial protocol for the effectiveness of digital interventions for preventing depression in adolescents: The Future Proofing Study. Trials, 2020, 21, 2.	1.6	23
365	Toward Impactful Collaborations on Computing and Mental Health. Journal of Medical Internet Research, 2018, 20, e49.	4.3	23
366	Preliminary Evaluation of a Brief Web and Mobile Phone Intervention for Men With Depression: Men's Positive Coping Strategies and Associated Depression, Resilience, and Work and Social Functioning. JMIR Mental Health, 2017, 4, e33.	3.3	23
367	The upside: coping and psychological resilience in Australian adolescents during the COVID-19 pandemic. Child and Adolescent Psychiatry and Mental Health, 2021, 15, 77.	2.5	23
368	Protocol for a randomised controlled trial investigating the effectiveness of an online e health application for the prevention of Generalised Anxiety Disorder. BMC Psychiatry, 2010, 10, 25.	2.6	22
369	Protocol for a randomised controlled trial investigating the effectiveness of an online e-health application compared to attention placebo or sertraline in the treatment of generalised anxiety disorder. Trials, 2010, 11, 48.	1.6	22
370	Mapping dynamic social networks in real life using participants' own smartphones. Heliyon, 2015, 1, e00037.	3.2	22
371	Edge of the Present: A Virtual Reality Tool to Cultivate Future Thinking, Positive Mood and Wellbeing. International Journal of Environmental Research and Public Health, 2021, 18, 140.	2.6	22
372	Change in cognitive functioning associated with apoE genotype in a community sample of older adults. Psychology and Aging, 2002, 17, 194-208.	1.6	22
373	Hippocampal and amygdalar volumes in relation to handedness in adults aged 60-64. NeuroReport, 2004, 15, 2825-9.	1.2	22
374	The cognitive decline scale of the psychogeriatric assessment scales (PAS): longitudinal data on its validity. International Journal of Geriatric Psychiatry, 2001, 16, 261-265.	2.7	21
375	Computerised therapy for psychiatric disorders. Lancet, The, 2007, 370, 112-113.	13.7	21
376	Incidental brain MRI abnormalities in 60- to 64-year-old community-dwelling individuals: data from the Personality and Total Health Through Life study. Acta Neuropsychiatrica, 2008, 20, 87-90.	2.1	21
377	A comparison of face-to-face and online training in improving managers' confidence to support the mental health of workers. Internet Interventions, 2019, 18, 100258.	2.7	21
378	ICD-10 MILD COGNITIVE DISORDER: ITS OUTCOME THREE YEARS LATER. , 1997, 12, 581-586.		20

#	Article	IF	CITATIONS
379	Gender Differences in the Endorsement of Symptoms for Depression and Anxiety. Journal of Nervous and Mental Disease, 2008, 196, 128-135.	1.0	20
380	Research priorities in mental health. Australian and New Zealand Journal of Psychiatry, 2013, 47, 355-362.	2.3	20
381	A Cluster Randomized Controlled Trial to Evaluate HeadCoach. Journal of Occupational and Environmental Medicine, 2019, 61, 545-551.	1.7	20
382	A Pilot Evaluation of a Smartphone Application for Workplace Depression. International Journal of Environmental Research and Public Health, 2020, 17, 6753.	2.6	20
383	Use of Web Conferencing Technology for Conducting Online Focus Groups Among Young People With Lived Experience of Suicidal Thoughts: Mixed Methods Research. JMIR Mental Health, 2019, 6, e14191.	3.3	20
384	Comparison of age and time-to-death in the dedifferentiation of late-life cognitive abilities Psychology and Aging, 2011, 26, 844-851.	1.6	19
385	The association between change in cognitive ability and cause-specific mortality in a community sample of older adults Psychology and Aging, 2012, 27, 229-236.	1.6	19
386	Online cognitive behaviour training for the prevention of postnatal depression in at-risk mothers: a randomised controlled trial protocol. BMC Psychiatry, 2013, 13, 265.	2.6	19
387	Apolipoprotein E ε4 and Later-Life Decline in Cognitive Function and Grip Strength. American Journal of Geriatric Psychiatry, 2013, 21, 1010-1019.	1.2	19
388	The panic disorder screener (PADIS): Development of an accurate and brief population screening tool. Psychiatry Research, 2015, 228, 72-76.	3.3	19
389	A pilot randomized controlled trial of the e-couch anxiety and worry program in schools. Internet Interventions, 2016, 6, 1-5.	2.7	19
390	Differences in the Effectiveness of Psychosocial Interventions for Suicidal Ideation and Behaviour in Women and Men: A Systematic Review of Randomised Controlled Trials. Archives of Suicide Research, 2017, 21, 12-32.	2.3	19
391	An analysis of stigma and suicide literacy in responses to suicides broadcast on social media. Asia-Pacific Psychiatry, 2018, 10, e12314.	2.2	19
392	Validation of a smartphone app to map social networks of proximity. PLoS ONE, 2017, 12, e0189877.	2.5	19
393	Breakingtheice: A protocol for a randomised controlled trial of an internet-based intervention addressing amphetamine-type stimulant use. BMC Psychiatry, 2012, 12, 67.	2.6	18
394	Psychosocial interventions for suicidal ideation, plans, and attempts: A database of randomised controlled trials. BMC Psychiatry, 2014, 14, 86.	2.6	18
395	The Sources of Strength Australia Project: study protocol for a cluster randomised controlled trial. Trials, 2016, 17, 349.	1.6	18
396	A Brief Intervention to Increase Uptake and Adherence of an Internet-Based Program for Depression and Anxiety (Enhancing Engagement With Psychosocial Interventions): Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e23029.	4.3	18

#	Article	IF	CITATIONS
397	Research on mental health literacy: what we know and what we still need to know. Australian and New Zealand Journal of Psychiatry, 2006, 40, 3-5.	2.3	18
398	School Counselors' Perspectives of a Web-Based Stepped Care Mental Health Service for Schools: Cross-Sectional Online Survey. JMIR Mental Health, 2017, 4, e55.	3.3	18
399	Use of medications to enhance memory in a large community sample of 60–64 year olds. International Psychogeriatrics, 2004, 16, 209-217.	1.0	17
400	Getting mental health reform back on track: a leadership challenge for the new Australian Government. Medical Journal of Australia, 2014, 200, 445-448.	1.7	17
401	Using accountability for mental health to drive reform. Medical Journal of Australia, 2015, 203, 328-330.	1.7	17
402	Smooth Sailing: A Pilot Study of an Online, School-Based, Mental Health Service for Depression and Anxiety. Frontiers in Psychiatry, 2019, 10, 574.	2.6	17
403	Intelligent Sensing to Inform and Learn (InSTIL): A Scalable and Governance-Aware Platform for Universal, Smartphone-Based Digital Phenotyping for Research and Clinical Applications. Journal of Medical Internet Research, 2019, 21, e16399.	4.3	17
404	A latent trait analysis of the eysenck personality questionnaire in an elderly community sample. Personality and Individual Differences, 1995, 18, 739-747.	2.9	16
405	Fluid intelligence is independently associated with all-cause mortality over 17Âyears in an elderly community sample: An investigation of potential mechanisms. Intelligence, 2009, 37, 551-560.	3.0	16
406	Mental health symptoms associated with morbidity, not mortality, in an elderly community sample. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 79-85.	3.1	16
407	Pregnancy and levels of depression and anxiety: A prospective cohort study of Australian women. Australian and New Zealand Journal of Psychiatry, 2014, 48, 944-951.	2.3	16
408	Trial for the Prevention of Depression (TriPoD) in final-year secondary students: study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 451.	1.6	16
409	A New Online Mental Health Training Program for Workplace Managers: Pre-Post Pilot Study Assessing Feasibility, Usability, and Possible Effectiveness. JMIR Mental Health, 2018, 5, e10517.	3.3	16
410	Religiosity and personality: evidence for non-linear associations. Personality and Individual Differences, 2004, 36, 1433-1441.	2.9	15
411	Use of medical services after participation in a community-based epidemiological health survey. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 311-317.	3.1	15
412	Quality and relevance of domain-specific search: A case study in mental health. Information Retrieval, 2006, 9, 207-225.	2.0	15
413	NHMRC funding of mental health research. Medical Journal of Australia, 2016, 205, 350-351.	1.7	15
414	Spatial clustering of fatal, and non-fatal, suicide in new South Wales, Australia: implications for evidence-based prevention. BMC Psychiatry, 2017, 17, 339.	2.6	15

#	Article	IF	CITATIONS
415	Addressing the mental health of school students: Perspectives of secondary school teachers and counselors. International Journal of School and Educational Psychology, 2022, 10, 128-143.	1.6	15
416	The Utility of a Mental Health App in Apprentice Workers: A Pilot Study. Frontiers in Public Health, 2020, 8, 389.	2.7	15
417	A cluster randomised controlled trial of a web-based youth mental health service in Australian schools. The Lancet Regional Health - Western Pacific, 2021, 12, 100178.	2.9	15
418	GP attendance by elderly Australians: evidence for unmet need in elderly men. Medical Journal of Australia, 1997, 166, 123-126.	1.7	14
419	Prevalence, risk factors and treatment for substance abuse in older adults. Current Opinion in Psychiatry, 2006, 19, 587-592.	6.3	14
420	Suicide prevention in schizophrenia spectrum disorders and psychosis: a systematic review. BMC Psychology, 2013, 1, 6.	2.1	14
421	The Beyond Ageing Project Phase 2 - a double-blind, selective prevention, randomised, placebo-controlled trial of omega-3 fatty acids and sertraline in an older age cohort at risk for depression: study protocol for a randomized controlled trial. Trials, 2015, 16, 247.	1.6	14
422	The iBobbly Aboriginal and Torres Strait Islander app project: Study protocol for a randomised controlled trial. Trials, 2019, 20, 198.	1.6	14
423	A Web-Based Mental Health Intervention to Improve Social and Occupational Functioning in Adults With Type 2 Diabetes (The Springboard Trial): 12-Month Outcomes of a Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e16729.	4.3	14
424	A Mobile Health Intervention (LifeBuoy App) to Help Young People Manage Suicidal Thoughts: Protocol for a Mixed-Methods Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e23655.	1.0	14
425	Sites for depression on the web: a comparison of consumer, professional and commercial sites. Australian and New Zealand Journal of Public Health, 2000, 24, 396-400.	1.8	13
426	Functional equivalence of the National Adult Reading Test (NART) and Schonell reading tests and NART norms in the Dynamic Analyses to Optimise Ageing (DYNOPTA) project. Journal of Clinical and Experimental Neuropsychology, 2011, 33, 410-421.	1.3	13
427	Non-fatal self-poisoning across age groups, in Sri Lanka. Asian Journal of Psychiatry, 2016, 19, 79-84.	2.0	13
428	Protecting youth mental health, protecting our future. World Psychiatry, 2017, 16, 327-328.	10.4	13
429	Tensions in perspectives on suicide prevention between men who have attempted suicide and their support networks: Secondary analysis of qualitative data. Health Expectations, 2018, 21, 261-269.	2.6	13
430	Mental Health Screening in General Practices as a Means for Enhancing Uptake of Digital Mental Health Interventions: Observational Cohort Study. Journal of Medical Internet Research, 2021, 23, e28369.	4.3	13
431	Adolescents' Perspectives on a Mobile App for Relationships: Cross-Sectional Survey. JMIR MHealth and UHealth, 2018, 6, e56.	3.7	13
432	Technology-supported strategies for promoting user engagement with digital mental health interventions: A systematic review. Digital Health, 2022, 8, 205520762210982.	1.8	13

#	Article	IF	CITATIONS
433	Cardiovascular Risk Factors and Life Events as Antecedents of Depressive Symptoms in Middle and Early-Old Age: Path Through Life Study. Psychosomatic Medicine, 2009, 71, 937-943.	2.0	12
434	Self-management in young adults with bipolar disorder: Strategies and challenges. Journal of Affective Disorders, 2017, 209, 201-208.	4.1	12
435	A Web-Based Public Health Intervention to Reduce Functional Impairment and Depressive Symptoms in Adults With Type 2 Diabetes (The SpringboarD Trial): Randomized Controlled Trial Protocol. JMIR Research Protocols, 2017, 6, e145.	1.0	12
436	The Sources of Strength Australia project: A cluster randomised controlled trial of a peer-connectedness school-based program to promote help-seeking in adolescents. Journal of Affective Disorders, 2022, 299, 435-443.	4.1	12
437	Web and telecounselling in Australia. Medical Journal of Australia, 2004, 180, 604-605.	1.7	11
438	SCOPE for Research: Mental Health Consumers' Priorities for Research Compared with Recent Research in Australia. Australian and New Zealand Journal of Psychiatry, 2011, 45, 1078-1085.	2.3	11
439	Community-Based Validation of the Social Phobia Screener (SOPHS). Assessment, 2017, 24, 958-969.	3.1	11
440	Smartphone application for preventing depression: study protocol for a workplace randomised controlled trial. BMJ Open, 2018, 8, e020510.	1.9	11
441	The influence of personality on trajectories of distress, health and functioning in mild-to-moderately depressed adults with type 2 diabetes. Psychology, Health and Medicine, 2020, 25, 296-308.	2.4	11
442	The relationship between linguistic expression in blog content and symptoms of depression, anxiety, and suicidal thoughts: A longitudinal study. PLoS ONE, 2021, 16, e0251787.	2.5	11
443	Attitudes towards people with depression: effects on the public's help-seeking and outcome when experiencing common psychiatric symptoms. Australian and New Zealand Journal of Psychiatry, 2000, 34, 612-618.	2.3	11
444	Predictors of not receiving mental health services among people at risk of suicide: A systematic review. Journal of Affective Disorders, 2022, 301, 172-188.	4.1	11
445	Commentary on 'The relationship between public causal beliefs and social distance toward mentally ill people'. Australian and New Zealand Journal of Psychiatry, 2004, 38, 355-357.	2.3	10
446	The Y-Worri Project: study protocol for a randomised controlled trial. Trials, 2013, 14, 76.	1.6	10
447	Non-fatal self-poisoning in Sri Lanka: associated triggers and motivations. BMC Public Health, 2015, 15, 1167.	2.9	10
448	A protocol for the HeadCoach trial: the development and evaluation of an online mental health training program for workplace managers. BMC Psychiatry, 2018, 18, 25.	2.6	10
449	Digital interventions in adult mental healthcare settings: recent evidence and future directions. Current Opinion in Psychiatry, 2020, 33, 422-431.	6.3	10
450	Are nursing homes depressing?. Lancet, The, 1994, 344, 1091.	13.7	9

#	Article	IF	CITATIONS
451	Pharmaceutical Company Websites as Sources of Information for Consumers. Disease Management and Health Outcomes, 2002, 10, 205-214.	0.4	9
452	The Warpy Thoughts Scale: a New 20â€Item Instrument to Measure Dysfunctional Attitudes. Cognitive Behaviour Therapy, 2006, 35, 106-116.	3.5	9
453	Cognitive-behavioural factors that predict sleep disturbance 4years later. Journal of Psychosomatic Research, 2012, 73, 424-429.	2.6	9
454	Hierarchical screening for multiple mental disorders. Journal of Affective Disorders, 2013, 151, 229-236.	4.1	9
455	Application of the Interpersonal Psychological Theory of Suicide in a non-clinical community-based adolescent population. Journal of Affective Disorders, 2021, 294, 235-240.	4.1	9
456	The Internet and mental health literacy. Australian and New Zealand Journal of Psychiatry, 2000, 34, 975-979.	2.3	9
457	Improving Self-Help E-Therapy for Depression and Anxiety Among Sexual Minorities: An Analysis of Focus Groups With Lesbians and Gay Men. Journal of Medical Internet Research, 2015, 17, e66.	4.3	9
458	What is to Become of the College Clinical Practice Guidelines?. Australasian Psychiatry, 2008, 16, 1-4.	0.7	8
459	Suicide prevention: signposts for a new approach. Medical Journal of Australia, 2013, 198, 472-474.	1.7	8
460	Exploring Emotions in Social Media. , 2015, , .		8
461	Cortisol Is Not Associated with Telomere Shortening or Chromosomal Instability in Human Lymphocytes Cultured under Low and High Folate Conditions. PLoS ONE, 2015, 10, e0119367.	2.5	8
462	The Sleep Or Mood Novel Adjunctive therapy (SOMNA) trial: a study protocol for a randomised controlled trial evaluating an internet-delivered cognitive behavioural therapy program for insomnia on outcomes of standard treatment for depression in men. BMC Psychiatry, 2015, 15, 16.	2.6	8
463	Summary of Key Issues Raised in the Technology for Early Awareness of Addiction and Mental Illness (TEAAM-I) Meeting. Psychiatric Services, 2018, 69, 590-592.	2.0	8
464	Workplace Bullying and Suicidal Ideation: Findings from an Australian Longitudinal Cohort Study of Mid-Aged Workers. International Journal of Environmental Research and Public Health, 2020, 17, 1448.	2.6	8
465	Factors That Help and Hinder the Implementation of Digital Depression Prevention Programs: School-Based Cross-sectional Study. Journal of Medical Internet Research, 2021, 23, e26223.	4.3	8
466	Smartphone Sensor Data for Identifying and Monitoring Symptoms of Mood Disorders: A Longitudinal Observational Study. JMIR Mental Health, 2022, 9, e35549.	3.3	8
467	Personality changes in normal and cognitively impaired elderly: Informant reports in a community sample. International Journal of Geriatric Psychiatry, 1994, 9, 313-320.	2.7	7
468	Cohort Difference in Sexual Orientation: Results from a Large Age-Stratified Population Sample. Gerontology, 2003, 49, 392-395.	2.8	7

#	Article	IF	CITATIONS
469	Can We Track the Impact of Australian Mental Health Research?. Australian and New Zealand Journal of Psychiatry, 2005, 39, 591-599.	2.3	7
470	Hormone replacement therapy and cognition in an Australian representative sample aged 60–64 years. Maturitas, 2006, 54, 86-94.	2.4	7
471	Differentiating Sub-groups of Online Depression-Related Communities Using Textual Cues. Lecture Notes in Computer Science, 2015, , 216-224.	1.3	7
472	An Australian Example of Translating Psychological Research into Practice and Policy: Where We are and Where We Need to Go. Frontiers in Psychology, 2016, 7, 200.	2.1	7
473	Using spatiotemporal distribution of geocoded Twitter data to predict US county-level health indices. Future Generation Computer Systems, 2020, 110, 620-628.	7.5	7
474	Identifying subgroups within a sample of adults with a suicide attempt history using the Interpersonal Psychological Theory of Suicide. Psychiatry Research, 2020, 293, 113406.	3.3	7
475	Cohort Profile Update: The PATH Through Life Project. International Journal of Epidemiology, 2021, 50, 35-36.	1.9	7
476	Prevention of mental and substance use disorders: Shaping priorities for research and implementation. Mental Health and Prevention, 2021, 24, 200211.	1.3	7
477	Protocol for the process evaluation of a complex intervention delivered in schools to prevent adolescent depression: the Future Proofing Study. BMJ Open, 2021, 11, e042133.	1.9	7
478	Service Use History of Individuals Enrolling in a Web-Based Suicidal Ideation Treatment Trial: Analysis of Baseline Data. JMIR Mental Health, 2019, 6, e11521.	3.3	7
479	Reaching standards for dissemination: a case study. Studies in Health Technology and Informatics, 2007, 129, 459-63.	0.3	7
480	The effects of sensory deprivation on cigarette craving and smoking behaviour. Addictive Behaviors, 1982, 7, 281-284.	3.0	6
481	Search for a Common Cause Factor amongst Cognitive, Speed and Biological Variables Using Narrow Age Cohorts. Gerontology, 2006, 52, 243-257.	2.8	6
482	An investigation of the measurement properties of the Spot-the-Word test in a community sample Psychological Assessment, 2007, 19, 459-468.	1.5	6
483	The value of comparing health outcomes in cohort studies: An example of selfâ€rated health in seven studies including 79Â653 participants. Australasian Journal on Ageing, 2007, 26, 194-200.	0.9	6
484	A cluster randomized controlled trial of an online psychoeducational intervention for people with a family history of depression. BMC Psychiatry, 2019, 19, 29.	2.6	6
485	Self-reported disability and quality of life in an online Australian community sample with suicidal thoughts. Journal of Affective Disorders, 2020, 263, 707-714.	4.1	6
486	Rates and Predictors of Deterioration in a Trial of Internet-Delivered Cognitive Behavioral Therapy for Reducing Suicidal Thoughts. Archives of Suicide Research, 2020, , 1-11.	2.3	6

#	Article	IF	CITATIONS
487	e-Mental Health Program Usage Patterns in Randomized Controlled Trials and in the General Public to Inform External Validity Considerations: Sample Groupings Using Cluster Analyses. Journal of Medical Internet Research, 2021, 23, e18348.	4.3	6
488	Beyond Efficacy: The Depth and Diversity of Current Internet Interventions. Journal of Medical Internet Research, 2012, 14, e92.	4.3	6
489	Factors associated with professional mental health service use among adults with suicidal ideation. Journal of Affective Disorders, 2022, 307, 278-285.	4.1	6
490	Wechsler intelligence scale profiles in Alzheimer type dementia and healthy ageing. International Journal of Geriatric Psychiatry, 1992, 7, 241-246.	2.7	5
491	Age differences in tests of intelligence and memory in high and low ability subjects: A second sample of eminent academics and scientists. Personality and Individual Differences, 1994, 16, 919-929.	2.9	5
492	Depression in primary health care: from evidence to policy. Medical Journal of Australia, 2008, 188, S81-3.	1.7	5
493	Plenty of activity but little outcome data: a review of the "grey literature―on primary care anxiety and depression programs in Australia. Medical Journal of Australia, 2008, 188, S103-6.	1.7	5
494	Cluster randomized controlled trial of a psycho-educational intervention for people with a family history of depression for use in general practice. BMC Psychiatry, 2013, 13, 325.	2.6	5
495	A Psychoâ€Educational Intervention for People with a Family History of Depression: Pilot Results. Journal of Genetic Counseling, 2017, 26, 312-321.	1.6	5
496	Legislating community engagement at the Australian local government level. Commonwealth Journal of Local Governance, 0, , .	0.1	5
497	Geospatial suicide clusters and emergency responses: An analysis of text messages to a crisis service. , 2019, 2019, 6109-6112.		5
498	Increasing access and effectiveness: using the internet to deliver low intensity CBT. , 2010, , 53-68.		5
499	Evaluating a Web-Based Mental Health Service for Secondary School Students in Australia: Protocol for a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2019, 8, e12892.	1.0	5
500	The need for specialist services for serious and recurrent mood disorders. Australian and New Zealand Journal of Psychiatry, 2013, 47, 815-818.	2.3	4
501	Why Suicide?. Adolescent Research Review, 2018, 3, 155-172.	4.5	4
502	Factors associated with engagement in online self-help programs among people with suicidal thoughts. Journal of Affective Disorders, 2020, 265, 402-409.	4.1	4
503	Protocol of a 12-month multifactorial eHealth programme targeting balance, dual-tasking and mood to prevent falls in older people: the <i>StandingTall</i> + randomised controlled trial. BMJ Open, 2021, 11, e051085.	1.9	4
504	16Up: Outline of a Study Investigating Wellbeing and Information and Communication Technology Use in Adolescent Twins. Twin Research and Human Genetics, 2020, 23, 345-357.	0.6	4

#	Article	IF	CITATIONS
505	Academic consumer researchers: a bridge between consumers and researchers. Australian and New Zealand Journal of Psychiatry, 2004, 38, 191-196.	2.3	4
506	Implementation and cost effectiveness evaluation of an integrated mental health stepped care service for adults in primary care. International Journal of Integrated Care, 2019, 19, 446.	0.2	4
507	Personality factors associated with suicidal ideation, plans and attempts in adolescents. Journal of Affective Disorders, 2022, 310, 135-141.	4.1	4
508	Three-arm randomised controlled trial of an m-health app and digital engagement strategy for improving treatment adherence and reducing suicidal ideation in young people: study protocol. BMJ Open, 2022, 12, e058584.	1.9	4
509	Use of the Transparent Bipolar Inventory to measure the big-five personality factors in an epidemiological survey of the elderly. Personality and Individual Differences, 1996, 21, 1051-1054.	2.9	3
510	Factors associated with informant-rated personality problems in an elderly population. Aging and Mental Health, 2000, 4, 36-42.	2.8	3
511	The Getting of Wisdom: Fluid Intelligence Does Not Drive Knowledge Acquisition. Journal of Cognition and Development, 2013, 14, 321-331.	1.3	3
512	The gap remains: NHMRC research funding for suicide and selfâ€harm, 2000–2014. Medical Journal of Australia, 2015, 202, 525-526.	1.7	3
513	Using School-Based Interventions for Depression Education and Prevention. , 2019, , 1-32.		3
514	Exploring the relationships between sensory, physiological, genetic and health measures in relation to the common cause hypothesis. , 2004, , 217-234.		3
515	Genomics-driven screening for causal determinants of suicide attempt. Australian and New Zealand Journal of Psychiatry, 2023, 57, 423-431.	2.3	3
516	Intelligence, Education, and the Brain Reserve Hypothesis. , 0, , .		3
517	Review: computerised CBT improves adult depression in the short-term, but its effect may have been overestimated previously. Evidence-Based Mental Health, 2013, 16, 119-119.	4.5	2
518	Proposal for the John Cade Fellowship. Australian and New Zealand Journal of Psychiatry, 2014, 48, 10-12.	2.3	2
519	State-based output in Australian mental health research. Australasian Psychiatry, 2014, 22, 266-271.	0.7	2
520	Using life's digital detritus to feed discovery. Lancet Psychiatry,the, 2017, 4, 181-183.	7.4	2
521	Three actions to reduce suicide deaths and attempts. Australasian Psychiatry, 2018, 26, 125-127.	0.7	2
522	Jointly Predicting Affective and Mental Health Scores Using Deep Neural Networks of Visual Cues on the Web. Lecture Notes in Computer Science, 2018, , 100-110.	1.3	2

#	Article	IF	CITATIONS
523	Suicide prevention among young people: A study protocol for evaluating Youth Aware of Mental Health in Australian secondary schools Mental Health and Prevention, 2020, 17, 200178.	1.3	2
524	Can an online mental health training programme improve physician supervisors' behaviour towards trainees?. Internal Medicine Journal, 2021, 51, 1441-1449.	0.8	2
525	Internet-based anxiety and depression prevention programs for children and adolescents. , 2010, , 393-398.		2
526	Getting mental health reform back on track: a leadership challenge for the new Australian Government. Medical Journal of Australia, 2014, 201, 323-323.	1.7	2
527	The Essential Network (TEN): rapid development and implementation of a digital-first mental health solution for Australian healthcare workers during COVID-19. BMJ Innovations, 2022, 8, 105-110.	1.7	2
528	A pilot study of a text message and online brief contact intervention following self-harm or a suicide attempt: A mixed methods evaluation. General Hospital Psychiatry, 2022, 76, 1-2.	2.4	2
529	Diagnostic Criteria for Dementia in DSM-III. British Journal of Psychiatry, 1986, 148, 480-481.	2.8	1
530	Recruitment challenges associated with a randomised controlled trial within a general telephone counselling service. Journal of Telemedicine and Telecare, 2010, 16, 409-413.	2.7	1
531	School-Based Prevention and Early Intervention Programs for Depression. Plenum Series on Human Exceptionality, 2018, , 279-297.	2.0	1
532	Apolipoprotein E ε4 and Later-Life Decline in Cognitive Function and Grip Strength. American Journal of Geriatric Psychiatry, 2012, , 1.	1.2	1
533	Comprehensive database and individual patient data meta-analysis of randomised controlled trials on psychotherapies reducing suicidal thoughts and behaviour: study protocol. BMJ Open, 2020, 10, e037566.	1.9	1
534	The Essential Network (TEN): Protocol for an Implementation Study of a Digital-First Mental Health Solution for Australian Health Care Workers During COVID-19. JMIR Research Protocols, 2022, 11, e34601.	1.0	1
535	Pet ownership and future health. Medical Journal of Australia, 1997, 167, 230-231.	1.7	0
536	Adjunctive cognitive therapy is more effective, but more costly, than standard clinical management for relapse prevention in depression. Evidence-Based Mental Health, 2003, 6, 85-85.	4.5	0
537	Web and telecounselling in Australia. Medical Journal of Australia, 2005, 182, 45-46.	1.7	0
538	Conversion to mild cognitive impairment: Predictors in a large longitudinal study of ageing. , 2009, 5, e3-e3.		0
539	IDTWO: A Protocol for a Randomised Controlled Trial of a Web-Based Mental Health Intervention for Australians with Intellectual Disability. International Journal of Environmental Research and Public Health, 2021, 18, 2473.	2.6	0