Tomasz Kostka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7390172/publications.pdf

Version: 2024-02-01

74 papers 1,548 citations

430874 18 h-index 36 g-index

75 all docs 75 docs citations

75 times ranked 2644 citing authors

#	Article	IF	CITATIONS
1	Simultaneous Validation of Ten Physical Activity Questionnaires in Older Men: A Doubly Labeled Water Study. Journal of the American Geriatrics Society, 2001, 49, 28-35.	2.6	200
2	Mechanisms of the anorexia of aging—a review. Age, 2015, 37, 9821.	3.0	159
3	Predictors of quality of life in older people living at home and in institutions. Aging Clinical and Experimental Research, 2004, 16, 212-220.	2.9	115
4	Relationship of quality of life to dispositional optimism, health locus of control and self-efficacy in older subjects living in different environments. Quality of Life Research, 2010, 19, 351-361.	3.1	91
5	Simple method for determining human serum 2,2-diphenyl-1-picryl-hydrazyl (DPPH) radical scavenging activity $\hat{a} \in ``possible application in clinical studies on dietary antioxidants. Clinical Chemistry and Laboratory Medicine, 2008, 46, 342-9.$	2.3	84
6	Quadriceps maximal power and optimal shortening velocity in 335 men aged 23–88Âyears. European Journal of Applied Physiology, 2005, 95, 140-145.	2.5	81
7	European postgraduate curriculum in geriatric medicine developed using an international modified Delphi technique. Age and Ageing, 2019, 48, 291-299.	1.6	57
8	Relationship of muscle function to circulating myostatin, follistatin and GDF11 in older women and men. BMC Geriatrics, 2018, 18, 200.	2.7	44
9	Cardiovascular Risk Factors and Total Serum Antioxidant Capacity in Healthy Men and in Men with Coronary Heart Disease. BioMed Research International, 2014, 2014, 1-8.	1.9	35
10	Long-Term Effect of Different Physical Activity Levels on Subclinical Atherosclerosis in Middle-Aged Men: A 25-Year Prospective Study. PLoS ONE, 2014, 9, e85209.	2.5	29
11	Testosterone and dihydrotestosterone reduce platelet activation and reactivity in older men and women. Aging, 2018, 10, 902-929.	3.1	29
12	Gardening as the dominant leisure time physical activity (LTPA) of older adults from a post-communist country. The results of the population-based PolSenior Project from Poland. Archives of Gerontology and Geriatrics, 2015, 60, 486-491.	3.0	24
13	Interrelationship between Physical Activity, Symptomatology of Upper Respiratory Tract Infections, and Depression in Elderly People. Gerontology, 2007, 53, 187-193.	2.8	23
14	Handgrip strength, quadriceps muscle power, and optimal shortening velocity roles in maintaining functional abilities in older adults living in a long-term care home: a 1-year follow-up study. Clinical Interventions in Aging, 2016, 11, 739.	2.9	23
15	Association of Lower Nutritional Status and Education Level with the Severity of Depression Symptoms in Older Adults—A Cross Sectional Survey. Nutrients, 2021, 13, 515.	4.1	22
16	Validation of the modified mini nutritional assessment short-forms in different populations of older people in Poland. Journal of Nutrition, Health and Aging, 2014, 18, 366-371.	3.3	21
17	Inappropriate nutrients intake is associated with lower functional status and inferior quality of life in older adults with depression. Clinical Interventions in Aging, 2016, Volume 11, 1505-1517.	2.9	21
18	Regular physical activity and cardiovascular biomarkers in prevention of atherosclerosis in men: a 25-year prospective cohort study. BMC Cardiovascular Disorders, 2016, 16, 65.	1.7	21

#	Article	IF	CITATIONS
19	Design and methodology of the screening for CKD among older patients across Europe (SCOPE) study: a multicenter cohort observational study. BMC Nephrology, 2018, 19, 260.	1.8	20
20	Prevalence of sarcopenia in community-dwelling older adults using the updated EWGSOP2 definition according to kidney function and albuminuria. BMC Geriatrics, 2020, 20, 327.	2.7	20
21	The impact of long-term changes in metabolic status on cardiovascular biomarkers and microvascular endothelial function in middle-aged men: a 25-year prospective study. Diabetology and Metabolic Syndrome, 2015, 7, 81.	2.7	19
22	Platelet and Red Blood Cell Counts, as well as the Concentrations of Uric Acid, but Not Homocysteinaemia or Oxidative Stress, Contribute Mostly to Platelet Reactivity in Older Adults. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-16.	4.0	19
23	Muscle power, contraction velocity and functional performance after stroke. Brain and Behavior, 2019, 9, e01243.	2.2	19
24	Can Integrated Care Help in Meeting the Challenges Posed on Our Health Care Systems by COVID-19? Some Preliminary Lessons Learned from the European VIGOUR Project. International Journal of Integrated Care, 2020, 20, 4.	0.2	18
25	Estimated glomerular filtration rate and functional status among older people: A systematic review. European Journal of Internal Medicine, 2018, 56, 39-48.	2.2	17
26	Influence of chronic cardiovascular disease and hospitalisation due to this disease on quality of life of community-dwelling elderly. Quality of Life Research, 2006, 15, 1281-1289.	3.1	16
27	Comparative characteristics of the home care nursing services used by communityâ€dwelling older people from urban and rural environments. Journal of Advanced Nursing, 2013, 69, 1259-1268.	3.3	16
28	Chronic kidney disease in the context of multimorbidity patterns: the role of physical performance. BMC Geriatrics, 2020, 20, 350.	2.7	15
29	Comparison of Nutrition Risk Screening 2002 and Subjective Global Assessment Form as Short Nutrition Assessment Tools in Older Hospitalized Adults. Nutrients, 2021, 13, 225.	4.1	15
30	Recommendations of the Polish Society of Sports Medicine on age criteria while qualifying children and youth for participation in various sports. British Journal of Sports Medicine, 2012, 46, 159-162.	6.7	14
31	Body composition, nutritional status, and endothelial function in physically active men without metabolic syndrome – a 25Âyear cohort study. Lipids in Health and Disease, 2016, 15, 84.	3.0	14
32	Association between kidney function, nutritional status and anthropometric measures in older people. BMC Geriatrics, 2020, 20, 366.	2.7	14
33	Impaired kidney function is associated with lower quality of life among community-dwelling older adults. BMC Geriatrics, 2020, 20, 340.	2.7	13
34	Nutritional Status Plays More Important Role in Determining Functional State in Older People Living in the Community than in Nursing Home Residents. Nutrients, 2020, 12, 2042.	4.1	13
35	Soluble urokinase plasminogen activator receptor level in individuals of advanced age. Scientific Reports, 2020, 10, 15462.	3.3	13
36	Physical Activity in Older Adults in Relation to Place of Residence and Coexistent Chronic Diseases. Journal of Physical Activity and Health, 2017, 14, 20-28.	2.0	12

#	Article	IF	Citations
37	A comparison of native and non-urate Total Antioxidant Capacity of fasting plasma and saliva among middle-aged and older subjects. Redox Report, 2018, 23, 57-62.	4.5	11
38	Dietary Vitamin C, E and \hat{I}^2 -Carotene Intake Does Not Significantly Affect Plasma or Salivary Antioxidant Indices and Salivary C-Reactive Protein in Older Subjects. Nutrients, 2017, 9, 729.	4.1	10
39	Massive open online courses (MOOCs) for long-distance education in geriatric medicine across European Geriatric Medicine, 2019, 10, 989-994.	2.8	10
40	Diabetes, sarcopenia and chronic kidney disease; the Screening for CKD among Older People across Europe (SCOPE) study. BMC Geriatrics, 2022, 22, 254.	2.7	10
41	Response of Blood Lipids to Physical Exercise in Elderly Subjects. Preventive Cardiology, 2001, 4, 126-131.	1.1	8
42	Physical Activity and Total Antioxidant Capacity across an Adult Lifespan of Men. Medicine and Science in Sports and Exercise, 2012, 44, 575-582.	0.4	8
43	Comparative analysis of the expected demands for nursing care services among older people from urban, rural, and institutional environments. Clinical Interventions in Aging, 2015, 10, 405.	2.9	8
44	Physical Activity, Aerobic Capacity, and Total Antioxidant Capacity in Healthy Men and in Men with Coronary Heart Disease. Oxidative Medicine and Cellular Longevity, 2015, 2015, 1-9.	4.0	8
45	Association between sucrose and fiber intake and symptoms of depression in older people. Nutritional Neuroscience, 2022, 25, 886-897.	3.1	8
46	Socioeconomic Risk Factors of Poor Nutritional Status in Polish Elderly Population: The Results of PolSenior2 Study. Nutrients, 2021, 13, 4388.	4.1	8
47	Atherogenic Indices Are Increased in Elderly Patients with Unipolar Depressionâ€"Caseâ€"Control Analysis. Metabolic Syndrome and Related Disorders, 2017, 15, 291-295.	1.3	7
48	Plasma and Salivary Non-Urate Total Antioxidant Capacity Does Not Depend on Dietary Vitamin C, E, or β-Carotene Intake in Older Subjects. Molecules, 2018, 23, 983.	3.8	7
49	Health status and its socio-economic covariates in the older population in Poland – the assumptions and methods of the nationwide, cross-sectional PolSenior2 survey. Archives of Medical Science, 2020, 18, 92-102.	0.9	7
50	Correlates of plasma fibrinogen (FG) levels in a random sample of community-dwelling elderly. Archives of Gerontology and Geriatrics, 2008, 46, 211-220.	3.0	6
51	Clinical Implications of Estimating Glomerular Filtration Rate with Three Different Equations among Older People. Preliminary Results of the Project "Screening for Chronic Kidney Disease among Older People across Europe (SCOPE)― Journal of Clinical Medicine, 2020, 9, 294.	2.4	6
52	Gonadotropins at Advanced Age - Perhaps They Are Not So Bad? Correlations Between Gonadotropins and Sarcopenia Indicators in Older Adults. Frontiers in Endocrinology, 2021, 12, 797243.	3.5	6
53	Cardiovascular diseases (CVD) risk factors, physical activity (PA) and plasma plasminogen (Plg) in a random sample of community-dwelling elderly. Archives of Gerontology and Geriatrics, 2009, 48, 300-305.	3.0	5
54	Utilization of medical rehabilitation services among older Poles: results of the PolSenior study. European Geriatric Medicine, 2018, 9, 669-677.	2.8	5

#	Article	IF	CITATIONS
55	Kidney function and other factors and their association with falls. BMC Geriatrics, 2020, 20, 320.	2.7	5
56	Levels of C-reactive protein (CRP) in elderly patients with unipolar depression – case control analysis. Nordic Journal of Psychiatry, 2016, 70, 503-507.	1.3	4
57	What is the most important determinant of cardiometabolic risk in 60–65-year-old subjects: physical activity-related behaviours, overall energy expenditure or occupational status? A cross-sectional study in three populations with different employment status in Poland. BMJ Open, 2019, 9, e025905.	1.9	4
58	Is kidney function associated with cognition and mood in late life?. BMC Geriatrics, 2020, 20, 297.	2.7	4
59	ICT and environmental support for patients with frailty syndrome: Carewell Project, Focus Project and SUNFRAIL Project Puls Uczelni, 2017, 11, 37-43.	0.1	4
60	Salivary and plasma native and non-urate total antioxidant capacity versus oral health status in older non-smoking adults. Archives of Oral Biology, 2019, 107, 104515.	1.8	3
61	Effects of two different types of single exercise modes on salivary C-reactive protein concentration, oxidative stress and antioxidant capacity in post-myocardial infarction patients. Redox Report, 2021, 26, 29-34.	4.5	3
62	Association of Physical Performance, Muscle Strength and Body Composition with Self-Assessed Quality of Life in Hemodialyzed Patients: A Cross-Sectional Study. Journal of Clinical Medicine, 2022, 11, 2283.	2.4	3
63	The Association of Oxidative and Antioxidant Potential with Cardiometabolic Risk Profile in the Group of 60- to 65-Year-Old Seniors from Central Poland. Antioxidants, 2022, 11, 1065.	5.1	3
64	Bioelectrical impedance vector analysis as an auxiliary method in diagnosing of sarcopenia among hospitalized older patients–Âa preliminary report. European Geriatric Medicine, 2015, 6, 422-426.	2.8	2
65	The role of the Sunfrail tool in the screening of frailty and in integrated community-hospital care pathways: a retrospective observational study. Aging Clinical and Experimental Research, 2022, 34, 419-427.	2.9	2
66	Barriers and Facilitators in Rehabilitation in Chronic Diseases and After Surgery: Is It a Matter of Adherence?. Cureus, 2021, 13, e20173.	0.5	2
67	The weight change impact on metabolic syndrome: a 17-year follow-up study. Open Medicine (Poland), 2011, 6, 788-794.	1.3	1
68	The association between platelet indices, cognitive screening tests and functional dependence screening questionnaires in hospitalized older people. European Geriatric Medicine, 2019, 10, 785-791.	2.8	1
69	The impact of the use of amalgam in dental treatment on the prevalence of restless legs syndrome in older people. Medycyna Pracy, 2019, 70, 9-16.	0.8	1
70	Gonadotropins and steroid hormones in older people: their mutual connections and relations to body mass indices. Endokrynologia Polska, 2019, 70, 484-488.	1.0	1
71	Are physical and mental abilities of older people related to gonadotropins and steroid hormones levels?. Neuroendocrinology Letters, 2020, 41, 27-32.	0.2	1
72	The Influence of an Eight-Week Cycloergometer-Based Cardiac Rehabilitation on Serum Antioxidant Status in Men with Coronary Heart Disease: A Prospective Study. Medicina (Lithuania), 2019, 55, 111.	2.0	0

5

#	Article	lF	CITATIONS
73	P1472RELATIONSHIP OF PHYSICAL PERFORMANCE, MUSCLE STRENGTH AND BODY COMPOSITION WITH QUALITY OF LIFE IN HEMODIALYZED PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	O
74	Quadriceps muscle power and optimal shortening velocity are inversely related to angiotensin converting enzyme activity in older men. F1000Research, 2021, 10, 184.	1.6	0