
Johan W Vlaeyen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7390181/publications.pdf Version: 2024-02-01



Ιωμανι λλ/ λι αενενι

#	Article	IF	CITATIONS
1	When experience is not enough: learning-based cognitive pain modulation with or without instructions. Pain, 2022, 163, 137-145.	4.2	6
2	The exploration–exploitation dilemma in pain: an experimental investigation. Pain, 2022, 163, e215-e233.	4.2	2
3	Effect of slow, deep breathing on visceral pain perception and its underlying psychophysiological mechanisms. Neurogastroenterology and Motility, 2022, 34, e14242.	3.0	11
4	Chronic primary pain in the COVID-19 pandemic: how uncertainty and stress impact on functioning and suffering. Pain, 2022, 163, 604-609.	4.2	12
5	Inflammatory Bowel Disease-related Behaviours [IBD-Bx] Questionnaire: Development, Validation and Prospective Associations with Fatigue. Journal of Crohn's and Colitis, 2022, 16, 581-590.	1.3	2
6	Cortico-Brainstem Mechanisms of Biased Perceptual Decision-Making in the Context of Pain. Journal of Pain, 2022, 23, 680-692.	1.4	9
7	Generalization of fear of movement-related pain and avoidance behavior as predictors of work resumption after back surgery: a study protocol for a prospective study (WABS). BMC Psychology, 2022, 10, 39.	2.1	1
8	Development of the Avoidance Daily Activities Photo Scale for Patients With Shoulder Pain. Physical Therapy, 2022, 102, .	2.4	4
9	Development, evaluation and implementation of a digital behavioural health treatment for chronic pain: study protocol of the multiphase DAHLIA project. BMJ Open, 2022, 12, e059152.	1.9	7
10	Pragmatic Uncontrolled Study of Specialized Cognitive Behavioral Therapy for Adults With Chronic Tinnitus. Ear and Hearing, 2022, Publish Ahead of Print, .	2.1	1
11	Alike, But Not Quite: Comparing the Generalization of Pain-Related Fear and Pain-Related Avoidance. Journal of Pain, 2022, 23, 1616-1628.	1.4	7
12	Association of pain-related threat beliefs and disability with postural control and trunk motion in individuals with low back pain: a systematic review and meta-analysis. European Spine Journal, 2022, 31, 1802-1820.	2.2	5
13	Error Processing and Pain: A New Perspective. Journal of Pain, 2022, 23, 1811-1822.	1.4	3
14	What Are the Mechanisms of Action of Cognitive–Behavioral, Mind–Body, and Exercise-based Interventions for Pain and Disability in People With Chronic Primary Musculoskeletal Pain?. Clinical Journal of Pain, 2022, 38, 502-509.	1.9	9
15	Review article: exclude or expose? The paradox of conceptually opposite treatments for irritable bowel syndrome. Alimentary Pharmacology and Therapeutics, 2022, 56, 592-605.	3.7	4
16	The Perceived Opportunity to Avoid Pain Paradoxically Increases Pain-Related Fear Through Increased Threat Appraisals. Annals of Behavioral Medicine, 2021, 55, 216-227.	2.9	6
17	Psychophysiological responses to various slow, deep breathing techniques. Psychophysiology, 2021, 58, e13712.	2.4	15
18	Effects of ecological momentary assessment (EMA) induced monitoring on tinnitus experience: A multiple-baseline single-case experiment. Progress in Brain Research, 2021, 263, 153-170.	1.4	1

#	Article	IF	CITATIONS
19	The Daily Experience of Subjective Tinnitus. Ear and Hearing, 2021, Publish Ahead of Print, .	2.1	7
20	Low back pain. Lancet, The, 2021, 398, 78-92.	13.7	411
21	Pain by mistake. Pain, 2021, Publish Ahead of Print, .	4.2	2
22	Corticolimbic Circuitry in Chronic Pain Tracks Pain Intensity Relief Following Exposure InÂVivo. Biological Psychiatry Global Open Science, 2021, 1, 28-36.	2.2	5
23	Controlled breathing and pain: Respiratory rate and inspiratory loading modulate cardiovascular autonomic responses, but not pain. Psychophysiology, 2021, 58, e13895.	2.4	8
24	Establishment of an International Collaborative Network for N-of-1 Trials and Single-Case Designs. Contemporary Clinical Trials Communications, 2021, 23, 100826.	1.1	24
25	Classification algorithm for the International Classification of Diseases-11 chronic pain classification: development and results from a preliminary pilot evaluation. Pain, 2021, 162, 2087-2096.	4.2	18
26	Tinnitus and tinnitus disorder: Theoretical and operational definitions (an international) Tj ETQq0 0 0 rgBT /Over	·lock 10 Tf 1.4	50,462 Td (m
27	Avoidance behaviour performed in the context of a novel, ambiguous movement increases threat and pain-related fear. Pain, 2021, 162, 875-885.	4.2	6
28	Single-Case Experimental Designs: Clinical Research and Practice. , 2021, , .		2
29	Uncertainty in a context of pain: disliked but also more painful?. Pain, 2021, 162, 995-998.	4.2	9
30	Changes in Pain-Related Fear and Pain When Avoidance Behavior is no Longer Effective. Journal of Pain, 2020, 21, 494-505.	1.4	5
31	Perceptual Decision Parameters and Their Relation to Self-Reported Pain: A Drift Diffusion Account. Journal of Pain, 2020, 21, 324-333.	1.4	10
32	Hide Your Pain: Social Threat Increases Pain Reports and Aggression, but Reduces Facial Pain Expression and Empathy. Journal of Pain, 2020, 21, 334-346.	1.4	15
33	Respiratory Hypoalgesia? The Effect of Slow Deep Breathing on Electrocutaneous, Thermal, and Mechanical Pain. Journal of Pain, 2020, 21, 616-632.	1.4	10
34	Cognitive behavioural therapy for tinnitus. The Cochrane Library, 2020, 2020, CD012614.	2.8	95
35	Generalization of exposure in vivo in Complex Regional Pain Syndrome type I. Behaviour Research and Therapy, 2020, 124, 103511.	3.1	9
36	Evaluating the efficacy of an attention modification program for patients with fibromyalgia: a randomized controlled trial. Pain, 2020, 161, 584-594.	4.2	20

#	Article	IF	CITATIONS
37	Avoid or engage? Outcomes of graded exposure in youth with chronic pain using a sequential replicated single-case randomized design. Pain, 2020, 161, 520-531.	4.2	31
38	Behavioral Conceptualization and Treatment of Chronic Pain. Annual Review of Clinical Psychology, 2020, 16, 187-212.	12.3	78
39	Pain can be conditioned to voluntary movements through associative learning: an experimental study in healthy participants. Pain, 2020, 161, 2321-2329.	4.2	3
40	The neural correlates of pain-related fear: A meta-analysis comparing fear conditioning studies using painful and non-painful stimuli. Neuroscience and Biobehavioral Reviews, 2020, 119, 52-65.	6.1	18
41	Worries and concerns of inflammatory bowel disease (IBD) patients in Belgium – a validation of the Dutch rating form. Scandinavian Journal of Gastroenterology, 2020, 55, 1427-1432.	1.5	3
42	Decomposing conditioned avoidance performance with computational models. Behaviour Research and Therapy, 2020, 133, 103712.	3.1	4
43	From Boulder to Stockholm in 70 Years: Single Case Experimental Designs in Clinical Research. Psychological Record, 2020, 70, 659-670.	0.9	32
44	Generalizability of harm and pain expectations after exposure in chronic low back pain patients. European Journal of Pain, 2020, 24, 1495-1504.	2.8	12
45	Pain-related attentional processes: A systematic review of eye-tracking research. Clinical Psychology Review, 2020, 80, 101884.	11.4	14
46	A highly cognitive demanding working memory task may prevent the development of nociceptive hypersensitivity. Pain, 2020, 161, 1459-1469.	4.2	13
47	Can Slow Deep Breathing Reduce Pain? An Experimental Study Exploring Mechanisms. Journal of Pain, 2020, 21, 1018-1030.	1.4	23
48	The acquisition and generalization of fear of touch. Scandinavian Journal of Pain, 2020, 20, 809-819.	1.3	1
49	Pain psychology in the 21st century: lessons learned and moving forward. Scandinavian Journal of Pain, 2020, 20, 229-238.	1.3	12
50	Investigating Pain-Related Avoidance Behavior using a Robotic Arm-Reaching Paradigm. Journal of Visualized Experiments, 2020, , .	0.3	5
51	Trial and Error (-Related Negativity):An Odyssey of Integrating Different Experimental Paradigms. Journal of Trial and Error, 2020, 1, 27-38.	0.5	4
52	Influence of inspiratory threshold load on cardiovascular responses to controlled breathing at 0.1 Hz. Psychophysiology, 2019, 56, e13447.	2.4	10
53	Modulating pain thresholds through classical conditioning. PeerJ, 2019, 7, e6486.	2.0	19
54	Graded exposure treatment for adolescents with chronic pain (GET Living): Protocol for a randomized controlled trial enhanced with single case experimental design. Contemporary Clinical Trials Communications, 2019, 16, 100448.	1.1	17

#	Article	IF	CITATIONS
55	The IASP classification of chronic pain for ICD-11: chronic neuropathic pain. Pain, 2019, 160, 53-59.	4.2	571
56	The Fear of Tinnitus Questionnaire: Toward a Reliable and Valid Means of Assessing Fear in Adults with Tinnitus. Ear and Hearing, 2019, 40, 1467-1477.	2.1	9
57	Reply to HÃ ¤ ser et al Pain, 2019, 160, 2652-2653.	4.2	1
58	Reply to Henningsen et al Pain, 2019, 160, 1683-1685.	4.2	4
59	Placebo and nocebo effects and operant pain-related avoidance learning. Pain Reports, 2019, 4, e748.	2.7	16
60	Chronic pain as a symptom or a disease: the IASP Classification of Chronic Pain for the International Classification of Diseases (ICD-11). Pain, 2019, 160, 19-27.	4.2	1,547
61	The IASP classification of chronic pain for ICD-11: chronic primary pain. Pain, 2019, 160, 28-37.	4.2	645
62	A break from pain! Interruption management in the context of pain. Pain Management, 2019, 9, 81-91.	1.5	1
63	The effect of differential spatiotopic information on the acquisition and generalization of fear of movement-related pain. PeerJ, 2019, 7, e6913.	2.0	2
64	Understanding the Etiology of Chronic Pain From a Psychological Perspective. Physical Therapy, 2018, 98, 315-324.	2.4	56
65	The Influence of Pain-Related Expectations on Intensity Perception of Nonpainful Somatosensory Stimuli. Psychosomatic Medicine, 2018, 80, 836-844.	2.0	14
66	Developing a core outcome domain set to assessing effectiveness of interdisciplinary multimodal pain therapy: the VAPAIN consensus statement on core outcome domains. Pain, 2018, 159, 673-683.	4.2	86
67	Pain as a threat to the social self: a motivational account. Pain, 2018, 159, 1690-1695.	4.2	86
68	Tinnitus-related fear: Mediating the effects of a cognitive behavioural specialised tinnitus treatment. Hearing Research, 2018, 358, 86-97.	2.0	18
69	Activity interruptions by pain impair activity resumption, but not more than activity interruptions by other stimuli: an experimental investigation. Pain, 2018, 159, 351-358.	4.2	8
70	The Influence of Social Threat on Pain, Aggression, and Empathy in Women. Journal of Pain, 2018, 19, 291-300.	1.4	17
71	Learning to feel tired: A learning trajectory towards chronic fatigue. Behaviour Research and Therapy, 2018, 100, 54-66.	3.1	25
72	Forgetting to remember? Prospective memory within the context of pain. European Journal of Pain, 2018, 22, 614-625.	2.8	3

#	Article	IF	CITATIONS
73	Efficacy of Combined Cognitive-Behavioral Therapy for Insomnia and Pain in Patients with Fibromyalgia: A Randomized Controlled Trial. Cognitive Therapy and Research, 2018, 42, 63-79.	1.9	38
74	Activity Limitations in Patients with Axial Spondyloarthritis: A Role for Fear of Movement and (Re)injury Beliefs. Journal of Rheumatology, 2018, 45, 357-366.	2.0	11
75	Low back pain. Nature Reviews Disease Primers, 2018, 4, 52.	30.5	262
76	Effects of activity interruptions by pain on pattern of activity performance – an experimental investigation. Scandinavian Journal of Pain, 2018, 18, 109-119.	1.3	2
77	The Opportunity to Avoid Pain May Paradoxically Increase Fear. Journal of Pain, 2018, 19, 1222-1230.	1.4	34
78	Winning or not losing? The impact of non-pain goal focus on attentional bias to learned pain signals. Scandinavian Journal of Pain, 2018, 18, 675-686.	1.3	5
79	EXPOSURE IN VIVO <i>VERSUS</i> PAIN-CONTINGENT PHYSICAL THERAPY IN COMPLEX REGIONAL PAIN SYNDROME TYPE I: A COST-EFFECTIVENESS ANALYSIS. International Journal of Technology Assessment in Health Care, 2018, 34, 400-409.	0.5	19
80	Treatment processes during exposure and cognitive-behavioral therapy for chronic back pain: A single-case experimental design with multiple baselines. Behaviour Research and Therapy, 2018, 108, 58-67.	3.1	13
81	Reduced selective learning in patients with fibromyalgia vs healthy controls. Pain, 2018, 159, 1268-1276.	4.2	15
82	EULAR recommendations for the health professional's approach to pain management in inflammatory arthritis and osteoarthritis. Annals of the Rheumatic Diseases, 2018, 77, annrheumdis-2017-212662.	0.9	173
83	Exposure and CBT for chronic back pain: An RCT on differential efficacy and optimal length of treatment Journal of Consulting and Clinical Psychology, 2018, 86, 533-545.	2.0	63
84	Goal conflict in chronic pain: day reconstruction method. PeerJ, 2018, 6, e5272.	2.0	10
85	Classical Conditioning Fails to Elicit Allodynia in an Experimental Study with Healthy Humans. Pain Medicine, 2017, 18, pnw221.	1.9	9
86	Graded Exposure for Chronic Low Back Pain in Older Adults: A Pilot Study. Journal of Geriatric Physical Therapy, 2017, 40, 51-59.	1.1	20
87	Executive functions deficits impair extinction of generalization of fear of movementâ€related pain. European Journal of Pain, 2017, 21, 886-899.	2.8	6
88	Fear of pain changes movement: Motor behaviour following the acquisition of painâ€related fear. European Journal of Pain, 2017, 21, 1432-1442.	2.8	40
89	Biased Intensity Judgements of Visceral Sensations After Learning to Fear Visceral Stimuli: A Drift Diffusion Approach. Journal of Pain, 2017, 18, 1197-1208.	1.4	17
90	Pain and respiration: a systematic review. Pain, 2017, 158, 995-1006.	4.2	118

#	Article	IF	CITATIONS
91	Generalization of Pain-Related Fear Based on Conceptual Knowledge. Behavior Therapy, 2017, 48, 295-310.	2.4	20
92	Pain Anxiety and Its Association With Pain Congruence Trajectories During the Cold Pressor Task. Journal of Pain, 2017, 18, 396-404.	1.4	3
93	Broadening the fear-avoidance model of chronic pain?. Scandinavian Journal of Pain, 2017, 17, 176-177.	1.3	11
94	The Acquisition and Extinction of Fear of Painful Touch: A Novel Tactile Fear Conditioning Paradigm. Journal of Pain, 2017, 18, 1505-1516.	1.4	9
95	Biased pain reports through vicarious information: A computational approach to investigate the role of uncertainty. Cognition, 2017, 169, 54-60.	2.2	9
96	Behavioural inhibition in the context of pain: Measurement and conceptual issues. Scandinavian Journal of Pain, 2017, 17, 132-133.	1.3	2
97	Taking a break in response to pain. An experimental investigation of the effects of interruptions by pain on subsequent activity resumption. Scandinavian Journal of Pain, 2017, 16, 52-60.	1.3	5
98	Extinction of Fear Generalization: A Comparison Between Fibromyalgia Patients and Healthy Control Participants. Journal of Pain, 2017, 18, 79-95.	1.4	49
99	Can Pain or Hyperalgesia Be a Classically Conditioned Response in Humans? A Systematic Review and Meta-Analysis. Pain Medicine, 2016, 17, pnv044.	1.9	34
100	On the Origin of Interoception. Frontiers in Psychology, 2016, 7, 743.	2.1	167
101	The Neuroscience of Pain andÂFear. , 2016, , 133-157.		2
102	Acquisition and extinction of operant pain-related avoidance behavior using a 3 degrees-of-freedom robotic arm. Pain, 2016, 157, 1094-1104.	4.2	62
103	Expose or protect? A randomized controlled trial of exposure in vivo vs pain-contingent treatment as usual in patients with complex regional pain syndrome type 1. Pain, 2016, 157, 2318-2329.	4.2	111
104	The fear-avoidance model of pain. Pain, 2016, 157, 1588-1589.	4.2	388
105	The impact of Pavlovian cues on pain avoidance: A behavioral study. Learning and Motivation, 2016, 56, 73-83.	1.2	9
106	Between the Devil and the Deep Blue Sea: Avoidance-Avoidance Competition Increases Pain-Related Fear and Slows Decision-Making. Journal of Pain, 2016, 17, 424-435.	1.4	17
107	Learned Fear of Gastrointestinal Sensations in Healthy Adults. Clinical Gastroenterology and Hepatology, 2016, 14, 1552-1558.e2.	4.4	23
108	The experimental analysis of the interruptive, interfering, and identity-distorting effects of chronic pain. Behaviour Research and Therapy, 2016, 86, 23-34.	3.1	86

#	Article	IF	CITATIONS
109	Interoceptive cues predicting exteroceptive events. International Journal of Psychophysiology, 2016, 109, 100-106.	1.0	5
110	The intricate relationship amongst pain intensity, fear and avoidance. Scandinavian Journal of Pain, 2016, 13, 128-129.	1.3	10
111	Pain in context: Cues predicting a reward decrease fear of movement related pain and avoidance behavior. Behaviour Research and Therapy, 2016, 84, 35-44.	3.1	18
112	Influence of Interoceptive Fear Learning on Visceral Perception. Psychosomatic Medicine, 2016, 78, 248-258.	2.0	38
113	Pain by Association? Experimental Modulation of Human Pain Thresholds Using Classical Conditioning. Journal of Pain, 2016, 17, 1105-1115.	1.4	32
114	Effectiveness of a home-based cognitive behavioral program to manage concerns about falls in community-dwelling, frail older people: results of a randomized controlled trial. BMC Geriatrics, 2016, 16, 2.	2.7	51
115	Global and Situational Relationship Satisfaction Moderate the Effect of Threat on Pain in Couples. Pain Medicine, 2016, 17, 1664-1675.	1.9	10
116	The use of safety-seeking behavior in exposure-based treatments for fear and anxiety: Benefit or burden? A meta-analytic review. Clinical Psychology Review, 2016, 45, 144-156.	11.4	60
117	Respiratory hypoalgesia? Breath-holding, but not respiratory phase modulates nociceptive flexion reflex and pain intensity. International Journal of Psychophysiology, 2016, 101, 50-58.	1.0	10
118	Generalization on the Basis of Prior Experience Is Predicted by Individual Differences in Working Memory. Behavior Therapy, 2016, 47, 130-140.	2.4	10
119	Turning Pain Into Cues for Goal-Directed Behavior: Implementation Intentions Reduce Escape-Avoidance Behavior onÂa Painful Task. Journal of Pain, 2016, 17, 499-507.	1.4	11
120	The effect of threat information on acquisition, extinction, and reinstatement of experimentally conditioned fear of movement-related pain. Pain Medicine, 2015, 16, 2302-2315.	1.9	21
121	Reply. Pain, 2015, 156, 2109-2110.	4.2	1
122	Is exposure in vivo cost-effective for chronic low back pain? A trial-based economic evaluation. BMC Health Services Research, 2015, 15, 549.	2.2	21
123	The Reduction of Fear of Movement-related Pain. Clinical Journal of Pain, 2015, 31, 933-945.	1.9	17
124	Pain-avoidance versus reward-seeking. Pain, 2015, 156, 1449-1457.	4.2	49
125	Words putting pain in motion: the generalization of pain-related fear within an artificial stimulus category. Frontiers in Psychology, 2015, 6, 520.	2.1	30
126	Sub-optimal presentation of painful facial expressions enhances readiness for action and pain perception following electrocutaneous stimulation. Frontiers in Psychology, 2015, 6, 913.	2.1	6

#	Article	IF	CITATIONS
127	Motor Intention as a Trigger for Fear of Movement-related Pain: An Experimental Cross-US Reinstatement Study. Journal of Experimental Psychopathology, 2015, 6, 206-228.	0.8	12
128	A classification of chronic pain for ICD-11. Pain, 2015, 156, 1003-1007.	4.2	1,701
129	Differences in pain-related fear acquisition and generalization. Pain, 2015, 156, 108-122.	4.2	90
130	Comparing Counterconditioning and Extinction as Methods to Reduce Fear of Movement-Related Pain. Journal of Pain, 2015, 16, 1353-1365.	1.4	30
131	Can Experimentally Induced Positive Affect Attenuate Generalization of Fear of Movement-Related Pain?. Journal of Pain, 2015, 16, 258-269.	1.4	49
132	Associative fear learning and perceptual discrimination: A perceptual pathway in the development of chronic pain. Neuroscience and Biobehavioral Reviews, 2015, 51, 118-125.	6.1	88
133	Optimism, Motivational Coping and Well-being: Evidence Supporting the Importance of Flexible Goal Adjustment. Journal of Happiness Studies, 2015, 16, 1525-1537.	3.2	46
134	Startle responding in the context of visceral pain. International Journal of Psychophysiology, 2015, 98, 128-134.	1.0	9
135	Headache during cryoballoon ablation for atrial fibrillation. Europace, 2015, 17, 898-901.	1.7	3
136	Threatening Social Context Facilitates Pain-Related Fear Learning. Journal of Pain, 2015, 16, 214-225.	1.4	37
137	Beyond nociception. Pain, 2015, 156, 35-38.	4.2	153
138	Learning to predict and control harmful events. Pain, 2015, 156, S86-S93.	4.2	124
139	Generalization of Pain-Related Fear Using a Left–Right Hand Judgment Conditioning Task. Behavior Therapy, 2015, 46, 699-716.	2.4	16
140	Pain Catastrophizing and Fear of Pain Predict the Experience of Pain in Body Parts Not Targeted by a Delayed-Onset Muscle Soreness Procedure. Journal of Pain, 2015, 16, 1065-1076.	1.4	18
141	Avoidance behavior in chronic pain research: A cold case revisited. Behaviour Research and Therapy, 2015, 64, 31-37.	3.1	70
142	Indirect Acquisition of Pain-Related Fear: An Experimental Study of Observational Learning Using Coloured Cold Metal Bars. PLoS ONE, 2015, 10, e0117236.	2.5	14
143	Effect of Seated Trunk Posture on Eye Blink Startle and Subjective Experience: Comparing Flexion, Neutral Upright Posture, and Extension of Spine. PLoS ONE, 2014, 9, e88482.	2.5	10
144	An experimental examination of catastrophizing-related interpretation bias for ambiguous facial expressions of pain using an incidental learning task. Frontiers in Psychology, 2014, 5, 1002.	2.1	23

#	Article	IF	CITATIONS
145	Response inhibition predicts painful task duration and performance in healthy individuals performing a cold pressor task in a motivational context. European Journal of Pain, 2014, 18, 92-100.	2.8	33
146	Psychological therapies help reduce headache and non-headache pain in children and adolescents. Evidence-Based Medicine, 2014, 19, 221-221.	0.6	0
147	Cost-Effectiveness of Specialized Treatment Based on Cognitive Behavioral Therapy Versus Usual Care for Tinnitus. Otology and Neurotology, 2014, 35, 787-795.	1.3	23
148	A Content Analysis of Activity Pacing in Chronic Pain. Clinical Journal of Pain, 2014, 30, 639-645.	1.9	35
149	Psychological Flexibility: What Theory and Which Predictions?. Journal of Pain, 2014, 15, 235-236.	1.4	8
150	Interrupted by pain: An anatomy of pain-contingent activity interruptions. Pain, 2014, 155, 1192-1195.	4.2	22
151	Cognitive-behavioral therapy for insomnia and sleep hygiene in fibromyalgia: a randomized controlled trial. Journal of Behavioral Medicine, 2014, 37, 683-697.	2.1	113
152	More optimism, less pain! The influence of generalized and pain-specific expectations on experienced cold-pressor pain. Journal of Behavioral Medicine, 2014, 37, 47-58.	2.1	42
153	Competing Goals Attenuate Avoidance Behavior in the Context ofÂPain. Journal of Pain, 2014, 15, 1120-1129.	1.4	65
154	When Pain Meets… Pain-Related Choice Behavior and Pain Perception in Different Goal Conflict Situations. Journal of Pain, 2014, 15, 1166-1178.	1.4	17
155	An Experimental Approach to Examining Psychological Contributions to Multisite Musculoskeletal Pain. Journal of Pain, 2014, 15, 1156-1165.	1.4	18
156	Contingency Learning Deficits and Generalization in Chronic Unilateral Hand Pain Patients. Journal of Pain, 2014, 15, 1046-1056.	1.4	50
157	Influence of prior information on pain involves biased perceptual decision-making. Current Biology, 2014, 24, R679-R681.	3.9	89
158	Attention effects on vicarious modulation of nociception and pain. Pain, 2014, 155, 2033-2039.	4.2	15
159	Positive Affect Protects Against Deficient Safety Learning During Extinction of Fear of Movement-Related Pain in Healthy Individuals Scoring Relatively High on Trait Anxiety. Journal of Pain, 2014, 15, 632-644.	1.4	39
160	Mood, stop-rules and task persistence: No Mood-as-Input effects inÂthe context of pain. Journal of Behavior Therapy and Experimental Psychiatry, 2013, 44, 463-468.	1.2	7
161	Optimism lowers pain: Evidence of the causal status and underlying mechanisms. Pain, 2013, 154, 53-58.	4.2	147
162	Confirmatory factor analysis of the Dutch Intolerance of Uncertainty Scale: Comparison of the full and short version. Journal of Behavior Therapy and Experimental Psychiatry, 2013, 44, 21-29.	1.2	79

#	Article	IF	CITATIONS
163	Fear reduction in subacute whiplash-associated disorders: The royal road to recovery?. Pain, 2013, 154, 330-331.	4.2	3
164	Effects of responsibility and mood on painful task persistence. Journal of Behavior Therapy and Experimental Psychiatry, 2013, 44, 186-193.	1.2	11
165	Observational Learning and Pain-Related Fear: Exploring Contingency Learning in an Experimental Study Using Colored Warm Water Immersions. Journal of Pain, 2013, 14, 676-688.	1.4	27
166	Mere Intention to Perform Painful Movements Elicits Fear ofÂMovement-Related Pain: An Experimental Study on Fear Acquisition Beyond Actual Movements. Journal of Pain, 2013, 14, 412-423.	1.4	41
167	Atypical modulation of startle in women in face of aversive bodily sensations. International Journal of Psychophysiology, 2013, 88, 157-163.	1.0	12
168	Goals, mood and performance duration on cognitive tasks during experimentally induced mechanical pressure pain. Journal of Behavior Therapy and Experimental Psychiatry, 2013, 44, 240-247.	1.2	16
169	The acquisition and generalization of cued and contextual pain-related fear: An experimental study using a voluntary movement paradigm. Pain, 2013, 154, 272-282.	4.2	82
170	Pain catastrophizing moderates the effects of pain ontingent task interruptions. European Journal of Pain, 2013, 17, 1082-1092.	2.8	12
171	Accuracy and awareness of perception: Related, yet distinct (commentary on Herbert et al., 2012). Biological Psychology, 2013, 92, 426-427.	2.2	74
172	Tinnitus. Ear and Hearing, 2013, 34, 508-514.	2.1	122
173	Feasibility of a nurseâ€led inâ€home cognitive behavioral program to manage concerns about falls in frail older people: A process evaluation. Research in Nursing and Health, 2013, 36, 257-270.	1.6	15
174	Activity Pacing in Chronic Pain. Clinical Journal of Pain, 2013, 29, 461-468.	1.9	123
175	Generalization Gradients in Cued and Contextual Pain-Related Fear: An Experimental Study in Healthy Participants. Frontiers in Human Neuroscience, 2013, 7, 345.	2.0	45
176	Psychological interventions for chronic pain: reviewed within the context of goal pursuit. Pain Management, 2012, 2, 141-150.	1.5	29
177	Older people's preferences regarding programme formats for managing concerns about falls. Age and Ageing, 2012, 41, 474-481.	1.6	32
178	Physiotherapists' Knowledge, Attitudes, and Intolerance of Uncertainty Influence Decision Making in Low Back Pain. Clinical Journal of Pain, 2012, 28, 467-474.	1.9	72
179	Fear-Avoidance Model of Chronic Pain. Clinical Journal of Pain, 2012, 28, 475-483.	1.9	714
180	Specialised treatment based on cognitive behaviour therapy versus usual care for tinnitus: a randomised controlled trial. Lancet, The, 2012, 379, 1951-1959.	13.7	262

#	Article	IF	CITATIONS
181	Role of Fear of Movement in Cancer Survivors Participating in a Rehabilitation Program: A Longitudinal Cohort Study. Archives of Physical Medicine and Rehabilitation, 2012, 93, 332-338.	0.9	22
182	New Proposals for the International Classification of Diseases-11 Revision of Pain Diagnoses. Journal of Pain, 2012, 13, 305-316.	1.4	28
183	Safety behavior can hamper the extinction of fear of movement-related pain: An experimental investigation in healthy participants. Behaviour Research and Therapy, 2012, 50, 735-746.	3.1	50
184	Reduction of pain-related fear and increased function and participation in work-related upper extremity pain (WRUEP): Effects of exposure in vivo. Pain, 2012, 153, 2109-2118.	4.2	65
185	Fear of movement in cancer survivors: validation of the Modified Tampa Scale of Kinesiophobia—Fatigue. Psycho-Oncology, 2012, 21, 762-770.	2.3	31
186	Operant Learning Theory in Pain and Chronic Pain Rehabilitation. Current Pain and Headache Reports, 2012, 16, 117-126.	2.9	91
187	Fear-avoidance model of chronic musculoskeletal pain: 12 years on. Pain, 2012, 153, 1144-1147.	4.2	729
188	Nonpain goal pursuit inhibits attentional bias to pain. Pain, 2012, 153, 1180-1186.	4.2	45
189	Women, but not men, report increasingly more pain during repeated (un)predictable painful electrocutaneous stimulation: Evidence for mediation by fear of pain. Pain, 2012, 153, 1030-1041.	4.2	57
190	Pain catastrophizing, threat, and the informational value of mood: Task persistence during a painful finger pressing task. Pain, 2012, 153, 1410-1417.	4.2	28
191	Reduction of fear of movement-related pain and pain-related anxiety: An associative learning approach using a voluntary movement paradigm. Pain, 2012, 153, 1504-1513.	4.2	53
192	Behavioural treatment for chronic low-back pain. The Cochrane Library, 2011, 2011, CD002014.	2.8	339
193	Understanding fear of pain in chronic pain: Interoceptive fear conditioning as a novel approach. European Journal of Pain, 2011, 15, 889-894.	2.8	92
194	Learning About Pain From Others: An Observational Learning Account. Journal of Pain, 2011, 12, 167-174.	1.4	148
195	Negative Emotional Constructs Relevant to Pain: Unique Variability, Content Overlap, and Interrelations: A Comment on Mounce, Keogh, and Eccleston (2010). Journal of Pain, 2011, 12, 304-305.	1.4	2
196	Activity Patterns in Chronic Pain: Underlying Dimensions and Associations With Disability and Depressed Mood. Journal of Pain, 2011, 12, 1049-1058.	1.4	88
197	Pain-Related Fear, Perceived Harmfulness of Activities, and Functional Limitations in Complex Regional Pain Syndrome Type I. Journal of Pain, 2011, 12, 1209-1218.	1.4	70
198	Observational Learning and Pain-Related Fear: An Experimental Study With Colored Cold Pressor Tasks. Journal of Pain, 2011, 12, 1230-1239.	1.4	55

#	Article	IF	CITATIONS
199	Feeling More Pain, Yet Showing Less: The Influence of Social Threat on Pain. Journal of Pain, 2011, 12, 1255-1261.	1.4	41
200	The PACE trial in chronic fatigue syndrome. Lancet, The, 2011, 377, 1834.	13.7	8
201	Assessment of Health State in Patients With Tinnitus: A Comparison of the EQ-5D and HUI Mark III. Ear and Hearing, 2011, 32, 428-435.	2.1	24
202	Catastrophizing and Fear of Tinnitus Predict Quality of Life in Patients With Chronic Tinnitus. Ear and Hearing, 2011, 32, 634-641.	2.1	117
203	Tinnitus Interferes With Daily Life Activities: A Psychometric Examination of the Tinnitus Disability Index. Ear and Hearing, 2011, 32, 623-633.	2.1	45
204	"Being―in pain: The role of self-discrepancies in the emotional experience and activity patterns of patients with chronic low back pain. Pain, 2011, 152, 403-409.	4.2	45
205	Norming of the Tampa Scale for Kinesiophobia across pain diagnoses and various countries. Pain, 2011, 152, 1090-1095.	4.2	98
206	Goals matter: Both achievement and pain-avoidance goals are associated with pain severity and disability in patients with low back and upper extremity pain. Pain, 2011, 152, 1382-1390.	4.2	58
207	The acquisition of fear of movement-related pain and associative learning: A novel pain-relevant human fear conditioning paradigm. Pain, 2011, 152, 2460-2469.	4.2	148
208	Evaluating an in-home multicomponent cognitive behavioural programme to manage concerns about falls and associated activity avoidance in frail community-dwelling older people: Design of a randomised control trial [NCT01358032]. BMC Health Services Research, 2011, 11, 228.	2.2	21
209	Tailored treatment: It's not what you think it is. Comment on the article by van Koulil et al. Arthritis Care and Research, 2011, 63, 921-922.	3.4	11
210	Psychological changes and the resolution of acute neck pain after a motor vehicle accident. European Journal of Pain, 2011, 15, 306-312.	2.8	2
211	Dyspnea-related anxiety: The Dutch version of the Breathlessness Beliefs Questionnaire. Chronic Respiratory Disease, 2011, 8, 11-19.	2.4	34
212	Is a Behavioral Graded Activity Program More Effective Than Manual Therapy in Patients With Subacute Neck Pain?. Spine, 2010, 35, 1017-1024.	2.0	57
213	Fatigue and physical disability in patients with multiple sclerosis: a structural equation modeling approach. Journal of Behavioral Medicine, 2010, 33, 355-363.	2.1	44
214	Becoming active again? Further thoughts on goal pursuit in chronic pain. Pain, 2010, 149, 422-423.	4.2	20
215	The need to revise pain diagnoses in ICD-11. Pain, 2010, 149, 169-170.	4.2	23
216	50 years on, Henry Beecher's "Measurement of subjective responses― Pain, 2010, 150, 211-212.	4.2	0

#	Article	IF	CITATIONS
217	Breathtaking! About the comparison of the subjective sensations of pain and dyspnea. Pain, 2010, 149, 411-412.	4.2	2
218	A content analysis of ideal, ought, and feared selves in patients with chronic low back pain. European Journal of Pain, 2010, 14, 648-653.	2.8	11
219	Wilbert E. Fordyce (1923–2009): An appreciation. European Journal of Pain, 2010, 14, 1-2.	2.8	13
220	Selfâ€discrepancies in workâ€related upper extremity pain: Relation to emotions and flexibleâ€goal adjustment. European Journal of Pain, 2010, 14, 764-770.	2.8	24
221	Painâ€related fear predicts disability, but not pain severity: A path analytic approach of the fearâ€avoidance model. European Journal of Pain, 2010, 14, 870.e1-9.	2.8	88
222	The role of current mood and stop rules on physical task performance: An experimental investigation in patients with workâ€related upper extremity pain. European Journal of Pain, 2010, 14, 434-440.	2.8	30
223	Treatments Addressing Pain-Related Fear and Anxiety in Patients with Chronic Musculoskeletal Pain: A Preliminary Review. Cognitive Behaviour Therapy, 2010, 39, 46-63.	3.5	147
224	The contribution of disease severity, depression and negative affectivity to fatigue in multiple sclerosis: A comparison with ulcerative colitis. Journal of Psychosomatic Research, 2010, 69, 43-49.	2.6	25
225	Fear reduction in patients with chronic pain: a learning theory perspective. Expert Review of Neurotherapeutics, 2010, 10, 1733-1745.	2.8	87
226	Het lijden dat men vreest. , 2010, , 175-190.		0
226 227	Het lijden dat men vreest. , 2010, , 175-190. The Nature and Treatment of Pain-Related Fear in Chronic Musculoskeletal Pain. Journal of Cognitive Psychotherapy, 2009, 23, 85-103.	0.4	0 20
	The Nature and Treatment of Pain-Related Fear in Chronic Musculoskeletal Pain. Journal of Cognitive	0.4	
227	The Nature and Treatment of Pain-Related Fear in Chronic Musculoskeletal Pain. Journal of Cognitive Psychotherapy, 2009, 23, 85-103. Active avoidance but not activity pacing is associated with disability in fibromyalgia. Pain, 2009, 147,		20
227 228	The Nature and Treatment of Pain-Related Fear in Chronic Musculoskeletal Pain. Journal of Cognitive Psychotherapy, 2009, 23, 85-103. Active avoidance but not activity pacing is associated with disability in fibromyalgia. Pain, 2009, 147, 29-35. The fear-avoidance model of pain: We are not there yet. Comment on Wideman et al. "A prospective sequential analysis of the fear-avoidance model of pain―[Pain, 2009] and Nicholas "First things first:	4.2	20 86
227 228 229	The Nature and Treatment of Pain-Related Fear in Chronic Musculoskeletal Pain. Journal of Cognitive Psychotherapy, 2009, 23, 85-103. Active avoidance but not activity pacing is associated with disability in fibromyalgia. Pain, 2009, 147, 29-35. The fear-avoidance model of pain: We are not there yet. Comment on Wideman et al. "A prospective sequential analysis of the fear-avoidance model of pain―[Pain, 2009] and Nicholas "First things first: reduction in catastrophizing before fear of movement―[Pain, 2009]. Pain, 2009, 146, 222. On the validity of â€~activity pacing'. Comment on Jensen "Research on coping with chronic pain: The	4.2 4.2	20 86 25
227 228 229 230	The Nature and Treatment of Pain-Related Fear in Chronic Musculoskeletal Pain. Journal of Cognitive Psychotherapy, 2009, 23, 85-103. Active avoidance but not activity pacing is associated with disability in fibromyalgia. Pain, 2009, 147, 29-35. The fear-avoidance model of pain: We are not there yet. Comment on Wideman et al. "A prospective sequential analysis of the fear-avoidance model of pain―[Pain, 2009] and Nicholas "First things first: reduction in catastrophizing before fear of movement―[Pain, 2009]. Pain, 2009, 146, 222. On the validity of †activity pacing'. Comment on Jensen "Research on coping with chronic pain: The importance of active avoidance of inappropriate conclusions―[Pain 2009;147:3–4]. Pain, 2009, 147, 305.	4.2 4.2 4.2	20 86 25 7
227 228 229 230 231	The Nature and Treatment of Pain-Related Fear in Chronic Musculoskeletal Pain. Journal of Cognitive Psychotherapy, 2009, 23, 85-103. Active avoidance but not activity pacing is associated with disability in fibromyalgia. Pain, 2009, 147, 29-35. The fear-avoidance model of pain: We are not there yet. Comment on Wideman et al. "A prospective sequential analysis of the fear-avoidance model of pain―[Pain, 2009] and Nicholas "First things first: reduction in catastrophizing before fear of movement―[Pain, 2009]. Pain, 2009, 146, 222. On the validity of â€⁻activity pacing'. Comment on Jensen "Research on coping with chronic pain: The importance of active avoidance of inappropriate conclusions―[Pain 2009;147:3–4]. Pain, 2009, 147, 305. Cost-effectiveness of multidisciplinary management of Tinnitus at a specialized Tinnitus centre. BMC Health Services Research, 2009, 9, 29.	4.2 4.2 4.2 2.2	20 86 25 7 22

#	Article	IF	CITATIONS
235	General practitioners' treatment orientations towards low back pain: Influence on treatment behaviour and patient outcome. European Journal of Pain, 2009, 13, 412-418.	2.8	21
236	Chronic pain: Avoidance or endurance?. European Journal of Pain, 2009, 13, 551-553.	2.8	5
237	Threat of pain influences social context effects on verbal pain report and facial expression. Behaviour Research and Therapy, 2009, 47, 774-782.	3.1	63
238	The psychology of fatigue in patients with multiple sclerosis: A review. Journal of Psychosomatic Research, 2009, 66, 3-11.	2.6	113
239	The fidelity of treatment delivery can be assessed in treatment outcome studies: a successful illustration from behavioral medicine. Journal of Clinical Epidemiology, 2009, 62, 81-90.	5.0	50
240	Falls and catastrophic thoughts about falls predict mobility restriction in community-dwelling older people: A structural equation modelling approach. Aging and Mental Health, 2009, 13, 587-592.	2.8	50
241	Cognitive and Behavioral Factors in Fibromyalgia: Mood, Goals, and Task Performance. Journal of Musculoskeletal Pain, 2009, 17, 295-301.	0.3	9
242	Dimensional and componential structure of a hierarchical organization of pain-related anxiety constructs Psychological Assessment, 2009, 21, 340-351.	1.5	29
243	A new episode of low back pain: Who relies on bed rest?. European Journal of Pain, 2008, 12, 508-516.	2.8	29
244	A randomized controlled trial of exposure in vivo for patients with spinal pain reporting fear of workâ€related activities. European Journal of Pain, 2008, 12, 722-730.	2.8	122
245	Long-term effectiveness and costs of a brief self-management intervention in women with pregnancy-related low back pain after delivery. BMC Pregnancy and Childbirth, 2008, 8, 19.	2.4	36
246	Chronic low back pain: Physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial. Pain, 2008, 134, 263-276.	4.2	101
247	Reassurance: Help or hinder in the treatment of pain. Pain, 2008, 134, 5-8.	4.2	80
248	Attitudes and beliefs of health care providers: Extending the fear-avoidance model. Pain, 2008, 135, 3-4.	4.2	27
249	Exposure in vivo versus operant graded activity in chronic low back pain patients: Results of a randomized controlled trial. Pain, 2008, 138, 192-207.	4.2	314
250	The influence of fear of movement and pain catastrophizing on daily pain and disability in individuals with acute whiplash injury: A daily diary study. Pain, 2008, 139, 449-457.	4.2	53
251	Reduction of Pain-Related Fear and Disability in Post-Traumatic Neck Pain: A Replicated Single-Case Experimental Study of Exposure In Vivo. Journal of Pain, 2008, 9, 1123-1134.	1.4	60
252	Pain, Mind, and Movement. Clinical Journal of Pain, 2008, 24, 279-280.	1.9	21

#	Article	IF	CITATIONS
253	Treatment Expectancy and Credibility Are Associated With the Outcome of Both Physical and Cognitive-behavioral Treatment in Chronic Low Back Pain. Clinical Journal of Pain, 2008, 24, 305-315.	1.9	209
254	The psychology of chronic pain and its management. Physical Therapy Reviews, 2007, 12, 179-188.	0.8	11
255	Measuring Fear of Movement/(Re)injury in Chronic Low Back Pain Using Implicit Measures. Cognitive Behaviour Therapy, 2007, 36, 52-64.	3.5	16
256	Somatic and Psychologic Predictors of Long-term Unfavorable Outcome After Surgical Intervention. Annals of Surgery, 2007, 245, 487-494.	4.2	268
257	An experimental investigation on attentional interference by threatening fixations of the neck in patients with chronic whiplash syndrome. Pain, 2007, 127, 121-128.	4.2	22
258	Fear of movement and (re)injury in chronic musculoskeletal pain: Evidence for an invariant two-factor model of the Tampa Scale for Kinesiophobia across pain diagnoses and Dutch, Swedish, and Canadian samples. Pain, 2007, 131, 181-190.	4.2	226
259	Disuse and physical deconditioning in the first year after the onset of back pain. Pain, 2007, 130, 279-286.	4.2	130
260	Applying the fear-avoidance model to the chronic whiplash syndrome. Pain, 2007, 131, 258-261.	4.2	52
261	Measuring Perceived Harmfulness of Physical Activities in Patients With Chronic Low Back Pain: The Photograph Series of Daily Activities—Short Electronic Version. Journal of Pain, 2007, 8, 840-849.	1.4	145
262	Development of and recovery from short- and long-term low back pain in occupational settings: A prospective cohort study. European Journal of Pain, 2007, 11, 841-854.	2.8	39
263	Pain-related fear in low back pain: A prospective study in the general population. European Journal of Pain, 2007, 11, 256-266.	2.8	97
264	Dutch translation of the fear of pain questionnaire: Factor structure, reliability and validity: A comment on van Wijk and Hoogstraten (2006). European Journal of Pain, 2007, 11, 121-121.	2.8	0
265	Assessing pain and pain-related fear in acute low back pain: what is the smallest detectable change?. International Journal of Behavioral Medicine, 2007, 14, 242-248.	1.7	35
266	The Fear-Avoidance Model of Musculoskeletal Pain: Current State of Scientific Evidence. Journal of Behavioral Medicine, 2007, 30, 77-94.	2.1	1,687
267	Fear and Pain. , 2007, , 773-776.		0
268	Muscle Pain, Fear-Avoidance Model. , 2007, , 1207-1209.		1
269	Are we "fear-avoidant�. Pain, 2006, 124, 240-241.	4.2	45
270	Effectiveness of a tailor-made intervention for pregnancy-related pelvic girdle and/or low back pain after delivery: Short-term results of a randomized clinical trial [ISRCTN08477490]. BMC Musculoskeletal Disorders, 2006, 7, 19.	1.9	32

#	Article	IF	CITATIONS
271	Reduction of Pain Catastrophizing Mediates the Outcome of Both Physical and Cognitive-Behavioral Treatment in Chronic Low Back Pain. Journal of Pain, 2006, 7, 261-271.	1.4	526
272	The association of physical deconditioning and chronic low back pain: A hypothesis-oriented systematic review. Disability and Rehabilitation, 2006, 28, 673-693.	1.8	120
273	Acute low back pain: pain-related fear and pain catastrophizing influence physical performance and perceived disability. Pain, 2006, 120, 36-43.	4.2	182
274	Predictors of Outcome in Patients With (Sub)Acute Low Back Pain Differ Across Treatment Groups. Spine, 2006, 31, 1699-1705.	2.0	61
275	Fear-Avoidance Beliefs, Disability, and Participation in Workers and Nonworkers With Acute Low Back Pain. Clinical Journal of Pain, 2006, 22, 45-54.	1.9	48
276	Fear of Movement/(Re)Injury Predicting Chronic Disabling Low Back Pain: A Prospective Inception Cohort Study. Spine, 2006, 31, 658-664.	2.0	137
277	Pain and pain-related fear are associated with functional and social disability in an occupational setting: Evidence of mediation by pain-related fear. European Journal of Pain, 2006, 10, 513-513.	2.8	85
278	An electronic diary assessment of the effects of distraction and attentional focusing on pain intensity in chronic low back pain patients. British Journal of Health Psychology, 2006, 11, 595-606.	3.5	18
279	Active rehabilitation for chronic low back pain: Cognitive-behavioral, physical, or both? First direct post-treatment results from a randomized controlled trial [ISRCTN22714229]. BMC Musculoskeletal Disorders, 2006, 7, 5.	1.9	184
280	Fear of Movement/(Re)injury in Chronic Low Back Pain. Clinical Journal of Pain, 2005, 21, 9-17.	1.9	212
281	Treatment Expectancy Affects the Outcome of Cognitive-Behavioral Interventions in Chronic Pain. Clinical Journal of Pain, 2005, 21, 18-26.	1.9	163
282	Epilogue to the Special Topic Series. Clinical Journal of Pain, 2005, 21, 69-72.	1.9	114
283	Cognitive-Behavioral Treatments for Chronic Pain. Clinical Journal of Pain, 2005, 21, 1-8.	1.9	307
284	Pain-Related Factors Contributing to Muscle Inhibition in Patients With Chronic Low Back Pain. Clinical Journal of Pain, 2005, 21, 232-240.	1.9	75
285	Behavioural treatment for chronic low-back pain. , 2005, , CD002014.		141
286	Quality of life in chronic pain is more associated with beliefs about pain, than with pain intensity. European Journal of Pain, 2005, 9, 15-24.	2.8	272
287	Health care providers' orientations towards common low back pain predict perceived harmfulness of physical activities and recommendations regarding return to normal activity. European Journal of Pain, 2005, 9, 173-183.	2.8	215
288	The causal status of pain catastrophizing: an experimental test with healthy participants. European Journal of Pain, 2005, 9, 257-257.	2.8	31

#	Article	IF	CITATIONS
289	Decline in physical activity, disability and pain-related fear in sub-acute low back pain. European Journal of Pain, 2005, 9, 417-417.	2.8	65
290	Pain-related fear at the start of a new low back pain episode. European Journal of Pain, 2005, 9, 635-635.	2.8	31
291	Fear of Movement/Injury in the General Population: Factor Structure and Psychometric Properties of an Adapted Version of the Tampa Scale for Kinesiophobia. Journal of Behavioral Medicine, 2005, 28, 415-424.	2.1	90
292	Assessment of readiness to change in patients with osteoarthritis. Development and application of a new questionnaire. Clinical Rehabilitation, 2005, 19, 290-299.	2.2	8
293	An Examination of Word Relevance in a Modified Stroop Task in Patients with Chronic Low Back Pain. Perceptual and Motor Skills, 2005, 100, 955-963.	1.3	5
294	The joint contribution of physical pathology, pain-related fear and catastrophizing to chronic back pain disability. Pain, 2005, 113, 45-50.	4.2	183
295	The differential role of pain, work characteristics and pain-related fear in explaining back pain and sick leave in occupational settings. Pain, 2005, 113, 71-81.	4.2	75
296	Residual complaints following lumbar disc surgery: prognostic indicators of outcome. Pain, 2005, 114, 177-185.	4.2	18
297	Do health care providers' attitudes towards back pain predict their treatment recommendations? Differential predictive validity of implicit and explicit attitude measures. Pain, 2005, 114, 491-498.	4.2	96
298	Reduction of pain-related fear in complex regional pain syndrome type I: The application of graded exposure in vivo. Pain, 2005, 116, 264-275.	4.2	223
299	The Fear of Pain Questionnaire (FPQ): Further psychometric examination in a non-clinical sample. Pain, 2005, 116, 339-346.	4.2	83
300	A longitudinal study on the predictive validity of the fear–avoidance model in low back pain. Pain, 2005, 117, 162-170.	4.2	100
301	Pain catastrophizing and consequences of musculoskeletal pain: A prospective study in the Dutch community. Journal of Pain, 2005, 6, 125-132.	1.4	45
302	The Role of Fear of Movement and Injury in Selective Attentional Processing in Patients with Chronic Low Back Pain: A Dot-Probe Evaluation. Journal of Pain, 2005, 6, 294-300.	1.4	77
303	Norming clinical questionnaires with multiple regression: The Pain Cognition List Psychological Assessment, 2005, 17, 336-344.	1.5	91
304	Treatment of pregnancy-related pelvic girdle and/or low back pain after delivery design of a randomized clinical trial within a comprehensive prognostic cohort study [ISRCTN08477490]. BMC Public Health, 2004, 4, 67.	2.9	16
305	Psychometric Evaluation of the Pain Anxiety Symptoms Scale (PASS) in Chronic Pain Patients. Journal of Behavioral Medicine, 2004, 27, 167-183.	2.1	150
306	Catastrophizing and internal pain control as mediators of outcome in the multidisciplinary treatment of chronic low back pain. European Journal of Pain, 2004, 8, 211-219.	2.8	225

#	Article	IF	CITATIONS
307	The Tampa Scale for Kinesiophobia: further examination of psychometric properties in patients with chronic low back pain and fibromyalgia. European Journal of Pain, 2004, 8, 495-502.	2.8	366
308	Does fear of pain moderate the effects of sensory focusing and distraction on cold pressor pain in pain-free individuals?. Journal of Pain, 2004, 5, 250-256.	1.4	75
309	Lowering fear-avoidance and enhancing function through exposure in vivo. Pain, 2004, 108, 8-16.	4.2	191
310	Pain-related fear and daily functioning in patients with osteoarthritis. Pain, 2004, 110, 228-235.	4.2	213
311	Active despite pain: the putative role of stop-rules and current mood. Pain, 2004, 110, 512-516.	4.2	102
312	Do we need a communal coping model of pain catastrophizing? An alternative explanation. Pain, 2004, 111, 226-229.	4.2	76
313	Electronic diary assessment of pain-related fear, attention to pain, and pain intensity in chronic low back pain patients. Pain, 2004, 112, 335-342.	4.2	67
314	Catastrophic thinking about pain increases discomfort during internal atrial cardioversion. Journal of Psychosomatic Research, 2004, 56, 139-144.	2.6	35
315	Confirmatory Factor Analysis of the Tampa Scale for Kinesiophobia. Clinical Journal of Pain, 2004, 20, 103-110.	1.9	259
316	Health Care Providers' Attitudes and Beliefs Towards Common Low Back Pain: Factor Structure and Psychometric Properties of the HC-PAIRS. Clinical Journal of Pain, 2004, 20, 37-44.	1.9	106
317	Pain Catastrophizing Is Associated With Health Indices in Musculoskeletal Pain: A Cross-Sectional Study in the Dutch Community Health Psychology, 2004, 23, 49-57.	1.6	85
318	Psychologische aspecten bij het Failed Back Surgery Syndrome. , 2004, , 103-111.		0
319	Vrees voor beweging/letsel, vermijding en chronische rugpijn. , 2004, , 998-1007.		0
320	Effectiveness of behavioral graded activity after first-time lumbar disc surgery: short term results of a randomized controlled trial. European Spine Journal, 2003, 12, 637-644.	2.2	38
321	Health care provider's attitudes and beliefs towards chronic low back pain: the development of a questionnaire. Manual Therapy, 2003, 8, 214-222.	1.6	158
322	Psychometric properties of the Tampa Scale for kinesiophobia and the fear-avoidance beliefs questionnaire in acute low back pain. Manual Therapy, 2003, 8, 29-36.	1.6	404
323	Disuse and deconditioning in chronic low back pain: concepts and hypotheses on contributing mechanisms. European Journal of Pain, 2003, 7, 9-21.	2.8	239
324	Selective attention and avoidance of pain-related stimuli: a dot-probe evaluation in a pain-free population. Journal of Pain, 2003, 4, 322-328.	1.4	38

#	Article	IF	CITATIONS
325	Fear of injury and physical deconditioning in patients with chronic low back pain11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2003, 84, 1227-1232.	0.9	107
326	The pain vigilance and awareness questionnaire (PVAQ): further psychometric evaluation in fibromyalgia and other chronic pain syndromes. Pain, 2003, 101, 299-306.	4.2	233
327	Fear of pain, physical performance, and attentional processes in patients with fibromyalgia. Pain, 2003, 104, 121-130.	4.2	105
328	Fear of movement/(re)injury, disability and participation in acute low back pain. Pain, 2003, 105, 371-379.	4.2	158
329	The Sense of Coherence in Early Pregnancy and Crisis Support and Posttraumatic Stress After Pregnancy Loss: A Prospective Study. Behavioral Medicine, 2003, 29, 80-84.	1.9	71
330	The Modified Stroop Paradigm as a Measure of Selective Attention towards Pain-Related Information in Patients with Chronic Low Back Pain. Psychological Reports, 2003, 92, 707-715.	1.7	18
331	Secondary Prevention of Work-Related Disability in Nonspecific Low Back Pain: Does Problem-Solving Therapy Help? A Randomized Clinical Trial. Clinical Journal of Pain, 2003, 19, 87-96.	1.9	153
332	Behavioral Graded Activity Following First-Time Lumbar Disc Surgery. Spine, 2003, 28, 1757-1765.	2.0	71
333	THE MODIFIED STROOP PARADIGM AS A MEASURE OF SELECTIVE ATTENTION TOWARDS PAIN-RELATED INFORMATION IN PATIENTS WITH CHRONIC LOW BACK PAIN. Psychological Reports, 2003, 92, 707.	1.7	2
334	Pain Catastrophizing and Kinesiophobia: Predictors of Chronic Low Back Pain. American Journal of Epidemiology, 2002, 156, 1028-1034.	3.4	543
335	Psychological treatments for chronic low back pain: past, present and beyond. Pain Reviews, 2002, 9, 29-40.	0.0	8
336	The Treatment of Fear of Movement/(Re)injury in Chronic Low Back Pain: Further Evidence on the Effectiveness of Exposure In Vivo. Clinical Journal of Pain, 2002, 18, 251-261.	1.9	446
337	Exposure to physical movement in low back pain patients: Restricted effects of generalization Health Psychology, 2002, 21, 573-578.	1.6	100
338	Graded In Vivo Exposure Treatment for Fear-Avoidant Pain Patients with Functional Disability: A Case Study. Cognitive Behaviour Therapy, 2002, 31, 49-58.	3.5	56
339	Is pain-related fear a predictor of somatosensory hypervigilance in chronic low back pain patients?. Behaviour Research and Therapy, 2002, 40, 85-103.	3.1	89
340	Dutch version of the Pain Vigilance and Awareness Questionnaire: validity and reliability in a pain-free population. Behaviour Research and Therapy, 2002, 40, 1081-1090.	3.1	78
341	Pain catastrophizing and general health status in a large Dutch community sample. Pain, 2002, 99, 367-376.	4.2	122
342	Can Pain-Related Fear Be Reduced? The Application of Cognitive-Behavioural Exposure in Vivo. Pain Research and Management, 2002, 7, 144-153.	1.8	122

#	Article	IF	CITATIONS
343	Selective attention for pain-related information in healthy individuals: the role of pain and fear. European Journal of Pain, 2002, 6, 331-339.	2.8	38
344	Serie onderzoek en psychotherapie: Catastrofale misinterpretaties. Tijdschrift Voor Psychotherapie, 2002, 28, 73-82.	0.2	2
345	The back pain beliefs of health care providers: are we fear-avoidant?. Journal of Occupational Rehabilitation, 2002, 12, 223-232.	2.2	221
346	The modified Stroop paradigm as a measure of selective attention towards pain-related stimuli among chronic pain patients: a meta-analysis. European Journal of Pain, 2002, 6, 273-281.	2.8	115
347	Pain-related fear in acute low back pain: the first two weeks of a new episode. European Journal of Pain, 2002, 6, 229-237.	2.8	97
348	Exposure to physical movement in low back pain patients: Restricted effects of generalization Health Psychology, 2002, 21, 573-578.	1.6	4
349	Exposure to physical movements in low back pain patients: restricted effects of generalization. Health Psychology, 2002, 21, 573-8.	1.6	10
350	Readiness to adopt the self-management approach to cope with chronic pain in fibromyalgic patients. Pain, 2001, 90, 37-45.	4.2	54
351	Comment on â€~Differences in somatic perception in female patients with irritable bowel syndrome with and without fibromyalgia' L. Chang et al., PAIN 84 (2000) 297–307. Pain, 2001, 91, 402-404.	4.2	1
352	The effects of failure feedback and pain-related fear on pain report, pain tolerance, and pain avoidance in chronic low back pain patients. Pain, 2001, 92, 247-257.	4.2	69
353	Physical activity in daily life in patients with chronic low back pain. Archives of Physical Medicine and Rehabilitation, 2001, 82, 726-730.	0.9	128
354	The relationship between anxiety sensitivity and fear of pain in healthy adolescents. Behaviour Research and Therapy, 2001, 39, 1357-1368.	3.1	52
355	Graded exposure in vivo in the treatment of pain-related fear: a replicated single-case experimental design in four patients with chronic low back pain. Behaviour Research and Therapy, 2001, 39, 151-166.	3.1	405
356	Pain Catastrophizing Predicts Pain Intensity, Disability, and Psychological Distress Independent of the Level of Physical Impairment. Clinical Journal of Pain, 2001, 17, 165-172.	1.9	499
357	Behavioral Treatment for Chronic Low Back Pain. Spine, 2001, 26, 270-281.	2.0	244
358	Functional disability in nonspecific low back pain: The role of pain-related fear and problem-solving skills. International Journal of Behavioral Medicine, 2001, 8, 134-148.	1.7	37
359	Anxiety Sensitivity and Fear of Pain in Children. Perceptual and Motor Skills, 2001, 92, 456-458.	1.3	9
360	ANXIETY SENSITIVITY AND FEAR OF PAIN IN CHILDREN. Perceptual and Motor Skills, 2001, 92, 456.	1.3	2

#	Article	IF	CITATIONS
361	Behavioral Treatment for Chronic Low Back Pain. Spine, 2000, 25, 2688-2699.	2.0	192
362	Does failure hurt? The effects of failure feedback on pain report, pain tolerance and pain avoidance. European Journal of Pain, 2000, 4, 335-346.	2.8	22
363	De angst voor bewegen: geleidelijke exposure in vivo bij chronische lagerugpijn. Dth, 2000, 20, 72-81.	0.2	5
364	Are fear-avoidance beliefs related to the inception of an episode of back pain? A prospective study. Psychology and Health, 2000, 14, 1051-1059.	2.2	160
365	Do fibromyalgia patients display hypervigilance for innocuous somatosensory stimuli? Application of a body scanning reaction time paradigm. Pain, 2000, 86, 283-292.	4.2	123
366	Fear-avoidance and its consequences in chronic musculoskeletal pain: a state of the art. Pain, 2000, 85, 317-332.	4.2	3,615
367	Behavioral-graded activity compared with usual care after first-time disk surgery: Considerations of the design of a randomized clinical trial. Journal of Manipulative and Physiological Therapeutics, 2000, 23, 312-319.	0.9	5
368	The cost diary. Journal of Clinical Epidemiology, 2000, 53, 688-695.	5.0	293
369	Effect of Butorphanol Tartrate on Shock-Related Discomfort During Internal Atrial Defibrillation. Circulation, 1999, 99, 1837-1842.	1.6	26
370	Principles of economic evaluation for interventions of chronic musculoskeletal pain. European Journal of Pain, 1999, 3, 343-353.	2.8	28
371	Place du concept de «peur de bouger/(ré)apparition du mal» dans l'analyse et la réhabilitation comportementale des lombalgiques chroniques. Douleur Et Analgesie, 1999, 12, 281-288.	0.1	13
372	Fear of movement/(re)injury, avoidance and pain disability in chronic low back pain patients. Manual Therapy, 1999, 4, 187-195.	1.6	202
373	Pain-related fear is more disabling than pain itself: evidence on the role of pain-related fear in chronic back pain disability. Pain, 1999, 80, 329-339.	4.2	1,316
374	Patient utilities in chronic musculoskeletal pain: how useful is the standard gamble method?. Pain, 1999, 80, 365-375.	4.2	35
375	Fear of movement/(re)injury and muscular reactivity in chronic low back pain patients: an experimental investigation. Pain, 1999, 82, 297-304.	4.2	149
376	Chronic low-back pain: What does cognitive coping skills training add to operant behavioral treatment? Results of a randomized clinical trial Journal of Consulting and Clinical Psychology, 1999, 67, 931-944.	2.0	114
377	Health economic assessment of behavioural rehabilitation in chronic low back pain: a randomised clinical trial. , 1998, 7, 39-51.		80
378	Reply to Wallis et al., PAIN 73 (1997) 15-22. Pain, 1998, 78, 223-225.	4.2	6

22

#	Article	IF	CITATIONS
379	Health economic assessment of behavioural rehabilitation in chronic low back pain: a randomised clinical trial. Health Economics (United Kingdom), 1998, 7, 39-51.	1.7	3
380	The effects of cognitive-behavioural therapy in chronic pain. Pain, 1996, 65, 282-283.	4.2	11
381	Behavioural rehabilitation of chronic low back pain: Comparison of an operant treatment, an operantâ€cognitive treatment and an operantâ€respondent treatment. British Journal of Clinical Psychology, 1995, 34, 95-118.	3.5	142
382	The role of fear of movement/(re)injury in pain disability. Journal of Occupational Rehabilitation, 1995, 5, 235-252.	2.2	575
383	Fear of movement/(re)injury in chronic low back pain and its relation to behavioral performance. Pain, 1995, 62, 363-372.	4.2	1,852
384	What do chronic pain patients think of their pain? Towards a pain cognition questionnaire. British Journal of Clinical Psychology, 1990, 29, 383-394.	3.5	79
385	A comment on the Schmidt/Fordyce discussion. Pain, 1990, 43, 131-132.	4.2	0
386	Assessment of the components of observed chronic pain behavior. Pain, 1990, 43, 337-347.	4.2	18
387	A Behavioral Treatment for Sitting and Standing Intolerance in a Patient with Chronic Low Back Pain. Clinical Journal of Pain, 1989, 5, 233-238.	1.9	13
388	Dimensions and components of observed chronic pain behavior. Pain, 1987, 31, 65-75.	4.2	25
389	Cognitive behavioural therapy for tinnitus. The Cochrane Library, 0, , .	2.8	6
390	The influence of a manipulation of threat on experimentally-induced secondary hyperalgesia. PeerJ, 0, 10, e13512.	2.0	3