

# Luis Castao

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7390317/luis-castano-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69  
papers

2,059  
citations

19  
h-index

44  
g-index

74  
ext. papers

2,773  
ext. citations

5.5  
avg, IF

3.99  
L-index

#	Paper	IF	Citations
69	Candidate Biomarkers for the Prediction and Monitoring of Partial Remission in Pediatric Type 1 Diabetes.. <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 825426	8.4	0
68	ImprintSeq, a novel tool to interrogate DNA methylation at human imprinted regions and diagnose multilocus imprinting disturbance.. <i>Genetics in Medicine</i> , <b>2021</b> ,	8.1	2
67	E2F1 and E2F2-Mediated Repression of CPT2 Establishes a Lipid-Rich Tumor-Promoting Environment. <i>Cancer Research</i> , <b>2021</b> , 81, 2874-2887	10.1	10
66	Potential of Erythrocyte Membrane Lipid Profile as a Novel Inflammatory Biomarker to Distinguish Metabolically Healthy Obesity in Children. <i>Journal of Personalized Medicine</i> , <b>2021</b> , 11,	3.6	5
65	Dietary Macronutrient Composition in Relation to Circulating HDL and Non-HDL Cholesterol: A Federated Individual-Level Analysis of Cross-Sectional Data from Adolescents and Adults in 8 European Studies. <i>Journal of Nutrition</i> , <b>2021</b> , 151, 2317-2329	4.1	1
64	Growth and development of islet autoimmunity and type 1 diabetes in children genetically at risk. <i>Diabetologia</i> , <b>2021</b> , 64, 826-835	10.3	6
63	Molecular Differences Based on Erythrocyte Fatty Acid Profile to Personalize Dietary Strategies between Adults and Children with Obesity. <i>Metabolites</i> , <b>2021</b> , 11,	5.6	3
62	Incidence of diabetes mellitus and associated risk factors in the adult population of the Basque country, Spain. <i>Scientific Reports</i> , <b>2021</b> , 11, 3016	4.9	2
61	Five patients with disorders of calcium metabolism presented with GCM2 gene variants. <i>Scientific Reports</i> , <b>2021</b> , 11, 2968	4.9	2
60	Immunogenicity and reactogenicity of BNT162b2 booster in ChAdOx1-S-primed participants (CombiVacS): a multicentre, open-label, randomised, controlled, phase 2 trial. <i>Lancet, The</i> , <b>2021</b> , 398, 121-130	40	133
59	Fatty liver index as a predictor for type 2 diabetes in subjects with normoglycemia in a nationwide cohort study. <i>Scientific Reports</i> , <b>2021</b> , 11, 16453	4.9	0
58	Clinical and genetic characteristics in patients under 30 years with sporadic pituitary adenomas. <i>European Journal of Endocrinology</i> , <b>2021</b> , 185, 485-496	6.5	0
57	Liver osteopontin is required to prevent the progression of age-related nonalcoholic fatty liver disease. <i>Aging Cell</i> , <b>2020</b> , 19, e13183	9.9	8
56	Novel variant in the CNM2 gene associated with dominant hypomagnesemia. <i>PLoS ONE</i> , <b>2020</b> , 15, e0239965	3.7	5
55	Incidence and regression of metabolic syndrome in a representative sample of the Spanish population: results of the cohort di@bet.es study. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,	4.5	1
54	Incidence of diabetes mellitus in Spain as results of the nation-wide cohort di@bet.es study. <i>Scientific Reports</i> , <b>2020</b> , 10, 2765	4.9	24
53	Variants of and May Contribute towards the Broad Phenotype Observed in 46,XY DSD Patients with Heterozygous Variants of. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	2

52	Fatty Acid Profile of Mature Red Blood Cell Membranes and Dietary Intake as a New Approach to Characterize Children with Overweight and Obesity. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	8
51	Rare Germline Variants in Pediatric Patients With Cushing's Disease: What Is Their Role?. <i>Frontiers in Endocrinology</i> , <b>2020</b> , 11, 433	5.7	4
50	Broad Phenotypes of Disorders/Differences of Sex Development in Patients Through Oligogenic Disease. <i>Frontiers in Genetics</i> , <b>2019</b> , 10, 746	4.5	10
49	Dairy Product Consumption and Metabolic Diseases in the Di@bet.es Study. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	4
48	Variable phenotype in mutations: extrarenal manifestations distinguish affected individuals from the population with congenital anomalies of the kidney and urinary tract. <i>CKJ: Clinical Kidney Journal</i> , <b>2019</b> , 12, 373-379	4.5	22
47	Thyroid hormone resistance from newborns to adults: a Spanish experience. <i>Journal of Endocrinological Investigation</i> , <b>2019</b> , 42, 941-949	5.2	8
46	Islet Autoantibody Standardization Program 2018 Workshop: Interlaboratory Comparison of Glutamic Acid Decarboxylase Autoantibody Assay Performance. <i>Clinical Chemistry</i> , <b>2019</b> , 65, 1141-1152	5.5	23
45	Negative autoimmunity in a Spanish pediatric cohort suspected of type 1 diabetes, could it be monogenic diabetes?. <i>PLoS ONE</i> , <b>2019</b> , 14, e0220634	3.7	3
44	Novel mutations associated with inherited human calcium-sensing receptor disorders: A clinical genetic study. <i>European Journal of Endocrinology</i> , <b>2019</b> , 180, 59-70	6.5	8
43	Ambient temperature and prevalence of diabetes and insulin resistance in the Spanish population: Di@bet.es study. <i>European Journal of Endocrinology</i> , <b>2019</b> , 180, 273-280	6.5	7
42	DEXI, a candidate gene for type 1 diabetes, modulates rat and human pancreatic beta cell inflammation via regulation of the type I IFN/STAT signalling pathway. <i>Diabetologia</i> , <b>2019</b> , 62, 459-472	10.3	19
41	Joint Data Analysis in Nutritional Epidemiology: Identification of Observational Studies and Minimal Requirements. <i>Journal of Nutrition</i> , <b>2018</b> , 148, 285-297	4.1	7
40	Maturity Onset Diabetes of the Young (MODY) in Tunisia: Low frequencies of GCK and HNF1A mutations. <i>Gene</i> , <b>2018</b> , 651, 44-48	3.8	12
39	Effect of Hydrolyzed Infant Formula vs Conventional Formula on Risk of Type 1 Diabetes: The TRIGR Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 319, 38-48	27.4	73
38	Iron deficiency is associated with Hypothyroxinemia and Hypotriiodothyroninemia in the Spanish general adult population: Di@bet.es study. <i>Scientific Reports</i> , <b>2018</b> , 8, 6571	4.9	11
37	Celiac Disease-associated lncRNA Named HCG14 Regulates NOD1 Expression in Intestinal Cells. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2018</b> , 67, 225-231	2.8	12
36	Successful use of cinacalcet to treat parathyroid-related hypercalcemia in two pediatric patients. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , <b>2018</b> , 2018,	1.4	2
35	GATA4 Variants in Individuals With a 46,XY Disorder of Sex Development (DSD) May or May Not Be Associated With Cardiac Defects Depending on Second Hits in Other DSD Genes. <i>Frontiers in Endocrinology</i> , <b>2018</b> , 9, 142	5.7	14

34	Hvidoere Smiley Faces: International diabetes quality of life assessment tool for young children. <i>Pediatric Diabetes</i> , <b>2018</b> , 19, 553-558	3.6	4
33	Targets and teamwork: Understanding differences in pediatric diabetes centers treatment outcomes. <i>Pediatric Diabetes</i> , <b>2018</b> , 19, 559-565	3.6	11
32	Celiac Male's Gluten-Free Diet Profile: Comparison to that of the Control Population and Celiac Women. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	7
31	ISPAD Clinical Practice Consensus Guidelines 2018: The diagnosis and management of monogenic diabetes in children and adolescents. <i>Pediatric Diabetes</i> , <b>2018</b> , 19 Suppl 27, 47-63	3.6	136
30	An Activating Mutation in Results in Neonatal Diabetes Through Reduced Insulin Synthesis. <i>Diabetes</i> , <b>2017</b> , 66, 1022-1029	0.9	28
29	Heterogeneity in phenotype of hyperinsulinism caused by activating glucokinase mutations: a novel mutation and its functional characterization. <i>Clinical Endocrinology</i> , <b>2017</b> , 86, 778-783	3.4	11
28	Osteopontin regulates the cross-talk between phosphatidylcholine and cholesterol metabolism in mouse liver. <i>Journal of Lipid Research</i> , <b>2017</b> , 58, 1903-1915	6.3	11
27	Population-Based National Prevalence of Thyroid Dysfunction in Spain and Associated Factors: Di@bet.es Study. <i>Thyroid</i> , <b>2017</b> , 27, 156-166	6.2	26
26	Prevalence of diabetes mellitus and impaired glucose metabolism in the adult population of the Basque Country, Spain. <i>Diabetic Medicine</i> , <b>2017</b> , 34, 662-666	3.5	16
25	Lower Frequency of HLA-DRB1 Type 1 Diabetes Risk Alleles in Pediatric Patients with MODY. <i>PLoS ONE</i> , <b>2017</b> , 12, e0169389	3.7	6
24	Prevalence, Diagnosis, Treatment, and Control of Hypertension in Spain. Results of the Di@bet.es Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , <b>2016</b> , 69, 572-8	0.7	18
23	Clinical and genetic characterization of congenital hyperinsulinism in Spain. <i>European Journal of Endocrinology</i> , <b>2016</b> , 174, 717-26	6.5	15
22	Experience with immunotherapy in 3 patients with cerebellar ataxia associated with anti-glutamic acid decarboxylase antibodies. <i>Neurología</i> , <b>2015</b> , 30, 247-9	1.4	5
21	Normal intellectual development in children born from women with hypothyroxinemia during their pregnancy. <i>Journal of Trace Elements in Medicine and Biology</i> , <b>2015</b> , 31, 18-24	4.1	15
20	Pseudohypoparathyroidism type Ib associated with novel duplications in the GNAS locus. <i>PLoS ONE</i> , <b>2015</b> , 10, e0117691	3.7	18
19	Highly sensitive diagnosis of 43 monogenic forms of diabetes or obesity through one-step PCR-based enrichment in combination with next-generation sequencing. <i>Diabetes Care</i> , <b>2014</b> , 37, 460-7	14.6	58
18	Prevalence of obesity, diabetes and other cardiovascular risk factors in Andalusia (southern Spain). Comparison with national prevalence data. The Di@bet.es study. <i>Revista Espanola De Cardiologia (English Ed)</i> , <b>2014</b> , 67, 442-8	0.7	18
17	Variable patterns of obesity and cardiometabolic phenotypes and their association with lifestyle factors in the Di@bet.es study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2014</b> , 24, 947-55	4.5	24

16	Ambient temperature and prevalence of obesity in the Spanish population: The Di@bet.es study. <i>Obesity</i> , <b>2014</b> , 22, 2328-32	8	23
15	Prevalencia de obesidad, diabetes mellitus y otros factores de riesgo cardiovascular en Andalucía. Comparación con datos de prevalencia nacionales. Estudio Di@bet.es. <i>Revista Española De Cardiología</i> , <b>2014</b> , 67, 442-448	1.5	42
14	Prevalence of plasma lipid abnormalities and its association with glucose metabolism in Spain: the di@bet.es study. <i>Clinica E Investigación En Arteriosclerosis</i> , <b>2014</b> , 26, 107-14	1.4	7
13	Use of drugs related to the treatment of diabetes mellitus and other cardiovascular risk factors in the Spanish population. The Di@bet.es study. <i>Revista Española De Cardiología (English Ed)</i> , <b>2013</b> , 66, 854-63	0.7	0
12	Metabolic outcomes in young children with type 1 diabetes differ between treatment centers: the Hvidoere Study in Young Children 2009. <i>Pediatric Diabetes</i> , <b>2013</b> , 14, 422-8	3.6	45
11	Absence of diabetes mellitus type 2 in obese children and adolescents in the north of Spain. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2013</b> , 26, 25-9	1.6	14
10	Prevalence of diabetes mellitus and impaired glucose regulation in Spain: the Di@bet.es Study. <i>Diabetologia</i> , <b>2012</b> , 55, 88-93	10.3	586
9	Consumption of cow's milk is associated with lower risk of type 2 diabetes mellitus. A cross-sectional study. <i>International Dairy Journal</i> , <b>2012</b> , 26, 162-165	3.5	2
8	Ten novel mutations in the NR5A1 gene cause disordered sex development in 46,XY and ovarian insufficiency in 46,XX individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, E1294-306	5.6	90
7	Recessive mutations in the INS gene result in neonatal diabetes through reduced insulin biosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 3105-10	11.5	149
6	Target setting in intensive insulin management is associated with metabolic control: the Hvidoere childhood diabetes study group centre differences study 2005. <i>Pediatric Diabetes</i> , <b>2010</b> , 11, 271-8	3.6	90
5	Exploring the diabetogenicity of the HLA-B18-DR3 CEH: independent association with T1D genetic risk close to HLA-DOA. <i>Genes and Immunity</i> , <b>2009</b> , 10, 596-600	4.4	13
4	Mutations in GCK and HNF-1alpha explain the majority of cases with clinical diagnosis of MODY in Spain. <i>Clinical Endocrinology</i> , <b>2007</b> , 67, 538-46	3.4	51
3	Conserved extended haplotypes discriminate HLA-DR3-homozygous Basque patients with type 1 diabetes mellitus and celiac disease. <i>Genes and Immunity</i> , <b>2006</b> , 7, 550-4	4.4	45
2	Dynamic of Anti-Transglutaminase Autoantibodies in the Follow-Up of Celiac Children with Gluten Free Diet: Comparison of IgG and IgA. <i>Pediatric Research</i> , <b>2005</b> , 57, 922-922	3.2	
1	Influence of sex and age at onset on autoantibodies against insulin, GAD65 and IA2 in recent onset type 1 diabetic patients. <i>Hormone Research in Paediatrics</i> , <b>2000</b> , 54, 181-5	3.3	16