

Michael J Hounslow

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7390954/publications.pdf>

Version: 2024-02-01

124
papers

4,780
citations

70961

41
h-index

114278

63
g-index

133
all docs

133
docs citations

133
times ranked

2294
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Tracking of powder lump formation and dispersion with the use of FBRM technology and video recordings. Powder Technology, 2020, 367, 10-19. | 2.1 | 4 |
| 2 | Surface tension-driven effects in the reconstitution of food powders. Chemical Engineering Research and Design, 2019, 146, 464-469. | 2.7 | 13 |
| 3 | Wetting of binary powder mixtures. International Journal of Pharmaceutics, 2019, 572, 118770. | 2.6 | 4 |
| 4 | Hydrophobic/hydrophilic powders: Practical implications of screw element type on the reduction of fines in twin screw granulation. Powder Technology, 2019, 341, 94-103. | 2.1 | 13 |
| 5 | Unwanted agglomeration of industrial amorphous food powder from a particle perspective. Chemical Engineering Research and Design, 2018, 132, 1160-1169. | 2.7 | 7 |
| 6 | Hydrophobic/hydrophilic static powder beds: Competing horizontal spreading and vertical imbibition mechanisms of a single droplet. Powder Technology, 2018, 330, 275-283. | 2.1 | 15 |
| 7 | Twin screw granulation: An evaluation of using micronized lactose as a solid binder. Chemical Engineering Research and Design, 2018, 133, 281-293. | 2.7 | 2 |
| 8 | Multi-stage granulation: An approach to enhance final granule attributes. Chemical Engineering Research and Design, 2018, 134, 26-35. | 2.7 | 4 |
| 9 | Implementation of an online thermal imaging to study the effect of process parameters of roller compactor. Drug Delivery and Translational Research, 2018, 8, 1604-1614. | 3.0 | 3 |
| 10 | Analysis of mesoscale effects in high-shear granulation through a computational fluid dynamicsâ€“population balance coupled compartment model. Particology, 2018, 36, 1-12. | 2.0 | 5 |
| 11 | Food suspensions study with SR microtomography. Chemical Engineering Science, 2018, 175, 208-219. | 1.9 | 0 |
| 12 | Cohesive strength measurement of catalyst layer: Uniform drying and on-line monitoring. Chemical Engineering Research and Design, 2018, 132, 1117-1130. | 2.7 | 4 |
| 13 | Studying model suspensions using high resolution synchrotron X-ray microtomography. Chemical Engineering Research and Design, 2017, 117, 756-772. | 2.7 | 6 |
| 14 | A compartmental CFDâ€“PBM model of high shear wet granulation. AIChE Journal, 2017, 63, 438-458. | 1.8 | 19 |
| 15 | Investigating the effect of processing parameters on pharmaceutical tablet disintegration using a real-time particle imaging approach. European Journal of Pharmaceutics and Biopharmaceutics, 2016, 106, 88-96. | 2.0 | 19 |
| 16 | Twin screw granulation: Understanding the mechanism of granule formation along the barrel length. Chemical Engineering Research and Design, 2016, 110, 43-53. | 2.7 | 31 |
| 17 | Developing a miniaturized approach for formulation development using twin screw granulation. Powder Technology, 2016, 300, 83-91. | 2.1 | 3 |
| 18 | Representing spray zone with cross flow as a well-mixed compartment in a high shear granulator. Powder Technology, 2016, 297, 429-437. | 2.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Dispersion of a semi-solid binder in a moving powder bed during detergent agglomeration. Chemical Engineering Research and Design, 2016, 110, 32-42. | 2.7 | 5 |
| 20 | Movement of a secondary immiscible liquid in a suspension using a non-invasive technique. Chemical Engineering Research and Design, 2016, 110, 160-170. | 2.7 | 5 |
| 21 | Roller compaction: Effect of relative humidity of lactose powder. European Journal of Pharmaceutics and Biopharmaceutics, 2016, 106, 26-37. | 2.0 | 22 |
| 22 | Roller compactor: Determining the nip angle and powder compaction progress by indentation of the pre-compacted body. Powder Technology, 2016, 300, 107-119. | 2.1 | 16 |
| 23 | A novel technique for quantifying the cohesive strength of washcoat. Chemical Engineering Research and Design, 2016, 110, 108-113. | 2.7 | 6 |
| 24 | Blade-granule bed stress in a cylindrical high shear granulator: Further characterisation using DEM. Powder Technology, 2016, 300, 92-106. | 2.1 | 11 |
| 25 | Accuracy and optimal sampling in Monte Carlo solution of population balance equations. AIChE Journal, 2015, 61, 2394-2402. | 1.8 | 10 |
| 26 | Microscale study of particle agglomeration in oil-based food suspensions: The effect of binding liquid. Powder Technology, 2015, 270, 528-536. | 2.1 | 7 |
| 27 | Twin screw wet granulation: Effect of process and formulation variables on powder caking during production. International Journal of Pharmaceutics, 2015, 496, 571-582. | 2.6 | 19 |
| 28 | Roller compactor: The effect of mechanical properties of primary particles. International Journal of Pharmaceutics, 2015, 496, 124-136. | 2.6 | 16 |
| 29 | Aggregation of growing crystals in suspension: II. Poiseuille flow crystalliser. Chemical Engineering Science, 2015, 122, 384-394. | 1.9 | 4 |
| 30 | Semi-solid Paste Binder Dispersion in a Moving Powder Bed. Procedia Engineering, 2015, 102, 626-633. | 1.2 | 6 |
| 31 | Twin screw wet granulation: Binder delivery. International Journal of Pharmaceutics, 2015, 487, 124-134. | 2.6 | 30 |
| 32 | Roller compaction: Effect of morphology and amorphous content of lactose powder on product quality. International Journal of Pharmaceutics, 2015, 496, 63-74. | 2.6 | 25 |
| 33 | DEM investigation of horizontal high shear mixer flow behaviour and implications for scale-up. Powder Technology, 2015, 270, 561-568. | 2.1 | 22 |
| 34 | Mapping the rate-limiting regimes of food powder reconstitution in a standard mixing vessel. Powder Technology, 2015, 270, 520-527. | 2.1 | 39 |
| 35 | Influence of environmental conditions on caking mechanisms in individual amorphous food particle contacts. AIChE Journal, 2014, 60, 2774-2787. | 1.8 | 15 |
| 36 | Monitoring of aggregation and scaling of calcium carbonate in the presence of ultrasound irradiation using focused beam reflectance measurement. Powder Technology, 2013, 238, 151-160. | 2.1 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Bladeâ€™ granule bed stress in a cylindrical high shear granulator: lâ€™ Online measurement and characterisation. <i>Chemical Engineering Science</i> , 2013, 86, 38-49. | 1.9 | 10 |
| 38 | Investigating the influence of moisture content and pressure on the bonding mechanisms during roller compaction of an amorphous material. <i>Chemical Engineering Science</i> , 2013, 86, 61-69. | 1.9 | 25 |
| 39 | Granulation behaviour of increasingly hydrophobic mixtures. <i>Powder Technology</i> , 2013, 238, 64-76. | 2.1 | 26 |
| 40 | Editorial - 5th International Workshop on Granulation: Granulation across the length scales. <i>Powder Technology</i> , 2013, 238, 1. | 2.1 | 0 |
| 41 | A new capillary force model implemented in micro-scale CFDâ€™ DEM coupling for wet granulation. <i>Chemical Engineering Science</i> , 2013, 93, 197-205. | 1.9 | 71 |
| 42 | A priori prediction of aggregation efficiency and rate constant for fluidized bed melt granulation. <i>Chemical Engineering Science</i> , 2013, 98, 291-297. | 1.9 | 16 |
| 43 | Twin screw granulation using conveying screws: Effects of viscosity of granulation liquids and flow of powders. <i>Powder Technology</i> , 2013, 238, 77-90. | 2.1 | 105 |
| 44 | A novel method to quantify tablet disintegration. <i>Powder Technology</i> , 2013, 238, 27-34. | 2.1 | 18 |
| 45 | A Mechanistic Model for Amorphous Protein Aggregation of Immunoglobulin-like Domains. <i>Journal of the American Chemical Society</i> , 2013, 135, 6456-6464. | 6.6 | 44 |
| 46 | Twin screw granulation: Steps in granule growth. <i>International Journal of Pharmaceutics</i> , 2012, 438, 20-32. | 2.6 | 86 |
| 47 | Twin screw wet granulation: Effects of properties of granulation liquid. <i>Powder Technology</i> , 2012, 229, 126-136. | 2.1 | 110 |
| 48 | Moisture content distribution in semibatch drying processes, part II. Falling particle drying rate. <i>AIChE Journal</i> , 2012, 58, 3708-3717. | 1.8 | 1 |
| 49 | Moisture content distribution in semibatch drying processes. I. Constant particle drying rate. <i>AIChE Journal</i> , 2012, 58, 3697-3707. | 1.8 | 4 |
| 50 | An investigation of the influence of process and formulation variables on mechanical properties of high shear granules using design of experiment. <i>International Journal of Pharmaceutics</i> , 2012, 427, 328-336. | 2.6 | 21 |
| 51 | Time scale analysis for fluidized bed melt granulation-II: Binder spreading rate. <i>Chemical Engineering Science</i> , 2011, 66, 327-335. | 1.9 | 14 |
| 52 | Time scale analysis for fluidized bed melt granulation I: Granuleâ€™ granule and granuleâ€™ droplet collision rates. <i>Chemical Engineering Science</i> , 2011, 66, 318-326. | 1.9 | 24 |
| 53 | Binder addition methods and binder distribution in high shear and fluidised bed granulation. <i>Chemical Engineering Research and Design</i> , 2011, 89, 553-559. | 2.7 | 39 |
| 54 | Inline monitoring the effect of chemical inhibitor on the calcium carbonate precipitation and agglomeration. <i>Chemical Engineering Research and Design</i> , 2011, 89, 500-511. | 2.7 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A microscopic study of granulation mechanisms and their effect on granule properties. Powder Technology, 2011, 206, 18-24. | 2.1 | 30 |
| 56 | Time scale analysis for fluidized bed melt granulation III: Binder solidification rate. Chemical Engineering Science, 2011, 66, 336-341. | 1.9 | 9 |
| 57 | Twin screw wet granulation: Effect of powder feed rate. Advanced Powder Technology, 2011, 22, 162-166. | 2.0 | 86 |
| 58 | Effect of batch size on mechanical properties of granules in high shear granulation. Powder Technology, 2011, 206, 44-52. | 2.1 | 32 |
| 59 | Granule nucleation and growth: Competing drop spreading and infiltration processes. Powder Technology, 2011, 206, 63-71. | 2.1 | 32 |
| 60 | Direct numerical simulation of solid-liquid-gas three-phase flow: Fluid-solid interaction. Powder Technology, 2011, 206, 161-169. | 2.1 | 32 |
| 61 | Twin screw wet granulation: Granule properties. Chemical Engineering Journal, 2010, 164, 322-329. | 6.6 | 137 |
| 62 | The variability of pharmaceutical granulation. Chemical Engineering Journal, 2010, 164, 285-291. | 6.6 | 16 |
| 63 | Kinetic models for granule nucleation by the immersion mechanism. Powder Technology, 2009, 189, 177-189. | 2.1 | 28 |
| 64 | The kinetics of the granulation process: Right from the early stages. Powder Technology, 2009, 189, 149-157. | 2.1 | 28 |
| 65 | Identification of models for control of wet granulation. Powder Technology, 2009, 188, 255-263. | 2.1 | 45 |
| 66 | A basic population balance model for fluid bed spray granulation. Chemical Engineering Science, 2009, 64, 4389-4398. | 1.9 | 72 |
| 67 | Influence of liquid binder dispersion on agglomeration in an intensive mixer. Powder Technology, 2008, 179, 190-194. | 2.1 | 45 |
| 68 | Direct measurement of surface granular temperature in a high shear granulator. Powder Technology, 2008, 182, 211-217. | 2.1 | 25 |
| 69 | Determining kinetics of calcium carbonate precipitation by inline technique. Chemical Engineering Science, 2008, 63, 1381-1389. | 1.9 | 50 |
| 70 | Chapter 25 Granule structure. Handbook of Powder Technology, 2007, 11, 1189-1212. | 0.1 | 3 |
| 71 | Chapter 21 Breakage in granulation. Handbook of Powder Technology, 2007, 11, 979-1040. | 0.1 | 14 |
| 72 | Chapter 26 A Mechanistic Description of Granule Deformation and Breakage. Handbook of Powder Technology, 2007, , 1055-1120. | 0.1 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | The coefficient of restitution of different representative types of granules. Chemical Engineering Science, 2007, 62, 437-450. | 1.9 | 77 |
| 74 | Population balance modelling of activated sludge flocculation: Investigating the size dependence of aggregation, breakage and collision efficiency. Chemical Engineering Science, 2006, 61, 63-74. | 1.9 | 69 |
| 75 | Surface velocity measurement in a high shear mixer. Chemical Engineering Science, 2006, 61, 4172-4178. | 1.9 | 41 |
| 76 | Kinetics of fluidized bed melt granulation II: Modelling the net rate of growth. Chemical Engineering Science, 2006, 61, 3930-3941. | 1.9 | 51 |
| 77 | Kinetics of fluidised bed melt granulation I: The effect of process variables. Chemical Engineering Science, 2006, 61, 1585-1601. | 1.9 | 92 |
| 78 | An improved discretized tracer mass distribution of Hounslow et al.. AIChE Journal, 2006, 52, 1326-1332. | 1.8 | 18 |
| 79 | Product engineering for crystal size distribution. AIChE Journal, 2006, 52, 2507-2517. | 1.8 | 36 |
| 80 | Spherical particle movement in dilute pneumatic conveying. Powder Technology, 2005, 153, 43-50. | 2.1 | 13 |
| 81 | Kinetics of fluidised bed melt granulation V: Simultaneous modelling of aggregation and breakage. Chemical Engineering Science, 2005, 60, 3847-3866. | 1.9 | 37 |
| 82 | Kinetics of fluidised bed melt granulation III: Tracer studies. Chemical Engineering Science, 2005, 60, 3835-3845. | 1.9 | 23 |
| 83 | Studies of fluid bed granulation in an industrial R&D context. Chemical Engineering Science, 2005, 60, 3879-3890. | 1.9 | 68 |
| 84 | The production of binderless granules and their mechanical characteristics. Chemical Engineering Science, 2005, 60, 4045-4053. | 1.9 | 35 |
| 85 | Breakage in granulation: A review. Chemical Engineering Science, 2005, 60, 3969-3992. | 1.9 | 122 |
| 86 | An experimental study of the impact breakage of wet granules. Chemical Engineering Science, 2005, 60, 4005-4018. | 1.9 | 36 |
| 87 | In Situ Observation of the Conversion of Sodium Carbonate to Sodium Carbonate Monohydrate in Aqueous Suspension. Industrial & Engineering Chemistry Research, 2005, 44, 9921-9930. | 1.8 | 21 |
| 88 | Impact deformation and rebound of wet granules. Powder Technology, 2004, 140, 248-257. | 2.1 | 74 |
| 89 | Non-uniformity of binder distribution in high-shear granulation. Powder Technology, 2004, 140, 203-208. | 2.1 | 41 |
| 90 | An experimental study of the variability in the properties and quality of wet granules. Powder Technology, 2004, 140, 209-216. | 2.1 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Building population balance model for fluidized bed melt granulation: lessons from kinetic theory of granular flow. Powder Technology, 2004, 142, 103-109. | 2.1 | 74 |
| 92 | Population balance modelling of droplet coalescence and break-up in an oscillatory baffled reactor. Chemical Engineering Science, 2004, 59, 819-828. | 1.9 | 26 |
| 93 | Growth and aggregation of vaterite in seeded-batch experiments. AIChE Journal, 2004, 50, 2772-2782. | 1.8 | 75 |
| 94 | Modelling fragment size distribution using two-parameter Weibull equation. International Journal of Mineral Processing, 2004, 74, S227-S237. | 2.6 | 50 |
| 95 | Development of a predictive high-shear granulation model. Powder Technology, 2003, 138, 18-24. | 2.1 | 44 |
| 96 | Effect of impact angle and velocity on the fragment size distribution of glass spheres. Powder Technology, 2003, 138, 189-200. | 2.1 | 30 |
| 97 | Impact breakage of fertiliser granules. Powder Technology, 2003, 130, 359-366. | 2.1 | 83 |
| 98 | Coupling granule properties and granulation rates in high-shear granulation. Powder Technology, 2003, 130, 162-168. | 2.1 | 71 |
| 99 | Particle Impact Breakage in Particulate Processing. KONA Powder and Particle Journal, 2003, 21, 88-99. | 0.9 | 14 |
| 100 | Particle fragmentation in dilute phase pneumatic conveying. Powder Technology, 2002, 126, 109-115. | 2.1 | 60 |
| 101 | An experimental investigation of particle fragmentation using single particle impact studies. Powder Technology, 2002, 128, 36-46. | 2.1 | 137 |
| 102 | Particle Formation during Anatase Precipitation of Seeded Titanyl Sulfate Solution. Crystal Growth and Design, 2001, 1, 123-129. | 1.4 | 53 |
| 103 | Tracer studies of high-shear granulation: I. Experimental results. AIChE Journal, 2001, 47, 1978-1983. | 1.8 | 31 |
| 104 | Tracer studies of high-shear granulation: II. Population balance modeling. AIChE Journal, 2001, 47, 1984-1999. | 1.8 | 131 |
| 105 | Controlling particle size during anatase precipitation. AIChE Journal, 2001, 47, 2012-2024. | 1.8 | 23 |
| 106 | A micro-mechanical model for the rate of aggregation during precipitation from solution. Chemical Engineering Science, 2001, 56, 2543-2552. | 1.9 | 94 |
| 107 | Influence of stirrer speed on the precipitation of anatase particles from titanyl sulphate solution. Journal of Crystal Growth, 2001, 223, 225-234. | 0.7 | 28 |
| 108 | Aggregation during precipitation from solution: an experimental investigation using Poiseuille flow. Chemical Engineering Science, 2000, 55, 5671-5681. | 1.9 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Modelling droplet size distributions in polydispersed wet-steam flows. International Journal of Heat and Mass Transfer, 2000, 43, 1873-1884. | 2.5 | 68 |
| 110 | Alignment mechanisms between particles in crystalline aggregates. Journal of Crystal Growth, 2000, 208, 513-519. | 0.7 | 25 |
| 111 | Direct evidence of heterogeneity during high-shear granulation. Powder Technology, 2000, 113, 205-213. | 2.1 | 91 |
| 112 | An Experimental Study to the Effects of Super-Saturation Ratio, Impeller Design and Impeller Speed on Agglomeration of Aluminum Trihydroxide. , 2000, , 151-161. | | 0 |
| 113 | Growth and aggregation rates for calcite and calcium oxalate monohydrate. AIChE Journal, 1999, 45, 2298-2305. | 1.8 | 61 |
| 114 | An investigation into the kinetics of liquid distribution and growth in high shear mixer agglomeration. Powder Technology, 1998, 97, 246-257. | 2.1 | 146 |
| 115 | Aggregation During Precipitation from Solution. A Pore Diffusion Reaction Model for Calcium Oxalate Monohydrate. Journal of Colloid and Interface Science, 1998, 203, 383-391. | 5.0 | 20 |
| 116 | The Population Balance as a Tool for Understanding Particle Rate Processes. KONA Powder and Particle Journal, 1998, 16, 179-193. | 0.9 | 84 |
| 117 | Aggregation during precipitation from solution. Kinetics for calcium oxalate monohydrate. Chemical Engineering Science, 1997, 52, 747-757. | 1.9 | 48 |
| 118 | Coincidence correction for electrical-zone (Coulter-counter) particle size analysers. Powder Technology, 1997, 93, 163-175. | 2.1 | 21 |
| 119 | Monte Carlo simulation of size-enlargement mechanisms in crystallization. AIChE Journal, 1996, 42, 1864-1874. | 1.8 | 71 |
| 120 | Aggregation during Precipitation from Solution: A Method for Extracting Rates from Experimental Data. Journal of Colloid and Interface Science, 1996, 183, 155-165. | 5.0 | 110 |
| 121 | Aggregation and gelation. Analytical solutions for CST and batch operation. Chemical Engineering Science, 1994, 49, 1025-1035. | 1.9 | 68 |
| 122 | Short-cut models for particulate processes. Computers and Chemical Engineering, 1993, 17, 505-516. | 2.0 | 14 |
| 123 | A discretized population balance for continuous systems at steady state. AIChE Journal, 1990, 36, 106-116. | 1.8 | 162 |
| 124 | Nucleation, growth, and aggregation rates from steady-state experimental data. AIChE Journal, 1990, 36, 1748-1752. | 1.8 | 52 |