

George Blair

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7391389/publications.pdf>

Version: 2024-02-01

106
papers

3,709
citations

136950

32
h-index

138484

58
g-index

108
all docs

108
docs citations

108
times ranked

3792
citing authors

#	ARTICLE	IF	CITATIONS
1	MicroRNA-18a targeting of the STK4/MST1 tumour suppressor is necessary for transformation in HPV positive cervical cancer. <i>PLoS Pathogens</i> , 2020, 16, e1008624.	4.7	46
2	The cellular chloride channels CLIC1 and CLIC4 contribute to virus-mediated cell motility. <i>Journal of Biological Chemistry</i> , 2018, 293, 4582-4590.	3.4	21
3	Merkel Cell Polyomavirus Small T Antigen Drives Cell Motility via Rho-GTPase-Induced Filopodium Formation. <i>Journal of Virology</i> , 2018, 92, .	3.4	22
4	Cellular sheddases are induced by Merkel cell polyomavirus small tumour antigen to mediate cell dissociation and invasiveness. <i>PLoS Pathogens</i> , 2018, 14, e1007276.	4.7	24
5	Blood Coagulation Factor X Exerts Differential Effects on Adenovirus Entry into Human Lymphocytes. <i>Viruses</i> , 2018, 10, 20.	3.3	5
6	The Human Adenovirus Type 5 E4orf6/E1B55K E3 Ubiquitin Ligase Complex Can Mimic E1A Effects on E2F. <i>MSphere</i> , 2016, 1, .	2.9	6
7	The Human Adenovirus Type 5 E4orf6/E1B55K E3 Ubiquitin Ligase Complex Enhances E1A Functional Activity. <i>MSphere</i> , 2016, 1, .	2.9	10
8	The human papillomavirus (HPV) E7 protein antagonises an Imiquimod-induced inflammatory pathway in primary human keratinocytes. <i>Scientific Reports</i> , 2015, 5, 12922.	3.3	35
9	The Subcellular Localisation of the Human Papillomavirus (HPV) 16 E7 Protein in Cervical Cancer Cells and Its Perturbation by RNA Aptamers. <i>Viruses</i> , 2015, 7, 3443-3461.	3.3	19
10	NF κ B1 is a suppressor of neutrophil-driven hepatocellular carcinoma. <i>Nature Communications</i> , 2015, 6, 6818.	12.8	131
11	Merkel Cell Polyomavirus Small T Antigen Mediates Microtubule Destabilization To Promote Cell Motility and Migration. <i>Journal of Virology</i> , 2015, 89, 35-47.	3.4	56
12	Human Papillomavirus E7 Oncoprotein Increases Production of the Anti-Inflammatory Interleukin-18 Binding Protein in Keratinocytes. <i>Journal of Virology</i> , 2014, 88, 4173-4179.	3.4	32
13	CUB Domain Containing Protein 1 (CDCP1) modulates adhesion and motility in colon cancer cells. <i>BMC Cancer</i> , 2014, 14, 754.	2.6	12
14	An RNA Aptamer Targets the PDZ-Binding Motif of the HPV16 E6 Oncoprotein. <i>Cancers</i> , 2014, 6, 1553-1569.	3.7	23
15	Blocking oncogenic RAS enhances tumour cell surface MHC class I expression but does not alter susceptibility to cytotoxic lymphocytes. <i>Molecular Immunology</i> , 2014, 58, 160-168.	2.2	41
16	Merkel Cell Polyomavirus Small T Antigen Targets the NEMO Adaptor Protein To Disrupt Inflammatory Signaling. <i>Journal of Virology</i> , 2013, 87, 13853-13867.	3.4	78
17	An RNA Aptamer Provides a Novel Approach for the Induction of Apoptosis by Targeting the HPV16 E7 Oncoprotein. <i>PLoS ONE</i> , 2013, 8, e64781.	2.5	29
18	High-Risk Human Papillomavirus E5 Oncoprotein Displays Channel-Forming Activity Sensitive to Small-Molecule Inhibitors. <i>Journal of Virology</i> , 2012, 86, 5341-5351.	3.4	95

#	ARTICLE	IF	CITATIONS
19	Impact of Human Adenovirus Type 3 Dodecahedron on Host Cells and Its Potential Role in Viral Infection. <i>Journal of Virology</i> , 2012, 86, 5380-5385.	3.4	26
20	Novel impedimetric immunosensor for the detection and quantitation of Adenovirus using reduced antibody fragments immobilized onto a conducting copolymer surface. <i>Biosensors and Bioelectronics</i> , 2012, 32, 104-110.	10.1	25
21	Effects of single nucleotide changes on the binding and activity of RNA aptamers to human papillomavirus 16 E7 oncoprotein. <i>Biochemical and Biophysical Research Communications</i> , 2011, 405, 417-421.	2.1	20
22	The roles of cell surface attachment molecules and coagulation Factor X in adenovirus 5-mediated gene transfer in pancreatic cancer cells. <i>Cancer Gene Therapy</i> , 2011, 18, 478-488.	4.6	3
23	A Human NK Cell Activation/Inhibition Threshold Allows Small Changes in the Target Cell Surface Phenotype To Dramatically Alter Susceptibility to NK Cells. <i>Journal of Immunology</i> , 2011, 186, 1538-1545.	0.8	49
24	Unity and diversity in the human adenoviruses: exploiting alternative entry pathways for gene therapy. <i>Biochemical Journal</i> , 2010, 431, 321-336.	3.7	34
25	Identification of the BCL2/adenovirus E1B-19K protein-interacting protein 2 (BNIP-2) as a granzyme B target during human natural killer cell-mediated killing. <i>Biochemical Journal</i> , 2010, 431, 423-431.	3.7	12
26	The role of Cajal bodies in the expression of late phase adenovirus proteins. <i>Virology</i> , 2010, 399, 299-311.	2.4	22
27	A review on viral biosensors to detect human pathogens. <i>Analytica Chimica Acta</i> , 2010, 681, 8-15.	5.4	200
28	Identification of genes differentially expressed as result of adenovirus type 5- and adenovirus type 12-transformation. <i>BMC Genomics</i> , 2009, 10, 67.	2.8	6
29	Defining the role of CD46, CD80 and CD86 in mediating adenovirus type 3 fiber interactions with host cells. <i>Virology</i> , 2009, 392, 222-229.	2.4	14
30	Analysis of pancreas tissue in a child positive for islet cell antibodies. <i>Diabetologia</i> , 2008, 51, 1796-1802.	6.3	69
31	High-risk human papillomavirus E7 expression reduces cell-surface MHC class I molecules and increases susceptibility to natural killer cells. <i>Oncogene</i> , 2008, 27, 1794-1799.	5.9	57
32	Cancer and the immune system: an overview. <i>Oncogene</i> , 2008, 27, 5868-5868.	5.9	17
33	Protein Crystals in Adenovirus Type 5-Infected Cells: Requirements for Intranuclear Crystallogenesis, Structural and Functional Analysis. <i>PLoS ONE</i> , 2008, 3, e2894.	2.5	32
34	Adsorption of DNA onto positively charged amidine colloidal spheres and the resultant bridging interaction. <i>International Journal of Biological Macromolecules</i> , 2007, 41, 146-153.	7.5	3
35	Expression of the CUB domain containing protein 1 (CDCP1) gene in colorectal tumour cells. <i>FEBS Letters</i> , 2007, 581, 1137-1142.	2.8	33
36	A Flow Cytometric Assay for Analysis of Natural-Killer Cell-Mediated Cytolysis of Adenovirus-Transformed Cells. <i>Methods in Molecular Medicine</i> , 2007, 131, 221-230.	0.8	5

#	ARTICLE	IF	CITATIONS
37	Novel molecular approaches to cystic fibrosis gene therapy. <i>Biochemical Journal</i> , 2005, 387, 1-15.	3.7	73
38	Differential expression of LFA-3, Fas and MHC Class I on Ad5- and Ad12-transformed human cells and their susceptibility to lymphokine-activated killer (LAK) cells. <i>Virology</i> , 2005, 338, 297-308.	2.4	6
39	Nuclear actin is partially associated with Cajal bodies in human cells in culture and relocates to the nuclear periphery after infection of cells by adenovirus 5. <i>Experimental Cell Research</i> , 2005, 303, 229-239.	2.6	31
40	Adenoviral vectors: Adenoviral vectors, breaking a barrier to gene therapy?. <i>Gene Therapy</i> , 2004, 11, 229-230.	4.5	2
41	Evasion of the Immune System by Adenoviruses. <i>Current Topics in Microbiology and Immunology</i> , 2004, 273, 3-28.	1.1	12
42	Identification and characterisation of a cDNA encoding a 17-kDa isoform of rat myelin basic protein. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2003, 1630, 47-53.	2.4	0
43	Adenovirus core protein VII contains distinct sequences that mediate targeting to the nucleus and nucleolus, and colocalization with human chromosomes. <i>Journal of General Virology</i> , 2003, 84, 3423-3428.	2.9	47
44	Engineered expression of the Coxsackie B and adenovirus receptor (CAR) in human dendritic cells enhances recombinant adenovirus-mediated gene transfer. <i>Journal of Immunological Methods</i> , 2002, 259, 205-215.	1.4	21
45	The Specificity of the Myelin Basic Protein Gene Promoter Studied in Transgenic Mice. <i>Biochemical and Biophysical Research Communications</i> , 2001, 288, 809-818.	2.1	8
46	The pathogenicity of <i>Clostridium difficile</i> . <i>Clinical Microbiology and Infection</i> , 2001, 7, 421-427.	6.0	123
47	Dendritic cells: Immunological sentinels with a central role in health and disease. <i>Immunology and Cell Biology</i> , 2000, 78, 91-102.	2.3	115
48	Transcriptional regulation of the major histocompatibility complex (MHC) class I heavy chain, TAP1 and LMP2 genes by the human papillomavirus (HPV) type 6b, 16 and 18 E7 oncoproteins. <i>Oncogene</i> , 2000, 19, 4930-4935.	5.9	127
49	DNA stability in plant tissues: implications for the possible transfer of genes from genetically modified food. <i>FEBS Letters</i> , 2000, 481, 164-168.	2.8	79
50	Coxsackie and adenovirus receptor (CAR)-dependent and major histocompatibility complex (MHC) class I-independent uptake of recombinant adenoviruses into human tumour cells. <i>Gene Therapy</i> , 1999, 6, 1512-1519.	4.5	64
51	Cell-type specific factors bind to regulatory elements located downstream of the TATA-box element in the mouse myelin basic protein (MBP) gene promoter. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998, 1395, 127-134.	2.4	2
52	Human Adenoviruses: Evading Detection by Cytotoxic T Lymphocytes. <i>Seminars in Virology</i> , 1998, 8, 387-397.	3.9	11
53	Transcriptional regulation of MHC class I gene expression in rat oligodendrocytes. <i>Biochemical Journal</i> , 1998, 330, 155-161.	3.7	11
54	The production of a transgenic rat expressing nerve growth factor using cell-type specific keratin promoters. <i>Biochemical Society Transactions</i> , 1998, 26, S144-S144.	3.4	1

#	ARTICLE	IF	CITATIONS
55	The down-regulation of MHC class I antigens in rat oligodendrocytes is mediated by negative regulatory elements in the class I promoter. <i>Biochemical Society Transactions</i> , 1997, 25, 165S-165S.	3.4	0
56	The role of neurotrophins in pathological pain states: A novel transgenic rat model of hyperalgesia. <i>Biochemical Society Transactions</i> , 1997, 25, 209S-209S.	3.4	1
57	Studies on the down-regulation of major histocompatibility complex class I gene expression in adenovirus-transformed cells. <i>Biochemical Society Transactions</i> , 1997, 25, 352S-352S.	3.4	1
58	The mechanism of down-regulation of major histocompatibility complex (MHC) class I antigens in highly oncogenic adenovirus 12-transformed cells. <i>Biochemical Society Transactions</i> , 1997, 25, 353S-353S.	3.4	1
59	The MHC-encoded TAP1/LMP2 bidirectional promoter is down-regulated in highly oncogenic adenovirus type 12 transformed cells. <i>FEBS Letters</i> , 1997, 400, 141-144.	2.8	26
60	Stable and temperature-sensitive transformation of baby rat kidney cells by SV40 suppresses expression of membrane dipeptidase. <i>Oncogene</i> , 1997, 15, 1241-1245.	5.9	9
61	The temporal and cellular expression of c-fos and c-jun in mechanically stimulated rabbit latissimus dorsi muscle. <i>Biochemical Journal</i> , 1995, 308, 465-471.	3.7	40
62	The immunomodulatory effect of levamisole is influenced by postoperative changes and type of lymphocyte stimulant. <i>Cancer Immunology, Immunotherapy</i> , 1995, 41, 193-198.	4.2	7
63	Mechanism of Synergy of Levamisole and Fluorouracil: Induction of Human Leukocyte Antigen Class I in a Colorectal Cancer Cell Line. <i>Journal of the National Cancer Institute</i> , 1995, 87, 489-496.	6.3	52
64	MHC expression in HPV-associated cervical cancer. , 1995, , 233-250.		1
65	Regulation of myelin basic protein-encoding gene transcription in rat oligodendrocytes. <i>Gene</i> , 1994, 150, 227-234.	2.2	13
66	Adenovirus 12-mediated down-regulation of the major histocompatibility complex (MHC) class I promoter: identification of a negative regulatory element responsive to Ad12 E1A. <i>Nucleic Acids Research</i> , 1994, 22, 4779-4788.	14.5	25
67	Rapid detection of enteric adenoviruses by means of the polymerase chain reaction. <i>Journal of Infection</i> , 1993, 27, 271-275.	3.3	17
68	p53 expression and K-ras mutation in colorectal adenomas.. <i>Gut</i> , 1993, 34, 621-624.	12.1	41
69	Prognostic value of p53 overexpression and c-Ki-ras gene mutations in colorectal cancer. <i>Gastroenterology</i> , 1993, 104, 57-64.	1.3	240
70	Molecular biology and coeliac disease.. <i>Gut</i> , 1992, 33, 573-575.	12.1	16
71	The polymerase chain reaction " already an established technique in biochemistry. <i>Biochemical Education</i> , 1992, 20, 87-91.	0.1	2
72	Expression and interactions of human adenovirus oncoproteins. <i>Biochemical Journal</i> , 1991, 275, 281-299.	3.7	92

#	ARTICLE	IF	CITATIONS
73	The effect of interferons on the expression of major histocompatibility class I genes in adenovirus "transformed cells. <i>Biochemical Society Transactions</i> , 1991, 19, 83S-83S.	3.4	0
74	The role of adenovirus oncogenes in down-regulation of major histocompatibility class I gene expression. <i>Biochemical Society Transactions</i> , 1991, 19, 84S-84S.	3.4	1
75	Regulation of myelin basic protein gene transcription in glial cells. <i>Biochemical Society Transactions</i> , 1991, 19, 85S-85S.	3.4	1
76	p53 in colorectal cancer: clinicopathological correlation and prognostic significance. <i>British Journal of Cancer</i> , 1991, 63, 317-319.	6.4	226
77	Is persistent adenovirus 12 infection involved in coeliac disease? A search for viral DNA using the polymerase chain reaction.. <i>Gut</i> , 1991, 32, 1114-1116.	12.1	38
78	Interferon- β regulation of major histocompatibility class I gene expression in rat cells containing the adenovirus 12 E1 a oncogene. <i>Virology</i> , 1990, 174, 325-328.	2.4	7
79	Practical molecular biology for students: An integrated approach to teaching basic techniques. <i>Biochemical Education</i> , 1990, 18, 141-144.	0.1	1
80	Lack of a Serologic Response to an E1B Protein of Adenovirus 12 in Coeliac Disease. <i>Scandinavian Journal of Gastroenterology</i> , 1989, 24, 282-286.	1.5	39
81	Nuclear proteins binding to an enhancer element of the major histocompatibility class I promoter: Differences between highly oncogenic and nononcogenic adenovirus-transformed rat cells. <i>Virology</i> , 1989, 172, 643-646.	2.4	32
82	Agarose gel electrophoresis of DNA using aluminium electrodes and a 12 volt mains adaptor as power supply unit. <i>Biochemical Education</i> , 1989, 17, 150-151.	0.1	3
83	Restricted replication of human adenovirus type 5 in mouse cell lines. <i>Virus Research</i> , 1989, 14, 339-346.	2.2	66
84	Expression of hamster MHC class I antigens in transformed cells and tumours induced by human adenoviruses. <i>European Journal of Cancer & Clinical Oncology</i> , 1988, 24, 1745-1750.	0.7	3
85	Biosynthesis of $2'$, $3'$ -cyclic nucleotide $3'$ -phosphodiesterase (Wolfgram proteins) in rat brain and glioma cells. <i>Biochemical Society Transactions</i> , 1988, 16, 212-213.	3.4	1
86	Modulation of expression of major histocompatibility class I genes in highly oncogenic adenovirus-transformed rat cells. <i>Biochemical Society Transactions</i> , 1988, 16, 605-606.	3.4	0
87	Immunochemical analysis of myelin proteins of the rat central nervous system. <i>Biochemical Society Transactions</i> , 1988, 16, 614-615.	3.4	1
88	Analysis of recombinant plasmids containing cloned viral genes by agarose gel electrophoresis and restriction endonuclease digestion. <i>Biochemical Society Transactions</i> , 1988, 16, 763-764.	3.4	1
89	Modulation of expression of class I MHC genes in rodent cells transformed by human adenoviruses which differ in their oncogenic potential. <i>European Journal of Cancer & Clinical Oncology</i> , 1987, 23, 1725.	0.7	0
90	Expression of the transformation-associated protein p53 in rodent cells transformed by human adenoviruses which differ in their oncogenic potential. <i>European Journal of Cancer & Clinical Oncology</i> , 1987, 23, 1736.	0.7	0

#	ARTICLE	IF	CITATIONS
91	The use of monoclonal antibodies to study the proteins specified by the transforming region of human adenoviruses. <i>Biochemical Journal</i> , 1985, 225, 649-655.	3.7	12
92	Title is missing!. <i>Biochemical Education</i> , 1984, 12, 46.	0.1	0
93	The molecular biology of tumor viruses. Second edition. Part 2 Revised. DNA tumor viruses. <i>Biochemical Education</i> , 1983, 11, 44.	0.1	0
94	ADP-ribosylation in in vitro Systems Synthesizing Adenovirus DNA. <i>Journal of General Virology</i> , 1983, 64, 477-483.	2.9	12
95	The synthesis and intracellular localization of adenovirus hexon protein studied by microinjection of mRNA into human cells. <i>Experimental Cell Research</i> , 1982, 140, 461-464.	2.6	3
96	Purification and characterization of the messenger RNA for the heavy chain of rat immunoglobulin E. <i>Nucleic Acids Research</i> , 1981, 9, 4547-4555.	14.5	6
97	Phosphorylation of Iridescent Virus Polypeptides in vitro. <i>Journal of General Virology</i> , 1980, 48, 205-211.	2.9	11
98	Characterization of Adenovirus Protein IX. <i>Journal of General Virology</i> , 1979, 44, 783-800.	2.9	80
99	Characterization of Two Temperature-sensitive Mutants of Adenovirus Type 5. <i>Journal of General Virology</i> , 1979, 43, 531-540.	2.9	10
100	Identification of a protein kinase activity associated with human adenoviruses. <i>Virology</i> , 1978, 86, 157-166.	2.4	41
101	Polypeptide Phosphorylation in Adenovirus-Infected Cells. <i>Journal of General Virology</i> , 1977, 34, 19-35.	2.9	121
102	Phosphorylation of Ribosomes in Adenovirus Infection. <i>Biochemical Society Transactions</i> , 1977, 5, 660-661.	3.4	10
103	Functional identity of a mouse ascites and a rabbit reticulocyte initiation factor required for natural mRNA translation. <i>Nature</i> , 1977, 265, 651-653.	27.8	22
104	The Purification and Properties of Two Low-Molecular-Weight Proteins Required for the Initiation of Translation in Ascites Tumour Cells. <i>FEBS Journal</i> , 1977, 77, 209-216.	0.2	3
105	Protein synthesis in chloroplasts I. Light-driven synthesis of the large subunit of Fraction I protein by isolated pea chloroplasts. <i>Nucleic Acids and Protein Synthesis</i> , 1973, 319, 223-234.	1.7	311
106	Light-driven synthesis of the large subunit of fraction I protein by isolated chloroplasts. <i>Biochemical Journal</i> , 1972, 127, 42P-42P.	3.1	18