

Juan-Ignacio AlÃ³s

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7393180/publications.pdf>

Version: 2024-02-01

67
papers

2,299
citations

159358

30
h-index

233125

45
g-index

97
all docs

97
docs citations

97
times ranked

2250
citing authors

#	ARTICLE	IF	CITATIONS
1	A Prospective Study of the Serological, Clinical, and Epidemiological Features of a SARS-CoV-2 Positive Pediatric Cohort. <i>Children</i> , 2022, 9, 665.	0.6	0
2	Prevalence, detection and characterisation of fosfomycin-resistant <i>Escherichia coli</i> strains carrying <i>fosA</i> genes in Community of Madrid, Spain. <i>Journal of Global Antimicrobial Resistance</i> , 2021, 25, 137-141.	0.9	5
3	What's new in mechanisms of antibiotic resistance in bacteria of clinical origin?. <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2021, 39, 291-299.	0.3	5
4	Recommendations of the Spanish Antibiogram Committee (COESANT) for selecting antimicrobial agents and concentrations for in vitro susceptibility studies using automated systems. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2020, 38, 182-187.	0.2	0
5	Mechanisms of Linezolid Resistance Among Enterococci of Clinical Origin in Spainâ€”Detection of <i>optrA</i> - and <i>cfr(D)</i> -Carrying <i>E. faecalis</i> . <i>Microorganisms</i> , 2020, 8, 1155.	1.6	28
6	<i>Escherichia coli</i> resistant to fosfomycin from urinary tract infections: Detection of the <i>fosA3</i> gene in Spain. <i>Journal of Global Antimicrobial Resistance</i> , 2020, 21, 414-416.	0.9	16
7	Recommendations of the Spanish Antibiogram Committee (COESANT) for selecting antimicrobial agents and concentrations for in vitro susceptibility studies using automated systems. <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2020, 38, 182-187.	0.3	6
8	Stratification by demographic and clinical data of the antibiotic susceptibility of <i>Escherichia coli</i> from urinary tract infections of the community. <i>Atencion Primaria</i> , 2019, 51, 494-498.	0.6	4
9	ESBL-producing-multidrug resistant <i>E. coli</i> population from urinary tract infections is less diverse than non-ESBL-multidrug resistant population. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2019, 37, 652-655.	0.2	0
10	ESBL-producing-multidrug resistant <i>E. coli</i> population from urinary tract infections is less diverse than non-ESBL-multidrug resistant population. <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2019, 37, 652-655.	0.3	3
11	EnteropatÃ³genos y antibiÃ³ticos. <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2018, 36, 47-54.	0.3	4
12	Enteropathogens and antibiotics. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2018, 36, 47-54.	0.2	3
13	<i>Mycoplasma genitalium</i> in Spain: prevalence of genital infection and frequency of resistance to macrolides. <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2018, 36, 169-171.	0.3	24
14	<i>Cryptosporidium</i> and Cryptosporidiosis. , 2018, , 73-117.		8
15	Evolution of antibiotic multiresistance in <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> isolates from urinary tract infections: A 12-year analysis (2003â€“2014). <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2017, 35, 293-298.	0.3	33
16	Executive summary of the diagnosis and treatment of urinary tract infection: Guidelines of the Spanish Society of Clinical Microbiology and Infectious Diseases (SEIMC). <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2017, 35, 314-320.	0.3	88
17	The Carbapenemase-Producing <i>Klebsiella pneumoniae</i> Population Is Distinct and More Clonal than the Carbapenem-Susceptible Population. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	1.4	26
18	Carbapenem-resistant <i>Citrobacter</i> spp. isolated in Spain from 2013 to 2015 produced a variety of carbapenemases including VIM-1, OXA-48, KPC-2, NDM-1 and VIM-2. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 3283-3287.	1.3	32

#	ARTICLE	IF	CITATIONS
19	Carbapenemase-producing <i>Escherichia coli</i> is becoming more prevalent in Spain mainly because of the polyclonal dissemination of OXA-48. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 2131-2138.	1.3	50
20	Survey of Carbapenemase-Producing Enterobacteriaceae in Companion Dogs in Madrid, Spain. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 2499-2501.	1.4	40
21	Recomendaciones para el manejo de la faringoamigdalitis aguda del adulto. <i>Acta OtorrinolaringolÃ³gica EspaÃ±ola</i> , 2015, 66, 159-170.	0.2	8
22	Concurrent interspecies and clonal dissemination of OXA-48 carbapenemase. <i>Clinical Microbiology and Infection</i> , 2015, 21, 148.e1-148.e4.	2.8	36
23	The undiagnosed cases of <i>Clostridium difficile</i> infection in a whole nation: where is the problem?. <i>Clinical Microbiology and Infection</i> , 2012, 18, E204-E213.	2.8	96
24	Antimicrobial Resistance among Respiratory Pathogens in Spain: Latest Data and Changes over 11 Years (1996-1997 to 2006-2007). <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 2953-2959.	1.4	86
25	Vancomycin MICs did not creep in <i>Staphylococcus aureus</i> isolates from 2002 to 2006 in a setting with low vancomycin usage. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 773-775.	1.3	74
26	In vitro activity of linezolid and 12 other antimicrobials against coryneform bacteria. <i>International Journal of Antimicrobial Agents</i> , 2007, 29, 688-692.	1.1	39
27	Characterisation of the main clones of <i>Streptococcus pyogenes</i> carrying the <i>ermA</i> (subclass TR) gene in Spain. <i>International Journal of Antimicrobial Agents</i> , 2006, 28, 408-412.	1.1	8
28	Antibiotic resistance of <i>Escherichia coli</i> from community-acquired urinary tract infections in relation to demographic and clinical data. <i>Clinical Microbiology and Infection</i> , 2005, 11, 199-203.	2.8	104
29	Resistance to macrolides, clindamycin and telithromycin in <i>Streptococcus pyogenes</i> isolated in Spain during 2004. <i>Journal of Antimicrobial Chemotherapy</i> , 2005, 56, 780-782.	1.3	45
30	Evaluation of Granada Agar Plate for Detection of <i>Streptococcus agalactiae</i> in Urine Specimens from Pregnant Women. <i>Journal of Clinical Microbiology</i> , 2004, 42, 3834-3836.	1.8	5
31	In vitro susceptibility of recent antibiotic-resistant urinary pathogens to ertapenem and 12 other antibiotics. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 53, 1090-1094.	1.3	50
32	Susceptibility of <i>Streptococcus agalactiae</i> isolates from blood and urine to 18 widely used and recently marketed antibiotics. <i>Clinical Microbiology and Infection</i> , 2004, 10, 267-268.	2.8	4
33	Acute and chronic otitis media and <i>Turicella otitidis</i> : a controversial association. <i>Clinical Microbiology and Infection</i> , 2004, 10, 854-857.	2.8	20
34	Actividad de telitromicina y otros antimicrobianos de administraciÃ³n oral frente a patÃ³genos del aparato respiratorio con mecanismos de resistencia adquiridos. <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2004, 22, 323-327.	0.3	0
35	Nosocomial bacteremia and catheter infection by <i>Bacillus cereus</i> in an immunocompetent patient. <i>Clinical Microbiology and Infection</i> , 2003, 9, 973-975.	2.8	41
36	Significant increase in the prevalence of erythromycin-resistant, clindamycin- and miconazole-susceptible (M phenotype) <i>Streptococcus pyogenes</i> in Spain. <i>Journal of Antimicrobial Chemotherapy</i> , 2003, 51, 333-337.	1.3	46

#	ARTICLE	IF	CITATIONS
37	Increase in resistance to new fluoroquinolones from 1998 to 2001 in the <i>Bacteroides fragilis</i> group. <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 50, 1055-1057.	1.3	14
38	Susceptibility of strains of <i>Streptococcus agalactiae</i> to macrolides and lincosamides, phenotype patterns and resistance genes. <i>Clinical Microbiology and Infection</i> , 2002, 8, 745-748.	2.8	22
39	<i>Kingella kingae</i> pneumonia: a rare pathology or a pathology rarely diagnosed?. <i>Clinical Microbiology Newsletter</i> , 2001, 23, 192-193.	0.4	5
40	Bacteremia by <i>Dermabacter hominis</i> , a Rare Pathogen. <i>Journal of Clinical Microbiology</i> , 2001, 39, 2356-2357.	1.8	26
41	High prevalence of erythromycin-resistant and clindamycin-susceptible (M phenotype) viridans group streptococci from pharyngeal samples: a reservoir of <i>mef</i> genes in commensal bacteria. <i>Journal of Antimicrobial Chemotherapy</i> , 2001, 48, 592-594.	1.3	49
42	Comparative in vitro study of the activity of moxifloxacin and other antibiotics against 150 strains of penicillin non-susceptible <i>Streptococcus pneumoniae</i> and against 110 strains of ampicillin-resistant <i>Haemophilus influenzae</i> isolated in 1999-2000 in Spain. <i>Journal of Antimicrobial Chemotherapy</i> , 2001, 48, 145-148.	1.3	6
43	Antimicrobial resistance of <i>Streptococcus pneumoniae</i> isolates in 1999 and 2000 in Madrid, Spain: a multicentre surveillance study. <i>Journal of Antimicrobial Chemotherapy</i> , 2001, 47, 215-218.	1.3	44
44	Study of vancomycin tolerance in 120 strains of <i>Streptococcus pneumoniae</i> isolated in 1999 in Madrid, Spain. <i>Journal of Antimicrobial Chemotherapy</i> , 2001, 47, 902-903.	1.3	10
45	Mixed bacteremic pneumonia by <i>Streptococcus pneumoniae</i> and <i>Haemophilus influenzae</i> . <i>Clinical Microbiology and Infection</i> , 2001, 7, 571-571.	2.8	1
46	High prevalence of erythromycin-resistant, clindamycin/miocamycin-susceptible (M phenotype) <i>Streptococcus pyogenes</i> : results of a Spanish multicentre study in 1998. <i>Journal of Antimicrobial Chemotherapy</i> , 2000, 45, 605-609.	1.3	50
47	High prevalence of resistance to clindamycin in <i>Bacteroides fragilis</i> group isolates. <i>Journal of Antimicrobial Chemotherapy</i> , 2000, 45, 691-693.	1.3	44
48	High rate of resistance to nalidixic acid in <i>Salmonella enterica</i> : its role as a marker of resistance to fluoroquinolones. <i>Clinical Microbiology and Infection</i> , 2000, 6, 273-276.	2.8	31
49	A study of susceptibility of 100 clinical isolates belonging to the <i>Streptococcus milleri</i> group to 16 cephalosporins. <i>Journal of Antimicrobial Chemotherapy</i> , 1999, 43, 399-402.	1.3	15
50	Do the quinolones still constitute valid empirical therapy for community-acquired urinary tract infections in Spain?. <i>Clinical Microbiology and Infection</i> , 1999, 5, 654-656.	2.8	6
51	Bacteremic pharyngotonsillitis by <i>Fusobacterium necrophorum</i> : A prelude to Lemierre's syndrome. <i>Clinical Microbiology Newsletter</i> , 1999, 21, 126-128.	0.4	5
52	Acute cholecystitis and bacteremia caused by <i>Kluyvera ascorbata</i> in a cirrhotic patient. <i>Clinical Microbiology and Infection</i> , 1998, 4, 113-115.	2.8	16
53	Emergence of Erythromycin-Resistant, Clindamycin-Susceptible <i>Streptococcus pyogenes</i> Isolates in Madrid, Spain. <i>Antimicrobial Agents and Chemotherapy</i> , 1998, 42, 989-990.	1.4	35
54	URINARY TRACT INFECTION CAUSED BY <i>STREPTOCOCCUS MITIS</i> HIGHLY RESISTANT TO PENICILLIN. <i>Pediatric Infectious Disease Journal</i> , 1997, 16, 724-725.	1.1	0

#	ARTICLE	IF	CITATIONS
55	Antimicrobial susceptibilities of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> to 12 beta-lactam agents and combinations with beta-lactamase inhibitors. <i>Antimicrobial Agents and Chemotherapy</i> , 1996, 40, 1924-1925.	1.4	64
56	Endocarditis caused by <i>Arcanobacterium haemolyticum</i> . <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1995, 14, 1085-1088.	1.3	30
57	Susceptibilities of fluoroquinolone-resistant strains of <i>Campylobacter jejuni</i> to 11 oral antimicrobial agents. <i>Antimicrobial Agents and Chemotherapy</i> , 1995, 39, 542-544.	1.4	33
58	Problems associated with susceptibility testing of co-amoxiclav: an interpretive solution. <i>Journal of Antimicrobial Chemotherapy</i> , 1994, 33, 183-183.	1.3	0
59	<i>Mobiluncus curtisii</i> Bacteremia Following Septic Abortion. <i>Clinical Infectious Diseases</i> , 1994, 19, 1166-1167.	2.9	8
60	Bacteriologic characteristics and antimicrobial susceptibility of 70 clinically significant isolates of <i>Streptococcus milleri</i> group. <i>Diagnostic Microbiology and Infectious Disease</i> , 1994, 19, 69-73.	0.8	45
61	Bacteremia by multidrug-resistant <i>Capnocytophaga sputigena</i> . <i>Journal of Clinical Microbiology</i> , 1994, 32, 1067-1069.	1.8	42
62	Characterization of a new TEM-type beta-lactamase resistant to clavulanate, sulbactam, and tazobactam in a clinical isolate of <i>Escherichia coli</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1993, 37, 2059-2063.	1.4	168
63	Susceptibilities of ampicillin-resistant strains of <i>Salmonella</i> other than <i>S. typhi</i> to 10 antimicrobial agents. <i>Antimicrobial Agents and Chemotherapy</i> , 1992, 36, 1794-1796.	1.4	11
64	Bacteremia and biliary infection caused by <i>Haemophilus influenzae</i> type e in an adult. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1992, 11, 382-383.	1.3	5
65	Diversity Analysis of the Human Intestinal Flora: A Simple Method Based on Bacterial Morphotypes. <i>Microbial Ecology in Health and Disease</i> , 1988, 1, 101-108.	3.8	8
66	Urinary tract infection probably caused by <i>Agrobacterium radiobacter</i> . <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1985, 4, 596-597.	1.3	20
67	Suspected airport malaria in Spain. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1985, 4, 509-509.	1.3	3