

Adomas Bunevicius

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7394483/adomas-bunevicius-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177
papers

2,330
citations

25
h-index

42
g-index

204
ext. papers

2,986
ext. citations

3.1
avg, IF

5.71
L-index

#	Paper	IF	Citations
177	Psychosocial risk factors for depression during pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 599-605	3.8	106
176	Screening for antenatal depression with the Edinburgh Depression Scale. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2009 , 30, 238-43	3.6	96
175	Symptoms of anxiety and depression in medical students and in humanities students: relationship with big-five personality dimensions and vulnerability to stress. <i>International Journal of Social Psychiatry</i> , 2008 , 54, 494-501	8.5	89
174	BI-04 * PRE-OPERATIVE LOW TRI-iodothyronine syndrome is associated with greater 6-month mortality rate of neurosurgical brain tumor patients. <i>Neuro-Oncology</i> , 2014 , 16, v23-v23	1	78
173	QL-06 * RELIABILITY OF THE SF-36 QUESTIONNAIRE FOR ASSESSMENT OF HEALTH RELATED QUALITY OF LIFE IN NEUROSURGICAL BRAIN TUMOR PATIENTS. <i>Neuro-Oncology</i> , 2014 , 16, v179-v179	1	78
172	QOLP-38. PATIENT REPORTED OUTCOMES IN GLIOMA: THE ROLE OF IDH MUTATION ON QUALITY OF LIFE AND MOOD. <i>Neuro-Oncology</i> , 2019 , 21, vi206-vi206	1	78
171	QOLP-16. DISTRESSED (D TYPE) PERSONALITY, PREOPERATIVE PSYCHOLOGICAL DISTRESS, COGNITIVE FUNCTIONING, QUALITY OF LIFE, AND TREATMENT OUTCOMES OF GLIOMA PATIENTS: PROSPECTIVE STUDY. <i>Neuro-Oncology</i> , 2019 , 21, vi201-vi201	1	78
170	Predictors of health-related quality of life in neurosurgical brain tumor patients: focus on patient-centered perspective. <i>Acta Neurochirurgica</i> , 2014 , 156, 367-74	3	68
169	Screening for anxiety disorders in patients with coronary artery disease. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 37	3	65
168	Diagnostic accuracy of self-rating scales for screening of depression in coronary artery disease patients. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 22-5	4.1	64
167	Screening for depression and anxiety disorders in primary care patients. <i>Depression and Anxiety</i> , 2007 , 24, 455-60	8.4	60
166	Reliability and validity of the SF-36 Health Survey Questionnaire in patients with brain tumors: a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 92	3	59
165	Depression but not anxiety is associated with metabolic syndrome in primary care based community sample. <i>Psychoneuroendocrinology</i> , 2014 , 40, 269-76	5	51
164	Neuroprotective actions of thyroid hormones and low-T3 syndrome as a biomarker in acute cerebrovascular disorders. <i>Expert Review of Neurotherapeutics</i> , 2015 , 15, 315-26	4.3	49
163	Low triiodothyronine syndrome as a predictor of poor outcomes in patients undergoing brain tumor surgery: a pilot study: clinical article. <i>Journal of Neurosurgery</i> , 2013 , 118, 1279-87	3.2	49
162	Brain lesions manifesting as psychiatric disorders: eight cases. <i>CNS Spectrums</i> , 2008 , 13, 950-8	1.8	47
161	Metabolic syndrome, major depression, generalized anxiety disorder, and ten-year all-cause and cardiovascular mortality in middle aged and elderly patients. <i>International Journal of Cardiology</i> , 2015 , 190, 360-6	3.2	42

160	Ischemic stroke functional outcomes are independently associated with C-reactive protein concentrations and cognitive outcomes with triiodothyronine concentrations: a pilot study. <i>Endocrine</i> , 2014 , 45, 213-20	4	38
159	Association between psychological distress, subjective cognitive complaints and objective neuropsychological functioning in brain tumor patients. <i>Clinical Neurology and Neurosurgery</i> , 2017 , 163, 18-23	2	32
158	Relationship of fatigue and exercise capacity with emotional and physical state in patients with coronary artery disease admitted for rehabilitation program. <i>American Heart Journal</i> , 2011 , 162, 310-6	4.9	32
157	REVIEW: MR elastography of brain tumors. <i>NeuroImage: Clinical</i> , 2020 , 25, 102109	5.3	31
156	Screening for psychological distress in neurosurgical brain tumor patients using the Patient Health Questionnaire-2. <i>Psycho-Oncology</i> , 2013 , 22, 1895-900	3.9	30
155	Relationship of health-related quality of life with fatigue and exercise capacity in patients with coronary artery disease. <i>European Journal of Cardiovascular Nursing</i> , 2014 , 13, 338-44	3.3	29
154	Depression screening in patients with brain tumors: a review. <i>CNS Oncology</i> , 2015 , 4, 71-8	4	28
153	The potential roles of 18F-FDG-PET in management of acute stroke patients. <i>BioMed Research International</i> , 2013 , 2013, 634598	3	28
152	Decreased physical effort, fatigue, and mental distress in patients with coronary artery disease: importance of personality-related differences. <i>International Journal of Behavioral Medicine</i> , 2014 , 21, 240-7	2.6	25
151	Transsphenoidal surgery for microprolactinomas in women: results and prognosis. <i>Acta Neurochirurgica</i> , 2012 , 154, 1889-93	3	25
150	Association of pre-operative depressive and anxiety symptoms with five-year survival of glioma and meningioma patients: a prospective cohort study. <i>Oncotarget</i> , 2017 , 8, 57543-57551	3.3	25
149	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1803	4.3	24
148	Factors affecting the presence of depression, anxiety disorders, and suicidal ideation in patients attending primary health care service in Lithuania. <i>Scandinavian Journal of Primary Health Care</i> , 2014 , 32, 24-9	2.7	24
147	Depressive disorder and thyroid axis functioning during pregnancy. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 324-9	3.8	23
146	Type D (distressed) personality and its assessment with the DS14 in Lithuanian patients with coronary artery disease. <i>Journal of Health Psychology</i> , 2013 , 18, 1242-51	3.1	22
145	Focused Ultrasound Strategies for Brain Tumor Therapy. <i>Operative Neurosurgery</i> , 2020 , 19, 9-18	1.6	22
144	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale - Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020 , 129, 109892	4.1	22
143	The Association of Digit Ratio (2D : 4D) with Cancer: A Systematic Review and Meta-Analysis. <i>Disease Markers</i> , 2018 , 2018, 7698193	3.2	21

142	Association of Depression, Anxiety, and Type D Personality with Cognitive Function in Patients with Coronary Artery Disease. <i>Cognitive and Behavioral Neurology</i> , 2016 , 29, 91-9	1.6	19
141	Personality traits, patient-centered health status and prognosis of brain tumor patients. <i>Journal of Neuro-Oncology</i> , 2018 , 137, 593-600	4.8	18
140	Role of N-terminal pro-B-type natriuretic peptide, high-sensitivity C-reactive protein, and interleukin-6 in predicting a poor outcome after a stroke. <i>NeuroImmunoModulation</i> , 2015 , 22, 365-72	2.5	18
139	Fatigue in patients with coronary artery disease: association with thyroid axis hormones and cortisol. <i>Psychosomatic Medicine</i> , 2012 , 74, 848-53	3.7	18
138	Hypothalamic-pituitary-thyroid axis function in women with a menstrually related mood disorder: association with histories of sexual abuse. <i>Psychosomatic Medicine</i> , 2012 , 74, 810-6	3.7	18
137	The Association of Surgical Method with Outcomes of Acute Subdural Hematoma Patients: Experience with 643 Consecutive Patients. <i>World Neurosurgery</i> , 2017 , 101, 335-342	2.1	17
136	Mindfulness-based Stress Reduction as a Promising Intervention for Amelioration of Premenstrual Dysphoric Disorder Symptoms. <i>Mindfulness</i> , 2015 , 6, 1292-1302	2.9	17
135	Specific fatigue-related items in self-rating depression scales do not bias an association between depression and fatigue in patients with coronary artery disease. <i>General Hospital Psychiatry</i> , 2011 , 33, 527-9	5.6	17
134	Mood and thyroid immunity assessed by ultrasonographic imaging in a primary health care. <i>Journal of Affective Disorders</i> , 2007 , 97, 85-90	6.6	17
133	A prognostic role for Low tri-iodothyronine syndrome in acute stroke patients: A systematic review and meta-analysis. <i>Clinical Neurology and Neurosurgery</i> , 2018 , 169, 55-63	2	16
132	Psychological distress symptoms clusters in brain tumor patients: factor analysis of depression and anxiety scales. <i>Psycho-Oncology</i> , 2013 , 22, 2860-3	3.9	16
131	Digit ratio (2D:4D) in primary brain tumor patients: A case-control study. <i>Early Human Development</i> , 2016 , 103, 205-208	2.2	15
130	Can mHealth interventions improve quality of life of cancer patients? A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2021 , 157, 103123	7	15
129	Low Tri-Iodothyronine Syndrome in Neurosurgical Patients: A Systematic Review of Literature. <i>World Neurosurgery</i> , 2016 , 95, 197-207	2.1	13
128	Suicidal ideation in patients undergoing brain tumor surgery: prevalence and risk factors. <i>Supportive Care in Cancer</i> , 2016 , 24, 2963-70	3.9	13
127	Association of thyroid hormone concentrations with quality of life of primary brain tumor patients: a pilot study. <i>Journal of Neuro-Oncology</i> , 2017 , 131, 385-391	4.8	13
126	Spatiotemporal uptake characteristics of [18]F-2-fluoro-2-deoxy-D-glucose in a rat middle cerebral artery occlusion model. <i>Stroke</i> , 2013 , 44, 2292-9	6.7	13
125	Evaluation of depressive symptoms in patients with coronary artery disease using the Montgomery Åberg Depression Rating Scale. <i>International Clinical Psychopharmacology</i> , 2012 , 27, 249-55	2.2	13

124	Preoperative low tri-iodothyronine concentration is associated with worse health status and shorter five year survival of primary brain tumor patients. <i>Oncotarget</i> , 2017 , 8, 8648-8656	3.3	13
123	Outcomes of Cushing@ disease following Gamma Knife radiosurgery: effect of a center@ growing experience and era of treatment. <i>Journal of Neurosurgery</i> , 2020 , 1-8	3.2	13
122	Cognitive function in patients with coronary artery disease: A literature review. <i>Journal of International Medical Research</i> , 2018 , 46, 4019-4031	1.4	13
121	Incidence and clinical significance of postoperative delirium after brain tumor surgery. <i>Acta Neurochirurgica</i> , 2018 , 160, 2327-2337	3	12
120	Prognostic role of high sensitivity C-reactive protein and interleukin-6 in glioma and meningioma patients. <i>Journal of Neuro-Oncology</i> , 2018 , 138, 351-358	4.8	11
119	Beta-1-Selective Beta-Blockers and Cognitive Functions in Patients With Coronary Artery Disease: A Cross-Sectional Study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2016 , 28, 143-6	2.7	11
118	Menstrual mood disorders are associated with blunted sympathetic reactivity to stress. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 46-55	4.1	11
117	Depression prevalence based on the Edinburgh Postnatal Depression Scale compared to Structured Clinical Interview for DSM Disorders classification: Systematic review and individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2021 , 30, e1860	4.3	11
116	An International Multicenter Matched Cohort Analysis of Incidental Meningioma Progression During Active Surveillance or After Stereotactic Radiosurgery: The IMPASSE Study. <i>Neuro-Oncology</i> , 2021 ,	1	10
115	Brain MRI morphometric analysis in Parkinson@ disease patients with sleep disturbances. <i>BMC Neurology</i> , 2018 , 18, 88	3.1	10
114	Menstrually related mood disorders and a history of abuse: moderators of pain sensitivity. <i>Health Psychology</i> , 2014 , 33, 147-54	5	9
113	Type D Personality and Sleep Quality in Coronary Artery Disease Patients With and Without Obstructive Sleep Apnea: Mediating Effects of Anxiety and Depression. <i>International Journal of Behavioral Medicine</i> , 2018 , 25, 171-182	2.6	8
112	Professional burnout and its correlates in Lithuanian neurosurgeons. <i>Acta Neurochirurgica</i> , 2016 , 158, 1437-45	3	8
111	Prevalence of internet addiction in healthcare professionals: Systematic review and meta-analysis. <i>International Journal of Social Psychiatry</i> , 2021 , 67, 483-491	8.5	8
110	Radiosurgery for Glioblastoma. <i>Neurosurgery Clinics of North America</i> , 2021 , 32, 117-128	4	8
109	Outcomes from treatment of asymptomatic skull base meningioma with stereotactic radiosurgery. <i>Acta Neurochirurgica</i> , 2021 , 163, 83-88	3	8
108	Association of COMT ValMet Polymorphism With Delirium Risk and Outcomes After Traumatic Brain Injury. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019 , 31, 298-305	2.7	7
107	Surgical and radiosurgical treatment strategies for Cushing@ disease. <i>Journal of Neuro-Oncology</i> , 2019 , 145, 403-413	4.8	7

106	Exploring Cognitive Concomitants of Mental Fatigue in Patients with Coronary Artery Disease. <i>Neuropsychobiology</i> , 2017 , 76, 151-160	4	7
105	Validation of the Lithuanian version of the Edinburgh Postnatal Depression Scale. <i>Medicina (Lithuania)</i> , 2009 , 45, 544	3.1	7
104	Neuropsychiatric complications and neuroimaging characteristics after deep brain stimulation surgery for Parkinson's disease. <i>Brain Imaging and Behavior</i> , 2020 , 14, 62-71	4.1	7
103	Common genetic variations of deiodinase genes and prognosis of brain tumor patients. <i>Endocrine</i> , 2019 , 66, 563-572	4	6
102	Hemodynamic response during aneurysm clipping surgery among experienced neurosurgeons. <i>Acta Neurochirurgica</i> , 2016 , 158, 221-7	3	6
101	Cognitive Functioning in Coronary Artery Disease Patients: Associations with Thyroid Hormones, N-Terminal Pro-B-Type Natriuretic Peptide and High-Sensitivity C-Reactive Protein. <i>Archives of Clinical Neuropsychology</i> , 2017 , 32, 245-251	2.7	6
100	The association of migraine with menstrually related mood disorders and childhood sexual abuse. <i>Journal of Women's Health</i> , 2013 , 22, 871-6	3	6
99	Perioperative single photon emission computed tomography in predicting survival of malignant glioma patients. <i>Oncology Letters</i> , 2012 , 4, 739-744	2.6	6
98	Sex Effect on Presurgical Language Mapping in Patients With a Brain Tumor. <i>Frontiers in Neuroscience</i> , 2020 , 14, 4	5.1	6
97	A comparison of thin-plate spline deformation and finite element modeling to compensate for brain shift during tumor resection. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2020 , 15, 75-85	3.9	6
96	COVID-19 media fatigue: predictors of decreasing interest and avoidance of COVID-19-related news. <i>Public Health</i> , 2021 , 196, 124-128	4	6
95	Safety and efficacy of repeat radiosurgery for acromegaly: an International Multi-Institutional Study. <i>Journal of Neuro-Oncology</i> , 2019 , 145, 301-307	4.8	5
94	Clinical Utility of Preoperative Bilingual Language fMRI Mapping in Patients with Brain Tumors. <i>Journal of Neuroimaging</i> , 2020 , 30, 175-183	2.8	5
93	Olfactory Fossa Meningioma Presenting as Depressive Disorder: A Case Report. <i>Cognitive and Behavioral Neurology</i> , 2016 , 29, 107-12	1.6	5
92	Does presence of metabolic syndrome impact anxiety and depressive disorder screening results in middle aged and elderly individuals? A population based study. <i>BMC Psychiatry</i> , 2018 , 18, 5	4.2	5
91	The association between lunar phase and intracranial aneurysm rupture: Myth or reality? Own data and systematic review. <i>BMC Neurology</i> , 2017 , 17, 99	3.1	5
90	Early versus late Gamma Knife radiosurgery for Cushing's disease after prior resection: results of an international, multicenter study. <i>Journal of Neurosurgery</i> , 2020 , 134, 807-815	3.2	5
89	Stereotactic Radiosurgery for Differentiated Thyroid Cancer Brain Metastases: An International, Multicenter Study. <i>Thyroid</i> , 2021 , 31, 1244-1252	6.2	5

88	Quality-of-life trajectories after stereotactic radiosurgery for brain metastases. <i>Journal of Neurosurgery</i> , 2020 , 134, 1791-1799	3.2	5
87	Relationship between Lithium Levels in Drinking Water and Suicide Rates: A Nationwide Study in Lithuania. <i>Archives of Suicide Research</i> , 2021 , 25, 340-352	2.3	5
86	Evaluation of health-related quality of life in Lithuanian brain tumor patients using the EORTC brain cancer module. <i>Medicina (Lithuania)</i> , 2012 , 48, 588-94	3.1	5
85	Extended pterional approach for initial surgical management of craniopharyngiomas: a case series. <i>Turkish Neurosurgery</i> , 2014 , 24, 174-83	0.8	5
84	Association of miR-34a Expression with Quality of Life of Glioblastoma Patients: A Prospective Study. <i>Cancers</i> , 2019 , 11,	6.6	4
83	Validation of the Multidimensional Fatigue Inventory with Coronary Artery Disease Patients. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
82	Maternal cognitive function during pregnancy in relation to hypo- and hyperthyroxinemia. <i>Clinical Endocrinology</i> , 2019 , 91, 824-833	3.4	4
81	Preoperative N-terminal pro-B-type natriuretic peptide concertation and prognosis of brain tumor patients: a 5-year follow up study. <i>Scientific Reports</i> , 2017 , 7, 14775	4.9	4
80	Validity of the Edinburgh Postnatal Depression Scale. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	4
79	Preliminary Results Comparing Thin Plate Splines with Finite Element Methods for Modeling Brain Deformation during Neurosurgery using Intraoperative Ultrasound. <i>Proceedings of SPIE</i> , 2019 , 10951,	1.7	4
78	Isocitrate Dehydrogenase, Patient-Reported Outcomes, and Cognitive Functioning of Glioma Patients: a Systematic Review. <i>Current Oncology Reports</i> , 2020 , 22, 120	6.3	4
77	Prothrombin Complex Concentrate for Warfarin-Associated Intracranial Bleeding in Neurosurgical Patients: A Single-Center Experience. <i>Medicina (Lithuania)</i> , 2018 , 54,	3.1	4
76	The association of cardiovascular reactivity during the Trier Social Stress Test with quality of life in coronary artery disease patients. <i>Journal of Psychosomatic Research</i> , 2019 , 126, 109824	4.1	3
75	Triiodothyronine accelerates and enhances the antipsychotic effect of risperidone in acute schizophrenia. <i>Journal of Psychiatric Research</i> , 2016 , 73, 9-16	5.2	3
74	Unruptured anterior communicating artery aneurysm presenting as depression: A case report and review of literature. <i>Surgical Neurology International</i> , 2016 , 7, S495-8	1	3
73	Endoscopic third ventriculostomy versus ventriculoperitoneal shunt in pediatric and adult population: a systematic review and meta-analysis. <i>Neurosurgical Review</i> , 2021 , 44, 1227-1241	3.9	3
72	Stereotactic Radiosurgery for Perioptic Meningiomas: An International, Multicenter Study. <i>Neurosurgery</i> , 2021 , 88, 828-837	3.2	3
71	Data-driven methods distort optimal cutoffs and accuracy estimates of depression screening tools: a simulation study using individual participant data. <i>Journal of Clinical Epidemiology</i> , 2021 , 137, 137-147	5.7	3

70	153 Prognostic Role of the Low Tri-Iodothyronine Syndrome in Brain Tumor Patients. <i>Neurosurgery</i> , 2017 , 64, 237-237	3.2	2
69	Beta-adrenergic receptor mechanisms and pain sensitivity in women with menstrually related mood disorders. <i>Journal of Pain</i> , 2013 , 14, 1349-60	5.2	2
68	Safety and efficacy of stereotactic aspiration with fibrinolysis for deep-seated spontaneous intracerebral hemorrhages: A single-center experience. <i>Medicina (Lithuania)</i> , 2017 , 53, 303-309	3.1	2
67	Spontaneous thoracic subdural hematoma associated with warfarin therapy: Case report with serial MRI. <i>Surgical Neurology International</i> , 2019 , 10, 28	1	2
66	Reader response: Depressed TSH level as a predictor of poststroke fatigue in patients with acute ischemic stroke. <i>Neurology</i> , 2019 , 93, 563-564	6.5	2
65	Unique Interplay Between Molecular miR-181b/d Biomarkers and Health Related Quality of Life Score in the Predictive Glioma Models. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
64	Safety and efficacy of prothrombin complex concentrate (PCC) for anticoagulation reversal in patients undergoing urgent neurosurgical procedures: a systematic review and metaanalysis. <i>Neurosurgical Review</i> , 2021 , 44, 1921-1931	3.9	2
63	Stereotactic radiosurgery before bilateral adrenalectomy is associated with lowered risk of Nelson's syndrome in refractory Cushing's disease patients. <i>Acta Neurochirurgica</i> , 2021 , 163, 1949-1956 ³		2
62	The impact of pre-existing conditions and perceived health status on mental health during the COVID-19 pandemic. <i>Journal of Public Health</i> , 2021 ,	3.5	2
61	Penetrating Anterior Skull Base Fracture Inflicted by a Cow's Horn. <i>Journal of Neurosciences in Rural Practice</i> , 2016 , 7, S106-S108	1.1	2
60	Internal carotid artery stenosis and risk of cerebrovascular ischemia following stereotactic radiosurgery for recurrent or residual pituitary adenomas. <i>Pituitary</i> , 2021 , 24, 574-581	4.3	2
59	Sonodynamic therapy for gliomas. <i>Journal of Neuro-Oncology</i> , 2021 , 1	4.8	2
58	Introduction of novel semiquantitative evaluation of (99m)Tc-MIBI SPECT before and after treatment of glioma. <i>Medicina (Lithuania)</i> , 2012 , 48, 15-21	3.1	2
57	Clinical and Biological Correlates of Preoperative Cognitive Functioning of Glioma and Meningioma Patients. <i>BioMed Research International</i> , 2020 , 2020, 2054859	3	1
56	Atypical Teratoid/Rhabdoid Tumor After In Vitro Fertilization: Illustrative Case Report and Systematic Literature Review. <i>World Neurosurgery</i> , 2018 , 113, 129-134	2.1	1
55	Stress during neurosurgery: no need to worry?. <i>Acta Neurochirurgica</i> , 2016 , 158, 623-624	3	1
54	Re: Impact of pre-operative health-related quality of life on outcomes after heart surgery. <i>ANZ Journal of Surgery</i> , 2017 , 87, 1061-1062	1	1
53	Evaluation of Health-Related Quality of Life in Lithuanian Brain Tumor Patients Using the EORTC Brain Cancer Module. <i>Medicina (Lithuania)</i> , 2012 , 48, 86	3.1	1

52	The association of thyroid immunity with blood pressure and body mass index in primary care patients. <i>Endocrine Research</i> , 2008 , 33, 93-103	1.9	1
51	Predictive value of baseline cognitive functioning on health-related quality of life in individuals with coronary artery disease: a 5-year longitudinal study. <i>European Journal of Cardiovascular Nursing</i> , 2021 ,	3.3	1
50	Stereotactic radiosurgery for glioblastoma considering tumor genetic profiles: an international multicenter study. <i>Journal of Neurosurgery</i> , 2021 , 1-9	3.2	1
49	Thyroid Hormones, Brain, and Heart 2020 , 339-360		1
48	The Need for Open-access, Structured Data in Clinical Brain Research. <i>Biomedical Data Journal</i> , 2015 , 01, 27-32		1
47	Intraoperative Magnetic Resonance Imaging for Low-Grade and High-Grade Gliomas: What Is the Evidence? A Meta-Analysis. <i>World Neurosurgery</i> , 2021 , 149, 232-243.e3	2.1	1
46	In Regard to Tibbs et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 110, 611-612	4	1
45	Preoperative verbal memory problems and their clinical prognostic value in meningioma patients: A prospective study. <i>Applied Neuropsychology Adult</i> , 2019 , 26, 503-512	1.9	1
44	Abdominal Insufflation Is Associated With Increase of Intracranial Pressure in Patients With Normal Pressure Hydrocephalus. <i>Operative Neurosurgery</i> , 2020 , 19, 53-56	1.6	1
43	Epistatic effect of Ankyrin repeat and kinase domain containing 1 - Dopamine receptor D2 and catechol-o-methyltransferase single nucleotide polymorphisms on the risk for hazardous use of alcohol in Lithuanian population. <i>Gene</i> , 2021 , 765, 145107	3.8	1
42	Letter: Simple Preoperative Patient-Reported Factors Predict Adverse Outcome After Elective Cranial Neurosurgery. <i>Neurosurgery</i> , 2018 , 82, E21-E22	3.2	1
41	Stereotactic Radiosurgery for Olfactory Groove Meningiomas: An International, Multicenter Study. <i>Neurosurgery</i> , 2021 , 89, 784-791	3.2	1
40	Stereotactic radiosurgery for treatment of radiation-induced meningiomas: a multiinstitutional study. <i>Journal of Neurosurgery</i> , 2021 , 1-9	3.2	1
39	Clinical and radiologic outcomes after stereotactic radiosurgery for meningiomas in direct contact with the optic apparatus: an international multicenter study. <i>Journal of Neurosurgery</i> , 2021 , 1-7	3.2	1
38	Stereotactic radiosurgery for prostate cancer cerebral metastases: an international multicenter study. <i>Journal of Neurosurgery</i> , 2021 , 1-7	3.2	1
37	Validation of the Lithuanian version of the Edinburgh Postnatal Depression Scale. <i>Medicina (Lithuania)</i> , 2009 , 45, 544-8	3.1	1
36	Stereotactic radiosurgery for Rathke's cleft cysts: an international multicenter study. <i>Journal of Neurosurgery</i> , 2022 , 1-6	3.2	0
35	Gamma Knife radiosurgery associated worsening of superficial siderosis due to a foramen magnum tumor - A case report. <i>Journal of Radiosurgery and SBRT</i> , 2020 , 7, 169-172	0.4	0

34	Stereotactic radiosurgery for asymptomatic petroclival region meningiomas: a focused analysis from the IMPASSE study. <i>Acta Neurochirurgica</i> , 2021 , 1	3	○
33	Stereotactic radiosurgery for IDH wild type glioblastoma: an international, multicenter study. <i>Journal of Neuro-Oncology</i> , 2021 , 155, 343-351	4.8	○
32	Fatigue, Social Support, and Depression in Individuals With Coronary Artery Disease. <i>Frontiers in Psychology</i> , 2021 , 12, 732795	3.4	○
31	Comments: "Low triiodothyronine syndrome is associated with platelet function in patients with nephrotic syndrome". <i>Revista Da Associação Médica Brasileira</i> , 2019 , 65, 993-994	1.4	○
30	Validation of the Substance Use Risk Profile Scale in Lithuanian population. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 276	3	○
29	Influence of Decompressive Craniectomy Post Evacuation of Epidural Hematoma in Comatose Patients. <i>World Neurosurgery</i> , 2021 , 151, e753-e759	2.1	○
28	Fatigue Is Associated With Diminished Cardiovascular Response to Anticipatory Stress in Patients With Coronary Artery Disease. <i>Frontiers in Physiology</i> , 2021 , 12, 692098	4.6	○
27	Are hypothyroidism and hypogonadism clinically relevant in patients with malignant gliomas? A longitudinal trial in patients with glioma. <i>Radiotherapy and Oncology</i> , 2019 , 135, 197	5.3	
26	Thyroid hormones and personality in coronary artery disease patients with and without sleep apnea. <i>European Neuropsychopharmacology</i> , 2019 , 29, S512-S513	1.2	
25	Pilot study of neurocognitive functioning and health-related quality of life in coronary artery disease patients. <i>European Neuropsychopharmacology</i> , 2019 , 29, S317-S318	1.2	
24	Response to Adomas Bunevicius. <i>Radiotherapy and Oncology</i> , 2019 , 135, 198	5.3	
23	Regarding paper "Somatotrophic and thyroid hormones in the acute phase of subarachnoid haemorrhage". <i>Acta Neurochirurgica</i> , 2014 , 156, 979-80	3	
22	P.1.k.006 The association of metabolic syndrome and depression with mortality in a primary care population sample. <i>European Neuropsychopharmacology</i> , 2014 , 24, S344	1.2	
21	P.2.h.006 Emotional stability and openness are associated with severity of depressive and anxiety symptoms in patients with brain tumors. <i>European Neuropsychopharmacology</i> , 2013 , 23, S418-S419	1.2	
20	Commentary. <i>Journal of Neurosciences in Rural Practice</i> , 2017 , 8, 132-133	1.1	
19	AuthorsResponse: Patient Health Questionnaire-2 as a screening tool for psychological distress in brain tumor patients. <i>Psycho-Oncology</i> , 2014 , 23, 354	3.9	
18	Introduction of Novel Semiquantitative Evaluation of 99mTc-MIBI SPECT Before and After Treatment of Glioma. <i>Medicina (Lithuania)</i> , 2012 , 48, 3	3.1	
17	P.1.i.003 Depression, anxiety and delirium are associated with thyroid axis function in brain tumor patients. <i>European Neuropsychopharmacology</i> , 2011 , 21, S353-S354	1.2	

16	Validation and Psychometric Properties of the Minnesota Living With Heart Failure Questionnaire in Individuals With Coronary Artery Disease in Lithuania.. <i>Frontiers in Psychology</i> , 2021 , 12, 771095	3.4
15	Multidimensional Structure of the Alcohol Use Disorders Identification Test: Factorial Validity and Reliability in Patients With Anxiety and Mood Disorders in Lithuania. <i>Alcohol and Alcoholism</i> , 2021 , 56, 109-115	3.5
14	Academic productivity of neurosurgery residents in Europe. <i>Acta Neurochirurgica</i> , 2020 , 162, 245-246	3
13	Academic Productivity of Neurosurgeons Practicing in Joint Residency Advisory and Accreditation Committee Accredited Programs. <i>World Neurosurgery</i> , 2020 , 138, e620-e626	2.1
12	Spontaneous pneumocephalus associated with a melanoma brain metastasis: a Case Report. <i>Journal of Neuro-Oncology</i> , 2021 , 152, 617-619	4.8
11	Delayed intracerebral hemorrhage associated with placement of a deep brain stimulating electrode over two years prior. <i>International Journal of Surgery Case Reports</i> , 2021 , 83, 105969	0.8
10	Does presence of metabolic syndrome impact anxiety and depressive disorder screening results in middle aged and elderly patients?. <i>European Neuropsychopharmacology</i> , 2016 , 26, S392-S393	1.2
9	Stereotactic radiosurgery for management of recurring Choroid Plexus Metastases from Non-Small Cell Lung Carcinoma. <i>Journal of Neuro-Oncology</i> , 2020 , 148, 207-209	4.8
8	Magnetic Resonance Perfusion Changes of Arteriovenous Malformations Treated with Stereotactic Radiosurgery. <i>World Neurosurgery</i> , 2021 , 146, e1003-e1011	2.1
7	Sudden onset paraplegia. <i>Emergency Medicine Journal</i> , 2018 , 35, 315-316	1.5
6	Stereotactic radiosurgery for clinoid meningiomas: a multi-institutional study. <i>Acta Neurochirurgica</i> , 2021 , 163, 2861-2869	3
5	Management of glioblastoma: a perspective from Lithuania. <i>Chinese Clinical Oncology</i> , 2021 , 10, 41	2.3
4	Diffusivity Metrics Three Months After Upfront Gamma Knife Radiosurgery for Trigeminal Neuralgia May Be Correlated with Pain Relief. <i>World Neurosurgery</i> , 2021 , 153, e220-e225	2.1
3	P.0645 Cortisol Response to psychosocial stress in coronary artery disease: the role of subjective mental distress, fatigue and quality of life. <i>European Neuropsychopharmacology</i> , 2021 , 53, S475	1.2
2	P.0897 The role of obstructive sleep apnoea and endocrine biomarkers in the cognitive functioning of males with coronary artery disease. <i>European Neuropsychopharmacology</i> , 2021 , 53, S659	1.2
1	Thyroid hormone actions in traumatic brain injury 2022 , 305-316	