

Adomas Bunevicius

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7394483/adomas-bunevicius-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177
papers

2,330
citations

25
h-index

42
g-index

204
ext. papers

2,986
ext. citations

3.1
avg. IF

5.71
L-index

#	Paper	IF	Citations
177	Stereotactic radiosurgery for Rathke cleft cysts: an international multicenter study.. <i>Journal of Neurosurgery</i> , 2022 , 1-6	3.2	0
176	Thyroid hormone actions in traumatic brain injury 2022 , 305-316		
175	Validation and Psychometric Properties of the Minnesota Living With Heart Failure Questionnaire in Individuals With Coronary Artery Disease in Lithuania.. <i>Frontiers in Psychology</i> , 2021 , 12, 771095	3.4	
174	Predictive value of baseline cognitive functioning on health-related quality of life in individuals with coronary artery disease: a 5-year longitudinal study. <i>European Journal of Cardiovascular Nursing</i> , 2021 ,	3.3	1
173	Stereotactic radiosurgery for glioblastoma considering tumor genetic profiles: an international multicenter study. <i>Journal of Neurosurgery</i> , 2021 , 1-9	3.2	1
172	Multidimensional Structure of the Alcohol Use Disorders Identification Test: Factorial Validity and Reliability in Patients With Anxiety and Mood Disorders in Lithuania. <i>Alcohol and Alcoholism</i> , 2021 , 56, 109-115	3.5	
171	Stereotactic radiosurgery for asymptomatic petroclival region meningiomas: a focused analysis from the IMPASSE study. <i>Acta Neurochirurgica</i> , 2021 , 1	3	0
170	Stereotactic radiosurgery for IDH wild type glioblastoma: an international, multicenter study. <i>Journal of Neuro-Oncology</i> , 2021 , 155, 343-351	4.8	0
169	Fatigue, Social Support, and Depression in Individuals With Coronary Artery Disease. <i>Frontiers in Psychology</i> , 2021 , 12, 732795	3.4	0
168	Safety and efficacy of prothrombin complex concentrate (PCC) for anticoagulation reversal in patients undergoing urgent neurosurgical procedures: a systematic review and metaanalysis. <i>Neurosurgical Review</i> , 2021 , 44, 1921-1931	3.9	2
167	Prevalence of internet addiction in healthcare professionals: Systematic review and meta-analysis. <i>International Journal of Social Psychiatry</i> , 2021 , 67, 483-491	8.5	8
166	Stereotactic radiosurgery before bilateral adrenalectomy is associated with lowered risk of Nelson syndrome in refractory Cushing disease patients. <i>Acta Neurochirurgica</i> , 2021 , 163, 1949-1956	3	2
165	Spontaneous pneumocephalus associated with a melanoma brain metastasis: a Case Report. <i>Journal of Neuro-Oncology</i> , 2021 , 152, 617-619	4.8	
164	Stereotactic Radiosurgery for Differentiated Thyroid Cancer Brain Metastases: An International, Multicenter Study. <i>Thyroid</i> , 2021 , 31, 1244-1252	6.2	5
163	Intraoperative Magnetic Resonance Imaging for Low-Grade and High-Grade Gliomas: What Is the Evidence? A Meta-Analysis. <i>World Neurosurgery</i> , 2021 , 149, 232-243.e3	2.1	1
162	The impact of pre-existing conditions and perceived health status on mental health during the COVID-19 pandemic. <i>Journal of Public Health</i> , 2021 ,	3.5	2
161	In Regard to Tibbs et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 110, 611-612	4	1

160	Delayed intracerebral hemorrhage associated with placement of a deep brain stimulating electrode over two years prior. <i>International Journal of Surgery Case Reports</i> , 2021 , 83, 105969	0.8	
159	An International Multicenter Matched Cohort Analysis of Incidental Meningioma Progression During Active Surveillance or After Stereotactic Radiosurgery: The IMPASSE Study. <i>Neuro-Oncology</i> , 2021 ,	1	10
158	Influence of Decompressive Craniectomy Post Evacuation of Epidural Hematoma in Comatose Patients. <i>World Neurosurgery</i> , 2021 , 151, e753-e759	2.1	0
157	Endoscopic third ventriculostomy versus ventriculoperitoneal shunt in pediatric and adult population: a systematic review and meta-analysis. <i>Neurosurgical Review</i> , 2021 , 44, 1227-1241	3.9	3
156	Depression prevalence based on the Edinburgh Postnatal Depression Scale compared to Structured Clinical Interview for DSM Disorders classification: Systematic review and individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2021 , 30, e1860	4.3	11
155	Radiosurgery for Glioblastoma. <i>Neurosurgery Clinics of North America</i> , 2021 , 32, 117-128	4	8
154	Can mHealth interventions improve quality of life of cancer patients? A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2021 , 157, 103123	7	15
153	Outcomes from treatment of asymptomatic skull base meningioma with stereotactic radiosurgery. <i>Acta Neurochirurgica</i> , 2021 , 163, 83-88	3	8
152	Relationship between Lithium Levels in Drinking Water and Suicide Rates: A Nationwide Study in Lithuania. <i>Archives of Suicide Research</i> , 2021 , 25, 340-352	2.3	5
151	Epistatic effect of Ankyrin repeat and kinase domain containing 1 - Dopamine receptor D2 and catechol-o-methyltransferase single nucleotide polymorphisms on the risk for hazardous use of alcohol in Lithuanian population. <i>Gene</i> , 2021 , 765, 145107	3.8	1
150	Stereotactic Radiosurgery for Periopic Meningiomas: An International, Multicenter Study. <i>Neurosurgery</i> , 2021 , 88, 828-837	3.2	3
149	Magnetic Resonance Perfusion Changes of Arteriovenous Malformations Treated with Stereotactic Radiosurgery. <i>World Neurosurgery</i> , 2021 , 146, e1003-e1011	2.1	
148	Internal carotid artery stenosis and risk of cerebrovascular ischemia following stereotactic radiosurgery for recurrent or residual pituitary adenomas. <i>Pituitary</i> , 2021 , 24, 574-581	4.3	2
147	COVID-19 media fatigue: predictors of decreasing interest and avoidance of COVID-19-related news. <i>Public Health</i> , 2021 , 196, 124-128	4	6
146	Sonodynamic therapy for gliomas. <i>Journal of Neuro-Oncology</i> , 2021 , 1	4.8	2
145	Fatigue Is Associated With Diminished Cardiovascular Response to Anticipatory Stress in Patients With Coronary Artery Disease. <i>Frontiers in Physiology</i> , 2021 , 12, 692098	4.6	0
144	Stereotactic radiosurgery for clinoid meningiomas: a multi-institutional study. <i>Acta Neurochirurgica</i> , 2021 , 163, 2861-2869	3	
143	Stereotactic Radiosurgery for Olfactory Groove Meningiomas: An International, Multicenter Study. <i>Neurosurgery</i> , 2021 , 89, 784-791	3.2	1

142	Management of glioblastoma: a perspective from Lithuania. <i>Chinese Clinical Oncology</i> , 2021 , 10, 41	2.3	
141	Data-driven methods distort optimal cutoffs and accuracy estimates of depression screening tools: a simulation study using individual participant data. <i>Journal of Clinical Epidemiology</i> , 2021 , 137, 137-147	5.7	3
140	Stereotactic radiosurgery for treatment of radiation-induced meningiomas: a multiinstitutional study. <i>Journal of Neurosurgery</i> , 2021 , 1-9	3.2	1
139	Diffusivity Metrics Three Months After Upfront Gamma Knife Radiosurgery for Trigeminal Neuralgia May Be Correlated with Pain Relief. <i>World Neurosurgery</i> , 2021 , 153, e220-e225	2.1	
138	Clinical and radiologic outcomes after stereotactic radiosurgery for meningiomas in direct contact with the optic apparatus: an international multicenter study. <i>Journal of Neurosurgery</i> , 2021 , 1-7	3.2	1
137	Stereotactic radiosurgery for prostate cancer cerebral metastases: an international multicenter study. <i>Journal of Neurosurgery</i> , 2021 , 1-7	3.2	1
136	P.0645 Cortisol Response to psychosocial stress in coronary artery disease: the role of subjective mental distress, fatigue and quality of life. <i>European Neuropsychopharmacology</i> , 2021 , 53, S475	1.2	
135	P.0897 The role of obstructive sleep apnoea and endocrine biomarkers in the cognitive functioning of males with coronary artery disease. <i>European Neuropsychopharmacology</i> , 2021 , 53, S659	1.2	
134	Validation of the Multidimensional Fatigue Inventory with Coronary Artery Disease Patients. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
133	Clinical and Biological Correlates of Preoperative Cognitive Functioning of Glioma and Meningioma Patients. <i>BioMed Research International</i> , 2020 , 2020, 2054859	3	1
132	Clinical Utility of Preoperative Bilingual Language fMRI Mapping in Patients with Brain Tumors. <i>Journal of Neuroimaging</i> , 2020 , 30, 175-183	2.8	5
131	Gamma Knife radiosurgery associated worsening of superficial siderosis due to a foramen magnum tumor - A case report. <i>Journal of Radiosurgery and SBRT</i> , 2020 , 7, 169-172	0.4	0
130	Thyroid Hormones, Brain, and Heart 2020 , 339-360		1
129	Sex Effect on Presurgical Language Mapping in Patients With a Brain Tumor. <i>Frontiers in Neuroscience</i> , 2020 , 14, 4	5.1	6
128	Academic productivity of neurosurgery residents in Europe. <i>Acta Neurochirurgica</i> , 2020 , 162, 245-246	3	
127	Focused Ultrasound Strategies for Brain Tumor Therapy. <i>Operative Neurosurgery</i> , 2020 , 19, 9-18	1.6	22
126	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale - Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020 , 129, 109892	4.1	22
125	REVIEW: MR elastography of brain tumors. <i>NeuroImage: Clinical</i> , 2020 , 25, 102109	5.3	31

124	Unique Interplay Between Molecular miR-181b/d Biomarkers and Health Related Quality of Life Score in the Predictive Glioma Models. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
123	Isocitrate Dehydrogenase, Patient-Reported Outcomes, and Cognitive Functioning of Glioma Patients: a Systematic Review. <i>Current Oncology Reports</i> , 2020 , 22, 120	6.3	4
122	Academic Productivity of Neurosurgeons Practicing in Joint Residency Advisory and Accreditation Committee Accredited Programs. <i>World Neurosurgery</i> , 2020 , 138, e620-e626	2.1	
121	Validation of the Substance Use Risk Profile Scale in Lithuanian population. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 276	3	0
120	Early versus late Gamma Knife radiosurgery for Cushing's disease after prior resection: results of an international, multicenter study. <i>Journal of Neurosurgery</i> , 2020 , 134, 807-815	3.2	5
119	Quality-of-life trajectories after stereotactic radiosurgery for brain metastases. <i>Journal of Neurosurgery</i> , 2020 , 134, 1791-1799	3.2	5
118	Neuropsychiatric complications and neuroimaging characteristics after deep brain stimulation surgery for Parkinson's disease. <i>Brain Imaging and Behavior</i> , 2020 , 14, 62-71	4.1	7
117	Abdominal Insufflation Is Associated With Increase of Intracranial Pressure in Patients With Normal Pressure Hydrocephalus. <i>Operative Neurosurgery</i> , 2020 , 19, 53-56	1.6	1
116	A comparison of thin-plate spline deformation and finite element modeling to compensate for brain shift during tumor resection. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2020 , 15, 75-85	3.9	6
115	Stereotactic radiosurgery for management of recurring Choroid Plexus Metastases from Non-Small Cell Lung Carcinoma. <i>Journal of Neuro-Oncology</i> , 2020 , 148, 207-209	4.8	
114	Outcomes of Cushing's disease following Gamma Knife radiosurgery: effect of a center's growing experience and era of treatment. <i>Journal of Neurosurgery</i> , 2020 , 1-8	3.2	13
113	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1803	4.3	24
112	Common genetic variations of deiodinase genes and prognosis of brain tumor patients. <i>Endocrine</i> , 2019 , 66, 563-572	4	6
111	Safety and efficacy of repeat radiosurgery for acromegaly: an International Multi-Institutional Study. <i>Journal of Neuro-Oncology</i> , 2019 , 145, 301-307	4.8	5
110	The association of cardiovascular reactivity during the Trier Social Stress Test with quality of life in coronary artery disease patients. <i>Journal of Psychosomatic Research</i> , 2019 , 126, 109824	4.1	3
109	Are hypothyroidism and hypogonadism clinically relevant in patients with malignant gliomas? A longitudinal trial in patients with glioma. <i>Radiotherapy and Oncology</i> , 2019 , 135, 197	5.3	
108	Thyroid hormones and personality in coronary artery disease patients with and without sleep apnea. <i>European Neuropsychopharmacology</i> , 2019 , 29, S512-S513	1.2	
107	Pilot study of neurocognitive functioning and health-related quality of life in coronary artery disease patients. <i>European Neuropsychopharmacology</i> , 2019 , 29, S317-S318	1.2	

106	Response to Adomas Bunevicius. <i>Radiotherapy and Oncology</i> , 2019 , 135, 198	5.3	
105	Association of COMT ValMet Polymorphism With Delirium Risk and Outcomes After Traumatic Brain Injury. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019 , 31, 298-305	2.7	7
104	Association of miR-34a Expression with Quality of Life of Glioblastoma Patients: A Prospective Study. <i>Cancers</i> , 2019 , 11,	6.6	4
103	Maternal cognitive function during pregnancy in relation to hypo- and hyperthyroxinemia. <i>Clinical Endocrinology</i> , 2019 , 91, 824-833	3.4	4
102	Surgical and radiosurgical treatment strategies for Cushing's disease. <i>Journal of Neuro-Oncology</i> , 2019 , 145, 403-413	4.8	7
101	Preliminary Results Comparing Thin Plate Splines with Finite Element Methods For Modeling Brain Deformation during Neurosurgery using Intraoperative Ultrasound. <i>Proceedings of SPIE</i> , 2019 , 10951,	1.7	4
100	Spontaneous thoracic subdural hematoma associated with warfarin therapy: Case report with serial MRI. <i>Surgical Neurology International</i> , 2019 , 10, 28	1	2
99	Comments: "Low triiodothyronine syndrome is associated with platelet function in patients with nephrotic syndrome". <i>Revista Da Associação Médica Brasileira</i> , 2019 , 65, 993-994	1.4	0
98	Reader response: Depressed TSH level as a predictor of poststroke fatigue in patients with acute ischemic stroke. <i>Neurology</i> , 2019 , 93, 563-564	6.5	2
97	QOLP-38. PATIENT REPORTED OUTCOMES IN GLIOMA: THE ROLE OF IDH MUTATION ON QUALITY OF LIFE AND MOOD. <i>Neuro-Oncology</i> , 2019 , 21, vi206-vi206	1	78
96	QOLP-16. DISTRESSED (D TYPE) PERSONALITY, PREOPERATIVE PSYCHOLOGICAL DISTRESS, COGNITIVE FUNCTIONING, QUALITY OF LIFE, AND TREATMENT OUTCOMES OF GLIOMA PATIENTS: PROSPECTIVE STUDY. <i>Neuro-Oncology</i> , 2019 , 21, vi201-vi201	1	78
95	Preoperative verbal memory problems and their clinical prognostic value in meningioma patients: A prospective study. <i>Applied Neuropsychology Adult</i> , 2019 , 26, 503-512	1.9	1
94	Prognostic role of high sensitivity C-reactive protein and interleukin-6 in glioma and meningioma patients. <i>Journal of Neuro-Oncology</i> , 2018 , 138, 351-358	4.8	11
93	Atypical Teratoid/Rhabdoid Tumor After In Vitro Fertilization: Illustrative Case Report and Systematic Literature Review. <i>World Neurosurgery</i> , 2018 , 113, 129-134	2.1	1
92	A prognostic role for Low tri-iodothyronine syndrome in acute stroke patients: A systematic review and meta-analysis. <i>Clinical Neurology and Neurosurgery</i> , 2018 , 169, 55-63	2	16
91	Type D Personality and Sleep Quality in Coronary Artery Disease Patients With and Without Obstructive Sleep Apnea: Mediating Effects of Anxiety and Depression. <i>International Journal of Behavioral Medicine</i> , 2018 , 25, 171-182	2.6	8
90	Personality traits, patient-centered health status and prognosis of brain tumor patients. <i>Journal of Neuro-Oncology</i> , 2018 , 137, 593-600	4.8	18
89	Does presence of metabolic syndrome impact anxiety and depressive disorder screening results in middle aged and elderly individuals? A population based study. <i>BMC Psychiatry</i> , 2018 , 18, 5	4.2	5

88	Prothrombin Complex Concentrate for Warfarin-Associated Intracranial Bleeding in Neurosurgical Patients: A Single-Center Experience. <i>Medicina (Lithuania)</i> , 2018 , 54,	3.1	4
87	Incidence and clinical significance of postoperative delirium after brain tumor surgery. <i>Acta Neurochirurgica</i> , 2018 , 160, 2327-2337	3	12
86	Brain MRI morphometric analysis in Parkinson@ disease patients with sleep disturbances. <i>BMC Neurology</i> , 2018 , 18, 88	3.1	10
85	Cognitive function in patients with coronary artery disease: A literature review. <i>Journal of International Medical Research</i> , 2018 , 46, 4019-4031	1.4	13
84	Letter: Simple Preoperative Patient-Reported Factors Predict Adverse Outcome After Elective Cranial Neurosurgery. <i>Neurosurgery</i> , 2018 , 82, E21-E22	3.2	1
83	Sudden onset paraplegia. <i>Emergency Medicine Journal</i> , 2018 , 35, 315-316	1.5	
82	The Association of Digit Ratio (2D : 4D) with Cancer: A Systematic Review and Meta-Analysis. <i>Disease Markers</i> , 2018 , 2018, 7698193	3.2	21
81	The Association of Surgical Method with Outcomes of Acute Subdural Hematoma Patients: Experience with 643 Consecutive Patients. <i>World Neurosurgery</i> , 2017 , 101, 335-342	2.1	17
80	Reliability and validity of the SF-36 Health Survey Questionnaire in patients with brain tumors: a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 92	3	59
79	Association between psychological distress, subjective cognitive complaints and objective neuropsychological functioning in brain tumor patients. <i>Clinical Neurology and Neurosurgery</i> , 2017 , 163, 18-23	2	32
78	153 Prognostic Role of the Low Tri-Iodothyronine Syndrome in Brain Tumor Patients. <i>Neurosurgery</i> , 2017 , 64, 237-237	3.2	2
77	Safety and efficacy of stereotactic aspiration with fibrinolysis for deep-seated spontaneous intracerebral hemorrhages: A single-center experience. <i>Medicina (Lithuania)</i> , 2017 , 53, 303-309	3.1	2
76	Cognitive Functioning in Coronary Artery Disease Patients: Associations with Thyroid Hormones, N-Terminal Pro-B-Type Natriuretic Peptide and High-Sensitivity C-Reactive Protein. <i>Archives of Clinical Neuropsychology</i> , 2017 , 32, 245-251	2.7	6
75	Preoperative N-terminal pro-B-type natriuretic peptide concertation and prognosis of brain tumor patients: a 5-year follow up study. <i>Scientific Reports</i> , 2017 , 7, 14775	4.9	4
74	The association between lunar phase and intracranial aneurysm rupture: Myth or reality? Own data and systematic review. <i>BMC Neurology</i> , 2017 , 17, 99	3.1	5
73	Association of thyroid hormone concentrations with quality of life of primary brain tumor patients: a pilot study. <i>Journal of Neuro-Oncology</i> , 2017 , 131, 385-391	4.8	13
72	Re: Impact of pre-operative health-related quality of life on outcomes after heart surgery. <i>ANZ Journal of Surgery</i> , 2017 , 87, 1061-1062	1	1
71	Commentary. <i>Journal of Neurosciences in Rural Practice</i> , 2017 , 8, 132-133	1.1	

70	Exploring Cognitive Concomitants of Mental Fatigue in Patients with Coronary Artery Disease. <i>Neuropsychobiology</i> , 2017 , 76, 151-160	4	7
69	Preoperative low tri-iodothyronine concentration is associated with worse health status and shorter five year survival of primary brain tumor patients. <i>Oncotarget</i> , 2017 , 8, 8648-8656	3.3	13
68	Association of pre-operative depressive and anxiety symptoms with five-year survival of glioma and meningioma patients: a prospective cohort study. <i>Oncotarget</i> , 2017 , 8, 57543-57551	3.3	25
67	Low Tri-Iodothyronine Syndrome in Neurosurgical Patients: A Systematic Review of Literature. <i>World Neurosurgery</i> , 2016 , 95, 197-207	2.1	13
66	Digit ratio (2D:4D) in primary brain tumor patients: A case-control study. <i>Early Human Development</i> , 2016 , 103, 205-208	2.2	15
65	Professional burnout and its correlates in Lithuanian neurosurgeons. <i>Acta Neurochirurgica</i> , 2016 , 158, 1437-45	3	8
64	Association of Depression, Anxiety, and Type D Personality with Cognitive Function in Patients with Coronary Artery Disease. <i>Cognitive and Behavioral Neurology</i> , 2016 , 29, 91-9	1.6	19
63	Olfactory Fossa Meningioma Presenting as Depressive Disorder: A Case Report. <i>Cognitive and Behavioral Neurology</i> , 2016 , 29, 107-12	1.6	5
62	Triiodothyronine accelerates and enhances the antipsychotic effect of risperidone in acute schizophrenia. <i>Journal of Psychiatric Research</i> , 2016 , 73, 9-16	5.2	3
61	Hemodynamic response during aneurysm clipping surgery among experienced neurosurgeons. <i>Acta Neurochirurgica</i> , 2016 , 158, 221-7	3	6
60	Suicidal ideation in patients undergoing brain tumor surgery: prevalence and risk factors. <i>Supportive Care in Cancer</i> , 2016 , 24, 2963-70	3.9	13
59	Stress during neurosurgery: no need to worry?. <i>Acta Neurochirurgica</i> , 2016 , 158, 623-624	3	1
58	Beta-1-Selective Beta-Blockers and Cognitive Functions in Patients With Coronary Artery Disease: A Cross-Sectional Study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2016 , 28, 143-6	2.7	11
57	Unruptured anterior communicating artery aneurysm presenting as depression: A case report and review of literature. <i>Surgical Neurology International</i> , 2016 , 7, S495-8	1	3
56	Penetrating Anterior Skull Base Fracture Inflicted by a Cow's Horn. <i>Journal of Neurosciences in Rural Practice</i> , 2016 , 7, S106-S108	1.1	2
55	Does presence of metabolic syndrome impact anxiety and depressive disorder screening results in middle aged and elderly patients?. <i>European Neuropsychopharmacology</i> , 2016 , 26, S392-S393	1.2	
54	Neuroprotective actions of thyroid hormones and low-T3 syndrome as a biomarker in acute cerebrovascular disorders. <i>Expert Review of Neurotherapeutics</i> , 2015 , 15, 315-26	4.3	49
53	Metabolic syndrome, major depression, generalized anxiety disorder, and ten-year all-cause and cardiovascular mortality in middle aged and elderly patients. <i>International Journal of Cardiology</i> , 2015 , 190, 360-6	3.2	42

52	Mindfulness-based Stress Reduction as a Promising Intervention for Amelioration of Premenstrual Dysphoric Disorder Symptoms. <i>Mindfulness</i> , 2015 , 6, 1292-1302	2.9	17
51	Depression screening in patients with brain tumors: a review. <i>CNS Oncology</i> , 2015 , 4, 71-8	4	28
50	Role of N-terminal pro-B-type natriuretic peptide, high-sensitivity C-reactive protein, and interleukin-6 in predicting a poor outcome after a stroke. <i>NeuroImmunoModulation</i> , 2015 , 22, 365-72	2.5	18
49	The Need for Open-access, Structured Data in Clinical Brain Research. <i>Biomedical Data Journal</i> , 2015 , 01, 27-32		1
48	Regarding paper "Somatotropic and thyroid hormones in the acute phase of subarachnoid haemorrhage". <i>Acta Neurochirurgica</i> , 2014 , 156, 979-80	3	
47	Relationship of health-related quality of life with fatigue and exercise capacity in patients with coronary artery disease. <i>European Journal of Cardiovascular Nursing</i> , 2014 , 13, 338-44	3.3	29
46	Menstrual mood disorders are associated with blunted sympathetic reactivity to stress. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 46-55	4.1	11
45	Factors affecting the presence of depression, anxiety disorders, and suicidal ideation in patients attending primary health care service in Lithuania. <i>Scandinavian Journal of Primary Health Care</i> , 2014 , 32, 24-9	2.7	24
44	P.1.k.006 The association of metabolic syndrome and depression with mortality in a primary care population sample. <i>European Neuropsychopharmacology</i> , 2014 , 24, S344	1.2	
43	Menstrually related mood disorders and a history of abuse: moderators of pain sensitivity. <i>Health Psychology</i> , 2014 , 33, 147-54	5	9
42	BI-04 * PRE-OPERATIVE LOW TRI-iodothyronine syndrome is associated with greater 6-month mortality rate of neurosurgical brain tumor patients. <i>Neuro-Oncology</i> , 2014 , 16, v23-v23	1	78
41	QL-06 * RELIABILITY OF THE SF-36 QUESTIONNAIRE FOR ASSESSMENT OF HEALTH RELATED QUALITY OF LIFE IN NEUROSURGICAL BRAIN TUMOR PATIENTS. <i>Neuro-Oncology</i> , 2014 , 16, v179-v179	1	78
40	AuthorsResponse: Patient Health Questionnaire-2 as a screening tool for psychological distress in brain tumor patients. <i>Psycho-Oncology</i> , 2014 , 23, 354	3.9	
39	Depression but not anxiety is associated with metabolic syndrome in primary care based community sample. <i>Psychoneuroendocrinology</i> , 2014 , 40, 269-76	5	51
38	Ischemic stroke functional outcomes are independently associated with C-reactive protein concentrations and cognitive outcomes with triiodothyronine concentrations: a pilot study. <i>Endocrine</i> , 2014 , 45, 213-20	4	38
37	Decreased physical effort, fatigue, and mental distress in patients with coronary artery disease: importance of personality-related differences. <i>International Journal of Behavioral Medicine</i> , 2014 , 21, 240-7	2.6	25
36	Predictors of health-related quality of life in neurosurgical brain tumor patients: focus on patient-centered perspective. <i>Acta Neurochirurgica</i> , 2014 , 156, 367-74	3	68
35	Extended pterional approach for initial surgical management of craniopharyngiomas: a case series. <i>Turkish Neurosurgery</i> , 2014 , 24, 174-83	0.8	5

34	Screening for anxiety disorders in patients with coronary artery disease. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 37	3	65
33	Beta-adrenergic receptor mechanisms and pain sensitivity in women with menstrually related mood disorders. <i>Journal of Pain</i> , 2013 , 14, 1349-60	5.2	2
32	P.2.h.006 Emotional stability and openness are associated with severity of depressive and anxiety symptoms in patients with brain tumors. <i>European Neuropsychopharmacology</i> , 2013 , 23, S418-S419	1.2	
31	Spatiotemporal uptake characteristics of [18]F-2-fluoro-2-deoxy-D-glucose in a rat middle cerebral artery occlusion model. <i>Stroke</i> , 2013 , 44, 2292-9	6.7	13
30	The potential roles of 18F-FDG-PET in management of acute stroke patients. <i>BioMed Research International</i> , 2013 , 2013, 634598	3	28
29	Type D (distressed) personality and its assessment with the DS14 in Lithuanian patients with coronary artery disease. <i>Journal of Health Psychology</i> , 2013 , 18, 1242-51	3.1	22
28	Psychological distress symptoms clusters in brain tumor patients: factor analysis of depression and anxiety scales. <i>Psycho-Oncology</i> , 2013 , 22, 2860-3	3.9	16
27	Screening for psychological distress in neurosurgical brain tumor patients using the Patient Health Questionnaire-2. <i>Psycho-Oncology</i> , 2013 , 22, 1895-900	3.9	30
26	The association of migraine with menstrually related mood disorders and childhood sexual abuse. <i>Journal of Women's Health</i> , 2013 , 22, 871-6	3	6
25	Low triiodothyronine syndrome as a predictor of poor outcomes in patients undergoing brain tumor surgery: a pilot study: clinical article. <i>Journal of Neurosurgery</i> , 2013 , 118, 1279-87	3.2	49
24	Transsphenoidal surgery for microprolactinomas in women: results and prognosis. <i>Acta Neurochirurgica</i> , 2012 , 154, 1889-93	3	25
23	Diagnostic accuracy of self-rating scales for screening of depression in coronary artery disease patients. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 22-5	4.1	64
22	Evaluation of Health-Related Quality of Life in Lithuanian Brain Tumor Patients Using the EORTC Brain Cancer Module. <i>Medicina (Lithuania)</i> , 2012 , 48, 86	3.1	1
21	Introduction of Novel Semiquantitative Evaluation of 99mTc-MIBI SPECT Before and After Treatment of Glioma. <i>Medicina (Lithuania)</i> , 2012 , 48, 3	3.1	
20	Evaluation of depressive symptoms in patients with coronary artery disease using the Montgomery Åberg Depression Rating Scale. <i>International Clinical Psychopharmacology</i> , 2012 , 27, 249-55	2.2	13
19	Fatigue in patients with coronary artery disease: association with thyroid axis hormones and cortisol. <i>Psychosomatic Medicine</i> , 2012 , 74, 848-53	3.7	18
18	Hypothalamic-pituitary-thyroid axis function in women with a menstrually related mood disorder: association with histories of sexual abuse. <i>Psychosomatic Medicine</i> , 2012 , 74, 810-6	3.7	18
17	Perioperative single photon emission computed tomography in predicting survival of malignant glioma patients. <i>Oncology Letters</i> , 2012 , 4, 739-744	2.6	6

16	Introduction of novel semiquantitative evaluation of (99m)Tc-MIBI SPECT before and after treatment of glioma. <i>Medicina (Lithuania)</i> , 2012 , 48, 15-21	3.1	2
15	Evaluation of health-related quality of life in Lithuanian brain tumor patients using the EORTC brain cancer module. <i>Medicina (Lithuania)</i> , 2012 , 48, 588-94	3.1	5
14	Relationship of fatigue and exercise capacity with emotional and physical state in patients with coronary artery disease admitted for rehabilitation program. <i>American Heart Journal</i> , 2011 , 162, 310-6	4.9	32
13	P.1.i.003 Depression, anxiety and delirium are associated with thyroid axis function in brain tumor patients. <i>European Neuropsychopharmacology</i> , 2011 , 21, S353-S354	1.2	
12	Specific fatigue-related items in self-rating depression scales do not bias an association between depression and fatigue in patients with coronary artery disease. <i>General Hospital Psychiatry</i> , 2011 , 33, 527-9	5.6	17
11	Validation of the Lithuanian version of the Edinburgh Postnatal Depression Scale. <i>Medicina (Lithuania)</i> , 2009 , 45, 544	3.1	7
10	Depressive disorder and thyroid axis functioning during pregnancy. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 324-9	3.8	23
9	Psychosocial risk factors for depression during pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 599-605	3.8	106
8	Validity of the Edinburgh Postnatal Depression Scale. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	4
7	Screening for antenatal depression with the Edinburgh Depression Scale. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2009 , 30, 238-43	3.6	96
6	Validation of the Lithuanian version of the Edinburgh Postnatal Depression Scale. <i>Medicina (Lithuania)</i> , 2009 , 45, 544-8	3.1	1
5	Symptoms of anxiety and depression in medical students and in humanities students: relationship with big-five personality dimensions and vulnerability to stress. <i>International Journal of Social Psychiatry</i> , 2008 , 54, 494-501	8.5	89
4	The association of thyroid immunity with blood pressure and body mass index in primary care patients. <i>Endocrine Research</i> , 2008 , 33, 93-103	1.9	1
3	Brain lesions manifesting as psychiatric disorders: eight cases. <i>CNS Spectrums</i> , 2008 , 13, 950-8	1.8	47
2	Screening for depression and anxiety disorders in primary care patients. <i>Depression and Anxiety</i> , 2007 , 24, 455-60	8.4	60
1	Mood and thyroid immunity assessed by ultrasonographic imaging in a primary health care. <i>Journal of Affective Disorders</i> , 2007 , 97, 85-90	6.6	17