

Yuji Ohishi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7395253/yuji-ohishi-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

976
citations

17
h-index

26
g-index

121
ext. papers

1,138
ext. citations

2.1
avg. IF

4.26
L-index

#	Paper	IF	Citations
119	Heat capacity of liquid transition metals obtained with aerodynamic levitation. <i>Journal of Chemical Thermodynamics</i> , 2022 , 171, 106801	2.9	0
118	Enhancement of Thermoelectric Properties of n-Type Bi ₂ Te _{3-x} Sex by Energy Filtering Effect. <i>ACS Applied Energy Materials</i> , 2021 , 4, 11819-11826	6.1	3
117	Measurement of Doppler broadening of prompt gamma-rays from various zirconium- and ferro-borons. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2021 , 991, 164964	1.2	
116	Novel Method for Surface Tension Measurement: the Drop-Bounce Method. <i>Microgravity Science and Technology</i> , 2021 , 33, 1	1.6	2
115	Controlled thermal expansion and thermoelectric properties of Mg ₂ Si/Si composites. <i>Journal of Applied Physics</i> , 2021 , 130, 035105	2.5	
114	Multiple-gas cooling method for constant-pressure heat capacity measurement of liquid metals using aerodynamic levitator. <i>Review of Scientific Instruments</i> , 2021 , 92, 095102	1.7	1
113	Mechanical properties and thermal conductivity of (U,Zr)SiO ₄ . <i>Journal of Nuclear Materials</i> , 2021 , 556, 153160	3.3	0
112	Mechanical and thermal properties of Zr-B and Fe-B alloys. <i>Journal of Nuclear Science and Technology</i> , 2020 , 57, 917-925	1	3
111	Beneficial influence of iodine substitution on the thermoelectric properties of Mo ₃ Sb ₇ . <i>Journal of Applied Physics</i> , 2020 , 127, 105101	2.5	
110	Droplet impingement method to measure the surface tension of molten zirconium oxide. <i>Journal of Nuclear Science and Technology</i> , 2020 , 57, 889-897	1	1
109	Low temperature heat capacity of Cs ₂ Si ₄ O ₉ . <i>Journal of Nuclear Science and Technology</i> , 2020 , 57, 852-857		1
108	High Thermoelectric Power Factor of Si/Mg ₂ Si Nanocomposite Ribbons Synthesized by Melt Spinning. <i>ACS Applied Energy Materials</i> , 2020 , 3, 1962-1968	6.1	12
107	Interaction of Liquid CsIO ₃ with a Polycrystalline UO ₂ Solid Surface. <i>Transactions of the Atomic Energy Society of Japan</i> , 2020 , 19, 147-151	0.1	
106	Experimental study of the thermoelectric properties of YbH ₂ . <i>Journal of Alloys and Compounds</i> , 2020 , 821, 153496	5.7	1
105	Thermophysical properties of molten Zr _{1-x} O _x (x=0.1, 0.2) measured by electrostatic levitation. <i>Journal of Nuclear Materials</i> , 2020 , 528, 151873	3.3	5
104	Enhancement of Thermoelectric Figure of Merit of p-Type Nb _{0.9} Ti _{0.1} FeSb Half-Heusler Compound by Nanostructuring. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020 , 217, 2000419	1.6	1
103	Synthesis and characterization of bulk Si ₃ Si nanocomposite and comparisons of approaches for enhanced thermoelectric properties in nanocomposites composed of Si and various metal silicides. <i>Journal of Applied Physics</i> , 2020 , 128, 095101	2.5	0

102	Realizing Excellent n- and p-Type Niobium-Based Half-Heusler Compounds Based on Thermoelectric Properties and High-Temperature Stability. <i>Advanced Electronic Materials</i> , 2020 , 6, 2000083	6.4	2
101	Thermal and mechanical properties of U ₃ Si and USi ₃ . <i>Annals of Nuclear Energy</i> , 2019 , 133, 186-193	1.7	2
100	Thermal and Electrical Conductivity of Liquid AlSi Alloys. <i>International Journal of Thermophysics</i> , 2019 , 40, 1	2.1	4
99	Thermophysical and mechanical properties of CrB and FeB. <i>Journal of Nuclear Science and Technology</i> , 2019 , 56, 859-865	1	5
98	Self-Assembled Nanostructured Bulk Si as High-Performance TE Materials 2019 , 35-77		
97	Density and viscosity of liquid ZrO measured by aerodynamic levitation technique. <i>Heliyon</i> , 2019 , 5, e020349	3.9	17
96	Thermophysical Properties of Liquid AlCu Alloys. <i>International Journal of Thermophysics</i> , 2019 , 40, 1	2.1	0
95	Biosynthesis of bismuth selenide nanoparticles using chalcogen-metabolizing bacteria. <i>Applied Microbiology and Biotechnology</i> , 2019 , 103, 8853-8861	5.7	3
94	Carrier and heat transport properties of poly-crystalline GeSn films for thin-film transistor applications. <i>Journal of Applied Physics</i> , 2019 , 126, 145105	2.5	5
93	Thermal and Mechanical Properties of Fe ₂ Zr. <i>Transactions of the Atomic Energy Society of Japan</i> , 2019 , 18, 37-42	0.1	2
92	Wettability of Liquid Cesium Halides on Oxide Single Crystals. <i>Transactions of the Atomic Energy Society of Japan</i> , 2019 , 18, 1-5	0.1	1
91	Fabrication and Thermoelectric Property of Bi _{0.88} Sb _{0.12} /InSb Eutectic Alloy by Melt Spinning and Spark Plasma Sintering. <i>Materials Transactions</i> , 2019 , 60, 1072-1077	1.3	2
90	Enhanced Thermoelectric Properties of Ga and Ce Double-Filled p-Type Skutterudites. <i>Materials Transactions</i> , 2019 , 60, 1078-1082	1.3	2
89	Stability and bonding nature for icosahedral or planar cluster of hydrogenated boron or aluminum. <i>AIP Advances</i> , 2019 , 9, 115117	1.5	
88	Tuning valence electron concentration in the Mo ₁₃ Ge ₂₃ -Ru ₂ Ge ₃ pseudobinary system for enhancement of the thermoelectric properties. <i>Journal of Applied Physics</i> , 2019 , 125, 025108	2.5	
87	Thermoelectric Properties of Co- and Mn-Doped Al ₂ Fe ₃ Si ₃ . <i>Journal of Electronic Materials</i> , 2019 , 48, 475-482	1.9	7
86	Thermal conductivity and electrical resistivity of liquid AgIn alloy. <i>Journal of Nuclear Science and Technology</i> , 2018 , 55, 568-574	1	4
85	Wettability of liquid caesium iodine and boron oxide on yttria-stabilized zirconia. <i>Journal of Nuclear Science and Technology</i> , 2018 , 55, 838-842	1	4

84	The Nanometer-Sized Eutectic Structure of Si/CrSi ₂ Thermoelectric Materials Fabricated by Rapid Solidification. <i>Journal of Electronic Materials</i> , 2018 , 47, 2330-2336	1.9	18
83	Effect of hydrogenation conditions on the microstructure and mechanical properties of zirconium hydride. <i>Journal of Nuclear Materials</i> , 2018 , 500, 145-152	3.3	9
82	Thermal and Mechanical Properties of β -MoSi ₂ as a High-Temperature Material. <i>Physica Status Solidi (B): Basic Research</i> , 2018 , 255, 1700448	1.3	7
81	Naturally decorated dislocations capable of enhancing multiple-phonon scattering in Si-based thermoelectric composites. <i>Journal of Applied Physics</i> , 2018 , 123, 115114	2.5	4
80	Effect of point and planar defects on thermal conductivity of TiO ₂ . <i>Journal of the American Ceramic Society</i> , 2018 , 101, 334-346	3.8	9
79	Bi-doped lanthanum molybdate: Enhancing the anharmonicity and reducing the thermal conductivity using Bi ³⁺ with lone pair electrons. <i>Ceramics International</i> , 2018 , 44, 15833-15838	5.1	5
78	Synthesis and Characterization of CeO ₂ -Based Simulated Fuel Containing CsI. <i>Transactions of the Atomic Energy Society of Japan</i> , 2018 , 17, 106-110	0.1	
77	Chalcopyrite ZnSnSb: A Promising Thermoelectric Material. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 43682-43690	9.5	14
76	High thermoelectric power factor of ytterbium silicon-germanium. <i>Applied Physics Letters</i> , 2018 , 113, 193901	3.4	7
75	Thermoelectric Properties of p-Type Half-Heusler Compounds FeNb _{0.9} Mo _{0.1} Sb (M = Ti, Zr, Hf). <i>Materials Transactions</i> , 2018 , 59, 1030-1034	1.3	5
74	Enhancement of thermoelectric properties of p-type single-filled skutterudites CexFeyCo _{4-y} Sb ₁₂ by tuning the Ce and Fe content. <i>AIP Advances</i> , 2018 , 8, 105104	1.5	4
73	Synthesis of High-Density Bulk Tin Monoxide and Its Thermoelectric Properties. <i>Materials Transactions</i> , 2018 , 59, 1022-1029	1.3	4
72	Thermal and mechanical properties of polycrystalline U ₃ Si ₂ synthesized by spark plasma sintering. <i>Journal of Nuclear Science and Technology</i> , 2018 , 55, 1141-1150	1	20
71	Physical properties of core-concrete systems: Al ₂ O ₃ -ZrO ₂ molten materials measured by aerodynamic levitation. <i>Journal of Nuclear Materials</i> , 2017 , 487, 121-127	3.3	10
70	Thermoelectric properties of Si-NiSi ₂ bulk nanocomposites synthesized by a combined method of melt spinning and spark plasma sintering. <i>Journal of Applied Physics</i> , 2017 , 121, 225110	2.5	10
69	Thermoelectric properties of Si/CoSi ₂ sub-micrometer composites prepared by melt-spinning technique. <i>Journal of Applied Physics</i> , 2017 , 121, 205107	2.5	10
68	Physical properties of molten core materials: Zr-Ni and Zr-Cr alloys measured by electrostatic levitation. <i>Journal of Nuclear Materials</i> , 2017 , 485, 129-136	3.3	9
67	Enhancement of Thermoelectric Properties of Bulk Si by Dispersing Size-Controlled VSi ₂ . <i>Journal of Electronic Materials</i> , 2017 , 46, 3249-3255	1.9	13

66	Mechanical and thermal properties of ZrSiO ₄ . <i>Journal of Nuclear Science and Technology</i> , 2017 , 54, 1267-1273	20
65	High wettability of liquid caesium iodine with solid uranium dioxide. <i>Scientific Reports</i> , 2017 , 7, 11449	4.9 5
64	Effect of Ba concentration on phase stability and mechanical and thermal properties of La ₂ Mo ₂ O ₉ . <i>Journal of the European Ceramic Society</i> , 2017 , 37, 281-288	6 9
63	Thermal Conductivity and Electrical Resistivity of Liquid Sn-Bi Alloys. <i>Netsu Bussei</i> , 2017 , 31, 11-16	0.1 2
62	Electronic Structure and Thermoelectric Properties of Pseudogap Intermetallic Compound Al ₅ Co ₂ . <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2017 , 81, 55-59	0.4 0
61	Thermoelectric Properties of In _x FeCo ₃ Sb ₁₂ Consisting Mainly of In-Filled p-Type Skutterudites. <i>Materials Transactions</i> , 2017 , 58, 1207-1211	1.3 3
60	Thermoelectric Properties of Cr _{1-x} W _x Si ₂ . <i>Materials Transactions</i> , 2016 , 57, 1059-1065	1.3 5
59	Reduction of lattice thermal conductivity of pseudogap intermetallic compound Al ₃ V. <i>Physica Status Solidi (B): Basic Research</i> , 2016 , 253, 469-472	1.3 5
58	Isotope effect and hydrogen content dependence on the heat capacity and thermal conductivity of zirconium hydride and deuteride. <i>Journal of Nuclear Science and Technology</i> , 2016 , 53, 508-512	1 2
57	Role of Nanoscale Precipitates for Enhancement of Thermoelectric Properties of Heavily P-Doped Si-Ge Alloys. <i>Materials Transactions</i> , 2016 , 57, 1070-1075	1.3 2
56	Thermoelectric Properties of (100) Oriented Silicon and Nickel Silicide Nanocomposite Films Grown on Si on Insulator and Si on Quartz Glass Substrates. <i>Materials Transactions</i> , 2016 , 57, 1076-1081	1.3 5
55	Mechanical and Thermal Properties of Fe ₂ B. <i>Transactions of the Atomic Energy Society of Japan</i> , 2016 , 15, 223-228	0.1 7
54	Enhanced Thermoelectric Properties of Silicon via Nanostructuring. <i>Materials Transactions</i> , 2016 , 57, 1018-1021	1.3 22
53	Enhanced thermoelectric properties of Ga and In Co-added CoSb ₃ -based skutterudites with optimized chemical composition and microstructure. <i>AIP Advances</i> , 2016 , 6, 125015	1.5 12
52	Thermophysical properties of molten core materials: ZrBe alloys measured by electrostatic levitation. <i>Journal of Nuclear Science and Technology</i> , 2016 , 53, 1943-1950	1 8
51	Thermoelectric Properties of p-Type Tl-Filled Skutterudites: Tl _x Fe _{1.5} Co _{2.5} Sb ₁₂ . <i>Journal of Electronic Materials</i> , 2015 , 44, 1743-1749	1.9 3
50	Thermoelectric properties of heavily boron- and phosphorus-doped silicon. <i>Japanese Journal of Applied Physics</i> , 2015 , 54, 071301	1.4 48
49	Carrier Transport Properties of p-Type Silicon/Metal Silicide Nanocrystal Composite Films. <i>Journal of Electronic Materials</i> , 2015 , 44, 2074-2079	1.9 8

48	Thermal and mechanical properties of hydrides of ZrHf alloys. <i>Journal of Nuclear Science and Technology</i> , 2015 , 52, 162-170	1	1
47	Thermoelectric properties of Cr _{1-x} MoxSi ₂ . <i>Journal of Physics and Chemistry of Solids</i> , 2015 , 87, 153-157	3.9	14
46	Mechanical and thermal properties of bulk ZrB ₂ . <i>Journal of Nuclear Materials</i> , 2015 , 467, 612-617	3.3	25
45	Enhancement of Thermoelectric Properties of Silicon by Nanoscale Structure Control. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2015 , 79, 569-572	0.4	1
44	Microstructure and Thermal Conductivity of RuAl ₂ Prepared by a Single-Roll Melt-Spinning Method. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2015 , 79, 573-576	0.4	2
43	Carrier and heat transport properties of polycrystalline GeSn films on SiO ₂ . <i>Applied Physics Letters</i> , 2015 , 107, 232105	3.4	26
42	Thermal Conductivity of β -FeSi ₂ -Si Self-Assembled Nanocomposite. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2015 , 79, 586-590	0.4	1
41	Thermoelectric properties of Si/SiB ₃ sub-micro composite prepared by melt-spinning technique. <i>Journal of Applied Physics</i> , 2015 , 118, 065103	2.5	6
40	Properties of Cold-Pressed Metal Hydride Materials for Neutron Shielding in a D _{III} Fusion Reactor. <i>Plasma and Fusion Research</i> , 2015 , 10, 3405021-3405021	0.5	3
39	Phase State and Thermal and Mechanical Properties of Zr-Er Alloys. <i>Transactions of the Atomic Energy Society of Japan</i> , 2015 , 14, 123-127	0.1	
38	Synthesis and Characterization of Melt-Spun Metastable Al ₆ Ge ₅ . <i>Journal of Electronic Materials</i> , 2015 , 44, 948-952	1.9	4
37	Thermoelectric properties of Tl-filled Co-free p-type skutterudites: Tlx(Fe,Ni) ₄ Sb ₁₂ . <i>Journal of Applied Physics</i> , 2014 , 115, 023702	2.5	9
36	The β/β' phase transition in hafnium hydride and deuteride. <i>Journal of Nuclear Science and Technology</i> , 2014 , 1-5	1	
35	Effect of Ball-Milling Conditions on Thermoelectric Properties of Polycrystalline CuGaTe ₂ . <i>Materials Transactions</i> , 2014 , 55, 1215-1218	1.3	10
34	Thermoelectric Properties of Group 13 Elements-Triple Filled Skutterudites: Nominal In _x Ga _{0.02} Tl _{0.20} Co ₄ Sb ₁₂ . <i>Materials Transactions</i> , 2014 , 55, 1232-1236	1.3	3
33	Thermoelectric properties of Au nanoparticle-supported Sb _{1.6} Bi _{0.4} Te ₃ synthesized by a γ irradiation method. <i>Physica Status Solidi (B): Basic Research</i> , 2014 , 251, 162-167	1.3	8
32	Enhancement of thermoelectric efficiency of CoSb ₃ -based skutterudites by double filling with K and Tl. <i>Frontiers in Chemistry</i> , 2014 , 2, 84	5	5
31	Bottom-up nanostructured bulk silicon: a practical high-efficiency thermoelectric material. <i>Nanoscale</i> , 2014 , 6, 13921-7	7.7	52

30	Thermoelectric Properties of Indium-Added Skutterudites $\text{In}_x\text{Co}_4\text{Sb}_{12}$. <i>Journal of Electronic Materials</i> , 2013 , 42, 1463-1468	1.9	21
29	Nanostructuring and Thermoelectric Characterization of $(\text{GaSb})_3(1-x)(\text{Ga}_2\text{Te}_3)_x$. <i>Journal of Electronic Materials</i> , 2013 , 42, 1719-1724	1.9	2
28	Effect of Cooling Conditions on the Microstructure and Thermoelectric Properties of Zn/Si-Codoped InSb. <i>Journal of Electronic Materials</i> , 2013 , 42, 2388-2392	1.9	4
27	How thermoelectric properties of p-type Tl-filled skutterudites are improved. <i>APL Materials</i> , 2013 , 1, 032115	5.7	9
26	Effects of Hf on Thermal and Mechanical Properties of Zr Hydrides. <i>Transactions of the Atomic Energy Society of Japan</i> , 2013 , 12, 67-75	0.1	1
25	Characterization and thermomechanical properties of $\text{Ln}_2\text{Zr}_2\text{O}_7$ (Ln=La, Pr, Nd, Eu, Gd, Dy) and $\text{Nd}_2\text{Ce}_2\text{O}_7$. <i>Materials Research Society Symposia Proceedings</i> , 2013 , 1514, 139-144		6
24	Heavily doped silicon and nickel silicide nanocrystal composite films with enhanced thermoelectric efficiency. <i>Journal of Applied Physics</i> , 2013 , 114, 134311	2.5	30
23	Enhancement of thermoelectric properties of CoSb_3 -based skutterudites by double filling of Tl and In. <i>Journal of Applied Physics</i> , 2012 , 112, 043509	2.5	17
22	Synthesis and thermal conductivity of Y_6UO_{12} . <i>Journal of Nuclear Science and Technology</i> , 2012 , 49, 526-530		6
21	Thermoelectric properties and microstructures of AgSbTe ₂ -added p-type $\text{Pb}_{0.16}\text{Ge}_{0.84}\text{Te}$. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012 , 209, 167-170	1.6	6
20	High-temperature thermoelectric properties of $\text{Cu}_2\text{In}_4\text{Te}_7$. <i>Physica Status Solidi - Rapid Research Letters</i> , 2012 , 6, 154-156	2.5	10
19	Thermoelectric properties of Zn-doped GaSb. <i>Journal of Applied Physics</i> , 2012 , 111, 043704	2.5	16
18	Effect of Cu Doping into the Ga Site on the Thermoelectric Properties of AgGaTe ₂ with Chalcopyrite Structure. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2012 , 59, 206-209	0.2	2
17	Effect of Phase Transition on the Thermoelectric Properties of Ag ₂ Te. <i>Materials Transactions</i> , 2012 , 53, 1216-1219	1.3	26
16	Effect of the Amount of Vacancies on the Thermoelectric Properties of Cu–Ga–Te Ternary Compounds. <i>Materials Transactions</i> , 2012 , 53, 1212-1215	1.3	24
15	Reduction in Lattice Thermal Conductivity of InSb by Formation of the $\text{ZnIn}_{18}\text{GeSb}_{20}$ Alloy. <i>Materials Transactions</i> , 2012 , 53, 1976-1980	1.3	
14	Thermodynamic Equilibrium Calculations on the Oxidation Behavior of the Mo-Ru-Rh-Pd Alloys. <i>Transactions of the Atomic Energy Society of Japan</i> , 2012 , 11, 30-36	0.1	2
13	Thermoelectric properties of Ga-added CoSb_3 based skutterudites. <i>Journal of Applied Physics</i> , 2011 , 110, 013521	2.5	33

12	Thermoelectric properties of Zn-Sn-Sb based alloys. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1314, 1		6
11	Thermoelectric properties of Ag _{1-x} GaTe ₂ with chalcopyrite structure. <i>Applied Physics Letters</i> , 2011 , 99, 061902	3-4	95
10	High-temperature thermoelectric properties of Cu ₂ Ga ₄ Te ₇ with defect zinc-blende structure. <i>Applied Physics Letters</i> , 2011 , 98, 172104	3-4	25
9	Phase State and Physical Properties of the Mo-Ru-Ph-Pd Alloys. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1298, 41		
8	Ionization of decaborane with controlled hydrogen content by charge transfer from ambient gas. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1307, 1		
7	Hydrogen detachment from B ₁₂ H _n ⁺ clusters by kinetic energy. <i>Transactions of the Materials Research Society of Japan</i> , 2010 , 35, 533-536	0.2	0
6	Synthesis and formation mechanism of hydrogenated boron clusters B ₍₁₂₎ H _(n) with controlled hydrogen content. <i>Journal of Chemical Physics</i> , 2010 , 133, 074305	3.9	15
5	Energy barrier of structure transition from icosahedral B ₁₂ H ₆ ⁺ to planar B ₁₂ H ₅ ⁺ and B ₁₂ H ₄ ⁺ clusters. <i>Journal of Physics: Conference Series</i> , 2009 , 176, 012030	0.3	6
4	Metallic-covalent bonding conversion in boron icosahedral cluster solids studied using electron localizability indicator. <i>Journal of Physics: Conference Series</i> , 2009 , 176, 012027	0.3	9
3	Formation of hydrogenated boron clusters in an external quadrupole static attraction ion trap. <i>Journal of Chemical Physics</i> , 2008 , 128, 124304	3.9	21
2	Thermophysical properties of molten FeO _{1.5} , (FeO _{1.5}) _{0.86} (ZrO ₂) _{0.14} and (FeO _{1.5}) _{0.86} (UO ₂) _{0.14} . <i>Journal of Nuclear Science and Technology</i> , 1-10	1	
1	Large Anharmonicity and Low Lattice Thermal Conductivity of Thermoelectric Sn(SbTe ₂) ₂ . <i>Physica Status Solidi - Rapid Research Letters</i> , 2100482	2.5	0