

Kim Fleischer Michaelsen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7395598/kim-fleischer-michaelsen-publications-by-citations.pdf>

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

228
papers

8,587
citations

48
h-index

87
g-index

236
ext. papers

10,129
ext. citations

4.4
avg, IF

5.9
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 228 | Vitamin D deficiency in Europe: pandemic?. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 1033-44 | 7 | 612 |
| 227 | Complementary feeding: a commentary by the ESPGHAN Committee on Nutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 46, 99-110 | 2.8 | 608 |
| 226 | Breast-feeding: A commentary by the ESPGHAN Committee on Nutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2009 , 49, 112-25 | 2.8 | 377 |
| 225 | Establishment of intestinal microbiota during early life: a longitudinal, explorative study of a large cohort of Danish infants. <i>Applied and Environmental Microbiology</i> , 2014 , 80, 2889-900 | 4.8 | 289 |
| 224 | Contextualising complementary feeding in a broader framework for stunting prevention. <i>Maternal and Child Nutrition</i> , 2013 , 9 Suppl 2, 27-45 | 3.4 | 281 |
| 223 | Maternal prepregnant body mass index, duration of breastfeeding, and timing of complementary food introduction are associated with infant weight gain. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 1579-88 | 7 | 260 |
| 222 | The association between duration of breastfeeding and adult intelligence. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 2365-71 | 27.4 | 251 |
| 221 | Animal protein intake, serum insulin-like growth factor I, and growth in healthy 2.5-y-old Danish children. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 447-52 | 7 | 244 |
| 220 | Cow's milk and linear growth in industrialized and developing countries. <i>Annual Review of Nutrition</i> , 2006 , 26, 131-73 | 9.9 | 197 |
| 219 | Choice of foods and ingredients for moderately malnourished children 6 months to 5 years of age. <i>Food and Nutrition Bulletin</i> , 2009 , 30, S343-404 | 1.8 | 187 |
| 218 | Maternal and fetal genetic effects on birth weight and their relevance to cardio-metabolic risk factors. <i>Nature Genetics</i> , 2019 , 51, 804-814 | 36.3 | 181 |
| 217 | Protein intake at 9 mo of age is associated with body size but not with body fat in 10-y-old Danish children. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 494-501 | 7 | 129 |
| 216 | Free insulin-like growth factor I serum levels in 1430 healthy children and adults, and its diagnostic value in patients suspected of growth hormone deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 2497-502 | 5.6 | 125 |
| 215 | Associations of maternal fish intake during pregnancy and breastfeeding duration with attainment of developmental milestones in early childhood: a study from the Danish National Birth Cohort. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 789-96 | 7 | 125 |
| 214 | Late introduction of complementary feeding, rather than duration of breastfeeding, may protect against adult overweight. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 619-27 | 7 | 120 |
| 213 | Infant Gut Microbiota Development Is Driven by Transition to Family Foods Independent of Maternal Obesity. <i>MSphere</i> , 2016 , 1, | 5 | 118 |
| 212 | Impact of birth weight and early infant weight gain on insulin resistance and associated cardiovascular risk factors in adolescence. <i>PLoS ONE</i> , 2011 , 6, e20595 | 3.7 | 108 |

| | | | |
|-----|--|-----|-----|
| 211 | Maternal fish oil supplementation in lactation: effect on developmental outcome in breast-fed infants. <i>Reproduction, Nutrition, Development</i> , 2005 , 45, 535-47 | | 107 |
| 210 | Protein needs early in life and long-term health. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 718S-22S | | 104 |
| 209 | Growth of Breast-Fed Infants Deviates From Current Reference Data: A Pooled Analysis of US, Canadian, and European Data Sets. <i>Pediatrics</i> , 1995 , 96, 497-503 | 7.4 | 104 |
| 208 | Food sources and intake of n-6 and n-3 fatty acids in low-income countries with emphasis on infants, young children (6-24 months), and pregnant and lactating women. <i>Maternal and Child Nutrition</i> , 2011 , 7 Suppl 2, 124-40 | 3.4 | 98 |
| 207 | First Foods and Gut Microbes. <i>Frontiers in Microbiology</i> , 2017 , 8, 356 | 5.7 | 93 |
| 206 | Low physical activity level and short sleep duration are associated with an increased cardio-metabolic risk profile: a longitudinal study in 8-11 year old Danish children. <i>PLoS ONE</i> , 2014 , 9, e104677 | 3.7 | 87 |
| 205 | Iron metabolism and requirements in early childhood: do we know enough?: a commentary by the ESPGHAN Committee on Nutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 34, 337-45 | 2.8 | 85 |
| 204 | The use of whey or skimmed milk powder in fortified blended foods for vulnerable groups. <i>Journal of Nutrition</i> , 2008 , 138, 145S-161S | 4.1 | 79 |
| 203 | Measure of sleep and physical activity by a single accelerometer: Can a waist-worn Actigraph adequately measure sleep in children?. <i>Sleep and Biological Rhythms</i> , 2012 , 10, 328-335 | 1.3 | 77 |
| 202 | Nondigestible carbohydrates in the diets of infants and young children: a commentary by the ESPGHAN Committee on Nutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 36, 329-37 | 2.8 | 74 |
| 201 | Arterial stiffness in 10-year-old children: current and early determinants. <i>British Journal of Nutrition</i> , 2005 , 94, 1004-11 | 3.6 | 72 |
| 200 | Breast feeding and future health. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2006 , 9, 289-96 | 3.8 | 70 |
| 199 | Having older siblings is associated with gut microbiota development during early childhood. <i>BMC Microbiology</i> , 2015 , 15, 154 | 4.5 | 69 |
| 198 | Fluctuations in human milk long-chain PUFA levels in relation to dietary fish intake. <i>Lipids</i> , 2002 , 37, 237-46 | 4.6 | 69 |
| 197 | FADS genotype and diet are important determinants of DHA status: a cross-sectional study in Danish infants. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1403-10 | 7 | 66 |
| 196 | Breastfeeding and risk of atopic dermatitis, by parental history of allergy, during the first 18 months of life. <i>American Journal of Epidemiology</i> , 2004 , 160, 217-23 | 3.8 | 66 |
| 195 | Nutrition and growth during infancy. The Copenhagen Cohort Study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1997 , 420, 1-36 | 3.1 | 65 |
| 194 | Fish oil affects blood pressure and the plasma lipid profile in healthy Danish infants. <i>Journal of Nutrition</i> , 2006 , 136, 94-9 | 4.1 | 65 |

| | | | |
|-----|---|------|----|
| 193 | Is there a relation between docosahexaenoic acid concentration in mothers' milk and visual development in term infants?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001 , 32, 293-6 | 2.8 | 65 |
| 192 | Meat intake and iron status in late infancy: an intervention study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1998 , 26, 26-33 | 2.8 | 63 |
| 191 | Secular change in size at birth from 1973 to 2003: national data from Denmark. <i>Obesity</i> , 2006 , 14, 1257-63 | 6.8 | 60 |
| 190 | Maternal fish oil supplementation during lactation may adversely affect long-term blood pressure, energy intake, and physical activity of 7-year-old boys. <i>Journal of Nutrition</i> , 2009 , 139, 298-304 | 4.1 | 59 |
| 189 | Human milk composition and infant growth. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2018 , 21, 200-206 | 3.8 | 58 |
| 188 | Geophagy, iron status and anaemia among primary school children in Western Kenya. <i>Tropical Medicine and International Health</i> , 1998 , 3, 529-34 | 2.3 | 57 |
| 187 | Effects of animal source food and micronutrient fortification in complementary food products on body composition, iron status, and linear growth: a randomized trial in Cambodia. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 742-51 | 7 | 56 |
| 186 | IGF-I and IGFBP-3 in healthy 9 month old infants from the SKOT cohort: breastfeeding, diet, and later obesity. <i>Growth Hormone and IGF Research</i> , 2011 , 21, 199-204 | 2 | 55 |
| 185 | Dietary effects of introducing school meals based on the New Nordic Diet - a randomised controlled trial in Danish children. The OPUS School Meal Study. <i>British Journal of Nutrition</i> , 2014 , 111, 1967-76 | 3.6 | 54 |
| 184 | Design of the OPUS School Meal Study: a randomised controlled trial assessing the impact of serving school meals based on the New Nordic Diet. <i>Scandinavian Journal of Public Health</i> , 2012 , 40, 693-703 | 3.7 | 54 |
| 183 | Fat and fat-free mass at birth: air displacement plethysmography measurements on 350 Ethiopian newborns. <i>Pediatric Research</i> , 2011 , 70, 501-6 | 3.2 | 53 |
| 182 | Diet and blood pressure in 2.5-y-old Danish children. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 1095-102 | 5.3 | 53 |
| 181 | Low compliance with recommendations on folic acid use in relation to pregnancy: is there a need for fortification?. <i>Public Health Nutrition</i> , 2004 , 7, 843-50 | 3.3 | 49 |
| 180 | Provision of healthy school meals does not affect the metabolic syndrome score in 8-11-year-old children, but reduces cardiometabolic risk markers despite increasing waist circumference. <i>British Journal of Nutrition</i> , 2014 , 112, 1826-36 | 3.6 | 48 |
| 179 | Early programming of the IGF-I axis: negative association between IGF-I in infancy and late adolescence in a 17-year longitudinal follow-up study of healthy subjects. <i>Growth Hormone and IGF Research</i> , 2009 , 19, 82-6 | 2 | 48 |
| 178 | Fish oil supplementation during lactation: effects on cognition and behavior at 7 years of age. <i>Lipids</i> , 2011 , 46, 637-45 | 1.6 | 47 |
| 177 | Effectiveness of food supplements in increasing fat-free tissue accretion in children with moderate acute malnutrition: A randomised 2 x 2 factorial trial in Burkina Faso. <i>PLoS Medicine</i> , 2017 , 14, e1002387 | 11.6 | 46 |
| 176 | Effects of nutritional supplementation for HIV patients starting antiretroviral treatment: randomised controlled trial in Ethiopia. <i>BMJ, The</i> , 2014 , 348, g3187 | 5.9 | 46 |

| | | | |
|-----|--|-----|----|
| 175 | Body composition from birth to 6 mo of age in Ethiopian infants: reference data obtained by air-displacement plethysmography. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 885-94 | 7 | 43 |
| 174 | Probiotics in late infancy reduce the incidence of eczema: A randomized controlled trial. <i>Pediatric Allergy and Immunology</i> , 2019 , 30, 335-340 | 4.2 | 40 |
| 173 | Skim milk, whey, and casein increase body weight and whey and casein increase the plasma C-peptide concentration in overweight adolescents. <i>Journal of Nutrition</i> , 2012 , 142, 2083-90 | 4.1 | 39 |
| 172 | Human Milk Oligosaccharide Composition Is Associated With Excessive Weight Gain During Exclusive Breastfeeding-An Explorative Study. <i>Frontiers in Pediatrics</i> , 2019 , 7, 297 | 3.4 | 38 |
| 171 | Administration of two probiotic strains during early childhood does not affect the endogenous gut microbiota composition despite probiotic proliferation. <i>BMC Microbiology</i> , 2017 , 17, 175 | 4.5 | 37 |
| 170 | Emerging issues in complementary feeding: Global aspects. <i>Maternal and Child Nutrition</i> , 2017 , 13 Suppl 2, e12444 | 3.4 | 35 |
| 169 | Early nutrition impact on the insulin-like growth factor axis and later health consequences. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2012 , 15, 285-92 | 3.8 | 33 |
| 168 | Probiotics and Child Care Absence Due to Infections: A Randomized Controlled Trial. <i>Pediatrics</i> , 2017 , 140, | 7.4 | 32 |
| 167 | Undernourished Children and Milk Lactose. <i>Food and Nutrition Bulletin</i> , 2016 , 37, 85-99 | 1.8 | 31 |
| 166 | Effect of Probiotics on Diarrhea in Children With Severe Acute Malnutrition: A Randomized Controlled Study in Uganda. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 64, 396-403 | 2.8 | 30 |
| 165 | Vitamin D status is associated with cardiometabolic markers in 8-11-year-old children, independently of body fat and physical activity. <i>British Journal of Nutrition</i> , 2015 , 114, 1647-55 | 3.6 | 30 |
| 164 | Central adiposity and protein intake are associated with arterial stiffness in overweight children. <i>Journal of Nutrition</i> , 2012 , 142, 878-85 | 4.1 | 30 |
| 163 | The impact of early growth patterns and infant feeding on body composition at 3 years of age. <i>British Journal of Nutrition</i> , 2015 , 114, 316-27 | 3.6 | 29 |
| 162 | Infant weight gain, duration of exclusive breast-feeding and childhood BMI - two similar follow-up cohorts. <i>Public Health Nutrition</i> , 2010 , 13, 201-7 | 3.3 | 29 |
| 161 | Are early growth and nutrition related to bone health in adolescence? The Copenhagen Cohort Study of infant nutrition and growth. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1865S-1869S | 7 | 29 |
| 160 | Fatty acid composition of human milk in atopic Danish mothers. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 190-6 | 7 | 29 |
| 159 | The effects of Nordic school meals on concentration and school performance in 8- to 11-year-old children in the OPUS School Meal Study: a cluster-randomised, controlled, cross-over trial. <i>British Journal of Nutrition</i> , 2015 , 113, 1280-91 | 3.6 | 27 |
| 158 | Long-term calcium supplementation does not affect the iron status of 12-14-y-old girls. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 98-102 | 7 | 27 |

| | | | |
|-----|---|------|----|
| 157 | Vitamin D status and its determinants during autumn in children at northern latitudes: a cross-sectional analysis from the optimal well-being, development and health for Danish children through a healthy New Nordic Diet (OPUS) School Meal Study. <i>British Journal of Nutrition</i> , 2016 , 115, 239-50 | 3.6 | 27 |
| 156 | Infant BMI peak, breastfeeding, and body composition at age 3 y. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 319-25 | 7 | 25 |
| 155 | A randomized controlled intervention with fish oil versus sunflower oil from 9 to 18 months of age: exploring changes in growth and skinfold thicknesses. <i>Pediatric Research</i> , 2011 , 70, 368-74 | 3.2 | 25 |
| 154 | Bifidobacterium species associated with breastfeeding produce aromatic lactic acids in the infant gut. <i>Nature Microbiology</i> , 2021 , 6, 1367-1382 | 26.6 | 25 |
| 153 | Novel loci for childhood body mass index and shared heritability with adult cardiometabolic traits. <i>PLoS Genetics</i> , 2020 , 16, e1008718 | 6 | 25 |
| 152 | Milk and growth in children: effects of whey and casein. <i>Nestle Nutrition Workshop Series Paediatric Programme</i> , 2011 , 67, 67-78 | | 23 |
| 151 | The effect of fish oil supplementation on heart rate in healthy Danish infants. <i>Pediatric Research</i> , 2008 , 64, 610-4 | 3.2 | 23 |
| 150 | Associations of total, dairy, and meat protein with markers for bone turnover in healthy, prepubertal boys. <i>Journal of Nutrition</i> , 2007 , 137, 930-4 | 4.1 | 23 |
| 149 | Whole-Grain Intake, Reflected by Dietary Records and Biomarkers, Is Inversely Associated with Circulating Insulin and Other Cardiometabolic Markers in 8- to 11-Year-Old Children. <i>Journal of Nutrition</i> , 2017 , 147, 816-824 | 4.1 | 22 |
| 148 | Validity of anthropometric measurements to assess body composition, including muscle mass, in 3-year-old children from the SKOT cohort. <i>Maternal and Child Nutrition</i> , 2015 , 11, 398-408 | 3.4 | 22 |
| 147 | Eicosapentaenoic acid and docosahexaenoic acid in whole blood are differentially and sex-specifically associated with cardiometabolic risk markers in 8-11-year-old danish children. <i>PLoS ONE</i> , 2014 , 9, e109368 | 3.7 | 22 |
| 146 | The composition of polyunsaturated fatty acids in erythrocytes of lactating mothers and their infants. <i>Maternal and Child Nutrition</i> , 2006 , 2, 29-39 | 3.4 | 22 |
| 145 | Thymus size and its correlates among children admitted with severe acute malnutrition: a cross-sectional study in Uganda. <i>BMC Pediatrics</i> , 2021 , 21, 1 | 2.6 | 22 |
| 144 | NMR-based metabolomic profiling of overweight adolescents: an elucidation of the effects of inter-/intraindividual differences, gender, and pubertal development. <i>BioMed Research International</i> , 2014 , 2014, 537157 | 3 | 21 |
| 143 | Evaluation of the acceptability of improved supplementary foods for the treatment of moderate acute malnutrition in Burkina Faso using a mixed method approach. <i>Appetite</i> , 2016 , 99, 34-45 | 4.5 | 21 |
| 142 | Common genetic variants are associated with lower serum 25-hydroxyvitamin D concentrations across the year among children at northern latitudes. <i>British Journal of Nutrition</i> , 2017 , 117, 829-838 | 3.6 | 20 |
| 141 | Mendelian randomization shows sex-specific associations between long-chain PUFA-related genotypes and cognitive performance in Danish schoolchildren. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 88-95 | 7 | 20 |
| 140 | Risk factors for death in children during inpatient treatment of severe acute malnutrition: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 494-502 | 7 | 20 |

| | | | |
|-----|--|-----|----|
| 139 | Free Amino Acids in Human Milk and Associations With Maternal Anthropometry and Infant Growth. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016 , 63, 374-8 | 2.8 | 20 |
| 138 | Social, dietary and clinical correlates of oedema in children with severe acute malnutrition: a cross-sectional study. <i>BMC Pediatrics</i> , 2015 , 15, 25 | 2.6 | 19 |
| 137 | Descriptive analysis of preschool physical activity and sedentary behaviors - a cross sectional study of 3-year-olds nested in the SKOT cohort. <i>BMC Public Health</i> , 2017 , 17, 613 | 4.1 | 19 |
| 136 | Short children with a low midupper arm circumference respond to food supplementation: an observational study from Burkina Faso. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 415-21 | 7 | 18 |
| 135 | Gut Colonization Is Accelerated by Presence of Older Siblings. <i>MSphere</i> , 2017 , 2, | 5 | 18 |
| 134 | Predictors of mortality among hospitalized children with severe acute malnutrition: a prospective study from Uganda. <i>Pediatric Research</i> , 2018 , 84, 92-98 | 3.2 | 18 |
| 133 | Effect of milk proteins on linear growth and IGF variables in overweight adolescents. <i>Growth Hormone and IGF Research</i> , 2014 , 24, 54-9 | 2 | 17 |
| 132 | Cow's milk in the prevention and treatment of stunting and wasting. <i>Food and Nutrition Bulletin</i> , 2013 , 34, 249-51 | 1.8 | 17 |
| 131 | Body mass index trajectories in early childhood in relation to cardiometabolic risk profile and body composition at 5 years of age. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1175-1185 | 7 | 16 |
| 130 | Abdominal adiposity and cardiometabolic risk factors in children and adolescents: a Mendelian randomization analysis. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1079-1087 | 7 | 16 |
| 129 | Whole cow's milk: why, what and when?. <i>Nestle Nutrition Workshop Series Paediatric Programme</i> , 2007 , 60, 201-219 | | 16 |
| 128 | Breastfeeding, Breast Milk Composition, and Growth Outcomes. <i>Nestle Nutrition Institute Workshop Series</i> , 2018 , 89, 63-77 | 1.9 | 15 |
| 127 | Breastfeeding, Infant Formula, and Introduction to Complementary Foods-Comparing Data Obtained by Questionnaires and Health Visitors' Reports to Weekly Short Message Service Text Messages. <i>Breastfeeding Medicine</i> , 2017 , 12, 554-560 | 2.1 | 15 |
| 126 | Restitution of gut microbiota in Ugandan children administered with probiotics (GG and subsp. BB-12) during treatment for severe acute malnutrition. <i>Gut Microbes</i> , 2020 , 11, 855-867 | 8.8 | 14 |
| 125 | Breastfeeding and complementary feeding in relation to body mass index and overweight at ages 7 and 11 y: a path analysis within the Danish National Birth Cohort. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 313-322 | 7 | 14 |
| 124 | Effects of school meals based on the New Nordic Diet on intake of signature foods: a randomised controlled trial. The OPUS School Meal Study. <i>British Journal of Nutrition</i> , 2015 , 114, 772-9 | 3.6 | 14 |
| 123 | Dietary habits of partly breast-fed and completely weaned infants at 9 months of age. <i>Public Health Nutrition</i> , 2012 , 15, 578-86 | 3.3 | 14 |
| 122 | Are Children Like Werewolves? Full Moon and Its Association with Sleep and Activity Behaviors in an International Sample of Children. <i>Frontiers in Pediatrics</i> , 2016 , 4, 24 | 3.4 | 14 |

| | | | |
|-----|--|-----|----|
| 121 | Plate waste and intake of school lunch based on the new Nordic diet and on packed lunches: a randomised controlled trial in 8- to 11-year-old Danish children. <i>Journal of Nutritional Science</i> , 2015 , 4, e20 | 2.7 | 13 |
| 120 | Impact of food supplements on hemoglobin, iron status, and inflammation in children with moderate acute malnutrition: a 2x2x2 factorial randomized trial in Burkina Faso. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 278-286 | 7 | 13 |
| 119 | Short Malnourished Children and Fat Accumulation With Food Supplementation. <i>Pediatrics</i> , 2018 , 142, | 7.4 | 13 |
| 118 | FADS single-nucleotide polymorphisms are associated with behavioral outcomes in children, and the effect varies between sexes and is dependent on PPAR genotype. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 826-32 | 7 | 13 |
| 117 | Cow's milk in treatment of moderate and severe undernutrition in low-income countries. <i>Nestle Nutrition Workshop Series Paediatric Programme</i> , 2011 , 67, 99-111 | | 13 |
| 116 | Body composition during early infancy and its relation with body composition at 4 years of age in Jimma, an Ethiopian prospective cohort study. <i>Nutrition and Diabetes</i> , 2018 , 8, 46 | 4.7 | 13 |
| 115 | Seasonal variations in growth and body composition of 8-11-y-old Danish children. <i>Pediatric Research</i> , 2016 , 79, 358-63 | 3.2 | 12 |
| 114 | Correlates of thymus size and changes during treatment of children with severe acute malnutrition: a cohort study. <i>BMC Pediatrics</i> , 2017 , 17, 70 | 2.6 | 12 |
| 113 | Prediction of fat-free body mass from bioelectrical impedance and anthropometry among 3-year-old children using DXA. <i>Scientific Reports</i> , 2014 , 4, 3889 | 4.9 | 12 |
| 112 | Sleep duration modifies effects of free ad libitum school meals on adiposity and blood pressure. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, 33-40 | 3 | 12 |
| 111 | Breastmilk-promoted bifidobacteria produce aromatic amino acids in the infant gut | | 12 |
| 110 | Excessive Weight Gain Followed by Catch-Down in Exclusively Breastfed Infants: An Exploratory Study. <i>Nutrients</i> , 2018 , 10, | 6.7 | 12 |
| 109 | Long term effects of breastfeeding on the infant and mother. <i>Advances in Experimental Medicine and Biology</i> , 2005 , 569, 16-23 | 3.6 | 12 |
| 108 | Accretion of Fat-Free Mass Rather Than Fat Mass in Infancy Is Positively Associated with Linear Growth in Childhood. <i>Journal of Nutrition</i> , 2018 , 148, 607-615 | 4.1 | 11 |
| 107 | Bioimpedance index for measurement of total body water in severely malnourished children: Assessing the effect of nutritional oedema. <i>Clinical Nutrition</i> , 2016 , 35, 713-7 | 5.9 | 11 |
| 106 | Docosahexaenoic acid status at 9 months is inversely associated with communicative skills in 3-year-old girls. <i>Maternal and Child Nutrition</i> , 2013 , 9, 499-510 | 3.4 | 11 |
| 105 | Casein improves brachial and central aortic diastolic blood pressure in overweight adolescents: a randomised, controlled trial. <i>Journal of Nutritional Science</i> , 2013 , 2, e43 | 2.7 | 11 |
| 104 | Milk enzyme activities and subclinical mastitis among women in Guinea-Bissau. <i>Breastfeeding Medicine</i> , 2008 , 3, 215-9 | 2.1 | 11 |

| | | | |
|-----|---|------|----|
| 103 | Associations between school meal-induced dietary changes and metabolic syndrome markers in 8-11-year-old Danish children. <i>European Journal of Nutrition</i> , 2016 , 55, 1973-84 | 5.2 | 11 |
| 102 | Body composition at birth and height at 2 years: a prospective cohort study among children in Jimma, Ethiopia. <i>Pediatric Research</i> , 2017 , 82, 209-214 | 3.2 | 10 |
| 101 | Markers of metabolic health in children differ between weekdays--the result of unhealthier weekend behavior. <i>Obesity</i> , 2015 , 23, 733-6 | 8 | 10 |
| 100 | Essential fatty acid composition and correlates in children with severe acute malnutrition. <i>Clinical Nutrition ESPEN</i> , 2016 , 11, e40-e46 | 1.3 | 10 |
| 99 | Breast-feeding and brain development. <i>Scandinavian Journal of Nutrition</i> , 2003 , 47, 147-151 | | 10 |
| 98 | Early development in children with moderate acute malnutrition: A cross-sectional study in Burkina Faso. <i>Maternal and Child Nutrition</i> , 2020 , 16, e12928 | 3.4 | 10 |
| 97 | Growth Components of Cow's Milk: Emphasis on Effects in Undernourished Children. <i>Food and Nutrition Bulletin</i> , 2018 , 39, S45-S53 | 1.8 | 10 |
| 96 | A study of associations between early DHA status and fatty acid desaturase (FADS) SNP and developmental outcomes in children of obese mothers. <i>British Journal of Nutrition</i> , 2017 , 117, 278-286 | 3.6 | 9 |
| 95 | Effect of locally produced complementary foods on fat-free mass, linear growth, and iron status among Kenyan infants: A randomized controlled trial. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12836 | 3.4 | 9 |
| 94 | Intestinal Enterococcus abundance correlates inversely with excessive weight gain and increased plasma leptin in breastfed infants. <i>FEMS Microbiology Ecology</i> , 2020 , 96, | 4.3 | 9 |
| 93 | Effect of protein intake from 6 to 24 months on insulin-like growth factor 1 (IGF-1) levels, body composition, linear growth velocity, and linear growth acceleration: what are the implications for stunting and wasting?. <i>Food and Nutrition Bulletin</i> , 2013 , 34, 268-71 | 1.8 | 9 |
| 92 | Changes in whole-blood PUFA and their predictors during recovery from severe acute malnutrition. <i>British Journal of Nutrition</i> , 2016 , 115, 1730-9 | 3.6 | 9 |
| 91 | Nuclear magnetic resonance-based metabolomics reveals that dairy protein fractions affect urinary urea excretion differently in overweight adolescents. <i>European Food Research and Technology</i> , 2015 , 240, 489-497 | 3.4 | 8 |
| 90 | Biochemical and anthropometric correlates of bio-electrical impedance parameters in severely malnourished children: A cross-sectional study. <i>Clinical Nutrition</i> , 2018 , 37, 701-705 | 5.9 | 8 |
| 89 | Normal weight children have higher cognitive performance - Independent of physical activity, sleep, and diet. <i>Physiology and Behavior</i> , 2016 , 165, 398-404 | 3.5 | 8 |
| 88 | Changes in plasma phosphate during in-patient treatment of children with severe acute malnutrition: an observational study in Uganda. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 551-8 | 7 | 8 |
| 87 | Associations of fat mass and fat-free mass accretion in infancy with body composition and cardiometabolic risk markers at 5 years: The Ethiopian iABC birth cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002888 | 11.6 | 8 |
| 86 | Predictors of oedema among children hospitalized with severe acute malnutrition in Jimma University Hospital, Ethiopia: a cross sectional study. <i>BMC Pediatrics</i> , 2013 , 13, 204 | 2.6 | 8 |

| | | | |
|----|--|-----|---|
| 85 | Indicators of dietary patterns in Danish infants at 9 months of age. <i>Food and Nutrition Research</i> , 2015 , 59, 27665 | 3.1 | 8 |
| 84 | A comparative study on adhesion and recovery of potential probiotic strains of <i>Lactobacillus</i> spp. by in vitro assay and analysis of human colon biopsies. <i>Microbial Ecology in Health and Disease</i> , 2009 , 21, 95-99 | | 8 |
| 83 | Science base of complementary feeding practice in infancy. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010 , 13, 277-83 | 3.8 | 8 |
| 82 | The effects of water and dairy drinks on dietary patterns in overweight adolescents. <i>International Journal of Food Sciences and Nutrition</i> , 2016 , 67, 314-24 | 3.7 | 8 |
| 81 | Lifestyle Intervention in Pregnant Women With Obesity Impacts Cord Blood DNA Methylation, Which Associates With Body Composition in the Offspring. <i>Diabetes</i> , 2021 , 70, 854-866 | 0.9 | 8 |
| 80 | Early diet, insulin-like growth factor-1, growth and later obesity. <i>World Review of Nutrition and Dietetics</i> , 2013 , 106, 113-8 | 0.2 | 8 |
| 79 | Reduced ex vivo stimulated IL-6 response in infants randomized to fish oil from 9 to 18 months, especially among PPARG2 and COX2 wild types. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2015 , 94, 21-7 | 2.8 | 7 |
| 78 | What do Danish children eat, and does the diet meet the recommendations? Baseline data from the OPUS School Meal Study. <i>Journal of Nutritional Science</i> , 2015 , 4, e29 | 2.7 | 7 |
| 77 | Breastmilk Lipids and Oligosaccharides Influence Branched Short-Chain Fatty Acid Concentrations in Infants with Excessive Weight Gain. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1900977 | 5.9 | 7 |
| 76 | Fish oil supplementation from 9 to 18 months of age affects the insulin-like growth factor axis in a sex-specific manner in Danish infants. <i>British Journal of Nutrition</i> , 2016 , 115, 782-90 | 3.6 | 7 |
| 75 | Satiety Factors Oleoylethanolamide, Stearoylethanolamide, and Palmitoylethanolamide in Mother's Milk Are Strongly Associated with Infant Weight at Four Months of Age-Data from the Odense Child Cohort. <i>Nutrients</i> , 2018 , 10, | 6.7 | 7 |
| 74 | Body composition during early infancy and developmental progression from 1 to 5 years of age: the Infant Anthropometry and Body Composition (iABC) cohort study among Ethiopian children. <i>British Journal of Nutrition</i> , 2018 , 119, 1263-1273 | 3.6 | 7 |
| 73 | The Influence of Maternal Obesity and Breastfeeding on Infant Appetite- and Growth-Related Hormone Concentrations: The SKOT Cohort Studies. <i>Hormone Research in Paediatrics</i> , 2018 , 90, 28-38 | 3.3 | 7 |
| 72 | Content of n-3 LC-PUFA in Breast Milk Four Months Postpartum is Associated with Infancy Blood Pressure in Boys and Infancy Blood Lipid Profile in Girls. <i>Nutrients</i> , 2019 , 11, | 6.7 | 6 |
| 71 | Stunting, wasting and breast-feeding as correlates of body composition in Cambodian children at 6 and 15 months of age. <i>British Journal of Nutrition</i> , 2019 , 121, 688-698 | 3.6 | 6 |
| 70 | Diarrhea, Dehydration, and the Associated Mortality in Children with Complicated Severe Acute Malnutrition: A Prospective Cohort Study in Uganda. <i>Journal of Pediatrics</i> , 2019 , 210, 26-33.e3 | 3.6 | 6 |
| 69 | Role of Milk and Dairy Products in Growth of the Child. <i>Nestle Nutrition Institute Workshop Series</i> , 2020 , 93, 77-90 | 1.9 | 6 |
| 68 | Transition from F-75 to ready-to-use therapeutic food in children with severe acute malnutrition, an observational study in Uganda. <i>Nutrition Journal</i> , 2017 , 16, 52 | 4.3 | 6 |

| | | | |
|----|---|------|---|
| 67 | Effect of complementary food with small amounts of freshwater fish on whole blood n-3 fatty acids in Cambodian infants age 6-15 months. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018 , 135, 92-101 | 2.8 | 6 |
| 66 | Correlates of Physical Activity among Young Children with Moderate Acute Malnutrition. <i>Journal of Pediatrics</i> , 2017 , 181, 235-241 | 3.6 | 6 |
| 65 | Choice of design and outcomes in trials among children with moderate acute malnutrition. <i>Food and Nutrition Bulletin</i> , 2015 , 36, S35-40 | 1.8 | 6 |
| 64 | Effects of casein, whey and soy proteins on volumetric bone density and bone strength in immunocompromised piglets. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2007 , 2, 57-62 | | 6 |
| 63 | Impact of food supplements on early child development in children with moderate acute malnutrition: A randomised 2 x 2 x 3 factorial trial in Burkina Faso. <i>PLoS Medicine</i> , 2020 , 17, e1003442 | 11.6 | 6 |
| 62 | Very High Weight Gain During Exclusive Breastfeeding Followed by Slowdown During Complementary Feeding: Two Case Reports. <i>Journal of Human Lactation</i> , 2019 , 35, 44-48 | 2.6 | 6 |
| 61 | Body Composition Growth Patterns in Early Infancy: A Latent Class Trajectory Analysis of the Ethiopian iABC Birth Cohort. <i>Obesity</i> , 2018 , 26, 1225-1233 | 8 | 6 |
| 60 | Body Composition during Early Infancy and Mental Health Outcomes at 5 Years of Age: A Prospective Cohort Study of Ethiopian Children. <i>Journal of Pediatrics</i> , 2018 , 200, 225-231 | 3.6 | 5 |
| 59 | Genetic predisposition to higher body fat yet lower cardiometabolic risk in children and adolescents. <i>International Journal of Obesity</i> , 2019 , 43, 2007-2016 | 5.5 | 5 |
| 58 | Effects of school meals with weekly fish servings on vitamin D status in Danish children: secondary outcomes from the OPUS (Optimal well-being, development and health for Danish children through a healthy New Nordic Diet) School Meal Study. <i>Journal of Nutritional Science</i> , 2015 , 4, e26 | 2.7 | 5 |
| 57 | The effect of fatty acid positioning in dietary triacylglycerols and intake of long-chain n-3 polyunsaturated fatty acids on bone mineral accretion in growing piglets. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013 , 89, 235-40 | 2.8 | 5 |
| 56 | Effects of dietary protein and glycaemic index on biomarkers of bone turnover in children. <i>British Journal of Nutrition</i> , 2014 , 111, 1253-62 | 3.6 | 5 |
| 55 | Maternal milk microbiota and oligosaccharides contribute to the infant gut microbiota assembly. <i>ISME Communications</i> , 2021 , 1, | | 5 |
| 54 | The effect of nutritional supplementation on quality of life in people living with HIV: a randomised controlled trial. <i>Tropical Medicine and International Health</i> , 2016 , 21, 735-42 | 2.3 | 5 |
| 53 | Iron concentration in breast milk normalised within one week of a single high-dose infusion of iron isomaltoside in randomised controlled trial. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 256-260 | 3.1 | 4 |
| 52 | Feeding behaviors during home-based treatment of moderate acute malnutrition using corn-soy blends or lipid-based nutrient supplements. <i>Maternal and Child Nutrition</i> , 2017 , 13, | 3.4 | 4 |
| 51 | Circulating Insulin-Like Growth Factor-1 Is Positively Associated with Growth and Cognition in 6- to 9-Year-Old Schoolchildren from Ghana. <i>Journal of Nutrition</i> , 2020 , 150, 1405-1412 | 4.1 | 4 |
| 50 | WHO growth standards--should they be implemented as national standards?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 51 Suppl 3, S151-2 | 2.8 | 4 |

| | | | |
|----|---|-----|---|
| 49 | The Association between Newborn Regional Body Composition and Cord Blood Concentrations of C-Peptide and Insulin-Like Growth Factor I. <i>PLoS ONE</i> , 2015 , 10, e0121350 | 3.7 | 4 |
| 48 | Correlates of Gut Function in Children Hospitalized for Severe Acute Malnutrition, a Cross-sectional Study in Uganda. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019 , 69, 292-298 | 2.8 | 4 |
| 47 | Thymus gland size during recovery from complicated severe acute malnutrition: a prospective study of the role of probiotics. <i>Paediatrics and International Child Health</i> , 2019 , 39, 95-103 | 1.4 | 4 |
| 46 | FADS and PPARG2 Single Nucleotide Polymorphisms are Associated with Plasma Lipids in 9-Mo-Old Infants. <i>Journal of Nutrition</i> , 2019 , 149, 708-715 | 4.1 | 3 |
| 45 | Corn-Soy-Blend Fortified with Phosphorus to Prevent Refeeding Hypophosphatemia in Undernourished Piglets. <i>PLoS ONE</i> , 2017 , 12, e0170043 | 3.7 | 3 |
| 44 | Weight loss and the effect on stature in children during a residential intervention program. <i>Obesity</i> , 2008 , 16, 2652-7 | 8 | 3 |
| 43 | Glucose tolerance in obese pregnant women determines newborn fat mass. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 429-35 | 3.8 | 3 |
| 42 | Dietary fat restrictions in young children and the later risk of obesity. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 1566-1567 | 7 | 3 |
| 41 | Food Aid for Nutrition: Narrative Review of Major Research Topics Presented at a Scientific Symposium Held October 21, 2017, at the 21st International Congress of Nutrition in Buenos Aires, Argentina. <i>Food and Nutrition Bulletin</i> , 2019 , 40, 111-123 | 1.8 | 2 |
| 40 | Serum phosphate and magnesium in children recovering from severe acute undernutrition in Ethiopia: an observational study. <i>BMC Pediatrics</i> , 2016 , 16, 178 | 2.6 | 2 |
| 39 | Socio-economic differences in cardiometabolic risk markers are mediated by diet and body fatness in 8- to 11-year-old Danish children: a cross-sectional study. <i>Public Health Nutrition</i> , 2016 , 19, 2229-39 | 3.3 | 2 |
| 38 | Secular change in adult stature has come to a halt in northern Europe and Italy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 95, 754-755 | 3.1 | 2 |
| 37 | Probiotics, breastfeeding and atopic eczema. <i>Acta Dermato-Venereologica</i> , 2005 , 21-4 | 2.2 | 2 |
| 36 | Development of Dietary Patterns Spanning Infancy and Toddlerhood: Relation to Body Size, Composition and Metabolic Risk Markers at Three Years. <i>AIMS Public Health</i> , 2015 , 2, 332-357 | 1.9 | 2 |
| 35 | Weight and mid-upper arm circumference gain velocities during treatment of young children with severe acute malnutrition, a prospective study in Uganda. <i>BMC Nutrition</i> , 2021 , 7, 26 | 2.5 | 2 |
| 34 | Effect modification of FADS2 polymorphisms on the association between breastfeeding and intelligence: results from a collaborative meta-analysis. <i>International Journal of Epidemiology</i> , 2019 , 48, 45-57 | 7.8 | 2 |
| 33 | Thymus size is associated with breastfeeding and having pets in a sex-specific manner. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 968-975 | 3.1 | 2 |
| 32 | The Mothers, Infants, and Lactation Quality (MILQ) Study: A Multi-Center Collaboration. <i>Current Developments in Nutrition</i> , 2021 , 5, nza116 | 0.4 | 2 |

| | | | |
|----|--|------|---|
| 31 | The effect of milk and rapeseed protein on growth factors in 7-8 year-old healthy children - A randomized controlled trial. <i>Growth Hormone and IGF Research</i> , 2021 , 60-61, 101418 | 2 | 2 |
| 30 | Higher Weight and Weight Gain after 4 Years of Age Rather than Weight at Birth Are Associated with Adiposity, Markers of Glucose Metabolism, and Blood Pressure in 5-Year-Old Ethiopian Children. <i>Journal of Nutrition</i> , 2019 , 149, 1785-1796 | 4.1 | 1 |
| 29 | Change in serum 25-hydroxyvitamin D with antiretroviral treatment initiation and nutritional intervention in HIV-positive adults. <i>British Journal of Nutrition</i> , 2016 , 1-8 | 3.6 | 1 |
| 28 | Protein intake in young children and later health: importance of the time window for programming adiposity. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1263-1264 | 7 | 1 |
| 27 | Re: ESPGHAN 2008 recommendation for early introduction of complementary foods: how good is the evidence? (Cattaneo et al. 2011). <i>Maternal and Child Nutrition</i> , 2012 , 8, 136-8; author reply 139-40 | 3.4 | 1 |
| 26 | The Role of Human and Other Milks in Preventing and Treating Undernutrition 2017 , 337-359 | | 1 |
| 25 | 1 The use of an ad libitum higher-protein, low-glycemic index diet in overweight children: the Diogenes Study. <i>FASEB Journal</i> , 2013 , 27, 249.8 | 0.9 | 1 |
| 24 | Overweight in childhood of exclusively breastfed infants with a high weight at 5 months. <i>Maternal and Child Nutrition</i> , 2021 , 17, e13057 | 3.4 | 1 |
| 23 | Physical activity level among children recovering from severe acute malnutrition. <i>Tropical Medicine and International Health</i> , 2018 , 23, 156-163 | 2.3 | 1 |
| 22 | 2.1 Breastfeeding.. <i>World Review of Nutrition and Dietetics</i> , 2022 , 124, 133-138 | 0.2 | 1 |
| 21 | Serum cobalamin in children with moderate acute malnutrition in Burkina Faso: Secondary analysis of a randomized trial.. <i>PLoS Medicine</i> , 2022 , 19, e1003943 | 11.6 | 1 |
| 20 | Association between admission criteria and body composition among young children with moderate acute malnutrition, a cross-sectional study from Burkina Faso. <i>Scientific Reports</i> , 2020 , 10, 13268 | 4.9 | 0 |
| 19 | The Role of Milk Protein and Whey Permeate in Lipid-based Nutrient Supplements on the Growth and Development of Stunted Children in Uganda: A Randomized Trial Protocol (MAGNUS). <i>Current Developments in Nutrition</i> , 2021 , 5, nzab067 | 0.4 | 0 |
| 18 | Correlates of serum IGF-1 in young children with moderate acute malnutrition: a cross-sectional study in Burkina Faso. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 965-972 | 7 | 0 |
| 17 | Breast milk n-3 long-chain polyunsaturated fatty acids and blood pressure: an individual participant meta-analysis. <i>European Journal of Nutrition</i> , 2021 , 60, 989-998 | 5.2 | 0 |
| 16 | Early Nutrition and Its Effect on Growth, Body Composition and Later Obesity. <i>World Review of Nutrition and Dietetics</i> , 2021 , 123, 122-135 | 0.2 | 0 |
| 15 | Early Nutrition and Its Effect on Growth, Body Composition, and Later Obesity. <i>World Review of Nutrition and Dietetics</i> , 2019 , 120, 134-157 | 0.2 | |
| 14 | Breastfeeding, IGF-I, adiposity rebound and childhood obesity in the Danish SKOT cohort. <i>FASEB Journal</i> , 2011 , 25, 211.2 | 0.9 | |

| | | |
|----|---|-----|
| 13 | Thymus size in children with moderate malnutrition: a cohort study from Burkina Faso. <i>Pediatric Research</i> , 2021 , 89, 1732-1741 | 3.2 |
| 12 | The double burden of malnutrition-further perspective. <i>Lancet, The</i> , 2020 , 396, 814-815 | 4.0 |
| 11 | Effect of probiotics on thymus size and markers of infection in late infancy: a randomized controlled trial. <i>Pediatric Research</i> , 2021 , 89, 563-568 | 3.2 |
| 10 | Weight-for-Height -score Gain during Inpatient Treatment and Subsequent Linear Growth during Outpatient Treatment of Young Children with Severe Acute Malnutrition: A Prospective Study from Uganda. <i>Current Developments in Nutrition</i> , 2021 , 5, nza118 | 0.4 |
| 9 | Early Nutrition and Its Effect on Growth, Body Composition, and Later Obesity.. <i>World Review of Nutrition and Dietetics</i> , 2022 , 125, 138-155 | 0.2 |
| 8 | 1.1 Child Growth.. <i>World Review of Nutrition and Dietetics</i> , 2022 , 124, 1-6 | 0.2 |
| 7 | Plasma vitamin B12 concentration is positively associated with cognitive development in healthy Danish 3-year-old children; the SKOT cohort studies.. <i>British Journal of Nutrition</i> , 2021 , 1-25 | 3.6 |
| 6 | Impact of food supplements on early child development in children with moderate acute malnutrition: A randomised 2 x 2 x 3 factorial trial in Burkina Faso 2020 , 17, e1003442 | |
| 5 | Impact of food supplements on early child development in children with moderate acute malnutrition: A randomised 2 x 2 x 3 factorial trial in Burkina Faso 2020 , 17, e1003442 | |
| 4 | Impact of food supplements on early child development in children with moderate acute malnutrition: A randomised 2 x 2 x 3 factorial trial in Burkina Faso 2020 , 17, e1003442 | |
| 3 | Impact of food supplements on early child development in children with moderate acute malnutrition: A randomised 2 x 2 x 3 factorial trial in Burkina Faso 2020 , 17, e1003442 | |
| 2 | Impact of food supplements on early child development in children with moderate acute malnutrition: A randomised 2 x 2 x 3 factorial trial in Burkina Faso 2020 , 17, e1003442 | |
| 1 | Impact of food supplements on early child development in children with moderate acute malnutrition: A randomised 2 x 2 x 3 factorial trial in Burkina Faso 2020 , 17, e1003442 | |