

David R Smyth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7398886/publications.pdf>

Version: 2024-02-01

66
papers

5,580
citations

159358

30
h-index

106150

65
g-index

170
all docs

170
docs citations

170
times ranked

5181
citing authors

#	ARTICLE	IF	CITATIONS
1	Evolution and genetic control of the floral ground plan. <i>New Phytologist</i> , 2018, 220, 70-86.	3.5	38
2	Wrinkles on Sepals: Cuticular Ridges Form when Cuticle Production Outpaces Epidermal Cell Expansion. <i>Molecular Plant</i> , 2017, 10, 540-541.	3.9	19
3	PETAL LOSS and ROXY1 Interact to Limit Growth Within and between Sepals But to Promote Petal Initiation in <i>Arabidopsis thaliana</i> . <i>Frontiers in Plant Science</i> , 2017, 8, 152.	1.7	18
4	Helical growth in plant organs: mechanisms and significance. <i>Development (Cambridge)</i> , 2016, 143, 3272-3282.	1.2	72
5	PETAL LOSS, a trihelix transcription factor that represses growth in <i>Arabidopsis thaliana</i> , binds the energy-sensing SnRK1 kinase AKIN10. <i>Journal of Experimental Botany</i> , 2015, 66, 2475-2485.	2.4	31
6	The Plant Cell Introduces Breakthrough Reports: A New Forum for Cutting-Edge Plant Research. <i>Plant Cell</i> , 2015, , tpc.15.00862.	3.1	1
7	Editorial overview: Plant morphogenesisâ€™ new understanding of its organization and evolution. <i>Current Opinion in Plant Biology</i> , 2014, 17, v-ix.	3.5	1
8	Functional domains of the <i>PETAL LOSS</i> protein, a trihelix transcription factor that represses regional growth in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2014, 79, 477-491.	2.8	25
9	Auxin controls petal initiation in <i>Arabidopsis</i> . <i>Development (Cambridge)</i> , 2013, 140, 185-194.	1.2	75
10	The <i>seirena</i> B Class Floral Homeotic Mutant of California Poppy (<i>Eschscholzia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (ca MADS Domain Protein Complexes. <i>Plant Cell</i> , 2013, 25, 438-453.	3.1	52
11	Interactions of CUP-SHAPED COTYLEDON and SPATULA Genes Control Carpel Margin Development in <i>Arabidopsis thaliana</i> . <i>Plant and Cell Physiology</i> , 2012, 53, 1134-1143.	1.5	56
12	The ABC model of flower development: then and now. <i>Development (Cambridge)</i> , 2012, 139, 4095-4098.	1.2	147
13	The trihelix family of transcription factors â€™ light, stress and development. <i>Trends in Plant Science</i> , 2012, 17, 163-171.	4.3	165
14	<i>PETAL LOSS</i> is a boundary gene that inhibits growth between developing sepals in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2012, 71, 724-735.	2.8	60
15	<i>SPATULA</i> and <i>ALCATRAZ</i> are partially redundant, functionally diverging bHLH genes required for <i>Arabidopsis</i> gynoecium and fruit development. <i>Plant Journal</i> , 2011, 68, 816-829.	2.8	92
16	INDEHISCENT and SPATULA Interact to Specify Carpel and Valve Margin Tissue and Thus Promote Seed Dispersal in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2011, 23, 3641-3653.	3.1	165
17	Regulation of tissue-specific expression of SPATULA, a bHLH gene involved in carpel development, seedling germination, and lateral organ growth in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2010, 61, 1495-1508.	2.4	72
18	Functional domains of SPATULA, a bHLH transcription factor involved in carpel and fruit development in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2008, 55, 40-52.	2.8	72

#	ARTICLE	IF	CITATIONS
19	David Smyth. <i>Current Biology</i> , 2007, 17, R1032-R1034.	1.8	0
20	Morphogenesis of Flowers—Our Evolving View. <i>Plant Cell</i> , 2005, 17, 330-341.	3.1	48
21	Floral and Vegetative Morphogenesis in California Poppy (<i>Eschscholzia californica</i> Cham.). <i>International Journal of Plant Sciences</i> , 2005, 166, 537-555.	0.6	58
22	PETAL LOSS, a trihelix transcription factor gene, regulates perianth architecture in the <i>Arabidopsis</i> flower. <i>Development (Cambridge)</i> , 2004, 131, 4035-4045.	1.2	144
23	Behind the blooms: David Smyth. <i>Nature</i> , 2003, 422, 121-121.	13.7	0
24	CRABS CLAW and SPATULA Genes Regulate Growth and Pattern Formation during Gynoecium Development in <i>Arabidopsis thaliana</i> . <i>International Journal of Plant Sciences</i> , 2002, 163, 17-41.	0.6	130
25	TRANSPARENT TESTA GLABRA2, a Trichome and Seed Coat Development Gene of <i>Arabidopsis</i> , Encodes a WRKY Transcription Factor. <i>Plant Cell</i> , 2002, 14, 1359-1375.	3.1	690
26	Champagne surprise. <i>Nature</i> , 2002, 416, 801-801.	13.7	11
27	Flower development. <i>Current Biology</i> , 2001, 11, R82-R84.	1.8	8
28	A reverse trend — MADS functions revealed. <i>Trends in Plant Science</i> , 2000, 5, 315-317.	4.3	23
29	Gene silencing: Plants and viruses fight it out. <i>Current Biology</i> , 1999, 9, R79.	1.8	15
30	Genetic pathways controlling carpel development in <i>Arabidopsis thaliana</i> . <i>Journal of Plant Research</i> , 1998, 111, 295-298.	1.2	23
31	Patterns of Petal and Stamen Reduction in Australian Species of <i>Lepidium</i> L. (Brassicaceae). <i>International Journal of Plant Sciences</i> , 1998, 159, 65-74.	0.6	32
32	Plant development: Attractive ovules. <i>Current Biology</i> , 1997, 7, R64-R66.	1.8	9
33	Gene silencing: Cosuppression at a distance. <i>Current Biology</i> , 1997, 7, R793-R796.	1.8	23
34	Plant genetics: Fast flowering. <i>Current Biology</i> , 1996, 6, 122-124.	1.8	1
35	Understanding and controlling plant development. <i>Trends in Biotechnology</i> , 1995, 13, 338-343.	4.9	3
36	Flower Development: Origin of the cauliflower. <i>Current Biology</i> , 1995, 5, 361-363.	1.8	41

#	ARTICLE	IF	CITATIONS
37	Morphogenesis in pinoid mutants of <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 1995, 8, 505-520.	2.8	385
38	An abundant LINE-like element amplified in the genome of <i>Lilium speciosum</i> . <i>Molecular Genetics and Genomics</i> , 1993, 237-237, 97-104.	2.4	116
39	Genes conferring late flowering in <i>Arabidopsis thaliana</i> . <i>Genetica</i> , 1993, 90, 147-155.	0.5	83
40	LEAFY controls floral meristem identity in <i>Arabidopsis</i> . <i>Cell</i> , 1992, 69, 843-859.	13.5	1,442
41	terminal flower: a gene affecting inflorescence development in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 1992, 2, 103-116.	2.8	322
42	Dispersed repeats in plant genomes. <i>Chromosoma</i> , 1991, 100, 355-359.	1.0	61
43	Interspecies distribution of abundant DNA sequences in <i>Lilium</i> . <i>Journal of Molecular Evolution</i> , 1990, 30, 146-154.	0.8	29
44	Early Flower Development in <i>Arabidopsis</i> . <i>Plant Cell</i> , 1990, 2, 755.	3.1	14
45	<i>Arabidopsis thaliana</i> : a Model Plant for Studying the Molecular Basis of Morphogenesis. <i>Functional Plant Biology</i> , 1990, 17, 323.	1.1	8
46	A survey of C-band patterns in chromosomes of <i>Lilium</i> (Liliaceae). <i>Plant Systematics and Evolution</i> , 1989, 163, 53-69.	0.3	62
47	An element with long terminal repeats and its variant arrangements in the genome of <i>Lilium henryi</i> . <i>Molecular Genetics and Genomics</i> , 1989, 215, 349-354.	2.4	44
48	Plant retrotransposon from <i>Lilium henryi</i> is related to Ty3 of yeast and the gypsy group of <i>Drosophila</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 5015-5019.	3.3	154
49	UV-induced DNA repair is not detectable in pre-dictyate oocytes of the mouse. <i>Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1988, 208, 115-119.	1.2	9
50	Silver bands in chronic granulocytic leukemia. II. The Philadelphia chromosome. <i>Cancer Genetics and Cytogenetics</i> , 1987, 25, 131-139.	1.0	2
51	An under-methylated region in the spacer of ribosomal RNA genes of <i>Lilium henryi</i> . <i>Plant Molecular Biology</i> , 1986, 6, 33-39.	2.0	20
52	A family of repeated sequences dispersed through the genome of <i>Lilium henryi</i> . <i>Chromosoma</i> , 1985, 92, 149-155.	1.0	16
53	Different replication patterns of chromocentres and C-bands in <i>Lilium henryi</i> . <i>Chromosoma</i> , 1985, 93, 49-56.	1.0	2
54	Silver bands in chronic granulocytic leukemia: I. Increased banding associated with blastic transformation. <i>Cancer Genetics and Cytogenetics</i> , 1984, 11, 61-68.	1.0	8

#	ARTICLE	IF	CITATIONS
55	Patterns of exchange induced by mitomycin C in C-bands of human chromosomes. I. Relationship to C-band size in chromosomes 1, 9, and 16. <i>Human Genetics</i> , 1982, 62, 342-345.	1.8	5
56	Patterns of exchange induced by mitomycin C in C-bands of human chromosomes. II. High frequency of Y-Y exchange in XYY cells. <i>Human Genetics</i> , 1982, 62, 346-348.	1.8	4
57	DNA extraction during giemsa differentiation of chromatids singly and doubly substituted with BrdU. <i>Chromosoma</i> , 1981, 81, 691-700.	1.0	16
58	Two repeated DNA sequences from the heterochromatic regions of rye (<i>Secale cereale</i>) chromosomes. <i>Chromosoma</i> , 1981, 84, 265-277.	1.0	120
59	Late labelled regions in relation to Q- and C-bands in chromosomes of <i>Lilium longiflorum</i> and <i>L. pardalinum</i> . <i>Chromosoma</i> , 1980, 76, 151-164.	1.0	2
60	Silver staining test of nucleolar suppression in the <i>Lilium</i> hybrid "Black Beauty". <i>Experimental Cell Research</i> , 1980, 129, 481-485.	1.2	9
61	Cytoplasmic DNA Synthesis at Meiotic Prophase in <i>Lilium henryi</i> . <i>Australian Journal of Botany</i> , 1979, 27, 273.	0.3	10
62	DNA loss during C-banding of chromosomes of <i>Lilium longiflorum</i> . <i>Chromosoma</i> , 1978, 68, 59-72.	1.0	12
63	Q-bands in <i>Lilium</i> and their relationship to C-banded heterochromatin. <i>Chromosoma</i> , 1977, 60, 169-178.	1.0	22
64	Action of Rec-3 on Recombination Near the Amination-I Locus of <i>Neurospora Crassa</i> . <i>Australian Journal of Biological Sciences</i> , 1973, 26, 439.	0.5	9
65	A New map of the Amination-1 Locus of <i>Neurospora Crassa</i> , and the Effect of the Recombination-3 Gene. <i>Australian Journal of Biological Sciences</i> , 1973, 26, 1355.	0.5	29
66	Effect of Rec-3 on Polarity of Recombination in the Animation-1 Locus of <i>Neurospora Crassa</i> . <i>Australian Journal of Biological Sciences</i> , 1971, 24, 97.	0.5	7