

Caj Haglund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7399151/publications.pdf>

Version: 2024-02-01

210
papers

5,738
citations

76196

40
h-index

118652

62
g-index

211
all docs

211
docs citations

211
times ranked

8237
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of self-expandable metallic stents for endoscopic biliary decompression decreases stent complications in pancreatic cancer patients receiving chemotherapy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 614-620.	1.3	5
2	Long-term nationwide trends in the treatment of and outcomes among pancreatic cancer patients. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1087-1092.	0.5	6
3	Tumour-infiltrating lymphocytes in oropharyngeal cancer: a validation study according to the criteria of the International Immuno-Oncology Biomarker Working Group. <i>British Journal of Cancer</i> , 2022, 126, 1589-1594.	2.9	22
4	Pancreatic fibrosis, acinar atrophy and chronic inflammation in surgical specimens associated with survival in patients with resectable pancreatic ductal adenocarcinoma. <i>BMC Cancer</i> , 2022, 22, 23.	1.1	6
5	Pancreatic cancer survival prediction via inflammatory serum markers. <i>Cancer Immunology, Immunotherapy</i> , 2022, , 1.	2.0	1
6	Preoperative oncologic therapy and the prolonged risk of venous thromboembolism in resectable pancreatic cancer. <i>Cancer Medicine</i> , 2022, 11, 1605-1616.	1.3	8
7	A retrospective study of intraductal papillary neoplasia of the pancreas (IPMN) under surveillance. <i>Scandinavian Journal of Surgery</i> , 2022, 111, 145749692210767.	1.3	6
8	Gene fusions and oncogenic mutations in MLH1 deficient and BRAFV600E wild-type colorectal cancers. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 807-817.	1.4	9
9	Matrix Metalloproteinase 8 Expression in a Tumour Predicts a Favourable Prognosis in Pancreatic Ductal Adenocarcinoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3314.	1.8	4
10	Ovarian Cancers with Low CIP2A Tumor Expression Constitute an APR-246â€“Sensitive Disease Subtype. <i>Molecular Cancer Therapeutics</i> , 2022, 21, 1236-1245.	1.9	2
11	Tumor-associated CD3- and CD8-positive immune cells in colorectal cancer: The additional prognostic value of CD8+to-CD3+ ratio remains debatable. <i>Tumor Biology</i> , 2022, 44, 37-52.	0.8	5
12	TATI, TAT-2, and CRP as Prognostic Factors in Colorectal Cancer. <i>Oncology</i> , 2022, 100, 22-30.	0.9	3
13	MRI follow-up for pancreatic intraductal papillary mucinous neoplasm: an ultrashort versus long protocol. <i>Abdominal Radiology</i> , 2022, 47, 727-737.	1.0	6
14	Long Term Results of Pancreatectomy With and Without Venous Resection: A Comparison of Safety and Complications of Spiral Graft, End-to-End and Tangential/Patch Reconstruction Techniques. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 64, 244-253.	0.8	6
15	Pancreatic cancer â€“ the past, the present, and the future. <i>Scandinavian Journal of Gastroenterology</i> , 2022, 57, 1169-1177.	0.6	15
16	The expression and prognostic value of toll-like receptors (TLRs) in pancreatic cancer patients treated with neoadjuvant therapy. <i>PLoS ONE</i> , 2022, 17, e0267792.	1.1	2
17	IgG4-positive plasma cells in nonspecific sialadenitis and sialolithiasis. <i>Modern Pathology</i> , 2022, 35, 1423-1430.	2.9	4
18	Increased MIB-1 expression in salivary gland pleomorphic adenoma that recurs and undergoes malignant transformation. <i>Scientific Reports</i> , 2022, 12, .	1.6	0

#	ARTICLE	IF	CITATIONS
19	The Role of Human Chorionic Gonadotropin Beta (hCG β) in HPV-Positive and HPV-Negative Oropharyngeal Squamous Cell Carcinoma. <i>Cancers</i> , 2022, 14, 2830.	1.7	0
20	β -catenin plus PROX1 immunostaining stratifies disease progression and patient survival in neoadjuvant-treated pancreatic cancer. <i>Tumor Biology</i> , 2022, 44, 69-84.	0.8	0
21	High Expression of MMP-9 in Primary Tumors and High Preoperative MPO in Serum Predict Improved Prognosis in Colorectal Cancer with Operable Liver Metastases. <i>Oncology</i> , 2021, 99, 144-160.	0.9	15
22	Stromal categorization in early oral tongue cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 925-932.	1.4	17
23	Matrix metalloproteinase-7, -8, -9, -15, and -25 in minor salivary gland adenoid cystic carcinoma. <i>Pathology Research and Practice</i> , 2021, 217, 153293.	1.0	5
24	Altered linkage pattern of N-glycan sialic acids in pseudomyxoma peritonei. <i>Glycobiology</i> , 2021, 31, 211-222.	1.3	2
25	MMP-7, -8, -9, E-cadherin, and β -catenin expression in 34 ameloblastoma cases. <i>Clinical and Experimental Dental Research</i> , 2021, 7, 63-69.	0.8	12
26	A prognostic model for colorectal cancer based on CEA and a 48-multiplex serum biomarker panel. <i>Scientific Reports</i> , 2021, 11, 4287.	1.6	17
27	CA125: A superior prognostic biomarker for colorectal cancer compared to CEA, CA19-9 or CA242. <i>Tumor Biology</i> , 2021, 43, 57-70.	0.8	23
28	Impact of histological response after neoadjuvant therapy on podocalyxin as a prognostic marker in pancreatic cancer. <i>Scientific Reports</i> , 2021, 11, 9896.	1.6	3
29	Antizyme inhibitor 2 (AZIN2) associates with better prognosis of head and neck minor salivary gland adenoid cystic carcinoma. <i>Apmis</i> , 2021, 129, 503-511.	0.9	1
30	HLA -G expression correlates with histological grade but not with prognosis in colorectal carcinoma. <i>Hla</i> , 2021, 98, 213-217.	0.4	4
31	Improving Risk Stratification of Early Oral Tongue Cancer with TNM-Immune (TNM-I) Staging System. <i>Cancers</i> , 2021, 13, 3235.	1.7	9
32	Tumor-Associated Trypsin Inhibitor (TATI) as a Biomarker of Poor Prognosis in Oropharyngeal Squamous Cell Carcinoma Irrespective of HPV Status. <i>Cancers</i> , 2021, 13, 2811.	1.7	5
33	Changes in CRP and CA19-9 during Preoperative Oncological Therapy Predict Postoperative Survival in Pancreatic Ductal Adenocarcinoma. <i>Oncology</i> , 2021, 99, 686-698.	0.9	4
34	Lead Time and Prognostic Role of Serum CEA, CA19-9, IL-6, CRP, and YKL-40 after Adjuvant Chemotherapy in Colorectal Cancer. <i>Cancers</i> , 2021, 13, 3892.	1.7	11
35	The Relationship between the Tissue Expression of TLR2, TLR4, TLR5, and TLR7 and Systemic Inflammatory Responses in Colorectal Cancer Patients. <i>Oncology</i> , 2021, 99, 790-801.	0.9	6
36	Elevated tumor expression of Astroprinclin (FAM171A1) is an independent marker of poor prognosis in colon cancer. <i>BMC Gastroenterology</i> , 2021, 21, 341.	0.8	1

#	ARTICLE	IF	CITATIONS
37	Colon cancer patients with mismatch repair deficiency are more likely to present as acute surgical cases. <i>European Journal of Cancer</i> , 2021, 157, 1-9.	1.3	2
38	High Tissue TLR5 Expression Predicts Better Outcomes in Colorectal Cancer Patients. <i>Oncology</i> , 2021, 99, 589-600.	0.9	8
39	Oncogenic Ras Disrupts Epithelial Integrity by Activating the Transmembrane Serine Protease Hepsin. <i>Cancer Research</i> , 2021, 81, 1513-1527.	0.4	10
40	Stage Iâ€“IV Colorectal Cancer Prognosis Can Be Predicted by Type and Number of Intratumoral Macrophages and CLEVER-1+ Vessel Density. <i>Cancers</i> , 2021, 13, 5988.	1.7	4
41	Performance of Finnish biobanks in nationwide pulmonary carcinoid tumour research. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 273-283.	1.4	3
42	Sclerosing sialadenitis of the submandibular gland is rarely an immunoglobulin G4-related disease in the Finnish population. <i>Modern Pathology</i> , 2020, 33, 551-559.	2.9	7
43	Comparison of supervised machine learning classification techniques in prediction of locoregional recurrences in early oral tongue cancer. <i>International Journal of Medical Informatics</i> , 2020, 136, 104068.	1.6	83
44	Colonic Adenocarcinomas Harboring NTRK Fusion Genes. <i>American Journal of Surgical Pathology</i> , 2020, 44, 162-173.	2.1	56
45	Label-free proteomics reveals serum proteins whose levels differ between pancreatic ductal adenocarcinoma patients with short or long survival. <i>Tumor Biology</i> , 2020, 42, 101042832093641.	0.8	4
46	Histological characteristics of early-stage oral tongue cancer in young versus older patients: A multicenter matched-pair analysis. <i>Oral Diseases</i> , 2020, 26, 1081-1085.	1.5	14
47	Unbiased in vivo preclinical evaluation of anticancer drugs identifies effective therapy for the treatment of pancreatic adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 30670-30678.	3.3	11
48	PCSK2 expression in neuroendocrine tumors points to a midgut, pulmonary, or pheochromocytoma-paranglioma origin. <i>Apmis</i> , 2020, 128, 563-572.	0.9	5
49	Cell-in-cell phenomenon associates with aggressive characteristics and cancer-related mortality in early oral tongue cancer. <i>BMC Cancer</i> , 2020, 20, 843.	1.1	11
50	Expression and Role of E-Cadherin, β -Catenin, and Vimentin in Human Papillomavirus-Positive and Human Papillomavirus-Negative Oropharyngeal Squamous Cell Carcinoma. <i>Journal of Histochemistry and Cytochemistry</i> , 2020, 68, 595-606.	1.3	14
51	High TKTL1 expression as a sign of poor prognosis in colorectal cancer with synchronous rather than metachronous liver metastases. <i>Cancer Biology and Therapy</i> , 2020, 21, 826-831.	1.5	9
52	TKTL1 as a Prognostic Marker in Pancreatic Ductal Adenocarcinoma and Its Correlation with FDG-PET-CT. <i>Oncology</i> , 2020, 99, 1-9.	0.9	3
53	The prognostic role of tissue TLR2 and TLR4 in colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 705-715.	1.4	18
54	Plasma protein expression differs between colorectal cancer patients depending on primary tumor location. <i>Cancer Medicine</i> , 2020, 9, 5221-5234.	1.3	8

#	ARTICLE	IF	CITATIONS
55	Transketolase-Like Protein 1 and Glucose Transporter 1 in Gastric Cancer. <i>Oncology</i> , 2020, 98, 643-652.	0.9	4
56	Comparing serum protein levels can aid in differentiating HPV-negative and -positive oropharyngeal squamous cell carcinoma patients. <i>PLoS ONE</i> , 2020, 15, e0233974.	1.1	11
57	Oncogenic Herpesvirus Engages Endothelial Transcription Factors SOX18 and PROX1 to Increase Viral Genome Copies and Virus Production. <i>Cancer Research</i> , 2020, 80, 3116-3129.	0.4	17
58	IDH1 Expression via the R132H Mutation—Specific Antibody in Adrenocortical Neoplasias—Prognostic Impact in Carcinomas. <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa018.	0.1	3
59	Association between chronic pancreatitis and pancreatic cancer: A 10-year retrospective study of endoscopically treated and surgical patients. <i>International Journal of Cancer</i> , 2020, 147, 1450-1460.	2.3	16
60	N-glycomic profiling of colorectal cancer according to tumor stage and location. <i>PLoS ONE</i> , 2020, 15, e0234989.	1.1	16
61	Additive clinical impact of epidermal growth factor receptor and podocalyxin-like protein expression in pancreatic and periampullary adenocarcinomas. <i>Scientific Reports</i> , 2020, 10, 10373.	1.6	4
62	Tumor-associated trypsin inhibitor (TATI) and tumor-associated trypsin-2 (TAT-2) predict outcomes in gastric cancer. <i>Acta Oncologica</i> , 2020, 59, 681-688.	0.8	6
63	Elevated TLR5 expression in vivo and loss of NF- κ B activation via TLR5 in vitro detected in HPV-negative oropharyngeal squamous cell carcinoma. <i>Experimental and Molecular Pathology</i> , 2020, 114, 104435.	0.9	4
64	Pasireotide administration after pancreaticoduodenectomy may decrease clinically relevant postoperative pancreatic fistula in high-risk patients with small pancreatic ducts, soft pancreatic parenchyma and cystic or neuroendocrine neoplasia. <i>Pancreatology</i> , 2020, 20, 757-761.	0.5	5
65	Association between local immune cell infiltration, mismatch repair status and systemic inflammatory response in colorectal cancer. <i>Journal of Translational Medicine</i> , 2020, 18, 178.	1.8	17
66	Epstein-Barr virus (EBV) and polyomaviruses are detectable in oropharyngeal cancer and EBV may have prognostic impact. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1615-1626.	2.0	18
67	Preoperative Radiotherapy Leads to Significant Differences in the Plasma Protein Profile of Rectal Cancer Patients. <i>Oncology</i> , 2020, 98, 493-500.	0.9	5
68	In HPV-negative oropharyngeal squamous cell carcinoma, elevated toll-like receptor 2 immunorexpression may increase the risk of disease-specific mortality. <i>Oral Oncology</i> , 2020, 107, 104778.	0.8	3
69	Active matrix metalloproteinase-8 and interleukin-6 detect periodontal degeneration caused by radiotherapy of head and neck cancer: a pilot study. <i>Expert Review of Proteomics</i> , 2020, 17, 777-784.	1.3	23
70	Tetraspanin CD63 independently predicts poor prognosis in colorectal cancer. <i>Histology and Histopathology</i> , 2020, 35, 887-892.	0.5	10
71	Proteostasis Dysregulation in Pancreatic Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1233, 101-115.	0.8	9
72	Machine learning application for prediction of locoregional recurrences in early oral tongue cancer: a Web-based prognostic tool. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 489-497.	1.4	71

#	ARTICLE	IF	CITATIONS
73	Polyomavirus JCPyV infrequently detectable in adenoid cystic carcinoma of the oral cavity and the airways. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 609-616.	1.4	5
74	Toll-like receptor 1 predicts favorable prognosis in pancreatic cancer. <i>PLoS ONE</i> , 2019, 14, e0219245.	1.1	27
75	L1TD1 - a prognostic marker for colon cancer. <i>BMC Cancer</i> , 2019, 19, 727.	1.1	11
76	Expression of toll-like receptors in non-endemic nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2019, 19, 624.	1.1	15
77	Mucin 16 and kallikrein 13 as potential prognostic factors in colon cancer: Results of an oncological 92-multiplex immunoassay. <i>Tumor Biology</i> , 2019, 41, 101042831986072.	0.8	11
78	High tissue MMP14 expression predicts worse survival in gastric cancer, particularly with a low PROX1. <i>Cancer Medicine</i> , 2019, 8, 6995-7005.	1.3	16
79	Evaluation of toll-like receptors as prognostic biomarkers in gastric cancer: high tissue TLR5 predicts a better outcome. <i>Scientific Reports</i> , 2019, 9, 12553.	1.6	31
80	In situ hybridization for high-risk HPV E6/E7 mRNA is a superior method for detecting transcriptionally active HPV in oropharyngeal cancer. <i>Human Pathology</i> , 2019, 90, 97-105.	1.1	39
81	High levels of tissue inhibitor of metalloproteinase-1 (TIMP-1) in the serum are associated with poor prognosis in HPV-negative squamous cell oropharyngeal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1263-1272.	2.0	12
82	Somatostatin Receptor Expression Is Associated With Metastasis and Patient Outcome in Pulmonary Carcinoid Tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2083-2093.	1.8	26
83	Adrenocortical carcinoma: presentation and outcome of a contemporary patient series. <i>Endocrine</i> , 2019, 65, 166-174.	1.1	29
84	BRAF V600E expression in ameloblastomas – A 36 – patient cohort from Helsinki University Hospital. <i>Oral Diseases</i> , 2019, 25, 1169-1174.	1.5	13
85	The expression and prognostic value of stem cell markers Bmi-1, HES5:3, and HES77 in human papillomavirus – positive and – negative oropharyngeal squamous cell carcinoma. <i>Tumor Biology</i> , 2019, 41, 101042831984047.	0.8	4
86	TLR5 and TLR7 are differentially expressed in human papillomavirus-positive and negative base of tongue squamous cell carcinoma, and TLR7 may have an independent prognostic influence. <i>Acta Oto-Laryngologica</i> , 2019, 139, 206-210.	0.3	7
87	Ornithine decarboxylase antizyme inhibitor 2 (AZIN2) is a signature of secretory phenotype and independent predictor of adverse prognosis in colorectal cancer. <i>PLoS ONE</i> , 2019, 14, e0211564.	1.1	13
88	Estrogen receptor beta expression correlates with proliferation in desmoid tumors. <i>Journal of Surgical Oncology</i> , 2019, 119, 873-879.	0.8	16
89	The Prognostic Importance of CD20+ B lymphocytes in Colorectal Cancer and the Relation to Other Immune Cell subsets. <i>Scientific Reports</i> , 2019, 9, 19997.	1.6	97
90	Variable somatostatin receptor subtype expression in 151 primary pheochromocytomas and paragangliomas. <i>Human Pathology</i> , 2019, 86, 66-75.	1.1	37

#	ARTICLE	IF	CITATIONS
91	Ameloblastoma: a retrospective single institute study of 34 subjects. <i>Acta Odontologica Scandinavica</i> , 2019, 77, 82-87.	0.9	5
92	Astroprincin (FAM171A1, C10orf38). <i>American Journal of Pathology</i> , 2019, 189, 177-189.	1.9	13
93	Combined epithelial marker analysis of tumour budding in stage II colorectal cancer. <i>Journal of Pathology: Clinical Research</i> , 2019, 5, 63-78.	1.3	20
94	Somatostatin receptor expression in parathyroid neoplasms. <i>Endocrine Connections</i> , 2019, 8, 1213-1223.	0.8	13
95	PD-1 and PD-L1 expression in pulmonary carcinoid tumors and their association to tumor spread. <i>Endocrine Connections</i> , 2019, 8, 1168-1175.	0.8	19
96	Deep learning based tissue analysis predicts outcome in colorectal cancer. <i>Scientific Reports</i> , 2018, 8, 3395.	1.6	450
97	Clinicopathological indicators of survival among patients with pulmonary carcinoid tumor. <i>Acta Oncologica</i> , 2018, 57, 1109-1116.	0.8	21
98	Can carcinoembryonic antigen replace computed tomography in response evaluation of metastatic colorectal cancer?. <i>Acta Oncologica</i> , 2018, 57, 750-758.	0.8	7
99	Prognostic impact of tumour-stroma ratio in early-stage oral tongue cancers. <i>Histopathology</i> , 2018, 72, 1128-1135.	1.6	54
100	MMP-7 expression may influence the rate of distant recurrences and disease-specific survival in HPV-positive oropharyngeal squamous cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 975-981.	1.4	6
101	Expression of hormone receptors in oropharyngeal squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 1289-1300.	0.8	11
102	Prognostic and diagnostic value of REG4 serum and tissue expression in pancreatic ductal adenocarcinoma. <i>Tumor Biology</i> , 2018, 40, 101042831876149.	0.8	12
103	Presenting symptoms and clinical findings in HPV-positive and HPV-negative oropharyngeal cancer patients. <i>Acta Oto-Laryngologica</i> , 2018, 138, 513-518.	0.3	41
104	Neoadjuvant therapy offers longer survival than upfront surgery for poorly differentiated and higher stage pancreatic cancer. <i>Acta Oncologica</i> , 2018, 57, 799-806.	0.8	31
105	<sc>MAPK</sc> inhibitors induce serine peptidase inhibitor Kazal type 1 (<sc>SPINK</sc>) secretion in <sc>BRAF</sc> V600E mutant colorectal adenocarcinoma. <i>Molecular Oncology</i> , 2018, 12, 224-238.	2.1	2
106	<i>Treponema denticola</i> chymotrypsin-like proteinase may contribute to orodigestive carcinogenesis through immunomodulation. <i>British Journal of Cancer</i> , 2018, 118, 428-434.	2.9	71
107	Epidemiological and treatment-related factors contribute to improved outcome of oropharyngeal squamous cell carcinoma in Finland. <i>Acta Oncologica</i> , 2018, 57, 541-551.	0.8	15
108	Evaluation of the budding and depth of invasion (BD) model in oral tongue cancer biopsies. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 231-236.	1.4	39

#	ARTICLE	IF	CITATIONS
109	C-myc expression in adrenocortical tumours. <i>Journal of Clinical Pathology</i> , 2018, 71, 129-134.	1.0	11
110	High serum MMP-14 predicts worse survival in gastric cancer. <i>PLoS ONE</i> , 2018, 13, e0208800.	1.1	28
111	Label-free tissue proteomics can classify oral squamous cell carcinoma from healthy tissue in a stage-specific manner. <i>Oral Oncology</i> , 2018, 86, 206-215.	0.8	11
112	Serum MMP-8 and TIMP-1 as prognostic biomarkers in gastric cancer. <i>Tumor Biology</i> , 2018, 40, 101042831879926.	0.8	25
113	Tumor volume as a prognostic marker in p16-positive and p16-negative oropharyngeal cancer patients treated with definitive intensity-modulated radiotherapy. <i>Strahlentherapie Und Onkologie</i> , 2018, 194, 759-770.	1.0	23
114	PROX1 is a transcriptional regulator of MMP14. <i>Scientific Reports</i> , 2018, 8, 9531.	1.6	26
115	<i>Treponema denticola</i> chymotrypsin-like protease as associated with HPV-negative oropharyngeal squamous cell carcinoma. <i>British Journal of Cancer</i> , 2018, 119, 89-95.	2.9	17
116	Colorectal cancer patients with different C-reactive protein levels and 5-year survival times can be differentiated with quantitative serum proteomics. <i>PLoS ONE</i> , 2018, 13, e0195354.	1.1	28
117	Glycomic Profiling Highlights Increased Fucosylation in Pseudomyxoma Peritonei. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 2107-2118.	2.5	8
118	Small oral tongue cancers (4 cm in diameter) with clinically negative neck: from the 7th to the 8th edition of the American Joint Committee on Cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 481-487.	1.4	18
119	The prognostic significance of tall cells in papillary thyroid carcinoma: A case-control study. <i>Tumor Biology</i> , 2018, 40, 101042831878772.	0.8	5
120	Serum MMP-8 and TIMP-1 predict prognosis in colorectal cancer. <i>BMC Cancer</i> , 2018, 18, 679.	1.1	59
121	<i>Treponema denticola</i> chymotrypsin-like proteinase is present in early-stage mobile tongue squamous cell carcinoma and related to the clinicopathological features. <i>Journal of Oral Pathology and Medicine</i> , 2018, 47, 764-772.	1.4	22
122	Preoperative Biomarker Panel, Including Fibrinogen and FVIII, Improves Diagnostic Accuracy for Pancreatic Ductal Adenocarcinoma. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2018, 24, 1267-1275.	0.7	11
123	High cyclin A expression, but not Ki67, is associated with early recurrence in desmoid tumors. <i>Journal of Surgical Oncology</i> , 2018, 118, 192-198.	0.8	5
124	Positive cytoplasmic UCHL5 tumor expression in gastric cancer is linked to improved prognosis. <i>PLoS ONE</i> , 2018, 13, e0193125.	1.1	17
125	Positive staining for cellulose in oral pulse granuloma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 123, 464-467.	0.2	7
126	Changing trends in the management of the neck in oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 1412-1420.	0.9	6

#	ARTICLE	IF	CITATIONS
127	Comparative proteomic profiling of the serum differentiates pancreatic cancer from chronic pancreatitis. <i>Cancer Medicine</i> , 2017, 6, 1738-1751.	1.3	39
128	Early stage minor salivary gland adenoid cystic carcinoma has favourable prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 785-792.	1.4	15
129	A nationwide study on parathyroid carcinoma. <i>Acta Oncol</i> , 2017, 56, 991-1003.	0.8	84
130	Prevalence of high-risk human papillomavirus infection and cancer gene mutations in nonmalignant tonsils. <i>Oral Oncology</i> , 2017, 73, 77-82.	0.8	13
131	N-Glycomic Profiling of Pheochromocytomas and Paragangliomas Separates Metastatic and Nonmetastatic Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 3990-4000.	1.8	12
132	Toll-like receptor 5 and 7 expression may impact prognosis of HPV-positive oropharyngeal squamous cell carcinoma patients. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 1619-1629.	2.0	32
133	UCL5 expression associates with improved survival in lymph-node-positive rectal cancer. <i>Tumor Biology</i> , 2017, 39, 101042831771607.	0.8	12
134	Nuclear ubiquitin C-terminal hydrolase L5 expression associates with increased patient survival in pancreatic ductal adenocarcinoma. <i>Tumor Biology</i> , 2017, 39, 101042831771041.	0.8	12
135	Systemic matrix metalloproteinase-8 response in chronic tonsillitis. <i>Infectious Diseases</i> , 2017, 49, 302-307.	1.4	3
136	High PROX1 expression in gastric cancer predicts better survival. <i>PLoS ONE</i> , 2017, 12, e0183868.	1.1	16
137	Immunohistochemical analysis reveals variations in proteasome tissue expression in <i>C. elegans</i> . <i>PLoS ONE</i> , 2017, 12, e0183403.	1.1	8
138	Expression of ODC Antizyme Inhibitor 2 (AZIN2) in Human Secretory Cells and Tissues. <i>PLoS ONE</i> , 2016, 11, e0151175.	1.1	18
139	REG4 Is Highly Expressed in Mucinous Ovarian Cancer: A Potential Novel Serum Biomarker. <i>PLoS ONE</i> , 2016, 11, e0151590.	1.1	17
140	Toll-like receptors 2, 4, and 9 in primary, metastasized, and recurrent oral tongue squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2016, 45, 338-345.	1.4	16
141	PROX1 and β -catenin are prognostic markers in pancreatic ductal adenocarcinoma. <i>BMC Cancer</i> , 2016, 16, 472.	1.1	35
142	Association of BMI-1 and p16 as prognostic factors for head and neck carcinomas. <i>Acta Oto-Laryngologica</i> , 2016, 136, 501-505.	0.3	12
143	Does securin expression have significance in prognostication of oral tongue cancer? A pilot study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3905-3911.	0.8	3
144	The prognostic role of systemic inflammation in patients undergoing resection of colorectal liver metastases: C-reactive protein (CRP) is a strong negative prognostic biomarker. <i>Journal of Surgical Oncology</i> , 2016, 114, 895-899.	0.8	58

#	ARTICLE	IF	CITATIONS
145	Increased MMP-7 expression in biliary epithelium and serum underpins native liver fibrosis after successful portoenterostomy in biliary atresia. <i>Journal of Pathology: Clinical Research</i> , 2016, 2, 187-198.	1.3	47
146	HuR in pheochromocytomas and paragangliomas – overexpression in verified malignant tumors. <i>Apmis</i> , 2016, 124, 757-763.	0.9	6
147	Endoscopic sphincterotomy and risk of cholangiocarcinoma: a population-based cohort study in Finland and Sweden. <i>Endoscopy International Open</i> , 2016, 04, E1096-E1100.	0.9	3
148	Transketolase-like protein 1 expression predicts poor prognosis in colorectal cancer. <i>Cancer Biology and Therapy</i> , 2016, 17, 163-168.	1.5	25
149	Lymph node metastases and elevated postoperative calcitonin: Predictors of poor survival in medullary thyroid carcinoma. <i>Acta Oncologica</i> , 2016, 55, 357-364.	0.8	23
150	Systemic Inflammatory Response and Elevated Tumour Markers Predict Worse Survival in Resectable Pancreatic Ductal Adenocarcinoma. <i>PLoS ONE</i> , 2016, 11, e0163064.	1.1	36
151	Carbonic anhydrase enzymes II, VII, IX and XII in colorectal carcinomas. <i>World Journal of Gastroenterology</i> , 2016, 22, 8168.	1.4	47
152	Podocalyxin Is a Marker of Poor Prognosis in Pancreatic Ductal Adenocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0129012.	1.1	27
153	Podocalyxin as a Prognostic Marker in Gastric Cancer. <i>PLoS ONE</i> , 2015, 10, e0145079.	1.1	21
154	Toll-like receptor 9 mediates invasion and predicts prognosis in squamous cell carcinoma of the mobile tongue. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 571-577.	1.4	26
155	Helsinki score – a novel model for prediction of metastases in adrenocortical carcinomas. <i>Human Pathology</i> , 2015, 46, 404-410.	1.1	72
156	N-glycomic Profiling as a Tool to Separate Rectal Adenomas from Carcinomas*. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 277-288.	2.5	57
157	Outcomes of resected nonfunctional pancreatic neuroendocrine tumors: Do size and symptoms matter?. <i>Surgery</i> , 2015, 158, 1556-1563.	1.0	58
158	MMP-7, MMP-8, and MMP-9 in oral and cutaneous squamous cell carcinomas. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015, 119, 459-467.	0.2	26
159	Extendable blocking probe in reverse transcription for analysis of RNA variants with superior selectivity. <i>Nucleic Acids Research</i> , 2015, 43, e4-e4.	6.5	11
160	Expression of toll-like receptors in HPV-positive and HPV-negative oropharyngeal squamous cell carcinoma – an in vivo and in vitro study. <i>Tumor Biology</i> , 2015, 36, 7755-7764.	0.8	22
161	A novel stem cell associated marker identified by monoclonal antibody <sc>HESC</sc>:3 differentiates between neoplastic lesions in follicular thyroid neoplasms. <i>Apmis</i> , 2015, 123, 604-612.	0.9	3
162	Expression of Toll-like receptors in nasal epithelium in allergic rhinitis. <i>Apmis</i> , 2015, 123, 716-725.	0.9	23

#	ARTICLE	IF	CITATIONS
163	Predictive role of toll-like receptors 2, 4, and 9 in oral tongue squamous cell carcinoma. <i>Oral Oncology</i> , 2015, 51, 96-102.	0.8	36
164	The expression of Toll-like receptors 2, 4, 5, 7 and 9 in Merkel cell carcinoma. <i>Anticancer Research</i> , 2015, 35, 1843-9.	0.5	15
165	Expression of Stem Cell-associated Marker HES77 in Rectal Neuroendocrine Tumors. <i>Anticancer Research</i> , 2015, 35, 3767-72.	0.5	2
166	Tumor-like Chronic Pancreatitis Is Often Autoimmune Pancreatitis. <i>Anticancer Research</i> , 2015, 35, 6163-6.	0.5	5
167	Oncogenic mutations in intestinal adenomas regulate Bim-mediated apoptosis induced by TGF- β^2 . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2229-36.	3.3	52
168	Prox1 Promotes Expansion of the Colorectal Cancer Stem Cell Population to Fuel Tumor Growth and Ischemia Resistance. <i>Cell Reports</i> , 2014, 8, 1943-1956.	2.9	63
169	Low Expression of Nuclear Toll-like Receptor 4 in Laryngeal Papillomas Transforming into Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 151, 785-790.	1.1	14
170	Different Toll-Like Receptor Expression Patterns in Progression toward Cancer. <i>Frontiers in Immunology</i> , 2014, 5, 638.	2.2	29
171	Cyclin A predicts metastatic potential of rectal neuroendocrine tumors. <i>Human Pathology</i> , 2014, 45, 1605-1609.	1.1	6
172	Expression of human chorionic gonadotropin in testicular germ cell tumors. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 727-734.	0.8	19
173	Matrix metalloproteinase-7 and matrix metalloproteinase-25 in oral tongue squamous cell carcinoma. <i>Head and Neck</i> , 2014, 36, 1783-1788.	0.9	23
174	REG4 Independently Predicts Better Prognosis in Non-Mucinous Colorectal Cancer. <i>PLoS ONE</i> , 2014, 9, e109600.	1.1	18
175	Epithelial and stromal syndecan-1 and -2 are distinctly expressed in oral and cutaneous squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2013, 42, 389-395.	1.4	17
176	Concomitant Tumor Expression of EGFR and TATI/SPINK1 Associates with Better Prognosis in Colorectal Cancer. <i>PLoS ONE</i> , 2013, 8, e76906.	1.1	19
177	CIP2A overexpression is associated with c-Myc expression in colorectal cancer. <i>Cancer Biology and Therapy</i> , 2012, 13, 289-295.	1.5	59
178	Lack of MMP-9 expression is a marker for poor prognosis in Dukes' B colorectal cancer. <i>BMC Clinical Pathology</i> , 2012, 12, 24.	1.8	19
179	Prognostic significance of matrix metalloproteinase-2, -8, -9, and -13 in oral tongue cancer. <i>Journal of Oral Pathology and Medicine</i> , 2012, 41, 394-399.	1.4	47
180	MMP-7 as a prognostic marker in colorectal cancer. <i>Tumor Biology</i> , 2011, 32, 259-264.	0.8	63

#	ARTICLE	IF	CITATIONS
181	COX-2 is associated with proliferation and apoptosis markers and serves as an independent prognostic factor in gastric cancer. <i>Tumor Biology</i> , 2010, 31, 1-7.	0.8	44
182	MMP-7 overexpression is an independent prognostic marker in gastric cancer. <i>Tumor Biology</i> , 2010, 31, 149-155.	0.8	55
183	MYC-Dependent Regulation and Prognostic Role of CIP2A in Gastric Cancer. <i>Journal of the National Cancer Institute</i> , 2009, 101, 793-805.	3.0	186
184	Comparison of the prognostic value of a panel of tissue tumor markers and established clinicopathological factors in patients with gastric cancer. <i>Anticancer Research</i> , 2008, 28, 2279-87.	0.5	23
185	Ki-67, p53, ER Receptors, Ploidy and S Phase as Long-Term Prognostic Factors in T1 Node-Negative Breast Cancer. <i>Tumor Biology</i> , 2007, 28, 45-51.	0.8	22
186	Prognostic significance of cyclin A in gastric cancer. <i>International Journal of Cancer</i> , 2006, 119, 1897-1901.	2.3	47
187	Cyclooxygenase-2 Is an Independent Prognostic Factor in Gastric Cancer and Its Expression Is Regulated by the Messenger RNA Stability Factor HuR. <i>Clinical Cancer Research</i> , 2005, 11, 7362-7368.	3.2	147
188	Cytoplasmic HuR Expression Is a Prognostic Factor in Invasive Ductal Breast Carcinoma. <i>Cancer Research</i> , 2005, 65, 2157-2161.	0.4	209
189	Syndecan-1 Expression " A Novel Prognostic Marker in Pancreatic Cancer. <i>Oncology</i> , 2005, 68, 97-106.	0.9	61
190	Prognostic Value of Syndecan-1 Expression in Breast Cancer. <i>Oncology</i> , 2004, 67, 11-18.	0.9	97
191	Estimating the Probability of Cancer with Several Tumor Markers in Patients with Colorectal Disease. <i>Oncology</i> , 2004, 66, 296-302.	0.9	46
192	CEA, CA 242, CA 19-9, CA 72-4 and hCGβ in the Diagnosis of Recurrent Colorectal Cancer. <i>Tumor Biology</i> , 2004, 25, 228-234.	0.8	51
193	Preoperative hCG? and CA 72-4 are prognostic factors in gastric cancer. <i>International Journal of Cancer</i> , 2004, 111, 929-933.	2.3	49
194	Cyclooxygenase-2 and gastric carcinogenesis. <i>Apmis</i> , 2003, 111, 915-925.	0.9	108
195	Cytoplasmic HuR expression correlates with poor outcome and with cyclooxygenase 2 expression in serous ovarian carcinoma. <i>Cancer Research</i> , 2003, 63, 7591-4.	0.4	118
196	Serum HCGÎ², CA 72-4 and CEA are independent prognostic factors in colorectal cancer. <i>International Journal of Cancer</i> , 2002, 101, 545-548.	2.3	89
197	Combination of HCGbeta, CA 19-9 and CEA with logistic regression improves accuracy in gastrointestinal malignancies. <i>Anticancer Research</i> , 2002, 22, 1759-64.	0.5	33
198	Epithelial and stromal syndecan-1 expression as predictor of outcome in patients with gastric cancer. <i>International Journal of Cancer</i> , 2001, 95, 1-6.	2.3	90

#	ARTICLE	IF	CITATIONS
199	STn and Prognosis in Breast Cancer. <i>Oncology</i> , 2001, 61, 299-305.	0.9	64
200	p27 Expression Correlates with Short-Term, but not with Long-Term Prognosis in Breast Cancer. <i>Breast Cancer Research and Treatment</i> , 2001, 67, 15-22.	1.1	37
201	Inhibin/Activin β -Subunit Expression in Pheochromocytomas Favors Benign Diagnosis ^{>1</sup>. <i>Journal of Clinical Endocrinology and Metabolism</i>, 2001, 86, 2231-2235.}	1.8	42
202	Increased Expression of Cyclooxygenase-2 in Malignant Pheochromocytomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5615-5619.	1.8	68
203	Time-resolved Immunofluorometric Assay of Trypsin-1 Complexed with β -1-Antitrypsin in Serum: Increased Immunoreactivity in Patients with Biliary Tract Cancer. <i>Clinical Chemistry</i> , 1999, 45, 1768-1773.	1.5	17
204	Concentration of free hCG β subunit in serum as a prognostic marker for squamous-cell carcinoma of the oral cavity and oropharynx. , 1999, 84, 525-528.		43
205	Ki-67, p53, Er-Receptors, Ploidy and S-Phase as Prognostic Factors in T1 Node Negative Breast Cancer. <i>Acta Oncol\ddot{a}gica</i> , 1997, 36, 369-374.	0.8	44
206	Sialyl Tn antigen is an independent predictor of outcome in patients with gastric cancer. , 1996, 65, 295-300.		43
207	Serum trypsinogen-2 and trypsin-2- β -1-antitrypsin complex in malignant and benign digestive-tract diseases. Preferential elevation in patients with cholangiocarcinomas. , 1996, 66, 326-331.		38
208	Serum ca 50 as a tumor marker in pancreatic cancer: A comparison with CA 19-9. <i>International Journal of Cancer</i> , 1987, 39, 477-481.	2.3	54
209	Tissue expression of the tumor marker CA 50 in benign and malignant pancreatic lesions. A comparison with CA 19-9. <i>International Journal of Cancer</i> , 1986, 38, 841-846.	2.3	24
210	Increased Expression of Cyclooxygenase-2 in Malignant Pheochromocytomas. , 0, .		22