Shang-hung Chang

List of Publications by Citations

Source: https://exaly.com/author-pdf/7401878/shang-hung-chang-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 153
 2,061
 22
 39

 papers
 citations
 h-index
 g-index

 167
 2,712
 4.9
 5.01

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
153	Association Between Use of Non-Vitamin K Oral Anticoagulants With and Without Concurrent Medications and Risk of Major Bleeding in Nonvalvular Atrial Fibrillation. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 1250-1259	27.4	195
152	Thromboembolic, Bleeding, and Mortality Risks of Rivaroxaban and Dabigatran in Asians With Nonvalvular Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1389-1401	15.1	117
151	Association of metformin with lower atrial fibrillation risk among patients with type 2 diabetes mellitus: a population-based dynamic cohort and in vitro studies. <i>Cardiovascular Diabetology</i> , 2014 , 13, 123	8.7	109
150	Efficacy and Safety of Apixaban, Dabigatran, Rivaroxaban, and Warfarin in Asians With Nonvalvular Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	85
149	Augmentation of diabetic wound healing and enhancement of collagen content using nanofibrous glucophage-loaded collagen/PLGA scaffold membranes. <i>Journal of Colloid and Interface Science</i> , 2015 , 439, 88-97	9.3	76
148	Cardiovascular, Bleeding, and Mortality Risks of Dabigatran in Asians With Nonvalvular Atrial Fibrillation. <i>Stroke</i> , 2016 , 47, 441-9	6.7	70
147	Effectiveness and Safety of Four Direct Oral Anticoagulants in Asian Patients With Nonvalvular Atrial Fibrillation. <i>Chest</i> , 2019 , 156, 529-543	5.3	62
146	Enhancement of diabetic wound repair using biodegradable nanofibrous metformin-eluting membranes: in vitro and in vivo. ACS Applied Materials & Interfaces, 2014, 6, 3979-86	9.5	58
145	Transforming growth factor-Emediated CD44/STAT3 signaling contributes to the development of atrial fibrosis and fibrillation. <i>Basic Research in Cardiology</i> , 2017 , 112, 58	11.8	54
144	Acute Kidney Injury in Asians [With [Atrial [Fibrillation Treated [With [Dabigatran [br Warfarin. Journal of the American College of Cardiology, 2016, 68, 2272-2283	15.1	49
143	Acceleration of re-endothelialization and inhibition of neointimal formation using hybrid biodegradable nanofibrous rosuvastatin-loaded stents. <i>Biomaterials</i> , 2014 , 35, 4417-27	15.6	34
142	Atrial fibrillation and its arrhythmogenesis associated with insulin resistance. <i>Cardiovascular Diabetology</i> , 2019 , 18, 125	8.7	33
141	Effectiveness and Safety of Non-Vitamin K Antagonist Oral Anticoagulant and Warfarin in Cirrhotic Patients With Nonvalvular Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2019 , 8, e01111	2 ⁶	32
140	Core-shell insulin-loaded nanofibrous scaffolds for repairing diabetic wounds. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2020 , 24, 102123	6	31
139	Off-label dosing of non-vitamin K antagonist oral anticoagulants and clinical outcomes in Asian patients with atrial fibrillation. <i>Heart Rhythm</i> , 2020 , 17, 2102-2110	6.7	30
138	Dipeptidyl peptidase-4 inhibitor decreases the risk of atrial fibrillation in patients with type 2 diabetes: a nationwide cohort study in Taiwan. <i>Cardiovascular Diabetology</i> , 2017 , 16, 159	8.7	28
137	SYNTAX score: an independent predictor of long-term cardiac mortality in patients with acute ST-elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2012 , 23, 445-9	1.4	28

136	Near Infrared Fluorescence (NIRF) Molecular Imaging of Oxidized LDL with an Autoantibody in Experimental Atherosclerosis. <i>Scientific Reports</i> , 2016 , 6, 21785	4.9	27
135	Efficacy and Safety of Non-Vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation Patients With Impaired Liver Function: AlRetrospective Cohort Study. <i>Journal of the American Heart Association</i> , 2018 , 7, e009263	6	27
134	The Development of Coronary Artery Stents: From Bare-Metal to Bio-Resorbable Types. <i>Metals</i> , 2016 , 6, 168	2.3	24
133	Codelivery of Sustainable Antimicrobial Agents and Platelet-Derived Growth Factor via Biodegradable Nanofibers for Repair of Diabetic Infectious Wounds. <i>ACS Infectious Diseases</i> , 2020 , 6, 2688-2697	5.5	23
132	The risk of acute kidney injury in Asians treated with apixaban, rivaroxaban, dabigatran, or warfarin for non-valvular atrial fibrillation: A nationwide cohort study in Taiwan. <i>International Journal of Cardiology</i> , 2018 , 265, 83-89	3.2	22
131	Association of a Family History of Atrial Fibrillation With Incidence and Outcomes of Atrial Fibrillation: A Population-Based Family Cohort Study. <i>JAMA Cardiology</i> , 2017 , 2, 863-870	16.2	22
130	Outcomes Associated With Paroxysmal Supraventricular Tachycardia During Pregnancy. <i>Circulation</i> , 2017 , 135, 616-618	16.7	20
129	Simvastatin-ezetimibe combination therapy is associated with a lower rate of major adverse cardiac events in type 2 diabetics than high potency statins alone: A population-based dynamic cohort study. <i>International Journal of Cardiology</i> , 2015 , 190, 20-5	3.2	19
128	Clinical predictors of long-term outcomes in patients with critical limb ischemia who have undergone endovascular therapy. <i>Angiology</i> , 2014 , 65, 315-22	2.1	19
127	The effectiveness and safety of low-dose rivaroxaban in Asians with non-valvular atrial fibrillation. <i>International Journal of Cardiology</i> , 2018 , 261, 78-83	3.2	18
126	Efficacy and Safety of Oral Anticoagulants in Patients With Atrial Fibrillation and Stages 4 or 5 Chronic Kidney Disease. <i>American Journal of Medicine</i> , 2019 , 132, 1335-1343.e6	2.4	18
125	Effectiveness, safety, and major adverse limb events in atrial fibrillation patients with concomitant diabetes mellitus treated with non-vitamin K antagonist oral anticoagulants. <i>Cardiovascular Diabetology</i> , 2020 , 19, 63	8.7	17
124	Nanofibrous rhPDGF-eluting PLGABollagen hybrid scaffolds enhance healing of diabetic wounds. <i>RSC Advances</i> , 2016 , 6, 6276-6284	3.7	16
123	Local sustained delivery of acetylsalicylic acid via hybrid stent with biodegradable nanofibers reduces adhesion of blood cells and promotes reendothelialization of the denuded artery. International Journal of Nanomedicine, 2014, 9, 311-26	7.3	16
122	Real-world Comparisons of Direct Oral Anticoagulants for Stroke Prevention in Asian Patients with Non-valvular Atrial Fibrillation: a Systematic Review and Meta-analysis. <i>Cardiovascular Drugs and Therapy</i> , 2019 , 33, 701-710	3.9	16
121	Effectiveness and safety of non-vitamin-K antagonist oral anticoagulants versus warfarin in atrial fibrillation patients with thrombocytopenia. <i>Journal of Thrombosis and Thrombolysis</i> , 2019 , 47, 512-519	5.1	16
120	Suicide death rates in patients with cardiovascular diseases - A 15-year nationwide cohort study in Taiwan. <i>Journal of Affective Disorders</i> , 2018 , 238, 187-193	6.6	15
119	Promoting endothelial recovery and reducing neointimal hyperplasia using sequential-like release of acetylsalicylic acid and paclitaxel-loaded biodegradable stents. <i>International Journal of Nanomedicine</i> , 2014 , 9, 4117-33	7.3	15

118	Association of Family History With Incidence and Outcomes of Aortic Dissection. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 1181-1192	15.1	15
117	Assessing major bleeding risk in atrial fibrillation patients concurrently taking non-vitamin K antagonist oral anticoagulants and antiepileptic drugs. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 147-154	6.4	15
116	Impact of Homocysteine Level on Long-term Cardiovascular Outcomes in Patients after Coronary Artery Stenting. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017 , 24, 696-705	4	14
115	Dual antiplatelet therapy in patients with cirrhosis and acute myocardial infarction - A 13-year nationwide cohort study. <i>PLoS ONE</i> , 2019 , 14, e0223380	3.7	13
114	A comparison between angiotensin converting enzyme inhibitors and angiotensin receptor blockers on end stage renal disease and major adverse cardiovascular events in diabetic patients: a population-based dynamic cohort study in Taiwan. <i>Cardiovascular Diabetology</i> , 2016 , 15, 56	8.7	13
113	Body mass index is an independent predictor of major bleeding in non-valvular atrial fibrillation patients taking dabigatran. <i>International Journal of Cardiology</i> , 2017 , 228, 771-778	3.2	13
112	Paraoxonase-1 is not a major determinant of stent thrombosis in a Taiwanese population. <i>PLoS ONE</i> , 2012 , 7, e39178	3.7	13
111	Female sex as a risk factor for ischaemic stroke varies with age in patients with atrial fibrillation. <i>Heart</i> , 2020 , 106, 534-540	5.1	13
110	Temporal Trends in Treatment and Outcomes of Acute Myocardial Infarction in Patients With Chronic Obstructive Pulmonary Disease: A Nationwide Population-Based Observational Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	12
109	Long-term outcomes of drug-eluting stents versus bare-metal stents in large coronary arteries. <i>International Journal of Cardiology</i> , 2013 , 168, 3785-90	3.2	12
108	Young Male Patients with Atrial Fibrillation and CHA2DS2-VASc Score of 1 May Not Need Anticoagulants: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2016 , 11, e0151485	3.7	12
107	Novel Oral Anticoagulant versus Warfarin in Cancer Patients with Atrial Fibrillation: An 8-Year Population-Based Cohort Study. <i>Journal of Cancer</i> , 2020 , 11, 92-99	4.5	12
106	Nanofibrous vildagliptin-eluting stents enhance re-endothelialization and reduce neointimal formation in diabetes: in vitro and in vivo. <i>International Journal of Nanomedicine</i> , 2019 , 14, 7503-7513	7.3	11
105	Safety and Effectiveness of Non-Vitamin K Antagonist Oral Anticoagulants for Stroke Prevention in Patients With Atrial Fibrillation and Anemia: A Retrospective Cohort Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e012029	6	11
104	Morphology and optoelectronic characteristics of organic field-effect transistors based on blends of polylactic acid and poly(3-hexylthiophene). <i>Polymer Journal</i> , 2018 , 50, 975-987	2.7	11
103	Comparisons of Rivaroxaban Following Different Dosage Criteria (ROCKET AF or J-ROCKET AF Trials) in Asian Patients With Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2019 , 8, e013	053	11
102	Lesion length impacts long term outcomes of drug-eluting stents and bare metal stents differently. <i>PLoS ONE</i> , 2013 , 8, e53207	3.7	11
101	Time to peak velocity measurements by pulsed wave Doppler tissue imaging to quantify ischemia-related regional myocardial asynchrony. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 299-306	5.8	11

100	Effects of Fluoroquinolones on Outcomes of Patients With Aortic Dissection or Aneurysm. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1875-1887	15.1	11
99	Predictors of subsequent myocardial infarction, stroke, and death in stable post-myocardial infarction patients: A nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 634-642	4.3	11
98	Endovascular intervention in Taiwanese patients with critical limb ischemia: patient outcomes in 333 consecutive limb procedures with a 3-year follow-up. <i>Journal of the Formosan Medical Association</i> , 2014 , 113, 688-95	3.2	10
97	Promoting Diabetic Wound Therapy Using Biodegradable rhPDGF-Loaded Nanofibrous Membranes: CONSORT-Compliant Article. <i>Medicine (United States)</i> , 2015 , 94, e1873	1.8	10
96	Major adverse cardiovascular and limb events in patients with diabetes and concomitant peripheral artery disease treated with sodium glucose cotransporter 2 inhibitor versus dipeptidyl peptidase-4 inhibitor. <i>Cardiovascular Diabetology</i> , 2020 , 19, 160	8.7	10
95	Mitral valve repair versus replacement in patients with rheumatic heart disease. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020 ,	1.5	10
94	Non-vitamin K antagonist oral anticoagulants and warfarin in atrial fibrillation patients with concomitant peripheral artery disease. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 50-58	6.4	10
93	Eblockers after acute myocardial infarction in patients with chronic obstructive pulmonary disease: A nationwide population-based observational study. <i>PLoS ONE</i> , 2019 , 14, e0213187	3.7	9
92	Glycemic status and risks of thromboembolism and major bleeding in patients with atrial fibrillation. <i>Cardiovascular Diabetology</i> , 2020 , 19, 30	8.7	9
91	Maternal and fetal outcomes of pregnant women with type 1 diabetes, a national population study. <i>Oncotarget</i> , 2017 , 8, 80679-80687	3.3	9
90	Comparison of cardiovascular outcomes and all-cause mortality in patients with chronic hepatitis B and C: A 13-year nationwide population-based study in Asia. <i>Atherosclerosis</i> , 2018 , 269, 178-184	3.1	9
89	Acute and long-term outcomes of intracoronary stenting in aorto-ostial, left anterior descending artery-ostial and nonostial stenoses. <i>International Journal of Cardiology</i> , 2005 , 101, 391-7	3.2	9
88	The CHADSEVASc Score Predicts Major Bleeding in Non-Valvular Atrial Fibrillation Patients Who Take Oral Anticoagulants. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	9
87	Predictive performance of HAS-BLED risk score for long-term survival in patients with non-ST elevated myocardial infarction without atrial fibrillation. <i>Journal of Cardiology</i> , 2017 , 69, 136-143	3	8
86	Biodegradable Cable-Tie Rapamycin-eluting Stents. Scientific Reports, 2017, 7, 111	4.9	8
85	Successful Identification of Nasopharyngeal Carcinoma in Nasopharyngeal Biopsies Using Deep Learning. <i>Cancers</i> , 2020 , 12,	6.6	8
84	Tachycardia-induced CD44/NOX4 signaling is involved in the development of atrial remodeling. Journal of Molecular and Cellular Cardiology, 2019 , 135, 67-78	5.8	8
83	Model IgG monoclonal autoantibody-anti-idiotype pair for dissecting the humoral immune response to oxidized low density lipoprotein. <i>Hybridoma</i> , 2012 , 31, 87-98		8

82	Correlates of impaired global right ventricular function in patients with a reperfused acute myocardial infarction and without right ventricular infarction. <i>Journal of Investigative Medicine</i> , 2013 , 61, 715-21	2.9	8
81	Dialysis Patients with Implanted Drug-Eluting Stents Have Lower Major Cardiac Events and Mortality than Those with Implanted Bare-Metal Stents: A Taiwanese Nationwide Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0146343	3.7	8
8o	Comparison Between Non-vitamin K Antagonist Oral Anticoagulants and Low-Molecular-Weight Heparin in Asian Individuals With Cancer-Associated Venous Thromboembolism. <i>JAMA Network Open</i> , 2021 , 4, e2036304	10.4	8
79	Acute and long-term outcomes of drug-eluting stent implantations in aorto-ostial, left anterior descending artery-ostial, and nonostial lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 82, 727-34	2.7	7
78	Comparative Renoprotective Effect of Febuxostat and Allopurinol in Predialysis Stage 5 Chronic Kidney Disease Patients: A Nationwide Database Analysis. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 107, 1159-1169	6.1	7
77	Promoting vascular healing using nanofibrous ticagrelor-eluting stents. <i>International Journal of Nanomedicine</i> , 2018 , 13, 6039-6048	7.3	7
76	Selection of Blocker in Patients With Cirrhosis and Acute Myocardial Infarction: A 13-Year Nationwide Population-Based Study in Asia. <i>Journal of the American Heart Association</i> , 2018 , 7, e008982	<u>,</u> 6	7
75	Balloon-expandable versus self-expanding transcatheter aortic valve replacement for bioprosthetic dysfunction: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0233894	3.7	6
74	Impact of massive blood transfusion during adult extracorporeal membrane oxygenation support on long-term outcomes: a nationwide cohort study in Taiwan. <i>BMJ Open</i> , 2020 , 10, e035486	3	6
73	Biologic Agents Reduce Cardiovascular Events in Rheumatoid Arthritis Not Responsive to Tumour Necrosis Factor Inhibitors: A National Cohort Study. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 1739-1746	6 ^{3.8}	6
72	Vessel Size and Long-Term Outcomes After Limus-Based Drug-Eluting Stent Implantation Focusing on Medium- and Small-Diameter Vessels. <i>Angiology</i> , 2017 , 68, 535-541	2.1	6
71	Prognostic Impact of 9-Month High-Sensitivity C-Reactive Protein Levels on Long-Term Clinical Outcomes and In-Stent Restenosis in Patients at 9 Months after Drug-Eluting Stent Implantation. <i>PLoS ONE</i> , 2015 , 10, e0138512	3.7	6
70	Acute and long-term outcomes of ostial stentings among bare-metal stents, sirolimus-eluting stents, and paclitaxel-eluting stents. <i>Coronary Artery Disease</i> , 2013 , 24, 224-30	1.4	6
69	Effectiveness and Safety of Direct Oral Anticoagulants in an Asian Population with Atrial Fibrillation Undergoing Dialysis: A Population-Based Cohort Study and Meta-Analysis. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 35, 975-986	3.9	6
68	Drug Interactions With Non-Vitamin K Oral Anticoagulants-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 830-831	27.4	5
67	Gulllain-Barre Syndrome After Trivalent Influenza Vaccination in Adults. <i>Frontiers in Neurology</i> , 2019 , 10, 768	4.1	5
66	The N-terminal propeptide of type III procollagen in patients with acute coronary syndrome: a link between left ventricular end-diastolic pressure and cardiovascular events. <i>PLoS ONE</i> , 2015 , 10, e114097	73.7	5
65	Bleeding risk with dabigatran, rivaroxaban, warfarin, and antiplatelet agent in Asians with non-valvular atrial fibrillation. <i>Oncotarget</i> , 2017 , 8, 98898-98917	3.3	5

(2018-2020)

64	Comparison of 9-Month Angiographic Follow-Up and Long-Term Clinical Outcomes of Biodegradable Polymer Drug-Eluting Stents and Second-Generation Durable Polymer Drug-Eluting Stents in Patients Undergoing Single Coronary Artery Stenting. <i>Acta Cardiologica Sinica</i> , 2020 , 36, 97-10	1.1 14	5	
63	Identification of nodal micrometastasis in colorectal cancer using deep learning on annotation-free whole-slide images. <i>Modern Pathology</i> , 2021 , 34, 1901-1911	9.8	5	
62	Outcome of extracorporeal membrane oxygenation support in patients with liver cirrhosis: a nationwide population-based cohort study. <i>European Journal of Cardio-thoracic Surgery</i> , 2020 , 58, 519-5	27	5	
61	Risk of cardiac arrhythmias in patients with chronic hepatitis B and C infections - A 13-year nationwide population-based study. <i>Journal of Cardiology</i> , 2019 , 74, 333-338	3	4	
60	Predictors of Long-Term Outcomes After Drug-Eluting Balloon Angioplasty for Bare-Metal Stent Restenosis. <i>Heart Lung and Circulation</i> , 2018 , 27, 588-594	1.8	4	
59	Metformin is associated with fewer major adverse cardiac events among patients with a new diagnosis of type 2 diabetes mellitus: A propensity score-matched nationwide study. <i>Medicine</i> (United States), 2017, 96, e7507	1.8	4	
58	Clinical and angiographic outcomes after intracoronary bare-metal stenting. PLoS ONE, 2014, 9, e94319	3.7	4	
57	Effect of previous coronary stenting on subsequent coronary artery bypass grafting outcomes. Journal of Thoracic and Cardiovascular Surgery, 2020 ,	1.5	4	
56	Review: The outcomes of different vessel diameter in patients receiving coronary artery stenting. <i>International Journal of Cardiology</i> , 2016 , 224, 317-322	3.2	4	
55	Complete and incomplete revascularization in non-ST segment myocardial infarction with multivessel disease: long-term outcomes of first- and second-generation drug-eluting stents. <i>Heart and Vessels</i> , 2019 , 34, 251-258	2.1	4	
54	Association of Long-term Use of Antihypertensive Medications With Late Outcomes Among Patients With Aortic Dissection. <i>JAMA Network Open</i> , 2021 , 4, e210469	10.4	4	
53	Comparison of very long-term clinical and angiographic outcomes of bare metal stent implants between patients with and without type 2 diabetes. <i>Primary Care Diabetes</i> , 2017 , 11, 445-452	2.4	3	
52	Familial aggregation of myocardial infarction and coaggregation of myocardial infarction and autoimmune disease: a nationwide population-based cross-sectional study in Taiwan. <i>BMJ Open</i> , 2019 , 9, e023614	3	3	
51	Nationwide cohort study of outcomes of acute myocardial infarction in patients with liver cirrhosis: A nationwide cohort study. <i>Medicine (United States)</i> , 2020 , 99, e19575	1.8	3	
50	Improvement in left ventricular function following coronary stenting in patients with acute myocardial infarction: 6-month and 3-year follow-up. <i>International Journal of Cardiology</i> , 2006 , 111, 209	-₹ 6	3	
49	Influence of Different Molecular Weights and Concentrations of Poly(glycidyl methacrylate) on Recycled Poly(ethylene terephthalate): A Thermal, Mechanical, and Rheological Study. <i>Journal of Polymers and the Environment</i> , 2020 , 28, 2880-2892	4.5	3	
48	Angiographic Complete versus Clinical Selective Incomplete Percutaneous Revascularization in Heart Failure Patients with Multivessel Coronary Disease. <i>Journal of Interventional Cardiology</i> , 2020 , 2020, 9506124	1.8	3	
47	Outcomes of patients with hypertrophic cardiomyopathy and acute myocardial infarction: a propensity score-matched, 15-year nationwide population-based study in Asia. <i>BMJ Open</i> , 2018 , 8, e019	9 7 41_	3	

46	Propylthiouracil-coated biodegradable polymer inhibited neointimal formation and enhanced re-endothelialization after vascular injury. <i>International Journal of Nanomedicine</i> , 2018 , 13, 1761-1771	7.3	3
45	End-stage renal disease patients using angiotensin-converting enzyme inhibitors and angiotensin receptor blockers may reduce the risk of mortality: a Taiwanese Nationwide cohort study. <i>Internal Medicine Journal</i> , 2018 , 48, 1123-1132	1.6	3
44	Familial Aggregation and Heritability of Congenital Heart Defects. Circulation Journal, 2017, 82, 232-238	32.9	3
43	Clinical Outcomes in Atrial Fibrillation Patients With a History of Cancer Treated With Non-Vitamin K Antagonist Oral Anticoagulants: A Nationwide Cohort Study. <i>Stroke</i> , 2021 , 52, 3132-3141	6.7	3
42	Early Imaging Biomarker of Myocardial Glucose Adaptations in High-Fat-Diet-Induced Insulin Resistance Model by Using F-FDG PET and [U-C]glucose Nuclear Magnetic Resonance Tracer. <i>Contrast Media and Molecular Imaging</i> , 2018 , 2018, 8751267	3.2	2
41	Comparison of immediate and 2-year outcomes between excimer laser-assisted angioplasty with spot stent and primary stenting in intermediate to long femoropopliteal disease. <i>Scientific World Journal, The</i> , 2013 , 2013, 247102	2.2	2
40	Analysis of Anticoagulation Therapy and Anticoagulation-Related Outcomes Among Asian Patients After Mechanical Valve Replacement <i>JAMA Network Open</i> , 2022 , 5, e2146026	10.4	2
39	Major Bleeding Risk in Patients With Non-valvular Atrial Fibrillation Concurrently Taking Direct Oral Anticoagulants and Antidepressants <i>Frontiers in Aging Neuroscience</i> , 2022 , 14, 791285	5.3	2
38	Direct Oral Anticoagulants in Atrial Fibrillation Patients With Concomitant Hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	2
37	Incidence and Time Course of Symptomatic Paroxysmal Supraventricular Tachycardia During Pregnancy: A Nation-Wide Database Study. <i>Acta Cardiologica Sinica</i> , 2020 , 36, 44-49	1.1	2
36	Clinical outcomes of Sacubitril/Valsartan in patients with acute heart failure: A multi-institution study. <i>EClinicalMedicine</i> , 2021 , 41, 101149	11.3	2
35	Incidence and consequences of resuming oral anticoagulant therapy following hematuria and risks of ischemic stroke and major bleeding in patients with atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 51, 58-66	5.1	2
34	Nationwide cohort study of tricuspid valve repair versus replacement for infective endocarditis. <i>European Journal of Cardio-thoracic Surgery</i> , 2021 , 59, 878-886	3	2
33	Efficacy and safety of NOAC versus warfarin in AF patients with left atrial enlargement. <i>PLoS ONE</i> , 2020 , 15, e0243866	3.7	1
32	Novel oral anticoagulant vs. warfarin in elderly atrial fibrillation patients with normal, mid-range, and reduced left ventricular ejection fraction. <i>ESC Heart Failure</i> , 2020 , 7, 2862-2870	3.7	1
31	Association of pregnancy outcomes in women with type 2 diabetes treated with metformin versus insulin when becoming pregnant. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 512	3.2	1
30	Hypoglycemia Associated With Drug-Drug Interactions in Patients With Type 2 Diabetes Mellitus Using Dipeptidylpeptidase-4 Inhibitors. <i>Frontiers in Pharmacology</i> , 2021 , 12, 570835	5.6	1
29	Bleeding associated with co-administration of clopidogrel and ACEi in patients undergoing PCI and DAPT. <i>Atherosclerosis</i> , 2021 , 324, 76-83	3.1	1

28	Effect of Permanent Pacemaker Implantation After Valve Surgery on Long-Term Outcomes. <i>Circulation Journal</i> , 2021 , 85, 1027-1034	2.9	1
27	Oral Anticoagulants and Antiplatelet Agents in Patients With Atrial Fibrillation and Concomitant Critical Limb Ischemia: A Nationwide Cohort Study. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 113-121	3.8	1
26	Comparison of the Acute and Long-Term Outcomes of Patients With Multivessel Coronary Artery Disease After Angiographic Complete and Incomplete Revascularization With Drug-Eluting Stents. <i>Circulation Journal</i> , 2018 , 82, 992-998	2.9	1
25	Survival and Death Causes in Thyroid Cancer in Taiwan: A Nationwide Case-Control Cohort Study. <i>Cancers</i> , 2021 , 13,	6.6	1
24	Chronic Obstructive Pulmonary Disease Increases the Risk of Mortality among Patients with Colorectal Cancer: A Nationwide Population-Based Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
23	Risk of major bleeding associated with concomitant use of anticancer drugs and direct oral anticoagulant in patients with cancer and atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 1	5.1	1
22	The impact on renal function after long-term use of anticoagulants in atrial fibrillation patients <i>Thrombosis Journal</i> , 2021 , 19, 98	5.6	1
21	Major Bleeding Risk in Atrial Fibrillation Patients Co-Medicated With Non-Vitamin K Oral Anticoagulants and Antipsychotics <i>Frontiers in Pharmacology</i> , 2022 , 13, 819878	5.6	1
20	Major acute cardiovascular events after dengue infection-A population-based observational study <i>PLoS Neglected Tropical Diseases</i> , 2022 , 16, e0010134	4.8	О
19	Sport disciplines and cardiac remodeling in elite university athletes competing in 2017 Taipei Summer Universiade. <i>Medicine (United States)</i> , 2020 , 99, e23144	1.8	O
18	Mid-term survival of patients with chronic kidney disease after extracorporeal membrane oxygenation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2020 , 31, 595-602	1.8	О
17	Aspirin does not increase the need for haemostatic interventions in blunt liver and spleen injuries. <i>Injury</i> , 2021 , 52, 2594-2600	2.5	O
16	Tachypacing-induced CREB/CD44 signaling contributes to the suppression of L-type calcium channel expression and the development of atrial remodeling. <i>Heart Rhythm</i> , 2021 , 18, 1760-1771	6.7	О
15	Association Between Cholinesterase Inhibitors and New-Onset Heart Failure in Patients With Alzheimer Disease: A Nationwide Propensity Score Matching Study <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 831730	5.4	O
14	Safety and Effectiveness of Direct Oral Anticoagulants vs. Warfarin in Patients With Atrial Fibrillation and Endoscopy-Diagnosed Peptic Ulcer <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 77407	2 5.4	O
13	Risk Stratification by Coronary Perfusion Pressure in Left Ventricular Systolic Dysfunction Patients Undergoing Revascularization: A Propensity Score Matching Analysis <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 860346	5.4	O
12	The Reply. American Journal of Medicine, 2020 , 133, e388	2.4	
11	223 A Novel Immunoglobulin G Autoantibody Against Low Density Lipoprotein (LDL) with Pathogenic Functions. <i>Heart</i> , 2014 , 100, A121.1-A121	5.1	

10	Reply to the letter to the editor entitled "clinical predictors of long-term outcomes in patients with critical limb ischemia who have undergone endovascular therapy". <i>Angiology</i> , 2014 , 65, 325	2.1
9	Reduced Risk of Sepsis and Related Mortality in Chronic Kidney Disease Patients on Xanthine Oxidase Inhibitors: A National Cohort Study <i>Frontiers in Medicine</i> , 2021 , 8, 818132	4.9
8	Fibrosis index predicts variceal bleeding and reduces need for nonselective beta-blocker in compensated cirrhosis with initial small esophageal varices without red-color sign. <i>Annals of Translational Medicine</i> , 2020 , 8, 1223	3.2
7	Dual protection therapy with staged coronary artery bypass surgery and stenting in patients with left main coronary artery stenosis: long-term results from a single center. <i>Heart Surgery Forum</i> , 2014 , 17, E47-53	0.7
6	Response to the Breaking the rules for studies using real-world observational data: the case of direct-acting anticoagulants and antiepileptic drugs by Dr Brown et al.T <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 157-158	6.4
5	Resuming anticoagulation in patients with atrial fibrillation experiencing intracranial hemorrhage. <i>Medicine (United States)</i> , 2021 , 100, e26945	1.8
4	Balloon-expandable versus self-expanding transcatheter aortic valve replacement for bioprosthetic dysfunction: A systematic review and meta-analysis 2020 , 15, e0233894	
3	Balloon-expandable versus self-expanding transcatheter aortic valve replacement for bioprosthetic dysfunction: A systematic review and meta-analysis 2020 , 15, e0233894	
2	Balloon-expandable versus self-expanding transcatheter aortic valve replacement for bioprosthetic dysfunction: A systematic review and meta-analysis 2020 , 15, e0233894	
1	Balloon-expandable versus self-expanding transcatheter aortic valve replacement for bioprosthetic dysfunction: A systematic review and meta-analysis 2020 , 15, e0233894	