Antoine J Pélissolo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7403507/publications.pdf

Version: 2024-02-01

74 papers

4,942 citations

32 h-index 95266 68 g-index

85 all docs 85 docs citations

85 times ranked

5488 citing authors

#	Article	IF	Citations
1	Therapeutic use of virtual reality relaxation in schizophrenia: A pilot study. Psychiatry Research, 2022, 309, 114389.	3.3	4
2	Deep Brain Stimulation of the Subthalamic, Accumbens, or Caudate Nuclei for Patients With Severe Obsessive-Compulsive Disorder: A Randomized Crossover Controlled Study. Biological Psychiatry, 2021, 90, e45-e47.	1.3	17
3	Severe Obsessive-Compulsive Disorder Secondary to Neurodegeneration With Brain Iron Accumulation: Complete Remission After Subthalamic Nuclei Deep Brain Stimulation. Biological Psychiatry, 2020, 87, e39-e41.	1.3	2
4	Comparison of burnout, anxiety and depressive syndromes in hospital psychiatrists and other physicians: Results from the ESTEM study. Psychiatry Research, 2020, 284, 112662.	3.3	20
5	Psychotic, Mood, and Anxiety Disorders and Venous Thromboembolism: A Systematic Review and Meta-Analysis. Psychosomatic Medicine, 2020, 82, 838-849.	2.0	17
6	Trichotillomania is more related to Tourette disorder than to obsessive-compulsive disorder. Revista Brasileira De Psiquiatria, 2020, 42, 87-104.	1.7	14
7	Obsessive-Compulsive Symptoms in Schizophrenia: an Up-To-Date Review of Literature. Current Psychiatry Reports, 2019, 21, 64.	4.5	32
8	Therapeutic strategies for social anxiety disorder: where are we now?. Expert Review of Neurotherapeutics, 2019, 19, 1179-1189.	2.8	23
9	Long-term effects of subthalamic stimulation in Obsessive-Compulsive Disorder: Follow-up of a randomized controlled trial. Brain Stimulation, 2019, 12, 1080-1082.	1.6	24
10	Increased prevalence of anxiety disorders in third-generation migrants in comparison to natives and to first-generation migrants. Journal of Psychiatric Research, 2018, 102, 38-43.	3.1	18
11	Personality and Neuropsychological Profiles in Friedreich Ataxia. Cerebellum, 2018, 17, 204-212.	2.5	21
12	Suggestive association between <i>OPRM1</i> and impulse control disorders in Parkinson's disease. Movement Disorders, 2018, 33, 1878-1886.	3.9	37
13	Relationship between incidence and prevalence in psychotic disorders: An incidence–prevalence–mortality model. International Journal of Methods in Psychiatric Research, 2018, 27, e1719.	2.1	5
14	Individualized Immunological Data for Precise Classification of OCD Patients. Brain Sciences, 2018, 8, 149.	2.3	18
15	La s \tilde{A} ©miologie motrice dans les troubles anxieux et obsessionnels. Annales Medico-Psychologiques, 2017, 175, 469-473.	0.4	O
16	Childhood trauma and psychosis: Beyond the association. Child Abuse and Neglect, 2017, 72, 227-235.	2.6	20
17	The Place of Antipsychotics in the Therapy of Anxiety Disorders and Obsessive-Compulsive Disorders. Current Psychiatry Reports, 2017, 19, 103.	4.5	25
18	A case of bleach addiction associated with severe obsessive-compulsive disorder. Revista Brasileira De Psiquiatria, 2017, 39, 187-188.	1.7	1

#	Article	IF	Citations
19	Repetitive Transcranial Magnetic Stimulation to Supplementary Motor Area in Refractory Obsessive-Compulsive Disorder Treatment: a Sham-Controlled Trial. International Journal of Neuropsychopharmacology, 2016, 19, pyw025.	2.1	48
20	Benzodiazepine Misuse in the Elderly: Risk Factors, Consequences, and Management. Current Psychiatry Reports, 2016, 18, 89.	4.5	124
21	Cognitive Dysfunction in Obsessive-Compulsive Disorder. Current Psychiatry Reports, 2016, 18, 80.	4.5	83
22	Medication and aggressiveness in real-world schizophrenia. Results from the FACE-SZ dataset. Psychopharmacology, 2016, 233, 571-578.	3.1	21
23	Transcranial Cortical Stimulation in the Treatment of Obsessive-Compulsive Disorders: Efficacy Studies. Current Psychiatry Reports, 2015, 17, 36.	4.5	29
24	Obsessive-compulsive disorders and anxiety disorders: A comparison of personality and emotionality patterns. Psychiatry Research, 2015, 229, 695-701.	3.3	4
25	Developing and testing an original Arabic religiosity scale. Middle East Current Psychiatry, 2014, 21, 127-138.	1.2	19
26	Dynamics of psychotherapy-related cerebral haemodynamic changes in obsessive compulsive disorder using a personalized exposure task in functional magnetic resonance imaging. Psychological Medicine, 2014, 44, 1461-1473.	4.5	61
27	23. Troubles anxieux et comorbidité dépressive. , 2014, , 252.		0
28	Excessive checking for non-anxiogenic stimuli in obsessive-compulsive disorder. European Psychiatry, 2013, 28, 507-513.	0.2	22
29	Neuronal activity correlated with checking behaviour in the subthalamic nucleus of patients with obsessive–compulsive disorder. Brain, 2013, 136, 304-317.	7.6	33
30	Open-Label Treatment With Escitalopram in Patients With Social Anxiety Disorder and Fear of Blushing. Journal of Clinical Psychopharmacology, 2013, 33, 695-698.	1.4	6
31	Gaze behaviour in social blushers. Psychiatry Research, 2012, 200, 614-619.	3.3	15
32	Safety and efficacy of repetitive transcranial magnetic stimulation in the treatment of obsessive-compulsive disorder: A review. World Journal of Biological Psychiatry, 2012, 13, 164-177.	2.6	68
33	How cognitive performanceâ€induced stress can influence right VLPFC activation: An fMRI study in healthy subjects and in patients with social phobia. Human Brain Mapping, 2012, 33, 1973-1986.	3.6	52
34	IS THERE A PLACE FOR FEAR OF BLUSHING IN SOCIAL ANXIETY SPECTRUM?. Depression and Anxiety, 2012, 29, 62-70.	4.1	19
35	A video clinical global impression scale (CGI) in obsessive compulsive disorder. Psychiatry Research, 2011, 186, 117-122.	3.3	9
36	Correlates of insomnia in patients with social phobia: Role of depression and anxiety. Psychiatry Research, 2011, 189, 315-317.	3.3	26

#	Article	IF	Citations
37	Prevalence, characteristics and comorbidities of anxiety disorders in France: Results from the "Mental Health in General Population―Survey (MHGP). European Psychiatry, 2011, 26, 339-345.	0.2	80
38	TREATING ADDICTIONS WITH DEEP BRAIN STIMULATION IS PREMATURE BUT WELL ONTROLLED CLINICAL TRIALS SHOULD BE PERFORMED. Addiction, 2011, 106, 1535-1536.	3.3	10
39	Childhood history of behavioral inhibition and comorbidity status in 256 adults with social phobia. Journal of Affective Disorders, 2011, 129, 338-341.	4.1	17
40	Negative affectivity, self-referential processing and the cortical midline structures. Social Cognitive and Affective Neuroscience, 2011, 6, 426-433.	3.0	96
41	Efficacy and specificity of computer-assisted cognitive remediation in schizophrenia: a meta-analytical study. Psychological Medicine, 2011, 41, 163-173.	4.5	198
42	Repetitive Behaviours in Patients with Gilles de la Tourette Syndrome: Tics, Compulsions, or Both?. PLoS ONE, 2010, 5, e12959.	2.5	98
43	Psychotropic Drug Use Among the Elderly: Risk Factors Involved in Long-Term Use. Substance Use and Misuse, 2010, 45, 1050-1059.	1.4	4
44	Decrease of Prefrontal Metabolism After Subthalamic Stimulation in Obsessive-Compulsive Disorder: A Positron Emission Tomography Study. Biological Psychiatry, 2010, 68, 1016-1022.	1.3	111
45	Gaze avoidance in social phobia: Objective measure and correlates. Behaviour Research and Therapy, 2010, 48, 147-151.	3.1	108
46	A Multitracer Dopaminergic PET Study of Young-Onset Parkinsonian Patients With and Without Parkin Gene Mutations. Journal of Nuclear Medicine, 2009, 50, 1244-1250.	5.0	37
47	Psychometric properties of a French version of the junior temperament and character inventory. European Child and Adolescent Psychiatry, 2009, 18, 144-153.	4.7	35
48	Genetics and personality affect visual perspective in autobiographical memory. Consciousness and Cognition, 2009, 18, 823-830.	1.5	28
49	Psychometric characteristics of Cloninger's criteria for personality disorder in a population of French prisoners. International Journal of Methods in Psychiatric Research, 2008, 17, 30-34.	2.1	23
50	A challenging task for assessment of checking behaviors in obsessive–compulsive disorder. Acta Psychiatrica Scandinavica, 2008, 117, 465-473.	4. 5	41
51	Subthalamic Nucleus Stimulation in Severe Obsessive–Compulsive Disorder. New England Journal of Medicine, 2008, 359, 2121-2134.	27.0	829
52	Stimulation of subterritories of the subthalamic nucleus reveals its role in the integration of the emotional and motor aspects of behavior. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 10661-10666.	7.1	389
53	Pathological gambling in Parkinson's disease improves on chronic subthalamic nucleus stimulation. Movement Disorders, 2006, 21, 1941-1946.	3.9	245
54	Subthalamic Stimulation in Parkinson Disease. Archives of Neurology, 2006, 63, 1090.	4.5	118

#	Article	IF	Citations
55	The Temperament and Character Inventory-Revised (TCI-R): psychometric characteristics of the French version. Acta Psychiatrica Scandinavica, 2005, 112, 126-133.	4.5	85
56	Size and burden of social phobia in Europe. European Neuropsychopharmacology, 2005, 15, 453-462.	0.7	287
57	Temperament and character in primary insomnia. European Psychiatry, 2005, 20, 188-192.	0.2	30
58	L'approche psychologique des troubles anxieux : information, soutien et psychothérapies. Annales Medico-Psychologiques, 2003, 161, 260-264.	0.4	2
59	Test–retest reliability of the Temperament and Character Inventory in patients with opiate dependence. Psychiatry Research, 2003, 118, 81-88.	3.3	20
60	Associations between smoking and heritable temperament traits. Nicotine and Tobacco Research, 2003, 5, 401-409.	2.6	54
61	Compulsions, Parkinson's disease, and stimulation. Lancet, The, 2002, 360, 1302-1304.	13.7	351
62	Personality, anxiety and mood traits in patients with sleep-related breathing disorders: effect of reduced daytime alertness. Sleep Medicine, 2002, 3, 139-145.	1.6	112
63	Early and delayed personality changes associated with depression recovery? a one-year follow-up study. Psychiatry Research, 2002, 109, 17-25.	3.3	58
64	Relationship between attempted suicide, serum cholesterol level and novelty seeking in psychiatric in-patients. Psychiatry Research, 2002, 112, 83-88.	3.3	44
65	Personality dimensions in social phobics with or without depression. Acta Psychiatrica Scandinavica, 2002, 105, 94-103.	4.5	52
66	Familial factors influencing the consumption of anxiolytics and hypnotics by children and adolescents. European Psychiatry, 2001, 16, 11-17.	0.2	10
67	Why take social anxiety disorder seriously?. , 2000, 11, 87-92.		33
68	A general population survey on patterns of benzodiazepine use and dependence in Lebanon. Acta Psychiatrica Scandinavica, 2000, 102, 429-431.	4.5	38
69	Normative data and factor structure of the Temperament and Character Inventory (TCI) in the French version. Psychiatry Research, 2000, 94, 67-76.	3.3	132
70	Social phobia in the community: relationship between diagnostic threshold and prevalence. European Psychiatry, 2000, 15, 25-28.	0.2	33
71	Anxiolytic and hypnotic use by general hospital inpatients. General Hospital Psychiatry, 1999, 21, 79-86.	2.4	9
72	Social phobia and alcoholism: a complex relationship. Journal of Affective Disorders, 1998, 50, S23-S28.	4.1	61

#	Article	IF	CITATIONS
73	Validation of a computerized version of the temperament and character inventory (TCI) in psychiatric inpatients. Psychiatry Research, 1997, 72, 195-199.	3.3	21
74	Recurrent Brief Depression: Clinical and Epidemiological Issues. Psychopathology, 1995, 28, 86-94.	1.5	10