

Tarmo Tamm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7403815/publications.pdf>

Version: 2024-02-01

104
papers

2,146
citations

257101

24
h-index

264894

42
g-index

105
all docs

105
docs citations

105
times ranked

2526
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The importance of potential range choice on the electromechanical response of cellulose - carbon nanotube fibers. <i>Synthetic Metals</i> , 2022, 283, 116966. | 2.1 | 3 |
| 2 | A Self-Commutated Helical Polypyrrole Actuator Fabricated by Filament Patterning. <i>IEEE Robotics and Automation Letters</i> , 2022, 7, 5858-5865. | 3.3 | 0 |
| 3 | Tuning the linear actuation of multiwall carbon nanotube fibers with carbide-derived carbon. <i>Synthetic Metals</i> , 2022, 288, 117099. | 2.1 | 1 |
| 4 | Polypyrrole and poly(3,4-ethylenedioxythiophene) on silicon cantilever: Role of formation potential in bending displacement. <i>Synthetic Metals</i> , 2021, 271, 116653. | 2.1 | 3 |
| 5 | Antagonist Concepts of Polypyrrole Actuators: Bending Hybrid Actuator and Mirrored Trilayer Linear Actuator. <i>Polymers</i> , 2021, 13, 861. | 2.0 | 5 |
| 6 | The Use of Laminates of Commercially Available Fabrics for Anti-Stab Body-Armor. <i>Polymers</i> , 2021, 13, 1077. | 2.0 | 9 |
| 7 | A New Direction in Microfluidics: Printed Porous Materials. <i>Micromachines</i> , 2021, 12, 671. | 1.4 | 4 |
| 8 | Ion Mobility in Thick and Thin Poly-3,4 Ethylenedioxythiophene Filmsâ€”From EQCM to Actuation. <i>Polymers</i> , 2021, 13, 2448. | 2.0 | 0 |
| 9 | Metabolism Control in 3D-Printed Living Materials Improves Fermentation. <i>ACS Applied Bio Materials</i> , 2021, 4, 7195-7203. | 2.3 | 11 |
| 10 | A Kirigami Approach of Patterning Membrane Actuators. <i>Polymers</i> , 2021, 13, 125. | 2.0 | 2 |
| 11 | Wider Potential Windows of Cellulose Multiwall Carbon Nanotube Fibers Leading to Qualitative Multifunctional Changes in an Organic Electrolyte. <i>Polymers</i> , 2021, 13, 4439. | 2.0 | 4 |
| 12 | Polypyrroleâ€”coated fiberâ€”scaffolds: Concurrent linear actuation and sensing. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48533. | 1.3 | 15 |
| 13 | Cellulose-Multiwall Carbon Nanotube Fiber Actuator Behavior in Aqueous and Organic Electrolyte. <i>Materials</i> , 2020, 13, 3213. | 1.3 | 9 |
| 14 | Consistent response from conducting polymer actuators: Potential window and embedded charges to avoid mixed ion transport. <i>Synthetic Metals</i> , 2020, 268, 116502. | 2.1 | 8 |
| 15 | Multifunctionality of Polypyrrole Polyethyleneoxide Composites: Concurrent Sensing, Actuation and Energy Storage. <i>Polymers</i> , 2020, 12, 2060. | 2.0 | 8 |
| 16 | A Biomimetic Approach to Increasing Soft Actuator Performance by Friction Reduction. <i>Polymers</i> , 2020, 12, 1120. | 2.0 | 4 |
| 17 | Concept of an artificial muscle design on polypyrrole nanofiber scaffolds. <i>PLoS ONE</i> , 2020, 15, e0232851. | 1.1 | 19 |
| 18 | Fabrication of Carbon-Based Ionic Electromechanically Active Soft Actuators. <i>Journal of Visualized Experiments</i> , 2020, , . | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Physical Confinement Impacts Cellular Phenotypes within Living Materials. ACS Applied Bio Materials, 2020, 3, 4273-4281. | 2.3 | 30 |
| 20 | Understanding the Behavior of Fully Non-Toxic Polypyrrole-Gelatin and Polypyrrole-PVdF Soft Actuators with Choline Ionic Liquids. Actuators, 2020, 9, 40. | 1.2 | 10 |
| 21 | Cell-Laden Hydrogels for Multikingdom 3D Printing. Macromolecular Bioscience, 2020, 20, e2000121. | 2.1 | 29 |
| 22 | Printed PEDOT:PSS Trilayer: Mechanism Evaluation and Application in Energy Storage. Materials, 2020, 13, 491. | 1.3 | 4 |
| 23 | Role of polyethylene oxide content in polypyrrole linear actuators. Materials Today Communications, 2020, 23, 100908. | 0.9 | 11 |
| 24 | Improving the Electrochemical Performance and Stability of Polypyrrole by Polymerizing Ionic Liquids. Polymers, 2020, 12, 136. | 2.0 | 7 |
| 25 | Electromechanically active polymer actuators based on biofriendly choline ionic liquids. Smart Materials and Structures, 2020, 29, 055021. | 1.8 | 16 |
| 26 | Electrochemomechanical Behavior of Polypyrrole-Coated Nanofiber Scaffolds in Cell Culture Medium. Polymers, 2019, 11, 1043. | 2.0 | 9 |
| 27 | Hardware and Software Development for Isotonic Strain and Isometric Stress Measurements of Linear Ionic Actuators. Polymers, 2019, 11, 1054. | 2.0 | 18 |
| 28 | Comparative Analysis of Fluorinated Anions for Polypyrrole Linear Actuator Electrolytes. Polymers, 2019, 11, 849. | 2.0 | 25 |
| 29 | Encapsulation of ionic electromechanically active polymer actuators. Smart Materials and Structures, 2019, 28, 074002. | 1.8 | 10 |
| 30 | Solvent effects on carbide-derived-carbon trilayer bending actuators. Synthetic Metals, 2019, 247, 170-176. | 2.1 | 4 |
| 31 | Role of polymerization temperature on the performance of polypyrrole/dodecylbenzenesulphonate linear actuators. Synthetic Metals, 2019, 247, 53-58. | 2.1 | 15 |
| 32 | Thin ink-jet printed trilayer actuators composed of PEDOT:PSS on interpenetrating polymer networks. Sensors and Actuators B: Chemical, 2018, 258, 1072-1079. | 4.0 | 40 |
| 33 | Optimal phosphotungstate concentration for polypyrrole linear actuation and energy storage. Multifunctional Materials, 2018, 1, 014003. | 2.4 | 9 |
| 34 | Fe-Doped ZnO nanoparticle toxicity: assessment by a new generation of nanodescriptors. Nanoscale, 2018, 10, 21985-21993. | 2.8 | 23 |
| 35 | Influence of solvent on linear polypyrrole-polyethylene oxide actuators. Journal of Applied Polymer Science, 2018, 135, 46831. | 1.3 | 9 |
| 36 | Effect of contact material and ambient humidity on the performance of MWCNT/PDMS multimodal deformation sensors. Sensors and Actuators A: Physical, 2018, 283, 1-8. | 2.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Actuation increase in polypyrrole bilayer by photo-activated dopants. <i>Synthetic Metals</i> , 2018, 246, 57-63. | 2.1 | 2 |
| 38 | Mechanical and electro-mechanical properties of EAP actuators with inkjet printed electrodes. <i>Synthetic Metals</i> , 2018, 246, 122-127. | 2.1 | 8 |
| 39 | Polypyrrole/carbide-derived carbon composite in organic electrolyte: Characterization as a linear actuator. <i>Reactive and Functional Polymers</i> , 2018, 131, 414-419. | 2.0 | 8 |
| 40 | Carbon-carbon double bond isomerization in heterocyclic hydrazine derivatives. <i>Chemistry of Heterocyclic Compounds</i> , 2018, 54, 572-575. | 0.6 | 1 |
| 41 | Carbide-derived carbon and poly-3,4-ethylenedioxythiophene composite laminate: linear and bending actuation. <i>Synthetic Metals</i> , 2018, 245, 67-73. | 2.1 | 2 |
| 42 | Solvent change in polymerization influence linear actuation of polypyrrole carbide-derived carbon films. , 2018, , . | | 0 |
| 43 | Poly-3,4-ethylenedioxythiophene on carbide-derived carbon trilayer: combined linear actuation characterization. , 2018, , . | | 0 |
| 44 | Polypyrrole polymerized in polyethylene oxide: linear actuation in organic and aqueous electrolytes. , 2018, , . | | 0 |
| 45 | In Silico Design of Optimal Dissolution Kinetics of Fe-Doped ZnO Nanoparticles Results in Cancer-specific Toxicity in a Preclinical Rodent Model. <i>Advanced Healthcare Materials</i> , 2017, 6, 1601379. | 3.9 | 29 |
| 46 | An Integrated Data-Driven Strategy for Safe-by-Design Nanoparticles: The FP7 MODERN Project. <i>Advances in Experimental Medicine and Biology</i> , 2017, 947, 257-301. | 0.8 | 6 |
| 47 | Inkjet-printed hybrid conducting polymer-activated carbon aerogel linear actuators driven in an organic electrolyte. <i>Sensors and Actuators B: Chemical</i> , 2017, 250, 44-51. | 4.0 | 21 |
| 48 | Polypyrrole linear actuation tuned by phosphotungstic acid. <i>Sensors and Actuators B: Chemical</i> , 2017, 247, 742-748. | 4.0 | 21 |
| 49 | Polypyrrole coatings on gelatin fiber scaffolds: Material and electrochemical characterizations in organic and aqueous electrolyte. <i>Synthetic Metals</i> , 2017, 232, 25-30. | 2.1 | 6 |
| 50 | Enhancement of polypyrrole linear actuation with poly(ethylene oxide). <i>Synthetic Metals</i> , 2017, 232, 1-7. | 2.1 | 21 |
| 51 | Identification of several high-risk HPV inhibitors and drug targets with a novel high-throughput screening assay. <i>PLoS Pathogens</i> , 2017, 13, e1006168. | 2.1 | 18 |
| 52 | Encapsulation of ionic electroactive polymers: reducing the interaction with environment. <i>Proceedings of SPIE</i> , 2016, , . | 0.8 | 3 |
| 53 | Parametrization of nanoparticles: development of full-particle nanodescriptors. <i>Nanoscale</i> , 2016, 8, 16243-16250. | 2.8 | 30 |
| 54 | Development of soft and compliant multimodal deformation sensors. <i>Sensors and Actuators A: Physical</i> , 2016, 252, 42-47. | 2.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Electro-chemo-mechanical deformation properties of polypyrrole/dodecylbenzenesulfate linear actuators in aqueous and organic electrolyte. RSC Advances, 2016, 6, 96484-96489. | 1.7 | 28 |
| 56 | Embedded Carbide-derived Carbon (CDC) particles in polypyrrole (PPy) for linear actuator. Proceedings of SPIE, 2016, , . | 0.8 | 1 |
| 57 | Carbide-derived carbon in polypyrrole changing the elastic modulus with a huge impact on actuation. RSC Advances, 2016, 6, 26380-26385. | 1.7 | 25 |
| 58 | Theoretical Modeling of HPV: QSAR and Novodesign with Fragment Approach. Current Computer-Aided Drug Design, 2015, 10, 303-314. | 0.8 | 1 |
| 59 | PEDOT-PSS/MWCNT coatings on PET for conducting polymer actuators. International Journal of Nanotechnology, 2014, 11, 477. | 0.1 | 3 |
| 60 | Electrochemomechanical deformation (ECMD) of PPyDBS in free standing film formation and trilayer designs. , 2014, , . | | 3 |
| 61 | Carbide-derived carbon (CDC) linear actuator properties in combination with conducting polymers. Proceedings of SPIE, 2014, , . | 0.8 | 0 |
| 62 | Smart insole sensors for sports and rehabilitation. Proceedings of SPIE, 2014, , . | 0.8 | 5 |
| 63 | Chitosan Combined with Conducting Polymers for Novel Functionality: Antioxidant and Antibacterial Activity. Key Engineering Materials, 2014, 605, 428-431. | 0.4 | 9 |
| 64 | Lifetime measurements of ionic electroactive polymer actuators. Journal of Intelligent Material Systems and Structures, 2014, 25, 2267-2275. | 1.4 | 12 |
| 65 | Influence of ion-exchange on the electrochemical properties of polypyrrole films. Electrochimica Acta, 2014, 122, 79-86. | 2.6 | 29 |
| 66 | Molecular dynamics modeling the Li-PolystyreneTFSI/PEO blend. Solid State Ionics, 2014, 262, 769-773. | 1.3 | 22 |
| 67 | Carbide-derived carbon as active interlayer of polypyrrole tri-layer linear actuator. Sensors and Actuators B: Chemical, 2014, 201, 100-106. | 4.0 | 14 |
| 68 | Electrochemistry of interlayer supported polypyrrole tri-layer linear actuators. Electrochimica Acta, 2014, 122, 322-328. | 2.6 | 14 |
| 69 | Ionic electroactive polymer artificial muscles in space applications. Scientific Reports, 2014, 4, 6913. | 1.6 | 64 |
| 70 | Conducting polymer actuators formed on MWCNT and PEDOT-PSS conductive coatings. Synthetic Metals, 2013, 171, 69-75. | 2.1 | 27 |
| 71 | Two formation mechanisms and renewable antioxidant properties of suspensible chitosanâ€™PPy and chitosanâ€™PPyâ€™BTDA composites. Synthetic Metals, 2013, 164, 6-11. | 2.1 | 15 |
| 72 | Anisometric charge dependent swelling of porous carbon in an ionic liquid. Electrochemistry Communications, 2013, 34, 196-199. | 2.3 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Subchronic Oral and Inhalation Toxicities: a Challenging Attempt for Modeling and Prediction. <i>Molecular Informatics</i> , 2013, 32, 793-801. | 1.4 | 7 |
| 74 | Direct chemical synthesis of pristine polypyrrole hydrogels and their derived aerogels for high power density energy storage applications. <i>Journal of Materials Chemistry A</i> , 2013, 1, 15216. | 5.2 | 24 |
| 75 | Renewable antioxidant properties of suspensible chitosan-polypyrrole composites. <i>Reactive and Functional Polymers</i> , 2013, 73, 1072-1077. | 2.0 | 41 |
| 76 | PEDOT/TBACF3SO3bending actuators based on a PEDOT-PEDOT sandwich complex. , 2013, , . | | 0 |
| 77 | In search of better electroactive polymer actuator materials: PPy versus PEDOT versus PEDOT-polypyrrole composites. <i>Smart Materials and Structures</i> , 2013, 22, 104006. | 1.8 | 76 |
| 78 | Fragment-Based Development of HCV Protease Inhibitors for the Treatment of Hepatitis C. <i>Current Computer-Aided Drug Design</i> , 2012, 8, 55-61. | 0.8 | 13 |
| 79 | On the Unexpected Cation Exchange Behavior, Caused by Covalent Bond Formation between PEDOT and Cl ⁻ Ions: Extending the Conception for the Polymer-Dopant Interactions. <i>Journal of Physical Chemistry B</i> , 2012, 116, 5491-5500. | 1.2 | 26 |
| 80 | Molecular dynamics simulations of EMI-BF4 in nanoporous carbon actuators. <i>Journal of Molecular Modeling</i> , 2012, 18, 1541-1552. | 0.8 | 13 |
| 81 | Combined chemical and electrochemical synthesis methods for metal-free polypyrrole actuators. <i>Sensors and Actuators B: Chemical</i> , 2012, 166-167, 411-418. | 4.0 | 54 |
| 82 | Application of the QSPR Approach to the Boiling Points of Azeotropes. <i>Journal of Physical Chemistry A</i> , 2011, 115, 3475-3479. | 1.1 | 26 |
| 83 | Prediction of Cell-Penetrating Peptides Using Artificial Neural Networks. <i>Current Computer-Aided Drug Design</i> , 2010, 6, 79-89. | 0.8 | 49 |
| 84 | Redoping - A simple way to enhance the redoxcapacity of polypyrrole films. <i>Electrochemistry Communications</i> , 2010, 12, 1180-1183. | 2.3 | 8 |
| 85 | Force field generation and molecular dynamics simulations of Li ⁺ -Nafion. <i>Electrochimica Acta</i> , 2010, 55, 2587-2591. | 2.6 | 5 |
| 86 | Correlation of blood-brain penetration and human serum albumin binding with theoretical descriptors. <i>Arkivoc</i> , 2009, 2008, 38-60. | 0.3 | 12 |
| 87 | QSAR study of pharmacological permeabilities. <i>Arkivoc</i> , 2009, 2009, 218-238. | 0.3 | 20 |
| 88 | Study of the factors determining the mobility of ions in the polypyrrole films doped with aromatic sulfonate anions. <i>Electrochimica Acta</i> , 2008, 53, 3828-3835. | 2.6 | 54 |
| 89 | A new force field for molecular dynamics studies of Li ⁺ and Na ⁺ -nafion. <i>Proceedings of SPIE</i> , 2008, , . | 0.8 | 0 |
| 90 | Electrochemical properties of the polypyrrole films doped with benzenesulfonate. <i>Synthetic Metals</i> , 2007, 157, 66-73. | 2.1 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Comparative study of the behavior of anions in polypyrrole films. <i>Electrochimica Acta</i> , 2005, 50, 1523-1528. | 2.6 | 86 |
| 92 | Complexes of oligopyrrole dications with inorganic anions: a comparative theoretical HF/post-HF study. <i>Synthetic Metals</i> , 2005, 149, 47-52. | 2.1 | 7 |
| 93 | Study of the Properties of Electrodeposited Polypyrrole Films. <i>Russian Journal of Electrochemistry</i> , 2004, 40, 344-348. | 0.3 | 16 |
| 94 | Quantitative Measures of Solvent Polarity. <i>ChemInform</i> , 2004, 35, no. | 0.1 | 0 |
| 95 | Quantitative Measures of Solvent Polarity. <i>Chemical Reviews</i> , 2004, 104, 175-198. | 23.0 | 385 |
| 96 | Theoretical study of the effect of counterions on the structure of pyrrole oligomers. <i>International Journal of Quantum Chemistry</i> , 2002, 88, 296-301. | 1.0 | 17 |
| 97 | Influence of Anions on Electrochemical Properties of Polypyrrole-Modified Electrodes. <i>Russian Journal of Electrochemistry</i> , 2002, 38, 182-187. | 0.3 | 32 |
| 98 | A quantum-mechanical study of oxidized oligopyrroles. <i>International Journal of Quantum Chemistry</i> , 1999, 71, 101-109. | 1.0 | 8 |
| 99 | A Unified Treatment of Solvent Properties. <i>Journal of Chemical Information and Computer Sciences</i> , 1999, 39, 692-698. | 2.8 | 41 |
| 100 | QSPR Treatment of Solvent Scales. <i>Journal of Chemical Information and Computer Sciences</i> , 1999, 39, 684-691. | 2.8 | 43 |
| 101 | QSPR Studies on Vapor Pressure, Aqueous Solubility, and the Prediction of Water-Air Partition Coefficients. <i>Journal of Chemical Information and Computer Sciences</i> , 1998, 38, 720-725. | 2.8 | 152 |
| 102 | Development of A Smart Insole System for Gait and Performance Monitoring. , 0, , . | | 3 |
| 103 | Dual function composite fibers of cellulose with activated carbon aerogel and carbide derived carbon. <i>Journal of Applied Polymer Science</i> , 0, , 52297. | 1.3 | 1 |
| 104 | Kinetics of catalyzed dehydrocondensation of hydrogen functionalized siloxane. <i>Journal of Applied Polymer Science</i> , 0, , 52304. | 1.3 | 1 |