Fa Daz

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7404434/fa-diaz-publications-by-year.pdf
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 papers	929 citations	16 h-index	28 g-index
79 ext. papers	1,111 ext. citations	3.5 avg, IF	4.72 L-index

#	Paper	IF	Citations
71	Experimental Approach for the Detection of Defects Employing High-Resolution Digital Image Correlation. *Lecture Notes in Civil Engineering*, **2023**, 454-462	0.3	
70	Applied computer vision for composite material manufacturing by optimizing the impregnation velocity: An experimental approach. *Journal of Manufacturing Processes*, **2022**, 74, 52-62	5	1
69	Comparison of lock-in correlation and a novel periodogram method for experimental multi-harmonic thermoelastic analysis. *Mechanical Systems and Signal Processing*, **2022**, 164, 108235	7.8	1
68	Evaluation of small-scale yielding boundary using digital image correlation results. *Fatigue and Fracture of Engineering Materials and Structures*, **2022**, 45, 1276-1291	3	0
67	Experimental evaluation of plastic wake on growing fatigue cracks from the analysis of residual displacement fields. *Fatigue and Fracture of Engineering Materials and Structures*, **2022**, 45, 1494-1504	3	0
66	Characterization of non-planar crack tip displacement fields using a differential geometry approach in combination with 3D digital image correlation. *Fatigue and Fracture of Engineering Materials and Structures*, **2022**, 45, 1521-1536	3	0
65	Exploiting phase-based motion magnification for the measurement of subtle 3D deformation maps with FP+2D-DIC. *Measurement: Journal of the International Measurement Confederation*, **2022**, 195, 111122	4.6	0
64	Combined approach for fatigue crack characterisation in metals. *Procedia Structural Integrity*, **2022**, 37, 865-872	1	
63	Towards a new methodology for the characterisation of crack tip fields based on a hybrid computational approach. *International Journal of Fatigue*, **2022**, 106942	5	0
62	Enhanced Low-Velocity Impact Properties for Resin Film Infusion-Manufactured Composites by Flow-Control Approach. *Polymers*, **2021**, 13,	4.5	1
61	Thermoelastic effect in modal shapes at high frequencies using infrared thermography. *Measurement: Journal of the International Measurement Confederation*, **2021**, 176, 109180	4.6	2
60	Limitations of small-scale yielding for fatigue crack growth. *Engineering Fracture Mechanics*, **2021**, 252, 107806	4.2	3
59	Full-Field Operational Modal Analysis of an Aircraft Composite Panel from the Dynamic Response in Multi-Impact Test. *Sensors*, **2021**, 21,	3.8	2
58	Validity of small-scale yielding regime in notched-cracked geometries. *International Journal of Fatigue*, **2021**, 154, 106563	5	1
57	Damage identification in frame structures using high-speed digital image correlation and local modal filtration. *Structural Control and Health Monitoring*, **2020**, 27, e2586	4.5	5
56	Full-field 3D displacement and strain analysis during low energy impact tests employing a single-camera system. *Thin-Walled Structures*, **2020**, 148, 106584	4.7	3
55	An alternative approach for improving DIC by using out-of-plane displacement information. *Optics and Lasers in Engineering*, **2020**, 128, 105996	4.6	2

54	Numerical tool for the analysis of CTOD curves obtained by DIC or FEM. *Fatigue and Fracture of Engineering Materials and Structures*, **2020**, 43, 2984-2997	3	6
53	Comparative of conventional and alternative Digital Image Correlation techniques for 3D modal characterisation. *Measurement: Journal of the International Measurement Confederation*, **2020**, 151, 107101	4.6	9
52	Experimental evaluation of effective stress intensity factor using thermoelastic stress analysis and digital image correlation. *International Journal of Fatigue*, **2020**, 135, 105567	5	6
51	Operational Deflection Shape Extraction from Broadband Events of an Aircraft Component Using 3D-DIC in Magnified Images. *Shock and Vibration*, **2019**, 2019, 1-9	1.1	6
50	Noncontact Measurements for Vibration-Based SHM and NDE. *Shock and Vibration*, **2019**, 2019, 1-2	1.1	2
49	FP+DIC for low-cost 3D full-field experimental modal analysis in industrial components. *Mechanical Systems and Signal Processing*, **2019**, 128, 329-339	7.8	13
48	Characterisation of fatigue crack growth using digital image correlation measurements of plastic CTOD. *Theoretical and Applied Fracture Mechanics*, **2019**, 101, 332-341	3.7	35
47	3D mode shapes characterisation using phase-based motion magnification in large structures using stereoscopic DIC. *Mechanical Systems and Signal Processing*, **2018**, 108, 140-155	7.8	31
46	High frequency mode shapes characterisation using Digital Image Correlation and phase-based motion magnification. *Mechanical Systems and Signal Processing*, **2018**, 102, 245-261	7.8	44
45	Damage methodology approach on a composite panel based on a combination of Fringe Projection and 2D Digital Image Correlation. *Mechanical Systems and Signal Processing*, **2018**, 101, 467-479	7.8	26
44	Investigation of effective stress intensity factors during overload fatigue cycles using photoelastic and DIC techniques. *Theoretical and Applied Fracture Mechanics*, **2018**, 97, 73-86	3.7	10
43	Modal Parameters Evaluation in a Full-Scale Aircraft Demonstrator under Different Environmental Conditions Using HS 3D-DIC. *Materials*, **2018**, 11,	3.5	15
42	Modal Identification in an Automotive Multi-Component System Using HS 3D-DIC. *Materials*, **2018**, 11,	3.5	8
41	Numerical determination of plastic CTOD. *Fatigue and Fracture of Engineering Materials and Structures*, **2018**, 41, 2197	3	
40	Energy Absorption Capacity in Natural Fiber Reinforcement Composites Structures. *Materials*, **2018** , 11,	3.5	13
39	Crack tip plastic zone evolution during an overload cycle and the contribution of plasticity-induced shielding to crack growth rate changes. *Fatigue and Fracture of Engineering Materials and Structures*, **2018**, 41, 2172	3	12
38	Improving Composite Tensile Properties during Resin Infusion Based on a Computer Vision Flow-Control Approach. *Materials*, **2018**, 11,	3.5	3
37	RGB Colour Encoding Improvement for Three-Dimensional Shapes and Displacement Measurement Using the Integration of Fringe Projection and Digital Image Correlation. *Sensors*, **2018**, 18,	3.8	6

36	A more effective rationalisation of fatigue crack growth rate data for various specimen geometries and stress ratios using the CJP model. *International Journal of Fatigue*, **2018**, 114, 189-197	5	11
35	Numerical analysis of plasticity induced crack closure based on an irreversible cohesive zone model. *Theoretical and Applied Fracture Mechanics*, **2017**, 89, 52-62	3.7	15
34	A Validation Approach for Quasistatic Numerical/Experimental Indentation Analysis in Soft Materials Using 3D Digital Image Correlation. *Materials*, **2017**, 10,	3.5	4
33	Full-field modal analysis during base motion excitation using high-speed 3D digital image correlation. *Measurement Science and Technology*, **2017**, 28, 105402	2	22
32	Improved 3D displacement measurements method and calibration of a combined fringe projection and 2D-DIC system. *Optics and Lasers in Engineering*, **2017**, 88, 255-264	4.6	10
31	Full-Field Indentation Damage Measurement Using Digital Image Correlation. *Materials*, **2017**, 10,	3.5	3
30	Experimental evaluation of CTOD in constant amplitude fatigue crack growth from crack tip displacement fields. *Frattura Ed Integrita Strutturale*, **2017**, 11, 157-165	0.9	10
29	Experimental evaluation of the effect of overloads on fatigue crack growth by analysing crack tip displacement fields. *Engineering Fracture Mechanics*, **2016**, 166, 82-96	4.2	12
28	Integration of fringe projection and two-dimensional digital image correlation for three-dimensional displacements measurements. *Optical Engineering*, **2016**, 55, 121711	1.1	4
27	Assessment of crack tip plastic zone size and shape and its influence on crack tip shielding. *Fatigue and Fracture of Engineering Materials and Structures*, **2016**, 39, 969-981	3	52
26	Experimental evaluation of shielding effect on growing fatigue cracks under overloads using ESPI. *International Journal of Fatigue*, **2016**, 83, 117-126	5	25
25	Exploiting measurement-based validation for a high-fidelity model of dynamic indentation of a hyperelastic material. *International Journal of Solids and Structures*, **2016**, 97-98, 520-529	3.1	9
24	Optical low-cost and portable arrangement for full field 3D displacement measurement using a single camera. *Measurement Science and Technology*, **2016**, 27, 115901	2	10
23	Experimental evaluation of plasticity-induced crack shielding from isochromatic data. *Optical Engineering*, **2015**, 54, 081203	1.1	5
22	An automated calibration system that combines fringe projection and 2D digital image correlation **2015**,		1
21	Analytic construction and analysis of spiral pocketing via linear morphing. *CAD Computer Aided Design*, **2015**, 69, 1-10	2.9	14
20	Experimental evaluation of crack shielding during fatigue crack growth using digital image correlation. *Fatigue and Fracture of Engineering Materials and Structures*, **2015**, 38, 223-237	3	26
19	Experimental evaluation of plasticity-induced crack shielding from crack tip displacements fields. *Frattura Ed Integrita Strutturale*, **2015**, 9, 191-198	0.9	2

18	Integrating fringe projection and digital image correlation for high-quality measurements of shape changes. *Optical Engineering*, **2014**, 53, 044106	1.1	20
17	Relationship of Pocket Geometry and Tool Path Strategy with 2 1/2-D Milling Parameters: Machining Time, Cutting Forces and Surface Roughness. *Materials Science Forum*, **2014**, 797, 78-83	0.4	
16	Simultaneous in-and-out-of-plane displacement measurements using fringe projection and digital image correlation. *Optics and Lasers in Engineering*, **2014**, 52, 66-74	4.6	40
15	Comparing Planar Pocketing Tool Paths Via Acceleration Measurement. *Procedia Engineering*, **2013**, 63, 270-277		7
14	Influence of Pocket Geometry and Tool Path Strategy in Pocket Milling of UNS A96063 Alloy. *Procedia Engineering*, **2013**, 63, 523-531		13
13	Machining a Free-Surface via Reverse Engineering. *Key Engineering Materials*, **2012**, 502, 91-96	0.4	
12	DIC-CAM recipe for reverse engineering **2012**,		1
11	A simultaneous in- and out-of-plane displacement measurement method. *Optics Letters*, **2011**, 36, 10-2	3	32
10	An approach to evaluate the energy advantage of two axes solar tracking systems in Spain. *Applied Energy*, **2011**, 88, 5131-5142	10.7	39
9	Evaluation Using Digital Image Correlation of Stress Intensity Factors in an Aerospace Panel. *Experimental Mechanics*, **2011**, 51, 45-57	2.6	20
8	Fast on-line identification of instantaneous mechanical losses in internal combustion engines. *Mechanical Systems and Signal Processing*, **2010**, 24, 267-280	7.8	4
7	A Novel Experimental Approach for Calculating Stress Intensity Factors from Isochromatic Data. *Experimental Mechanics*, **2010**, 50, 273-281	2.6	3
6	Assessment of effective stress intensity factors using thermoelastic stress analysis. *Journal of Strain Analysis for Engineering Design*, **2009**, 44, 621-632	1.3	9
5	Practical identification of non-linear characteristics of elastomeric couplings in engine assemblies. *Mechanical Systems and Signal Processing*, **2009**, 23, 922-930	7.8	3
4	Robust approach to regularize an isochromatic fringe map. *Applied Optics*, **2009**, 48, E24-34	0.2	12
3	Crack paths under mixed mode loading. *Engineering Fracture Mechanics*, **2008**, 75, 319-330	4.2	50
2	Measuring stress intensity factors during fatigue crack growth using thermoelasticity. *Fatigue and Fracture of Engineering Materials and Structures*, **2004**, 27, 571-583	3	99
1	Some improvements in the analysis of fatigue cracks using thermoelasticity. *International Journal of Fatigue*, **2004**, 26, 365-376	5	74