

Il Han Choo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/740617/publications.pdf>

Version: 2024-02-01

83
papers

1,848
citations

279798

23
h-index

276875

41
g-index

127
all docs

127
docs citations

127
times ranked

3336
citing authors

#	ARTICLE	IF	CITATIONS
1	Korean Version of Mini Mental Status Examination for Dementia Screening and Its' Short Form. <i>Psychiatry Investigation</i> , 2010, 7, 102.	1.6	221
2	Posterior cingulate cortex atrophy and regional cingulum disruption in mild cognitive impairment and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2010, 31, 772-779.	3.1	178
3	Development of the Subjective Memory Complaints Questionnaire. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 310-317.	1.5	144
4	Total Scores of the CERAD Neuropsychological Assessment Battery: Validation for Mild Cognitive Impairment and Dementia Patients With Diverse Etiologies. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 801-809.	1.2	84
5	A normative study of the Trail Making Test in Korean elders. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 844-852.	2.7	82
6	Prevalence of Dementia and Its Subtypes in an Elderly Urban Korean Population: Results from the Korean Longitudinal Study on Health and Aging (KLoSHA). <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 26, 270-276.	1.5	79
7	Prediction of AD dementia by biomarkers following the NIA's and the IWG diagnostic criteria in MCI patients from three European memory clinics. <i>Alzheimer's and Dementia</i> , 2015, 11, 1191-1201.	0.8	71
8	Microstructural Alteration of the Anterior Cingulum is Associated With Apathy in Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 644-653.	1.2	65
9	Astrocytosis measured by 11C-deprenyl PET correlates with decrease in gray matter density in the parahippocampus of prodromal Alzheimer's patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 2120-2126.	6.4	53
10	Topographic Patterns of Brain Functional Impairment Progression According to Clinical Severity Staging in 116 Alzheimer Disease Patients: FDG-PET Study. <i>Alzheimer Disease and Associated Disorders</i> , 2007, 21, 77-84.	1.3	52
11	Combination of 18F-FDG PET and Cerebrospinal Fluid Biomarkers as a Better Predictor of the Progression to Alzheimer's Disease in Mild Cognitive Impairment Patients. <i>Journal of Alzheimer's Disease</i> , 2013, 33, 929-939.	2.6	48
12	Frontal Dysfunction Underlies Depressive Syndrome in Alzheimer Disease: A FDG-PET Study. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 625-628.	1.2	46
13	White Matter Changes Associated With Psychotic Symptoms in Alzheimer's Disease Patients. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2006, 18, 191-198.	1.8	39
14	Altered Executive Function in Pre-Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 933-940.	2.6	38
15	Neural Correlates of the Clock Drawing Test Performance in Alzheimer's Disease: A FDG-PET Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 26, 306-313.	1.5	37
16	Discrimination of normal aging, MCI and AD with multimodal imaging measures on the medial temporal lobe. <i>Psychiatry Research - Neuroimaging</i> , 2010, 183, 237-243.	1.8	37
17	Prevalence of neuropsychiatric syndromes in Alzheimer's disease (AD). <i>Archives of Gerontology and Geriatrics</i> , 2011, 52, 258-263.	3.0	33
18	Oxazolopyridines and thiazolopyridines as monoamine oxidase B inhibitors for the treatment of Parkinson's disease. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 5480-5487.	3.0	33

#	ARTICLE	IF	CITATIONS
19	Health-promoting behaviour among women with abdominal obesity: a conceptual link to social support and perceived stress. <i>Journal of Advanced Nursing</i> , 2014, 70, 1381-1390.	3.3	33
20	Prevalence of Mild Cognitive Impairment and Its Subtypes Are Influenced by the Application of Diagnostic Criteria: Results from the Korean Longitudinal Study on Health and Aging (KLoSHA). <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 23-29.	1.5	32
21	Relationship of Amyloid-Beta Burden With Age-At-Onset in Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 627-634.	1.2	32
22	Frontal Dysfunction Underlies Depression in Mild Cognitive Impairment: A FDG-PET Study. <i>Psychiatry Investigation</i> , 2010, 7, 208.	1.6	26
23	Neural Correlates of Self-referential Processing and Their Clinical Implications in Social Anxiety Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 12-24.	2.0	24
24	Lack of Association Between Apolipoprotein E Polymorphism and Vascular Dementia in Koreans. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2008, 21, 12-17.	2.3	23
25	Prevalence and neuropsychiatric comorbidities of alcohol use disorders in an elderly Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1420-1428.	2.7	23
26	Association of subjective memory complaint and depressive symptoms with objective cognitive functions in prodromal Alzheimer's disease including pre-mild cognitive impairment. <i>Journal of Affective Disorders</i> , 2017, 217, 24-28.	4.1	23
27	Combination of Clinical and Neuropsychologic Information as a Better Predictor of the Progression to Alzheimer Disease in Questionable Dementia Individuals. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 130-138.	1.2	22
28	Novel N-biphenyl-2-ylmethyl 2-methoxyphenylpiperazinylalkanamides as 5-HT ₇ R antagonists for the treatment of depression. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 4587-4596.	3.0	21
29	Neural Correlates of Stroop Performance in Alzheimer's Disease: A FDG-PET Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2011, 1, 190-201.	1.3	19
30	The Aging Slopes of Brain Structures Vary by Ethnicity and Sex: Evidence From a Large Magnetic Resonance Imaging Dataset From a Single Scanner of Cognitively Healthy Elderly People in Korea. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 233.	3.4	17
31	Improvement of Screening Accuracy of Mini-Mental State Examination for Mild Cognitive Impairment and Non-Alzheimer's Disease Dementia by Supplementation of Verbal Fluency Performance. <i>Psychiatry Investigation</i> , 2014, 11, 44.	1.6	17
32	Pre-Mild Cognitive Impairment: Can Visual Memory Predict Who Rapidly Convert to Mild Cognitive Impairment?. <i>Psychiatry Investigation</i> , 2018, 15, 869-875.	1.6	15
33	Structural MRI and Amyloid PET Imaging for Prediction of Conversion to Alzheimer's Disease in Patients with Mild Cognitive Impairment: A Meta-Analysis. <i>Psychiatry Investigation</i> , 2017, 14, 205.	1.6	15
34	Improvement of Dementia Screening Accuracy of Mini-Mental State Examination by Education-Adjustment and Supplementation of Frontal Assessment Battery Performance. <i>Journal of Korean Medical Science</i> , 2013, 28, 1522.	2.5	13
35	Aryl Biphenyl-ylmethylpiperazines as 5-HT ₇ Receptor Antagonists. <i>ChemMedChem</i> , 2013, 8, 1855-1864.	3.2	12
36	Novel thienopyrimidinones as mGluR1 antagonists. <i>European Journal of Medicinal Chemistry</i> , 2014, 85, 629-637.	5.5	11

#	ARTICLE	IF	CITATIONS
37	Independent and Interactive Influences of the <i>APOE</i> Genotype and Beta-Amyloid Burden on Cognitive Function in Mild Cognitive Impairment. <i>Journal of Korean Medical Science</i> , 2016, 31, 286.	2.5	11
38	Prognostic value of Alzheimer's biomarkers in mild cognitive impairment: the effect of age at onset. <i>Journal of Neurology</i> , 2019, 266, 2535-2545.	3.6	11
39	The prevalence of cognitive impairment with no dementia in older people: The seoul study. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 306-312.	2.7	10
40	Normative study of the category fluency test (CFT) from nationwide data on community-dwelling elderly in Korea. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, 305-309.	3.0	10
41	Amyloid-independent functional neural correlates of episodic memory in amnesic mild cognitive impairment. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1088-1095.	6.4	10
42	Factors Associated with Health-Related Quality of Life Among Overweight and Obese Korean Women. <i>Women and Health</i> , 2015, 55, 152-166.	1.0	9
43	Topographical APOE ε4 Genotype Influence on Cerebral Metabolism in the Continuum of Alzheimer's Disease: Amyloid Burden Adjusted Analysis. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 559-568.	2.6	7
44	Korean Medication Algorithm for Depressive Disorder 2021, Fourth Revision: An Executive Summary. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 751-772.	2.0	7
45	The Korean Medication Algorithm Project for Depressive Disorder 2021: Comparisons with Other Treatment Guidelines. <i>Clinical Psychopharmacology and Neuroscience</i> , 2022, 20, 37-50.	2.0	7
46	Lack of association of cathepsin D genetic polymorphism with Alzheimer's disease in Koreans. <i>Archives of Gerontology and Geriatrics</i> , 2005, 41, 121-127.	3.0	6
47	Distinct Neural Correlates of Executive Function by Amyloid Positivity and Associations with Clinical Progression in Mild Cognitive Impairment. <i>Yonsei Medical Journal</i> , 2019, 60, 935.	2.2	4
48	Psychiatric Symptoms in Temporal Lobe Epilepsy with Left Mesial Hippocampal Sclerosis. <i>Psychiatry Investigation</i> , 2015, 12, 274.	1.6	3
49	Evaluating the Effectiveness of Community-Based Dementia Caregiver Intervention on Caregiving Burden, Depression, and Attitude Toward Dementia: A Quasi-Experimental Study. <i>Clinical Interventions in Aging</i> , 0, Volume 17, 937-946.	2.9	3
50	Electroconvulsive Therapy in a Case of Gender Dysphoria Patient with Severe Mood Dysregulation and Suicidal Ideation. <i>Journal of Korean Neuropsychiatric Association</i> , 2014, 53, 54.	0.5	2
51	Association of Subjective Memory Complaints with the Left Parahippocampal Amyloid Burden in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 1261-1268.	2.6	2
52	[P2348]: THE ASIAN ELDERLY ARE MORE SUSCEPTIBLE TO APOE ε4-DEPENDENT ONSET OF ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P755.	0.8	1
53	Korean Medication Algorithm Project for Depressive Disorder 2021 (I): Treatment Strategies for Major Depressive Episode. <i>Journal of Korean Neuropsychiatric Association</i> , 2021, 60, 174.	0.5	1
54	Quantitative analysis of amyloid PET or FDG-PET showed differences in aMCI to AD convert group. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	1

#	ARTICLE	IF	CITATIONS
55	A Single Baseline Amyloid Positron Emission Tomography Could Be Sufficient for Predicting Alzheimer's Disease Conversion in Mild Cognitive Impairment. <i>Psychiatry Investigation</i> , 2022, 19, 394-400.	1.6	1
56	Korean Medication Algorithm Project for Bipolar Disorder 2022: Overview. <i>Journal of Korean Neuropsychiatric Association</i> , 2022, 61, 98.	0.5	1
57	P1-149: Structural MRI and amyloid PET imaging for prediction of conversion to Alzheimer's disease in patients with mild cognitive impairment: A meta-analysis. , 2015, 11, P400-P400.		0
58	P1-142: Independent and interactive influences of ApoE genotype and beta-amyloid burden on cognitive functions in mild cognitive impairment. , 2015, 11, P396-P397.		0
59	P3-120: Separate functional neural correlates of memory deficits in amnesic mild cognitive impairment with high and low beta-amyloid burden. , 2015, 11, P668-P668.		0
60	IC-P-070: Separate functional neural correlates of memory deficits in amnesic mild cognitive impairment with high and low beta-amyloid burden. , 2015, 11, P52-P53.		0
61	IC-P-104: Structural MRI and amyloid PET imaging for prediction of conversion to Alzheimer's disease in patients with mild cognitive impairment: A meta-analysis. , 2015, 11, P71-P72.		0
62	P2-205: Neuropsychological characteristics of clinical dementia rating 0.5 with uncertain impairment. , 2015, 11, P571-P571.		0
63	P2-234: APOE E4 Genotype Influence on Cerebral Metabolism in Mild Cognitive Impairment: Amyloid Burden-Adjusted Analysis. <i>Alzheimer's and Dementia</i> , 2016, 12, P713.	0.8	0
64	IC-P-067: APOE E4 Genotype Influence on Cerebral Metabolism in Mild Cognitive Impairment: Amyloid Burden Adjusted Analysis. <i>Alzheimer's and Dementia</i> , 2016, 12, P53.	0.8	0
65	P3-217: Subjective Depressive Symptoms are Associated with Objective Memory Decline in Preclinical Alzheimer's Disease. <i>Alzheimer's and Dementia</i> , 2016, 12, P908.	0.8	0
66	[P3-285]: PRE-MILD COGNITIVE IMPAIRMENT: CAN MEMORY PREDICT WHO RAPIDLY CONVERTS TO MILD COGNITIVE IMPAIRMENT?. <i>Alzheimer's and Dementia</i> , 2017, 13, P1052.	0.8	0
67	[P1-278]: AGE-WEIGHTED POLYGENIC RISK MODEL EFFECTIVELY PREDICTS THE ONSET OF ALZHEIMER DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P356.	0.8	0
68	P1-434: APOE PROMOTER POLYMORPHISM ACTS AS AN EFFECT MODIFIER FOR APOE Îµ4 ON ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P476.	0.8	0
69	Correlation between depressive symptom and executive function decline in amyloid positive mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2020, 16, e037745.	0.8	0
70	Experiences of caregivers of people with dementia participating in a community-based dementia caregiver program. <i>Alzheimer's and Dementia</i> , 2020, 16, e039002.	0.8	0
71	Korean Medication Algorithm Project for Depressive Disorder 2021 (II): The Subtypes of Depression. <i>Journal of Korean Neuropsychiatric Association</i> , 2021, 60, 186.	0.5	0
72	Korean Medication Algorithm Project for Depressive Disorder 2021 (III): Child and Adolescent. <i>Journal of Korean Neuropsychiatric Association</i> , 2021, 60, 193.	0.5	0

#	ARTICLE	IF	CITATIONS
73	Violence Frequency by Sexual Assault Characteristics. Journal of Korean Neuropsychiatric Association, 2013, 52, 360.	0.5	0
74	Electroconvulsive Therapy in a Case of Gender Dysphoria Patient with Severe Mood Dysregulation and Suicidal Ideation. Journal of Korean Neuropsychiatric Association, 2014, 53, 54.	0.5	0
75	Korean Medication Algorithm Project for Depressive Disorder 2021 (V): Antidepressant Choices According to Safety, Adverse Effect, Comorbid Physical Illnesses and Clinical Definition of Treatment Resistant Depression. Journal of Korean Neuropsychiatric Association, 2021, 60, 267.	0.5	0
76	Korean Medication Algorithm Project for Depressive Disorder 2021 (IV): Female and Elderly. Journal of Korean Neuropsychiatric Association, 2021, 60, 258.	0.5	0
77	Korean Medication Algorithm Project for Depressive Disorder 2021 (VI): Non-Pharmacological Biological Treatments. Journal of Korean Neuropsychiatric Association, 2021, 60, 275.	0.5	0
78	Only baseline amyloid burdens and their incremental change could not predict AD progression in mild cognitive impairment. Alzheimer's and Dementia, 2021, 17, .	0.8	0
79	The normative data of cortical volumes in normal aging from Neuro I, a brain image quantitative analysis system. Alzheimer's and Dementia, 2021, 17, .	0.8	0
80	Visual field defects as early symptoms of Alzheimer's disease.. Alzheimer's and Dementia, 2021, 17 Suppl 3, e053704.	0.8	0
81	Korean Medication Algorithm Project for Bipolar Disorder 2022: Depressive Episode. Journal of Korean Neuropsychiatric Association, 2022, 61, 123.	0.5	0
82	Korean Medication Algorithm Project for Bipolar Disorder 2022: Manic Episode. Journal of Korean Neuropsychiatric Association, 2022, 61, 110.	0.5	0
83	Korean Medication Algorithm Project for Bipolar Disorder 2022: Mixed Features. Journal of Korean Neuropsychiatric Association, 2022, 61, 133.	0.5	0