

# Larisa G Poddubnaya

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7407035/publications.pdf>

Version: 2024-02-01

58  
papers

601  
citations

623574

14  
h-index

752573

20  
g-index

58  
all docs

58  
docs citations

58  
times ranked

203  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrastructure of <i>Archigetes sieboldi</i> (Cestoda: Caryophyllidea): relationship between progenesis, development and evolution. <i>Folia Parasitologica</i> , 2003, 50, 275-292.	0.7	39
2	SPERMIOGENESIS AND SPERM ULTRASTRUCTURE OF <i>CYATHOCEPHALUS TRUNCATUS</i> (PALLAS, 1781) KESSLER, 1868 (CESTODA: SPATHEBOTHRIIDEA). <i>Journal of Parasitology</i> , 2006, 92, 884-892.	0.3	36
3	Vitellogenesis in two spathebothriidean cestodes. <i>Parasitology Research</i> , 2005, 96, 390-397.	0.6	32
4	Vitellocyte ultrastructure in the cestode <i>Didymobothrium rudolphii</i> (Monticelli, 1890): possible evidence for the recognition of divergent taxa within the Spathebothriidea. <i>Acta Parasitologica</i> , 2006, 51, .	0.4	23
5	Spermatological characters of the spathebothriidean tapeworm <i>Didymobothrium rudolphii</i> (Monticelli, 1890). <i>Parasitology Research</i> , 2010, 106, 1435-1442.	0.6	23
6	Host specificity, molecular phylogeny and morphological differences of <i>Phyllodistomum pseudofolium</i> Nybelin, 1926 and <i>Phyllodistomum angulatum</i> Linstow, 1907 (Trematoda: Gorgoderidae) with notes on Eurasian ruffe as final host for <i>Phyllodistomum</i> spp.. <i>Parasites and Vectors</i> , 2017, 10, 286.	1.0	21
7	Diversity and phylogenetic relationships of European species of <i>Crepidostomum</i> Braun, 1900 (Trematoda: Allocreadiidae) based on rDNA, with special reference to <i>Crepidostomum oschmarini</i> Zhokhov & Pugacheva, 1998. <i>Parasites and Vectors</i> , 2018, 11, 530.	1.0	21
8	Fine structure of the male reproductive ducts, vagina and seminal receptacle of <i>Cyathocephalus truncatus</i> (Cestoda: Spathebothriidea). <i>Folia Parasitologica</i> , 2005, 52, 241-250.	0.7	19
9	Fine structure of the female reproductive ducts of <i>Cyathocephalus truncatus</i> (Cestoda: Spathebothriidea). <i>Folia Parasitologica</i> , 2005, 52, 241-250.	0.7	19
10	Vitellogenesis and vitelline system in the pseudophyllidean tapeworm <i>Paraechinophallus japonicus</i> : ultrastructural and cytochemical studies. <i>Folia Parasitologica</i> , 2007, 54, 43-50.	0.7	18
11	Vitellogenesis of basal trematode <i>Aspidogaster limacoides</i> (Aspidogastrea: Aspidogastridae). <i>Parasitology International</i> , 2010, 59, 532-538.	0.6	17
12	Spermiogenesis and spermatozoon ultrastructure in basal polyopisthocotylean monogeneans, Hexabothriidae and Chimaericolidae, and their significance for the phylogeny of the Monogenea. <i>Parasite</i> , 2018, 25, 7.	0.8	16
13	Egg formation and the early embryonic development of <i>Aspidogaster limacoides</i> Diesing, 1835 (Aspidogastrea: Aspidogastridae), with comments on their phylogenetic significance. <i>Parasitology International</i> , 2011, 60, 371-380.	0.6	15
14	Ultrastructure of the ovary, ovicapt and oviduct of the spathebothriidean tapeworm <i>Didymobothrium rudolphii</i> (Monticelli, 1890). <i>Acta Parasitologica</i> , 2007, 52, 127.	0.4	14
15	Clamp ultrastructure of the basal monogenean <i>Chimaericola leptogaster</i> (Leuckart, 1830) (Polyopisthocotylea: Chimaericolidae). <i>Parasitology Research</i> , 2014, 113, 4023-4032.	0.6	14
16	FIRST EVIDENCE OF THE PRESENCE OF MICROTRICHES IN THE GYROCOTYLIDEA. <i>Journal of Parasitology</i> , 2006, 92, 703-707.	0.3	13
17	Spermatological characters of the aspidogastrea <i>Aspidogaster limacoides</i> Diesing, 1835. <i>Parasitology Research</i> , 2009, 105, 77-85.	0.6	13
18	Ultrastructure of the vitellarium in the digeneans <i>Phyllodistomum angulatum</i> (Plagiorchiida, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 T	0.4	12

#	ARTICLE	IF	CITATIONS
19	Ultrastructural characteristics of the protonephridial terminal organ and associated ducts of adult specimens of the Aspidogastrea, Digenea and Monogenea, with comments on the relationships between these groups. <i>Systematic Parasitology</i> , 2012, 82, 89-104.	0.5	11
20	Ultrastructural characteristics of the caeca of basal polyopisthocotylean monogeneans of the families Chimaericolidae and Hexabothriidae parasitic on cartilaginous fishes. <i>Parasitology Research</i> , 2015, 114, 2599-2610.	0.6	11
21	Ultrastructural observations of the attachment organs of the monogenean <i>Rajonchocotyle emarginata</i> (Olsson, 1876) (Polyopisthocotylea: Hexabothriidae), a gill parasite of rays. <i>Parasitology Research</i> , 2016, 115, 2285-2297.	0.6	11
22	An immunocytochemical, histochemical and ultrastructural study of the nervous system of the tapeworm <i>Cyathocephalus truncatus</i> (Cestoda, Spathebothriidea). <i>Parasitology Research</i> , 2009, 104, 267-275.	0.6	10
23	The unique ultrastructure of the uterus of the Gyrocotylidea Poche, 1926 (Cestoda) and its phylogenetic implications. <i>Systematic Parasitology</i> , 2009, 74, 81-93.	0.5	10
24	Spermatozoon cytoarchitecture of <i>Amphilina foliacea</i> (Platyhelminthes, Amphilinidea). <i>Parasitology Research</i> , 2012, 111, 2063-2069.	0.6	10
25	Advanced stages of embryonic development and cotylocidial morphogenesis in the intrauterine eggs of <i>Aspidogaster limacoides</i> Diesing, 1835 (Aspidogastrea), with comments on their phylogenetic implications. <i>Acta Parasitologica</i> , 2012, 57, 131-48.	0.4	10
26	Ultrastructural characteristics of the vaginae of the basal monogenean <i>Chimaericola leptogaster</i> (Leuckart, 1830). <i>Parasitology Research</i> , 2013, 112, 4053-4064.	0.6	10
27	<i>Phyllodistomum kupermani</i> n. sp. from the European perch, <i>Perca fluviatilis</i> L. (Perciformes: Percidae), and redescription of <i>Phyllodistomum macrocotyle</i> (Lange, 1909) with notes on the species diversity and host specificity in the European <i>Phyllodistomum</i> spp. (Trematoda: Gorgoderidae). <i>Parasites and Vectors</i> , 2020, 13, 561.	1.0	10
28	Sem and Tem Study of the Armed Male Terminal Genitalia of the Tapeworm <i>Paraechinophallus japonicus</i> (Cestoda: Bothriocephalidea). <i>Journal of Parasitology</i> , 2008, 94, 803-810.	0.3	9
29	Ultrastructural features of the tegumental surface of a new metacercaria, <i>Nematostrigea</i> sp. (Trematoda: Strigeidae), with a search for potential taxonomically informative characters. <i>Systematic Parasitology</i> , 2010, 75, 59-73.	0.5	9
30	Ultrastructure of the vitellarium of <i>Ancyrocephalus paradoxus</i> (Monogenea: Monopisthocotylea), with comments on the nature of the vitellarium in the Monogenea and related platyhelminth groups. <i>Parasitology Research</i> , 2013, 112, 1169-1177.	0.6	9
31	Ultrastructure of the ovarian follicles, oviducts and oocytes of <i>Gyrocotyle urna</i> (Neodermata: Gyrocotylidae). <i>Parasitology Research</i> , 2015, 114, 3393-3399.	0.7	9
32	Ultrastructure of the proglottid tegument (neodermis) of the cestode <i>Echinophallus wagneri</i> (Pseudophyllidea: Echinophallidae), a parasite of the bathypelagic fish <i>Centrolophus niger</i> . <i>Parasitology Research</i> , 2007, 101, 373-383.	0.6	8
33	Ultrastructure of the tegument of the cestode <i>Paraechinophallus japonicus</i> (Bothriocephalidea: Gyrocotylidae). <i>Parasitology Research</i> , 2015, 114, 3393-3399.	0.3	8
34	Ultrastructural characteristics of the uterine epithelium of aspidogastrea and digenean trematodes. <i>Acta Parasitologica</i> , 2011, 56, .	0.4	8
35	The surface topography of <i>Callorhynchocotyle callorhynchi</i> (Manter, 1955) (Monogenea: Gyrocotylidae). <i>Parasitology Research</i> , 2015, 114, 3393-3399.	0.6	7
36	Ultrastructure of the surface structures and secretory glands of the rosette attachment organ of <i>Gyrocotyle urna</i> (Cestoda: Gyrocotylidae). <i>Folia Parasitologica</i> , 2008, 55, 207-218.	0.7	7

#	ARTICLE	IF	CITATIONS
37	A reinvestigation of spermiogenesis in <i>Amphilina foliacea</i> (Platyhelminthes: Amphilinidea). <i>Folia Parasitologica</i> , 2013, 60, 43-50.	0.7	7
38	Ultrastructural features of aporocotylid blood flukes: The tegument and sensory receptors of <i>Sanguinicola inermis</i> Plehn, 1905 from the pike <i>Esox lucius</i> , with a comparative analysis of their traits within the Neodermata. <i>Zoologischer Anzeiger</i> , 2020, 289, 108-117.	0.4	6
39	Frontal glands in the pseudoscolex of <i>Paraechinophallus japonicus</i> (Yamaguti, 1934) (Cestoda). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50 62</i>	0.4	5
40	The unique uterine structure of the basal monogenean <i>Chimaericola leptogaster</i> (Monogenea: Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 62) <i>Parasitology Research</i> , 2017, 116, 2695-2705.	0.6	5
41	First ultrastructural and cytochemical data on the spermatozoon and its differentiation in progenetic and adult <i>Archigetes sieboldi</i> Leuckart, 1878 (Cestoda, Caryophyllidea, Caryophyllaeidae). <i>Parasitology Research</i> , 2019, 118, 1205-1214.	0.6	5
42	Are glial cells of the Digenea (Platyhelminthes) muscle cells?. <i>Parasitology Research</i> , 2020, 119, 317-319.	0.6	5
43	Ultrastructural characteristics of the vitellarium of basal polyopisthocotylean monogeneans of the family Hexabothriidae, with comments on glycan vesicle development and its phylogenetic significance. <i>Zoologischer Anzeiger</i> , 2017, 266, 50-60.	0.4	4
44	Unique ultrastructural characteristics of the tegument of the digenean blood fluke <i>Aporocotyle simplex</i> Odhner, 1900 (Digenea: Aporocotylidae), a parasite of flatfishes. <i>Parasitology Research</i> , 2019, 118, 2801-2810.	0.6	4
45	Ultrastructure of the intrauterine eggs of <i>Didymobothrium rudolphii</i> (Monticelli, 1890) (Cestoda). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50 62</i>	0.4	3
46	Surface ultrastructural characteristics of <i>Dictyocotyle coeliaca</i> Nybelin, 1941 (Monopisthocotylea: Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 62)	0.6	3
47	Heteromorphism of sperm axonemes in a parasitic flatworm, progenetic <i>Diplocotyle olrikii</i> Krabbe, 1874 (Cestoda, Spathebothriidea). <i>Parasitology Research</i> , 2020, 119, 177-187.	0.6	3
48	Interrelationships of vitelline and muscle cells within the vitelline follicles of the blood fluke <i>Aporocotyle simplex</i> (Digenea, Aporocotylidae) and morphological evidence for the modification of vitelline material for eggshell formation. <i>Parasitology Research</i> , 2020, 119, 3967-3976.	0.6	3
49	First evidence of serotonergic components in the nervous system of the monogenean <i>Chimaericola leptogaster</i> (Chimaericolidae, Polyopisthocotylea), a gill parasite of the relict holocephalan fish. <i>Folia Parasitologica</i> , 2019, 66, .	0.7	3
50	Ultrastructure of the ovary of <i>Amphilina japonica</i> Goto & Ishii, 1936 (Cestoda) and its implications for phylogenetic studies. <i>Systematic Parasitology</i> , 2010, 77, 163-174.	0.5	2
51	Spermatological characteristics of the enigmatic monogenean <i>Dictyocotyle coeliaca</i> Nybelin, 1941 (Monopisthocotylea: Monocotylidae) reveal possible adaptation to endoparasitism. <i>Acta Parasitologica</i> , 2017, 62, 110-120.	0.4	2
52	Ultrastructural characteristics of the male ducts and terminal genitalia of an endoparasitic monogenean, <i>Calicotyle affinis</i> Scott, 1911 (Monopisthocotylea: Monocotylidae), with the first detailed description of a copulatory stylet in a monogenean. <i>Parasitology Research</i> , 2018, 117, 1503-1512.	0.6	2
53	Ultrastructural patterns of the excretory ducts of basal neodermatan groups (Platyhelminthes) and new protonephridial characters of basal cestodes. <i>Parasites and Vectors</i> , 2020, 13, 442.	1.0	2
54	Ultrastructural evidence for the participation of muscle cells in the formation of extracellular matrices in aporocotylid blood flukes (Digenea). <i>Zoologischer Anzeiger</i> , 2021, 293, 101-111.	0.4	2

#	ARTICLE	IF	CITATIONS
55	The first ultrastructural observations of the egg-forming complex of <i>Calicotyle affinis</i> , an endoparasitic monacotylid monogenean which lacks a uterus. <i>Parasitology Research</i> , 2018, 117, 4013-4025.	0.6	1
56	Ultrastructure of the anterior organ and posterior funnel-shaped canal of <i>Gyrocotyle urna</i> Wagener, 1852 (Cestoda: Gyrocotylidea). <i>Folia Parasitologica</i> , 2015, 62, .	0.7	1
57	The unusual cytoarchitecture of œvitelline follicles in freshwater blood flukes of the genus <i>Sanguinicola</i> (Digenea, Aporocotylidae). <i>Parasite</i> , 2021, 28, 72.	0.8	1
58	Spermiogenesis produces the spermatozoa with 9 + 1 and 9 + 0 axonemal pattern in progenetic cestode <i>Diplocotyle olrikii</i> Krabbe, 1874 (Spathobothriidea: Acrobothriidae). <i>Parasitology Research</i> , 2020, 119, 4103-4111.	0.6	0