

Eric TrÃ©po

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7408239/publications.pdf>

Version: 2024-02-01

68
papers

3,373
citations

186265

28
h-index

144013

57
g-index

69
all docs

69
docs citations

69
times ranked

4656
citing authors

#	ARTICLE	IF	CITATIONS
1	A genome-wide association study confirms PNPLA3 and identifies TM6SF2 and MBOAT7 as risk loci for alcohol-related cirrhosis. <i>Nature Genetics</i> , 2015, 47, 1443-1448.	21.4	435
2	Update on NAFLD genetics: From new variants to the clinic. <i>Journal of Hepatology</i> , 2020, 72, 1196-1209.	3.7	234
3	PNPLA3 gene in liver diseases. <i>Journal of Hepatology</i> , 2016, 65, 399-412.	3.7	205
4	Association between the PNPLA3 (rs738409 C>G) variant and hepatocellular carcinoma: Evidence from a meta-analysis of individual participant data. <i>Hepatology</i> , 2014, 59, 2170-2177.	7.3	193
5	Impact of patatin-like phospholipase-3 (rs738409 C>G) polymorphism on fibrosis progression and steatosis in chronic hepatitis C. <i>Hepatology</i> , 2011, 54, 60-69.	7.3	166
6	Common polymorphism in the PNPLA3/adiponutrin gene confers higher risk of cirrhosis and liver damage in alcoholic liver disease. <i>Journal of Hepatology</i> , 2011, 55, 906-912.	3.7	138
7	Combining Data From Liver Disease Scoring Systems Better Predicts Outcomes of Patients With Alcoholic Hepatitis. <i>Gastroenterology</i> , 2015, 149, 398-406.e8.	1.3	134
8	Intensive Enteral Nutrition Is Ineffective for Patients With Severe Alcoholic Hepatitis Treated With Corticosteroids. <i>Gastroenterology</i> , 2016, 150, 903-910.e8.	1.3	131
9	Invasive aspergillosis in patients with severe alcoholic hepatitis. <i>Journal of Hepatology</i> , 2014, 60, 267-274.	3.7	113
10	Marked 25-hydroxyvitamin D deficiency is associated with poor prognosis in patients with alcoholic liver disease. <i>Journal of Hepatology</i> , 2013, 59, 344-350.	3.7	101
11	The prognostic value of acute-on-chronic liver failure during the course of severe alcoholic hepatitis. <i>Journal of Hepatology</i> , 2018, 69, 318-324.	3.7	82
12	Liver transplantation for alcoholic hepatitis: A systematic review with meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0190823.	2.5	75
13	A 17 β -Hydroxysteroid Dehydrogenase 13 Variant Protects From Hepatocellular Carcinoma Development in Alcoholic Liver Disease. <i>Hepatology</i> , 2019, 70, 231-240.	7.3	75
14	PNPLA3 and TM6SF2 variants as risk factors of hepatocellular carcinoma across various etiologies and severity of underlying liver diseases. <i>International Journal of Cancer</i> , 2019, 144, 533-544.	5.1	72
15	Early transjugular intrahepatic portosystemic shunt in cirrhotic patients with acute variceal bleeding. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, e1-e9.	1.6	70
16	Liver stiffness and platelet count for identifying patients with compensated liver disease at low risk of variceal bleeding. <i>Liver International</i> , 2017, 37, 707-716.	3.9	70
17	PNPLA3 (rs738409 C>G) is a common risk variant associated with hepatocellular carcinoma in alcoholic cirrhosis. <i>Hepatology</i> , 2012, 55, 1307-1308.	7.3	69
18	Alcohol intake increases the risk of HCC in hepatitis C virus-related compensated cirrhosis: A prospective study. <i>Journal of Hepatology</i> , 2016, 65, 543-551.	3.7	67

#	ARTICLE	IF	CITATIONS
19	Transient elastography using Fibroscan is the most reliable noninvasive method for the diagnosis of advanced fibrosis and cirrhosis in alcoholic liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, 1074-1079.	1.6	52
20	Role of a cirrhosis risk score for the early prediction of fibrosis progression in hepatitis C patients with minimal liver disease. <i>Journal of Hepatology</i> , 2011, 55, 38-44.	3.7	51
21	Epidemiology and Elimination of HCV-Related Liver Disease. <i>Viruses</i> , 2018, 10, 545.	3.3	48
22	Hepatic expression of CCL2 in alcoholic liver disease is associated with disease severity and neutrophil infiltrates. <i>Clinical and Experimental Immunology</i> , 2012, 169, 302-310.	2.6	46
23	Long-term outcomes in patients with decompensated alcohol-related liver disease, steatohepatitis and Maddrey's discriminant function <32. <i>Journal of Hepatology</i> , 2020, 72, 636-642.	3.7	43
24	Combination of Gene Expression Signature and Model for End-Stage Liver Disease Score Predicts Survival of Patients With Severe Alcoholic Hepatitis. <i>Gastroenterology</i> , 2018, 154, 965-975.	1.3	41
25	Integrated Genomic Analysis Identifies Driver Genes and Cisplatin-Resistant Progenitor Phenotype in Pediatric Liver Cancer. <i>Cancer Discovery</i> , 2021, 11, 2524-2543.	9.4	41
26	The use of beta-blockers is associated with the occurrence of acute kidney injury in severe alcoholic hepatitis. <i>Liver International</i> , 2015, 35, 1974-1982.	3.9	39
27	N-glycan based biomarker distinguishing non-alcoholic steatohepatitis from steatosis independently of fibrosis. <i>Digestive and Liver Disease</i> , 2012, 44, 315-322.	0.9	37
28	Meta-analysis: the impact of <sc>IL</sc>28<sc>B</sc> polymorphisms on rapid and sustained virological response in <sc>HCV</sc> 2 and 3 patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 353-362.	3.7	37
29	Common genetic variation in alcohol-related hepatocellular carcinoma: a case-control genome-wide association study. <i>Lancet Oncology</i> , The, 2022, 23, 161-171.	10.7	36
30	A genetic risk score and diabetes predict development of alcohol-related cirrhosis in drinkers. <i>Journal of Hepatology</i> , 2022, 76, 275-282.	3.7	33
31	Hepatocytes That Express Variants of Cyclophilin A Are Resistant to HCV Infection and Replication. <i>Gastroenterology</i> , 2012, 143, 439-447.e1.	1.3	30
32	Oxidative stress in obesity-associated hepatocellular carcinoma: sources, signaling and therapeutic challenges. <i>Oncogene</i> , 2021, 40, 5155-5167.	5.9	30
33	The ST2 Pathway Is Involved in Acute Pancreatitis. <i>American Journal of Pathology</i> , 2012, 180, 2330-2339.	3.8	27
34	Vasomodulators and Liver Transplantation for Portalpulmonary Hypertension: Evidence From a Systematic Review and Meta-analysis. <i>Hepatology</i> , 2020, 72, 1701-1716.	7.3	27
35	Combination of Model for End-Stage Liver Disease and Lactate Predicts Death in Patients Treated With Salvage Transjugular Intrahepatic Portosystemic Shunt for Refractory Variceal Bleeding. <i>Hepatology</i> , 2021, 74, 2085-2101.	7.3	25
36	Epigenetic basis for monocyte dysfunction in patients with severe alcoholic hepatitis. <i>Journal of Hepatology</i> , 2020, 73, 303-314.	3.7	24

#	ARTICLE	IF	CITATIONS
37	JNK Activation of BIM Promotes Hepatic Oxidative Stress, Steatosis, and Insulin Resistance in Obesity. <i>Diabetes</i> , 2017, 66, 2973-2986.	0.6	21
38	Systematic review with meta-analysis: automated low-flow ascites pump therapy for refractory ascites. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 978-987.	3.7	21
39	Perturbations in Mitochondrial Dynamics Are Closely Involved in the Progression of Alcoholic Liver Disease. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 856-865.	2.4	21
40	Clinical, histological and molecular profiling of different stages of alcohol-related liver disease. <i>Gut</i> , 2022, 71, 1856-1866.	12.1	17
41	Bi-allelic hydroxymethylbilane synthase inactivation defines a homogenous clinico-molecular subtype of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2022, 77, 1038-1046.	3.7	17
42	Discordance between biochemical markers of liver activity and fibrosis (Actitest® and Fibrotest®) and liver biopsy in patients with chronic hepatitis C. <i>Gastroenterologie Clinique Et Biologique</i> , 2008, 32, 858-865.	0.9	14
43	The cirrhosis risk score predicts liver fibrosis progression in patients with initially mild chronic hepatitis C. <i>Hepatology</i> , 2010, 51, 356-357.	7.3	13
44	Systemic Treatments with Tyrosine Kinase Inhibitor and Platinum-Based Chemotherapy in Patients with Unresectable or Metastatic Hepatocholangiocarcinoma. <i>Liver Cancer</i> , 2022, 11, 460-473.	7.7	13
45	Serum lactam concentrations in critically ill patients with cirrhosis: a matched case-control study. <i>Liver International</i> , 2016, 36, 1002-1010.	3.9	12
46	Gene signature and MELD score and alcohol relapse determine long-term prognosis of patients with severe alcoholic hepatitis. <i>Liver International</i> , 2020, 40, 565-570.	3.9	12
47	Histologic parameter score does not predict short-term survival in severe alcoholic hepatitis. <i>United European Gastroenterology Journal</i> , 2020, 8, 1003-1012.	3.8	12
48	Clinical Course and Risk Factors for Infection in Severe Forms of Alcohol-Associated Liver Disease. <i>Hepatology</i> , 2021, 74, 2714-2724.	7.3	12
49	Chylorrhea after axillary lymph node dissection. <i>European Journal of Surgical Oncology</i> , 2007, 33, 1042-1043.	1.0	11
50	Correction of all-trans retinoic acid deficiency in alcoholic cirrhosis lessens the excessive inflammatory monocyte response: a translational study. <i>Liver International</i> , 2014, 34, 343-352.	3.9	9
51	Progressive cholangiopathy in COVID-19 patients: Other possible diagnoses than ketamine-induced cholangiopathy should be considered. <i>Journal of Hepatology</i> , 2021, 75, 989-990.	3.7	9
52	Liver transplantation for alcoholic liver disease: a retrospective analysis of recidivism, survival and risk factors predisposing to alcohol relapse. <i>Acta Gastro-Enterologica Belgica</i> , 2013, 76, 282-90.	1.0	9
53	Noninvasive diagnosis in alcohol-related liver disease. <i>Health Science Reports</i> , 2020, 3, e146.	1.5	8
54	PNPLA3 genetic variation in alcoholic steatosis and liver disease progression. <i>Hepatobiliary Surgery and Nutrition</i> , 2015, 4, 152-60.	1.5	8

#	ARTICLE	IF	CITATIONS
55	Insulin resistance is associated with esophageal varices in alcoholic liver disease patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 792-796.	1.6	6
56	Reply to: "Modulation of the effect of PNPLA3 I148M mutation on steatosis and liver damage by alcohol intake in patients with chronic hepatitis C". <i>Journal of Hepatology</i> , 2011, 55, 1471-1472.	3.7	5
57	Association of <i>PNPLA3</i> (rs738409 C>G) with liver damage in liver diseases: one step closer to personalized medicine?. <i>Personalized Medicine</i> , 2011, 8, 595-597.	1.5	5
58	Endoscopic duodenal mucosal resurfacing for nonalcoholic steatohepatitis (NASH): a pilot study. <i>Endoscopy International Open</i> , 2021, 09, E1792-E1800.	1.8	5
59	Reply to: "Interaction between IL28B and PNPLA3 genotypes in the pathogenesis of steatosis in chronic hepatitis C non genotype-3 patients". <i>Journal of Hepatology</i> , 2012, 56, 1210-1212.	3.7	4
60	Assessment of the risk of alcohol relapse following liver transplantation for alcoholic hepatitis using a meta-analysis approach. <i>Journal of Hepatology</i> , 2018, 68, 1322-1323.	3.7	3
61	Plasma-Signature-Model for End-Stage Liver Disease Score to Predict Survival in Severe Alcoholic Hepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 651-657.	4.4	3
62	The clinical advantage of fixed 8-mm diameter VCX stents over underdilated VTS stents is not established in refractory ascites. <i>JHEP Reports</i> , 2021, 3, 100319.	4.9	3
63	Microsatellite polymorphism in the heme oxygenase-1 gene promoter is not associated with alcoholic liver disease severity. <i>Hepatology</i> , 2014, 59, 352-353.	7.3	2
64	749 Role of the Cirrhosis Risk Score (CRS) for the Prediction of Fibrosis Progression in Hepatitis C Patients with Minimal Liver Disease. <i>Gastroenterology</i> , 2009, 136, A-806.	1.3	1
65	Reply. <i>Hepatology</i> , 2014, 60, 1111-1112.	7.3	0
66	Reply. <i>Gastroenterology</i> , 2016, 151, 377.	1.3	0
67	REPLY:. <i>Hepatology</i> , 2021, 74, 2927-2928.	7.3	0
68	Combination of meld and lactates predicts early death in patients treated by salvage tips for refractory variceal bleeding. <i>Journal of Hepatology</i> , 2020, 73, S693.	3.7	0