

Hitoshi Hashimoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/740829/publications.pdf>

Version: 2024-02-01

238
papers

9,790
citations

41258

49
h-index

54797

84
g-index

253
all docs

253
docs citations

253
times ranked

7849
citing authors

#	ARTICLE	IF	CITATIONS
1	Pituitary Adenylate Cyclase-Activating Polypeptide and Its Receptors: 20 Years after the Discovery. <i>Pharmacological Reviews</i> , 2009, 61, 283-357.	7.1	948
2	Altered psychomotor behaviors in mice lacking pituitary adenylate cyclase-activating polypeptide (PACAP). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 13355-13360.	3.3	350
3	Apelin is a novel angiogenic factor in retinal endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2004, 325, 395-400.	1.0	265
4	Molecular cloning and tissue distribution of a receptor for pituitary adenylate cyclase-activating polypeptide. <i>Neuron</i> , 1993, 11, 333-342.	3.8	254
5	Distribution of the mRNA for a pituitary adenylate cyclase-activating polypeptide receptor in the rat brain: An in situ hybridization study. <i>Journal of Comparative Neurology</i> , 1996, 371, 567-577.	0.9	202
6	Pituitary adenylate cyclase-activating polypeptide (PACAP) decreases ischemic neuronal cell death in association with IL-6. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 7488-7493.	3.3	182
7	Pituitary adenylate cyclase-activating polypeptide plays a key role in nitroglycerol-induced trigeminovascular activation in mice. <i>Neurobiology of Disease</i> , 2012, 45, 633-644.	2.1	134
8	Pituitary adenylate cyclase-activating polypeptide is associated with schizophrenia. <i>Molecular Psychiatry</i> , 2007, 12, 1026-1032.	4.1	133
9	Retardation of Retinal Vascular Development in Apelin-Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1717-1722.	1.1	120
10	Expression of glutamate transporters in cultured glial cells. <i>Neuroscience Letters</i> , 1995, 188, 140-142.	1.0	116
11	PACAP is an Endogenous Protective Factor—Insights from PACAP-Deficient Mice. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 482-492.	1.1	115
12	High-Speed and Scalable Whole-Brain Imaging in Rodents and Primates. <i>Neuron</i> , 2017, 94, 1085-1100.e6.	3.8	108
13	New Insights into the Central PACAPergic System from the Phenotypes in PACAP- and PACAP Receptor-Knockout Mice. <i>Annals of the New York Academy of Sciences</i> , 2006, 1070, 75-89.	1.8	107
14	Chronic treatment with valproic acid or sodium butyrate attenuates novel object recognition deficits and hippocampal dendritic spine loss in a mouse model of autism. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 126, 43-49.	1.3	106
15	Pituitary Adenylate Cyclase-Activating Polypeptide Is Required for the Development of Spinal Sensitization and Induction of Neuropathic Pain. <i>Journal of Neuroscience</i> , 2004, 24, 7283-7291.	1.7	104
16	Cultured rat astrocytes possess Na ⁺ -Ca ²⁺ exchanger. <i>Glia</i> , 1994, 12, 336-342.	2.5	97
17	Whole-exome sequencing and neurite outgrowth analysis in autism spectrum disorder. <i>Journal of Human Genetics</i> , 2016, 61, 199-206.	1.1	91
18	A novel DISC1-interacting partner DISC1-Binding Zinc-finger protein: implication in the modulation of DISC1-dependent neurite outgrowth. <i>Molecular Psychiatry</i> , 2007, 12, 398-407.	4.1	90

#	ARTICLE	IF	CITATIONS
19	Depression-like behavior in the forced swimming test in PACAP-deficient mice: amelioration by the atypical antipsychotic risperidone. <i>Journal of Neurochemistry</i> , 2009, 110, 595-602.	2.1	90
20	The behavioral phenotype of pituitary adenylate-cyclase activating polypeptide-deficient mice in anxiety and depression tests is accompanied by blunted c-Fos expression in the bed nucleus of the stria terminalis, central projecting Edinger-Westphal nucleus, ventral lateral septum, and dorsal raphe nucleus. <i>Neuroscience</i> , 2012, 202, 283-299.	1.1	90
21	Structured line illumination Raman microscopy. <i>Nature Communications</i> , 2015, 6, 10095.	5.8	90
22	PACAP suppresses dry eye signs by stimulating tear secretion. <i>Nature Communications</i> , 2016, 7, 12034.	5.8	90
23	Lipopolysaccharide affects exploratory behaviors toward novel objects by impairing cognition and/or motivation in mice: Possible role of activation of the central amygdala. <i>Behavioural Brain Research</i> , 2012, 228, 423-431.	1.2	88
24	Metabotropic glutamate 2/3 receptor antagonists improve behavioral and prefrontal dopaminergic alterations in the chronic corticosterone-induced depression model in mice. <i>Neuropharmacology</i> , 2013, 65, 29-38.	2.0	87
25	Involvement of Na ⁺ -Ca ²⁺ Exchanger in Reperfusion-induced Delayed Cell Death of Cultured Rat Astrocytes. <i>European Journal of Neuroscience</i> , 1996, 8, 951-958.	1.2	86
26	PACAP provides colonic protection against dextran sodium sulfate induced colitis. <i>Journal of Cellular Physiology</i> , 2008, 216, 111-119.	2.0	84
27	KB-R7943 Inhibits Store-Operated Ca ²⁺ Entry in Cultured Neurons and Astrocytes. <i>Biochemical and Biophysical Research Communications</i> , 2000, 279, 354-357.	1.0	82
28	Defects in reproductive functions in PACAP-deficient female mice. <i>Regulatory Peptides</i> , 2002, 109, 45-48.	1.9	79
29	Psychostimulant-Induced Attenuation of Hyperactivity and Prepulse Inhibition Deficits in Adcyap1-Deficient Mice. <i>Journal of Neuroscience</i> , 2006, 26, 5091-5097.	1.7	79
30	Overexpression of PACAP in Transgenic Mouse Pancreatic β -Cells Enhances Insulin Secretion and Ameliorates Streptozotocin-induced Diabetes. <i>Diabetes</i> , 2003, 52, 1155-1162.	0.3	77
31	Comprehensive behavioral analysis of pituitary adenylate cyclase-activating polypeptide (PACAP) knockout mice. <i>Frontiers in Behavioral Neuroscience</i> , 2012, 6, 58.	1.0	73
32	PACAP is Implicated in the Stress Axes. <i>Current Pharmaceutical Design</i> , 2011, 17, 985-989.	0.9	71
33	Changes in light-induced phase shift of circadian rhythm in mice lacking PACAP. <i>Biochemical and Biophysical Research Communications</i> , 2003, 310, 169-175.	1.0	70
34	Cloning and characterization of the mouse pituitary adenylate cyclase-activating polypeptide (PACAP) gene. <i>Gene</i> , 1998, 211, 63-69.	1.0	69
35	Impaired long-term potentiation in vivo in the dentate gyrus of pituitary adenylate cyclase-activating polypeptide (PACAP) or PACAP type 1 receptor-mutant mice. <i>NeuroReport</i> , 2003, 14, 2095-2098.	0.6	67
36	PACAP centrally mediates emotional stress-induced corticosterone responses in mice. <i>Stress</i> , 2011, 14, 368-375.	0.8	67

#	ARTICLE	IF	CITATIONS
37	Environmental enrichment attenuates behavioral abnormalities in valproic acid-exposed autism model mice. <i>Behavioural Brain Research</i> , 2017, 333, 67-73.	1.2	67
38	Higher brain functions of PACAP and a homologous <i>Drosophila</i> memory gene amnesiac: insights from knockouts and mutants. <i>Biochemical and Biophysical Research Communications</i> , 2002, 297, 427-432.	1.0	64
39	The pituitary adenylate cyclase-activating polypeptide is a physiological inhibitor of platelet activation. <i>Journal of Clinical Investigation</i> , 2004, 113, 905-912.	3.9	64
40	Synergistic Induction of Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP) Gene Expression by Nerve Growth Factor and PACAP in PC12 Cells. <i>Journal of Neurochemistry</i> , 2001, 74, 501-507.	2.1	63
41	Environmental factors during early developmental period influence psychobehavioral abnormalities in adult PACAP-deficient mice. <i>Behavioural Brain Research</i> , 2010, 209, 274-280.	1.2	62
42	(R)-Ketamine Induces a Greater Increase in Prefrontal 5-HT Release Than (S)-Ketamine and Ketamine Metabolites via an AMPA Receptor-Independent Mechanism. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 665-674.	1.0	62
43	PACAP deficient mice display reduced carbohydrate intake and PACAP activates NPY-containing neurons in the rat hypothalamic arcuate nucleus. <i>Neuroscience Letters</i> , 2004, 370, 252-256.	1.0	61
44	Manipulation of dorsal raphe serotonergic neurons modulates active coping to inescapable stress and anxiety-related behaviors in mice and rats. <i>Neuropsychopharmacology</i> , 2019, 44, 721-732.	2.8	59
45	Pathogenic POGZ mutation causes impaired cortical development and reversible autism-like phenotypes. <i>Nature Communications</i> , 2020, 11, 859.	5.8	59
46	Expression pattern of messenger RNAs for prostanoid receptors in glial cell cultures. <i>Brain Research</i> , 1996, 707, 282-287.	1.1	56
47	Neuroprotective action of endogenous PACAP in cultured rat cortical neurons. <i>Regulatory Peptides</i> , 2005, 126, 123-128.	1.9	55
48	Neuroprotective Effect of PACAP Against NMDA-Induced Retinal Damage in the Mouse. <i>Journal of Molecular Neuroscience</i> , 2011, 43, 22-29.	1.1	55
49	Role of Na ⁺ -Ca ²⁺ Exchanger in Agonist-Induced Ca ²⁺ Signaling in Cultured Rat Astrocytes. <i>Journal of Neurochemistry</i> , 1996, 67, 1840-1845.	2.1	53
50	Increased Stathmin1 Expression in the Dentate Gyrus of Mice Causes Abnormal Axonal Arborizations. <i>PLoS ONE</i> , 2010, 5, e8596.	1.1	51
51	Differential Regulatory Role of Pituitary Adenylate Cyclase-Activating Polypeptide in the Serum-Transfer Arthritis Model. <i>Arthritis and Rheumatology</i> , 2014, 66, 2739-2750.	2.9	51
52	Improvement by methylphenidate and atomoxetine of social interaction deficits and recognition memory impairment in a mouse model of valproic acid-induced autism. <i>Autism Research</i> , 2016, 9, 926-939.	2.1	50
53	Oxytocin attenuates deficits in social interaction but not recognition memory in a prenatal valproic acid-induced mouse model of autism. <i>Hormones and Behavior</i> , 2017, 96, 130-136.	1.0	49
54	Effect of Clozapine on DNA Methylation in Peripheral Leukocytes from Patients with Treatment-Resistant Schizophrenia. <i>International Journal of Molecular Sciences</i> , 2017, 18, 632.	1.8	49

#	ARTICLE	IF	CITATIONS
55	Possible association between the pituitary adenylate cyclase-activating polypeptide (PACAP) gene and major depressive disorder. <i>Neuroscience Letters</i> , 2010, 468, 300-302.	1.0	48
56	Structure of the gene encoding the mouse pituitary adenylate cyclase-activating polypeptide receptor. <i>Gene</i> , 1995, 164, 301-304.	1.0	47
57	Markedly Reduced White Adipose Tissue and Increased Insulin Sensitivity in <i>Adcyap1</i> -Deficient Mice. <i>Journal of Pharmacological Sciences</i> , 2008, 107, 41-48.	1.1	47
58	Differential gene expression profiles in neurons generated from lymphoblastoid B-cell line-derived iPS cells from monozygotic twin cases with treatment-resistant schizophrenia and discordant responses to clozapine. <i>Schizophrenia Research</i> , 2017, 181, 75-82.	1.1	47
59	Endothelins Stimulate Expression of Cyclooxygenase 2 in Rat Cultured Astrocytes. <i>Journal of Neurochemistry</i> , 2001, 73, 1004-1011.	2.1	45
60	Pituitary adenylate cyclase-activating polypeptide plays an anti-inflammatory role in endotoxin-induced airway inflammation: In vivo study with gene-deleted mice. <i>Peptides</i> , 2011, 32, 1439-1446.	1.2	45
61	Mice Deficient in Pituitary Adenylate Cyclase Activating Polypeptide (PACAP) are More Susceptible to Retinal Ischemic Injury In Vivo. <i>Neurotoxicity Research</i> , 2012, 21, 41-48.	1.3	45
62	PACAP Enhances Axon Outgrowth in Cultured Hippocampal Neurons to a Comparable Extent as BDNF. <i>PLoS ONE</i> , 2015, 10, e0120526.	1.1	45
63	Decreased cohesin in the brain leads to defective synapse development and anxiety-related behavior. <i>Journal of Experimental Medicine</i> , 2017, 214, 1431-1452.	4.2	44
64	Vasoactive Intestinal Polypeptide and Pituitary Adenylate Cyclase-Activating Polypeptide Receptor Chimeras Reveal Domains That Determine Specificity of Vasoactive Intestinal Polypeptide Binding and Activation. <i>Molecular Pharmacology</i> , 1997, 52, 128-135.	1.0	43
65	Regulation of Oxidative Stress by Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP) Mediated by PACAP Receptor. <i>Journal of Molecular Neuroscience</i> , 2010, 42, 397-403.	1.1	43
66	Emerging roles of ARHGAP33 in intracellular trafficking of TrkB and pathophysiology of neuropsychiatric disorders. <i>Nature Communications</i> , 2016, 7, 10594.	5.8	42
67	Reduced response to chronic mild stress in PACAP mutant mice is associated with blunted FosB expression in limbic forebrain and brainstem centers. <i>Neuroscience</i> , 2016, 330, 335-358.	1.1	41
68	Impaired nocifensive behaviours and mechanical hyperalgesia, but enhanced thermal allodynia in pituitary adenylate cyclase-activating polypeptide deficient mice. <i>Neuropeptides</i> , 2010, 44, 363-371.	0.9	40
69	Neuroprotective Effect of Endogenous Pituitary Adenylate Cyclase-Activating Polypeptide on Spinal Cord Injury. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 508-517.	1.1	40
70	cDNA cloning of a thromboxane A2 receptor from rat astrocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1995, 1265, 220-223.	1.9	39
71	Increased binding of cortical and hippocampal group II metabotropic glutamate receptors in isolation-reared mice. <i>Neuropharmacology</i> , 2011, 60, 397-404.	2.0	39
72	Serotonin 5-HT7 Receptor Blockade Reverses Behavioral Abnormalities in PACAP-Deficient Mice and Receptor Activation Promotes Neurite Extension in Primary Embryonic Hippocampal Neurons. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 473-481.	1.1	39

#	ARTICLE	IF	CITATIONS
73	Whole-brain block-face serial microscopy tomography at subcellular resolution using FAST. <i>Nature Protocols</i> , 2019, 14, 1509-1529.	5.5	39
74	(S)-norketamine and (2S,6S)-hydroxynorketamine exert potent antidepressant-like effects in a chronic corticosterone-induced mouse model of depression. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 191, 172876.	1.3	39
75	Distribution of mRNAs for pituitary adenylate cyclase-activating polypeptide (PACAP), PACAP receptor, vasoactive intestinal polypeptide (VIP), and VIP receptors in the rat superior cervical ganglion. <i>Neuroscience Letters</i> , 1997, 227, 37-40.	1.0	38
76	An enriched environment ameliorates memory impairments in PACAP-deficient mice. <i>Behavioural Brain Research</i> , 2014, 272, 269-278.	1.2	38
77	Endogenous Pituitary Adenylate Cyclase Activating Polypeptide Is Involved in Suppression of Edema in the Ischemic Brain. <i>Acta Neurochirurgica Supplementum</i> , 2010, 106, 43-46.	0.5	38
78	Inhibitory glutamate response on cyclic AMP formation in cultured astrocytes. <i>Neuroscience Letters</i> , 1993, 149, 182-184.	1.0	37
79	cDNA cloning of a mouse pituitary adenylate cyclase-activating polypeptide receptor. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1996, 1281, 129-133.	1.4	37
80	Cardioprotective Effect of Endogenous Pituitary Adenylate Cyclase-Activating Polypeptide on Doxorubicin-Induced Cardiomyopathy in Mice. <i>Circulation Journal</i> , 2010, 74, 1183-1190.	0.7	37
81	Regulation of autonomic nerve activities by central pituitary adenylate cyclase-activating polypeptide. <i>Regulatory Peptides</i> , 2010, 161, 73-80.	1.9	37
82	Reduced prefrontal dopaminergic activity in valproic acid-treated mouse autism model. <i>Behavioural Brain Research</i> , 2015, 289, 39-47.	1.2	37
83	Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP) Is Involved in Adult Mouse Hippocampal Neurogenesis After Stroke. <i>Journal of Molecular Neuroscience</i> , 2016, 59, 270-279.	1.1	37
84	Possible involvement of a cyclic AMP-dependent mechanism in PACAP-induced proliferation and ERK activation in astrocytes. <i>Biochemical and Biophysical Research Communications</i> , 2003, 311, 337-343.	1.0	36
85	Construct and face validity of a new model for the three-hit theory of depression using PACAP mutant mice on CD1 background. <i>Neuroscience</i> , 2017, 354, 11-29.	1.1	36
86	Na ⁺ /Ca ²⁺ exchanger isoforms in rat neuronal preparations: different changes in their expression during postnatal development. <i>Brain Research</i> , 2000, 881, 212-216.	1.1	35
87	Mice with Markedly Reduced PACAP (PAC1) Receptor Expression by Targeted Deletion of the Signal Peptide. <i>Journal of Neurochemistry</i> , 2002, 75, 1810-1817.	2.1	35
88	Anxiety-Like and Exploratory Behaviors of Isolation-Reared Mice in the Staircase Test. <i>Journal of Pharmacological Sciences</i> , 2007, 104, 153-158.	1.1	35
89	Involvement of p38 MAP Kinase Pathway in the Synergistic Activation of PACAP mRNA Expression by NGF and PACAP in PC12h Cells. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 656-661.	1.0	34
90	Mice deficient in pituitary adenylate cyclase activating polypeptide (PACAP) show increased susceptibility to in vivo renal ischemia/reperfusion injury. <i>Neuropeptides</i> , 2011, 45, 113-121.	0.9	34

#	ARTICLE	IF	CITATIONS
91	Lack of light-induced elevation of renal sympathetic nerve activity and plasma corticosterone levels in PACAP-deficient mice. <i>Neuroscience Letters</i> , 2008, 444, 153-156.	1.0	33
92	Risperidone and aripiprazole alleviate prenatal valproic acid-induced abnormalities in behaviors and dendritic spine density in mice. <i>Psychopharmacology</i> , 2017, 234, 3217-3228.	1.5	33
93	Isoform-specific Up-regulation by Ouabain of Na ⁺ ,K ⁺ -ATPase in Cultured Rat Astrocytes. <i>Journal of Neurochemistry</i> , 1997, 69, 2189-2196.	2.1	32
94	The selective metabotropic glutamate 2/3 receptor agonist MGS0028 reverses psychomotor abnormalities and recognition memory deficits in mice lacking the pituitary adenylate cyclase-activating polypeptide. <i>Behavioural Pharmacology</i> , 2013, 24, 74-77.	0.8	32
95	Accelerated pre-senile systemic amyloidosis in PACAP knockout mice—A protective role of PACAP in age-related degenerative processes. <i>Journal of Pathology</i> , 2018, 245, 478-490.	2.1	32
96	Psychiatric-disorder-related behavioral phenotypes and cortical hyperactivity in a mouse model of 3q29 deletion syndrome. <i>Neuropsychopharmacology</i> , 2019, 44, 2125-2135.	2.8	32
97	Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP) Receptor mRNA in the Rat Adrenal Gland: Localization by In Situ Hybridization and Identification of Splice Variants.. <i>The Japanese Journal of Pharmacology</i> , 1997, 75, 203-207.	1.2	31
98	Ritanserin reverses repeated methamphetamine-induced behavioral and neurochemical sensitization in mice. <i>Synapse</i> , 2007, 61, 757-763.	0.6	31
99	PACAP-Deficient Mice Exhibit Light Parameter-Dependent Abnormalities on Nonvisual Photoreception and Early Activity Onset. <i>PLoS ONE</i> , 2010, 5, e9286.	1.1	31
100	Human mesenchymal stem/stromal cells suppress spinal inflammation in mice with contribution of pituitary adenylate cyclase-activating polypeptide (PACAP). <i>Journal of Neuroinflammation</i> , 2015, 12, 35.	3.1	31
101	Functional roles of the neuropeptide PACAP in brain and pancreas. <i>Life Sciences</i> , 2003, 74, 337-343.	2.0	30
102	The Selective Metabotropic Glutamate 2/3 Receptor Agonist MGS0028 Reverses Isolation Rearing-Induced Abnormal Behaviors in Mice. <i>Journal of Pharmacological Sciences</i> , 2012, 118, 295-298.	1.1	30
103	Mice deficient in pituitary adenylate cyclase activating polypeptide display increased sensitivity to renal oxidative stress in vitro. <i>Neuroscience Letters</i> , 2010, 469, 70-74.	1.0	29
104	Prenatal Exposure to Histone Deacetylase Inhibitors Affects Gene Expression of Autism-Related Molecules and Delays Neuronal Maturation. <i>Neurochemical Research</i> , 2016, 41, 2574-2584.	1.6	29
105	The pituitary adenylate cyclase-activating polypeptide is a physiological inhibitor of platelet activation. <i>Journal of Clinical Investigation</i> , 2004, 113, 905-912.	3.9	29
106	PACAP activates Rac1 and synergizes with NGF to activate ERK1/2, thereby inducing neurite outgrowth in PC12 cells. <i>Molecular Brain Research</i> , 2004, 123, 18-26.	2.5	28
107	Galantamine and donepezil differently affect isolation rearing-induced deficits of prepulse inhibition in mice. <i>Psychopharmacology</i> , 2008, 196, 293-301.	1.5	28
108	Trophic Effects of PACAP on Pancreatic Islets: A Mini-Review. <i>Journal of Molecular Neuroscience</i> , 2011, 43, 3-7.	1.1	28

#	ARTICLE	IF	CITATIONS
109	Deletion of JMJD2B in neurons leads to defective spine maturation, hyperactive behavior and memory deficits in mouse. <i>Translational Psychiatry</i> , 2016, 6, e766-e766.	2.4	28
110	De novo POGZ mutations in sporadic autism disrupt the DNA-binding activity of POGZ. <i>Journal of Molecular Psychiatry</i> , 2016, 4, 1.	2.0	28
111	Role of Pituitary Adenylate-Cyclase Activating Polypeptide and Tac1 gene derived tachykinins in sensory, motor and vascular functions under normal and neuropathic conditions. <i>Peptides</i> , 2013, 43, 105-112.	1.2	27
112	The Female Encounter Test: A Novel Method for Evaluating Reward-Seeking Behavior or Motivation in Mice. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyv062.	1.0	27
113	CRTH2, a prostaglandin D2 receptor, mediates depression-related behavior in mice. <i>Behavioural Brain Research</i> , 2015, 284, 131-137.	1.2	27
114	Clastrum mediates bidirectional and reversible control of stress-induced anxiety responses. <i>Science Advances</i> , 2022, 8, eabi6375.	4.7	27
115	Intra-Islet PACAP Protects Pancreatic β -Cells Against Glucotoxicity and Lipotoxicity. <i>Journal of Molecular Neuroscience</i> , 2010, 42, 404-410.	1.1	26
116	GnRH-induced PACAP and PAC1 receptor expression in pituitary gonadotrophs: A possible role in the regulation of gonadotropin subunit gene expression. <i>Peptides</i> , 2010, 31, 1748-1755.	1.2	26
117	Role of endogenous pituitary adenylate cyclase-activating polypeptide in adult hippocampal neurogenesis. <i>Neuroscience</i> , 2011, 172, 554-561.	1.1	26
118	Involvement of intracellular Ca ²⁺ elevation but not cyclic AMP in PACAP-induced p38 MAP kinase activation in PC12 cells. <i>Regulatory Peptides</i> , 2002, 109, 149-153.	1.9	25
119	Reduced hypothermic and hypnotic responses to ethanol in PACAP-deficient mice. <i>Regulatory Peptides</i> , 2004, 123, 95-98.	1.9	24
120	Serotonergic Inhibition of Intense Jumping Behavior in Mice Lacking PACAP (<i>Adcyap1</i> ^{-/-}). <i>Annals of the New York Academy of Sciences</i> , 2006, 1070, 545-549.	1.8	24
121	Role of endogenous pituitary adenylate cyclase activating polypeptide (PACAP) in myelination of the rodent brain: Lessons from PACAP-deficient mice. <i>International Journal of Developmental Neuroscience</i> , 2011, 29, 923-935.	0.7	24
122	Effects of Pituitary Adenylate Cyclase Activating Polypeptide on Human Sperm Motility. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 623-630.	1.1	24
123	Overexpression of Pituitary Adenylate Cyclase-Activating Polypeptide in Islets Inhibits Hyperinsulinemia and Islet Hyperplasia in Agouti Yellow Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 796-803.	1.3	23
124	Characterization of the Thermoregulatory Response to Pituitary Adenylate Cyclase-Activating Polypeptide in Rodents. <i>Journal of Molecular Neuroscience</i> , 2014, 54, 543-554.	1.1	23
125	Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP) Regulates the Hypothalamo-Pituitary-Thyroid (HPT) Axis via Type 2 Deiodinase in Male Mice. <i>Endocrinology</i> , 2016, 157, 2356-2366.	1.4	23
126	Transient treatments with l-glutamate and threo- β -hydroxyaspartate induce swelling of rat cultured astrocytes. <i>Neurochemistry International</i> , 2000, 36, 167-173.	1.9	22

#	ARTICLE	IF	CITATIONS
127	A simplified method to generate serotonergic neurons from mouse embryonic stem and induced pluripotent stem cells. <i>Journal of Neurochemistry</i> , 2012, 122, 81-93.	2.1	22
128	Structural and Morphometric Comparison of Lower Incisors in PACAP-Deficient and Wild-Type Mice. <i>Journal of Molecular Neuroscience</i> , 2016, 59, 300-308.	1.1	22
129	Early Neurobehavioral Development of Mice Lacking Endogenous PACAP. <i>Journal of Molecular Neuroscience</i> , 2017, 61, 468-478.	1.1	22
130	Prenatal exposure to valproic acid increases miR-132 levels in the mouse embryonic brain. <i>Molecular Autism</i> , 2017, 8, 33.	2.6	22
131	Genomic Organization and Chromosomal Location of the Mouse Vasoactive Intestinal Polypeptide 1 (VPAC1) Receptor. <i>Genomics</i> , 1999, 58, 90-93.	1.3	21
132	Pituitary Adenylate Cyclase-Activating Polypeptide Deficiency Enhances Oxazolone-Induced Allergic Contact Dermatitis in Mice. <i>Journal of Molecular Neuroscience</i> , 2010, 42, 443-449.	1.1	21
133	Central PACAP mediates the sympathetic effects of leptin in a tissue-specific manner. <i>Neuroscience</i> , 2013, 238, 297-304.	1.1	21
134	Impaired response to hypoxia in the respiratory center is a major cause of neonatal death of the PACAP ^{-/-} knockout mouse. <i>European Journal of Neuroscience</i> , 2013, 37, 407-416.	1.2	21
135	Structural and Morphometric Comparison of the Molar Teeth in Pre-eruptive Developmental Stage of PACAP-Deficient and Wild-Type Mice. <i>Journal of Molecular Neuroscience</i> , 2014, 54, 331-341.	1.1	21
136	Reductions in synaptic proteins and selective alteration of prepulse inhibition in male C57BL/6 mice after postnatal administration of a VIP receptor (VIPR2) agonist. <i>Psychopharmacology</i> , 2015, 232, 2181-2189.	1.5	21
137	Pituitary adenylate cyclase-activating polypeptide (PACAP) contributes to the proliferation of hematopoietic progenitor cells in murine bone marrow via PACAP-specific receptor. <i>Scientific Reports</i> , 2016, 6, 22373.	1.6	21
138	Î2-Arrestin1 and 2 differentially regulate PACAP-induced PAC1 receptor signaling and trafficking. <i>PLoS ONE</i> , 2018, 13, e0196946.	1.1	21
139	L-lactate inhibits L-cystine/L-glutamate exchange transport and decreases glutathione content in rat cultured astrocytes. , 2000, 59, 685-691.		20
140	Differential expression of mRNAs for PACAP and its receptors during neural differentiation of embryonic stem cells. <i>Regulatory Peptides</i> , 2005, 126, 109-113.	1.9	20
141	Increased ethanol preference and serotonin 1A receptor-dependent attenuation of ethanol-induced hypothermia in PACAP-deficient mice. <i>Biochemical and Biophysical Research Communications</i> , 2010, 391, 773-777.	1.0	20
142	Increase of 20-HETE Synthase after Brain Ischemia in Rats Revealed by PET Study with ¹¹ C-Labeled 20-HETE Synthase-Specific Inhibitor. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 1737-1746.	2.4	20
143	Increased Behavioral and Neuronal Responses to a Hallucinogenic Drug in PACAP Heterozygous Mutant Mice. <i>PLoS ONE</i> , 2014, 9, e89153.	1.1	20
144	Impaired extinction of cued fear memory and abnormal dendritic morphology in the prelimbic and infralimbic cortices in VPAC2 receptor (VIPR2)-deficient mice. <i>Neurobiology of Learning and Memory</i> , 2017, 145, 222-231.	1.0	20

#	ARTICLE	IF	CITATIONS
145	Pituitary adenylate cyclase-activating polypeptide promotes eccrine gland sweat secretion. <i>British Journal of Dermatology</i> , 2017, 176, 413-422.	1.4	20
146	Disturbed spermatogenic signaling in pituitary adenylate cyclase activating polypeptide-deficient mice. <i>Reproduction</i> , 2018, 155, 127-137.	1.1	20
147	An azido-functionalized isocarbacyclin analogue acting as an efficient photoaffinity probe for a prostacyclin receptor. <i>Tetrahedron</i> , 1992, 48, 2635-2658.	1.0	19
148	Knockdown of the mitochondria-localized protein p13 protects against experimental parkinsonism. <i>EMBO Reports</i> , 2018, 19, .	2.0	19
149	Altered Notch Signaling in Developing Molar Teeth of Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP)-Deficient Mice. <i>Journal of Molecular Neuroscience</i> , 2019, 68, 377-388.	1.1	19
150	Desensitization, surface expression, and glycosylation of a functional, epitope-tagged type I PACAP (PAC 1) receptor. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2000, 1509, 195-202.	1.4	18
151	Presence of Endogenous PACAP-38 Ameliorated Intestinal Cold Preservation Tissue Injury. <i>Journal of Molecular Neuroscience</i> , 2010, 42, 428-434.	1.1	18
152	The melanocortin system is involved in regulating autonomic nerve activity through central pituitary adenylate cyclase-activating polypeptide. <i>Neuroscience Research</i> , 2011, 70, 55-61.	1.0	18
153	Activation of metabotropic glutamate 2/3 receptors attenuates methamphetamine-induced hyperlocomotion and increase in prefrontal serotonergic neurotransmission. <i>Psychopharmacology</i> , 2011, 217, 443-452.	1.5	18
154	Atomoxetine reverses locomotor hyperactivity, impaired novel object recognition, and prepulse inhibition impairment in mice lacking pituitary adenylate cyclase-activating polypeptide. <i>Neuroscience</i> , 2015, 297, 95-104.	1.1	18
155	Monoaminergic neuronal development is not affected in PACAP-gene-deficient mice. <i>Regulatory Peptides</i> , 2005, 126, 103-108.	1.9	17
156	PACAP is transiently expressed in anterior pituitary gland of rats: In situ hybridization and cell immunoblot assay studies. <i>Peptides</i> , 2008, 29, 571-577.	1.2	17
157	15d-Prostaglandin J2 Enhancement of Nerve Growth Factor-Induced Neurite Outgrowth Is Blocked by the Chemoattractant Receptor Homologous Molecule Expressed on T-Helper Type 2 Cells (CRTH2) Antagonist CAY10471 in PC12 Cells. <i>Journal of Pharmacological Sciences</i> , 2010, 113, 89-93.	1.1	17
158	Central CRTH2, a Second Prostaglandin D ₂ Receptor, Mediates Emotional Impairment in the Lipopolysaccharide and Tumor-Induced Sickness Behavior Model. <i>Journal of Neuroscience</i> , 2014, 34, 2514-2523.	1.7	17
159	Pituitary Adenylate Cyclase-Activating Polypeptide Is Upregulated in Murine Skin Inflammation and Mediates Transient Receptor Potential Vanilloid-1-Induced Neurogenic Edema. <i>Journal of Investigative Dermatology</i> , 2015, 135, 2209-2218.	0.3	17
160	Saturated excitation microscopy using differential excitation for efficient detection of nonlinear fluorescence signals. <i>APL Photonics</i> , 2018, 3, .	3.0	17
161	Pituitary Adenylate Cyclase-Activating Polypeptide Modulates Dendritic Spine Maturation and Morphogenesis via MicroRNA-132 Upregulation. <i>Journal of Neuroscience</i> , 2019, 39, 4208-4220.	1.7	17
162	Pituitary Adenylate Cyclase-Activating Polypeptide in the Ventromedial Hypothalamus Is Responsible for Food Intake Behavior by Modulating the Expression of Agouti-Related Peptide in Mice. <i>Molecular Neurobiology</i> , 2020, 57, 2101-2114.	1.9	17

#	ARTICLE	IF	CITATIONS
163	Serum-Deprivation Induces Cell Death of Rat Cultured Microglia Accompanied With Expression of Bax Protein.. The Japanese Journal of Pharmacology, 2000, 83, 351-354.	1.2	16
164	Lack of Trimethyltin (TMT)-Induced Elevation of Plasma Corticosterone in PACAP-Deficient Mice. Annals of the New York Academy of Sciences, 2006, 1070, 450-456.	1.8	16
165	Backup Mechanisms Maintain PACAP/VIP-Induced Arterial Relaxations in Pituitary Adenylate Cyclase-Activating Polypeptide-Deficient Mice. Journal of Vascular Research, 2017, 54, 180-192.	0.6	16
166	Inhibition of Self-Renewal and Induction of Neural Differentiation by PACAP in Neural Progenitor Cells. Annals of the New York Academy of Sciences, 2006, 1070, 342-347.	1.8	15
167	Involvements of PHI-nitric oxide and PACAP-BK channel in the sustained relaxation of mouse gastric fundus. European Journal of Pharmacology, 2008, 590, 80-86.	1.7	15
168	Comparative Protein Composition of the Brains of PACAP-Deficient Mice Using Mass Spectrometry-Based Proteomic Analysis. Journal of Molecular Neuroscience, 2014, 54, 310-319.	1.1	15
169	Intranasal oxytocin administration ameliorates social behavioral deficits in a POGZWT/Q1038R mouse model of autism spectrum disorder. Molecular Brain, 2021, 14, 56.	1.3	15
170	Comprehensive characterization of migration profiles of murine cerebral cortical neurons during development using FlashTag labeling. IScience, 2021, 24, 102277.	1.9	15
171	Methamphetamine-induced hyperactivity and behavioral sensitization in PACAP deficient mice. Peptides, 2007, 28, 1674-1679.	1.2	14
172	Comparative Examination of Inner Ear in Wild Type and Pituitary Adenylate Cyclase Activating Polypeptide (PACAP)-Deficient Mice. Neurotoxicity Research, 2012, 21, 435-444.	1.3	14
173	Over-Expression of Pancreatic Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP) Aggravates Cerulein-Induced Acute Pancreatitis in Mice. Journal of Pharmacological Sciences, 2009, 110, 451-458.	1.1	13
174	Examination of Calcium-Binding Protein Expression in the Inner Ear of Wild-Type, Heterozygous and Homozygous Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP)-Knockout Mice in Kanamycin-Induced Ototoxicity. Neurotoxicity Research, 2014, 25, 57-67.	1.3	13
175	Association of Serotonin2c Receptor Polymorphisms With Antipsychotic Drug Response in Schizophrenia. Frontiers in Psychiatry, 2019, 10, 58.	1.3	13
176	Recent Studies on the Trimethyltin Actions in Central Nervous Systems. Yakugaku Zasshi, 2007, 127, 451-461.	0.0	12
177	Behavioral characterization of mice overexpressing human dysbindin-1. Molecular Brain, 2014, 7, 74.	1.3	12
178	mS-11, a mimetic of the mSin3-binding helix in NRSF, ameliorates social interaction deficits in a prenatal valproic acid-induced autism mouse model. Pharmacology Biochemistry and Behavior, 2019, 176, 1-5.	1.3	12
179	Probing the VIPR2 Microduplication Linkage to Schizophrenia in Animal and Cellular Models. Frontiers in Neuroscience, 2021, 15, 717490.	1.4	12
180	Differential regulation of thrombin- or ATP-induced mobilization of intracellular Ca ²⁺ by prostacyclin receptor in mouse mastocytoma cells. Biochemical and Biophysical Research Communications, 1991, 176, 102-107.	1.0	11

#	ARTICLE	IF	CITATIONS
181	PACAP- and PHI-mediated sustained relaxation in circular muscle of gastric fundus: Findings obtained in PACAP knockout mice. <i>Regulatory Peptides</i> , 2006, 133, 54-61.	1.9	11
182	Anxiolytic-like effects of restraint during the dark cycle in adolescent mice. <i>Behavioural Brain Research</i> , 2015, 284, 103-111.	1.2	11
183	Identification of the role of bone morphogenetic protein (<sc>BMP</sc>) and transforming growth factor- β (TGF β) signaling in the trajectory of serotonergic differentiation in a rapid assay in mouse embryonic stem cells <i>in vitro</i>. <i>Journal of Neurochemistry</i> , 2015, 132, 418-428.	2.1	11
184	Double In situ Hybridization for MicroRNAs and mRNAs in Brain Tissues. <i>Frontiers in Molecular Neuroscience</i> , 2016, 9, 126.	1.4	11
185	Modeling of psychiatric disorders using induced pluripotent stem cell-related technologies. <i>Journal of Pharmacological Sciences</i> , 2019, 140, 321-324.	1.1	11
186	Activation of the VPAC2 Receptor Impairs Axon Outgrowth and Decreases Dendritic Arborization in Mouse Cortical Neurons by a PKA-Dependent Mechanism. <i>Frontiers in Neuroscience</i> , 2020, 14, 521.	1.4	11
187	Direct visualization of an antidepressant analog using surface-enhanced Raman scattering in the brain. <i>JCI Insight</i> , 2020, 5, .	2.3	11
188	Effect of tunicamycin on functions of PGE1 receptors from mouse mastocytoma P-815 cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1990, 1051, 94-99.	1.9	10
189	PAC1 Receptor-Mediated Relaxation of Longitudinal Muscle of the Mouse Proximal Colon. <i>The Japanese Journal of Pharmacology</i> , 2002, 90, 97-100.	1.2	10
190	Compensatory Recovery of Blood Glucose Levels in KKAy Mice Fed a High-Fat Diet: Insulin-Sparing Effects of PACAP Overexpression in β Cells. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 647-653.	1.1	10
191	Simultaneous neuron- and astrocyte-specific fluorescent marking. <i>Biochemical and Biophysical Research Communications</i> , 2015, 459, 81-86.	1.0	10
192	Psychopharmacology of combined activation of the serotonin 1A and 5 HT 1 receptors. <i>European Journal of Pharmacology</i> , 2017, 809, 172-177.	1.7	10
193	Postsynaptic structure formation of human iPS cell-derived neurons takes longer than presynaptic formation during neural differentiation in vitro. <i>Molecular Brain</i> , 2021, 14, 149.	1.3	10
194	Pituitary Adenylate Cyclase-Activating Polypeptide Does Not Colocalize with Vasoactive Intestinal Polypeptide in the Hypothalamic Magnocellular Nuclei and Posterior Pituitary of Cats and Rats. <i>Endocrine</i> , 2003, 22, 225-238.	2.2	9
195	Modification of cocaine-induced behavioral and neurochemical effects by serotonin 1A receptor agonist/antagonist in mice. <i>Synapse</i> , 2006, 60, 479-484.	0.6	9
196	Distribution of Secretin Receptors in the Rat Central Nervous System: an in situ Hybridization Study. <i>Journal of Molecular Neuroscience</i> , 2013, 50, 172-178.	1.1	9
197	Pharmacological profile of encounter-induced hyperactivity in isolation-reared mice. <i>Behavioural Pharmacology</i> , 2015, 26, 681-690.	0.8	9
198	Anti-anhedonic effect of selective serotonin reuptake inhibitors with affinity for sigma-1 receptors in picrotoxin-treated mice. <i>British Journal of Pharmacology</i> , 2017, 174, 314-327.	2.7	9

#	ARTICLE	IF	CITATIONS
199	Hearing impairment and associated morphological changes in pituitary adenylate cyclase activating polypeptide (PACAP)-deficient mice. <i>Scientific Reports</i> , 2019, 9, 14598.	1.6	9
200	VPAC1 receptors play a dominant role in PACAP-induced vasorelaxation in female mice. <i>PLoS ONE</i> , 2019, 14, e0211433.	1.1	9
201	Inhibitory Effects of Osemozotan, a Serotonin 1A-Receptor Agonist, on Methamphetamine-Induced c-Fos Expression in Prefrontal Cortical Neurons. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 728-731.	0.6	8
202	p13 overexpression in pancreatic β -cells ameliorates type 2 diabetes in high-fat-fed mice. <i>Biochemical and Biophysical Research Communications</i> , 2015, 461, 612-617.	1.0	8
203	Role of prefrontal serotonergic and dopaminergic systems in encounter-induced hyperactivity in methamphetamine-sensitized mice. <i>International Journal of Neuropsychopharmacology</i> , 2016, 20, pyw115.	1.0	8
204	Critical involvement of the orbitofrontal cortex in hyperlocomotion induced by NMDA receptor blockade in mice. <i>Biochemical and Biophysical Research Communications</i> , 2016, 480, 558-563.	1.0	8
205	Overexpression of PACAP in the pancreas failed to rescue early postnatal mortality in PACAP-null mice. <i>Regulatory Peptides</i> , 2004, 123, 155-159.	1.9	7
206	Roles of PACAP and PHI as inhibitory neurotransmitters in the circular muscle of mouse antrum. <i>Pflügers Archiv European Journal of Physiology</i> , 2006, 451, 559-568.	1.3	7
207	An Antihyperkinetic Action by the Serotonin 1A Receptor Agonist Osemozotan Co-administered With Psychostimulants or the Non-stimulant Atomoxetine in Mice. <i>Journal of Pharmacological Sciences</i> , 2009, 109, 396-402.	1.1	7
208	Prostaglandin D2 signaling mediated by the CRTH2 receptor is involved in MK-801-induced cognitive dysfunction. <i>Behavioural Brain Research</i> , 2016, 314, 77-86.	1.2	7
209	Rivastigmine improves isolation rearing-induced prepulse inhibition deficits via muscarinic acetylcholine receptors in mice. <i>Psychopharmacology</i> , 2016, 233, 521-528.	1.5	7
210	Implantable optogenetic device with CMOS IC technology for simultaneous optical measurement and stimulation. <i>Japanese Journal of Applied Physics</i> , 2017, 56, 057001.	0.8	7
211	The Protective Effects of Endogenous PACAP in Oxygen-Induced Retinopathy. <i>Journal of Molecular Neuroscience</i> , 2021, 71, 2546-2557.	1.1	7
212	Autism-associated ANK2 regulates embryonic neurodevelopment. <i>Biochemical and Biophysical Research Communications</i> , 2022, 605, 45-50.	1.0	7
213	Comparison of Intestinal Cold Preservation Injury on Pituitary Adenylate Cyclase-Activating Polypeptide in Knockout and Wild-Type Mice. <i>Transplantation Proceedings</i> , 2010, 42, 2290-2292.	0.3	6
214	Intranasal Application of Secretin, Similarly to Intracerebroventricular Administration, Influences the Motor Behavior of Mice Probably Through Specific Receptors. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 558-564.	1.1	6
215	PACAP Inhibits β -cell Mass Expansion in a Mouse Model of Type II Diabetes: Persistent Suppressive Effects on Islet Density. <i>Frontiers in Endocrinology</i> , 2013, 4, 27.	1.5	6
216	A Mouse Model of Human Primitive Neuroectodermal Tumors Resulting from Microenvironmentally-Driven Malignant Transformation of Orthotopically Transplanted Radial Glial Cells. <i>PLoS ONE</i> , 2015, 10, e0121707.	1.1	6

#	ARTICLE	IF	CITATIONS
217	PACAP Protects the Adolescent and Adult Mice Brain from Ethanol Toxicity and Modulates Distinct Sets of Genes Regulating Similar Networks. <i>Molecular Neurobiology</i> , 2017, 54, 7534-7548.	1.9	6
218	Multiple alterations in glutamatergic transmission and dopamine D2 receptor splicing in induced pluripotent stem cell-derived neurons from patients with familial schizophrenia. <i>Translational Psychiatry</i> , 2021, 11, 548.	2.4	6
219	Cerulein-Induced Acute Pancreatitis in PACAP Knockout Mice. <i>Journal of Molecular Neuroscience</i> , 2011, 43, 8-15.	1.1	5
220	Role of the 5-HT1A autoreceptor in the enhancement of fluvoxamine-induced increases in prefrontal dopamine release by adrenalectomy/castration in mice. <i>Journal of Pharmacological Sciences</i> , 2015, 127, 232-235.	1.1	5
221	Involvement of GABAA receptors in 5-HT1A and β 1 receptor synergism on prefrontal dopaminergic transmission under circulating neurosteroid deficiency. <i>Psychopharmacology</i> , 2016, 233, 3125-3134.	1.5	5
222	Lipocalin-type prostaglandin D synthase regulates light-induced phase advance of the central circadian rhythm in mice. <i>Communications Biology</i> , 2020, 3, 557.	2.0	5
223	The pivotal role of pituitary adenylate cyclase-activating polypeptide for lactate production and secretion in astrocytes during fear memory. <i>Pharmacological Reports</i> , 2021, 73, 1109-1121.	1.5	5
224	Decreased expression of hippocampal Na ⁺ /Ca ²⁺ exchanger isoform-1 by pentylene tetrazole kindling in mice. <i>Epilepsy Research</i> , 2015, 115, 109-112.	0.8	4
225	Ageing-Induced Modulation of Pituitary Adenylate Cyclase-Activating Peptide- and Vasoactive Intestinal Peptide-Induced Vasomotor Responses in the Arteries of Mice. <i>Journal of Vascular Research</i> , 2017, 54, 359-366.	0.6	4
226	PACAP β 1 PAC1 Signaling Regulates Serotonin 2A Receptor Internalization. <i>Frontiers in Endocrinology</i> , 2021, 12, 732456.	1.5	4
227	Oxytocin ameliorates impaired social behavior in a mouse model of 3q29 deletion syndrome. <i>Molecular Brain</i> , 2022, 15, 26.	1.3	4
228	Prostaglandin E1 receptor from mouse mastocytoma P-815 cells couples to 60 kDa GTP-binding protein. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991, 1095, 140-144.	1.9	3
229	Tunicamycin inhibits prostaglandin F2 γ receptor-mediated phosphoinositide hydrolysis in cultured rat astrocytes. <i>Neurochemical Research</i> , 1994, 19, 1545-1550.	1.6	3
230	Autism-associated protein kinase D2 regulates embryonic cortical neuron development. <i>Biochemical and Biophysical Research Communications</i> , 2019, 519, 626-632.	1.0	3
231	Effect of Taurine on Angiotensin II-Induced Expression of Immediate Early Response Genes in Primary Cultured Neonatal Rat Heart Cells. <i>Advances in Experimental Medicine and Biology</i> , 1996, 403, 297-304.	0.8	3
232	High-Fat Diet Augments VPAC1 Receptor-Mediated PACAP Action on the Liver, Inducing LAR Expression and Insulin Resistance. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-10.	1.0	2
233	Comparative gene expression profiles in pancreatic islets associated with agouti yellow mutation and PACAP overexpression in mice. <i>Biochemistry and Biophysics Reports</i> , 2015, 2, 179-183.	0.7	1
234	Unbiased compound screening with a reporter gene assay highlights the role of p13 in the cardiac cellular stress response. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 1992-1997.	1.0	1

#	ARTICLE	IF	CITATIONS
235	Altered Functional Connectivity of the Orbital Cortex and Striatum Associated with Catalepsy Induced by Dopamine D1 and D2 Antagonists. <i>Biological and Pharmaceutical Bulletin</i> , 2021, 44, 442-447.	0.6	1
236	Stimulation of Cyclic AMP Formation by Pituitary Adenylate Cyclase-Activating Polypeptide Is Attenuated by Glutamate in Rat Brain Slices. <i>The Japanese Journal of Pharmacology</i> , 1995, 67, 399-402.	1.2	0
237	Changes in EP3 Receptor mRNA Expression in the Brain of Mice ASD Model. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2020, 93, 3-O-099.	0.0	0
238	A Novel PACAP receptor PAC1 antagonist exhibits fast and lasting anti-depressant effect. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2022, 95, 1-SS-15.	0.0	0