

Gang Peng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7409421/publications.pdf>

Version: 2024-02-01

34
papers

505
citations

840776

11
h-index

713466

21
g-index

35
all docs

35
docs citations

35
times ranked

802
citing authors

#	ARTICLE	IF	CITATIONS
1	Tumor factors associated with in-field failure for nasopharyngeal carcinoma after intensity-modulated radiotherapy. <i>Head and Neck</i> , 2022, 44, 876-888.	2.0	6
2	Neoadjuvant Chemoimmunotherapy for the Treatment of Locally Advanced Head and Neck Squamous Cell Carcinoma: A Single-Arm Phase 2 Clinical Trial. <i>Clinical Cancer Research</i> , 2022, 28, 3268-3276.	7.0	24
3	Translation and cross-cultural adaption of the Chinese version of the Vanderbilt Head and Neck Symptom Survey version 2.0: a tool for oral symptom assessment in head and neck cancer patients. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 27.	2.4	3
4	Prognostic efficacy of the combination of the pretreatment systemic Immune-Inflammation Index and Epstein-Barr virus DNA status in locally advanced Nasopharyngeal Carcinoma Patients. <i>Journal of Cancer</i> , 2021, 12, 2275-2284.	2.5	15
5	Primary thymic atypical carcinoid with rare multiple bone metastasis: A case report and literature review. <i>Molecular and Clinical Oncology</i> , 2021, 14, 78.	1.0	2
6	Prognostic value of pretreatment prognostic nutritional index and lactated dehydrogenase in locally advanced nasopharyngeal carcinoma patients. <i>Annals of Palliative Medicine</i> , 2021, 10, 4122-4133.	1.2	6
7	Emerging self-assembling peptide nanomaterial for anti-cancer therapy. <i>Journal of Biomaterials Applications</i> , 2021, 36, 882-901.	2.4	5
8	Long-term Therapeutic Outcome and Prognostic Factors of Patients with Nasopharyngeal Carcinoma Receiving Intensity-modulated Radiotherapy: An Analysis of 608 Patients from Low-endemic Regions of China. <i>Current Medical Science</i> , 2021, 41, 737-745.	1.8	3
9	Comparison of TPF and TP Induction Chemotherapy for Locally Advanced Nasopharyngeal Carcinoma Based on TNM Stage and Pretreatment Systemic Immune-Inflammation Index. <i>Frontiers in Oncology</i> , 2021, 11, 731543.	2.8	3
10	Prognostic Value of Plasma Epstein-Barr Virus DNA Levels Pre- and Post-Neoadjuvant Chemotherapy in Patients With Nasopharyngeal Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 714433.	2.8	4
11	Fibrous dysplasia mimicking bone metastasis in nasopharyngeal carcinoma: a case report and literature review. <i>International Journal of Clinical and Experimental Pathology</i> , 2021, 14, 247-251.	0.5	0
12	Identification of the Nerve-Cancer Cross-Talk-Related Prognostic Gene Model in Head and Neck Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 788671.	2.8	2
13	Comparison and screening of different risk assessment models for deep vein thrombosis in patients with solid tumors. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 48, 292-298.	2.1	7
14	Erastin decreases radioresistance of NSCLC cells partially by inducing GPX4-mediated ferroptosis. <i>Oncology Letters</i> , 2019, 17, 3001-3008.	1.8	67
15	Long non-coding RNA ZNF1-AS1 promotes the tumor progression and metastasis of colorectal cancer by acting as a competing endogenous RNA of miR-144 to regulate EZH2 expression. <i>Cell Death and Disease</i> , 2019, 10, 150.	6.3	56
16	A hybridization chain reaction based assay for fluorometric determination of exosomes using magnetic nanoparticles and both aptamers and antibody as recognition elements. <i>Mikrochimica Acta</i> , 2019, 186, 796.	5.0	25
17	A meta-analysis of cisplatin-based concurrent chemoradiotherapy with or without cetuximab for locoregionally advanced nasopharyngeal carcinoma. <i>Medicine (United States)</i> , 2019, 98, e17486.	1.0	3
18	Successful treatment of a BRAF V600E-mutant extracranial metastatic anaplastic oligoastrocytoma with vemurafenib and everolimus. <i>Cancer Biology and Therapy</i> , 2019, 20, 431-434.	3.4	2

#	ARTICLE	IF	CITATIONS
19	Efficacy and safety of apatinib as second-line or beyond therapy in patients with recurrent and/or metastatic head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2019, 37, e17517-e17517.	1.6	0
20	<scp>CRNDE</scp>: An important oncogenic long non-coding <scp>RNA</scp> in human cancers. <i>Cell Proliferation</i> , 2018, 51, e12440.	5.3	59
21	Influence of designer self-assembling nanofiber scaffolds containing anti-cancer peptide motif on hepatoma carcinoma cells. <i>Journal of Biomedical Materials Research - Part A</i> , 2017, 105, 2329-2334.	4.0	4
22	Metformin Attenuates Radiation-Induced Pulmonary Fibrosis in a Murine Model. <i>Radiation Research</i> , 2017, 188, 105-113.	1.5	41
23	Intensity-modulated radiotherapy for localized nasopharyngeal amyloidosis. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 944-950.	2.0	14
24	Quinalizarin enhances radiosensitivity of nasopharyngeal carcinoma cells partially by suppressing SHP-1 expression. <i>International Journal of Oncology</i> , 2016, 48, 1073-1084.	3.3	7
25	Small hairpin RNA-mediated KrÄppel-like factor 8 gene knockdown inhibits invasion of nasopharyngeal carcinoma. <i>Oncology Letters</i> , 2015, 9, 2515-2519.	1.8	5
26	MicroRNA-378g enhanced radiosensitivity of NPC cells partially by targeting protein tyrosine phosphatase SHP-1. <i>International Journal of Radiation Biology</i> , 2015, 91, 859-866.	1.8	18
27	MicroRNA-4649-3p inhibits cell proliferation by targeting protein tyrosine phosphatase SHP-1 in nasopharyngeal carcinoma cells. <i>International Journal of Molecular Medicine</i> , 2015, 36, 559-564.	4.0	9
28	SHP-1 overexpression increases the radioresistance of NPC cells by enhancing DSB repair, increasing S phase arrest and decreasing cell apoptosis. <i>Oncology Reports</i> , 2015, 33, 2999-3005.	2.6	11
29	Biocompatibility of functionalized designer self-assembling nanofiber scaffolds containing FRM motif for neural stem cells. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 1286-1293.	4.0	27
30	Alterations of cell cycle control proteins SHP-1/2, p16, CDK4 and cyclin D1 in radioresistant nasopharyngeal carcinoma cells. <i>Molecular Medicine Reports</i> , 2014, 10, 1709-1716.	2.4	26
31	Increased expression of SHP-1 is associated with local recurrence after radiotherapy in patients with nasopharyngeal carcinoma. <i>Radiology and Oncology</i> , 2014, 48, 40-49.	1.7	8
32	Identification of PAQR3 as a new candidate tumor suppressor in hepatocellular carcinoma. <i>Oncology Reports</i> , 2014, 32, 2687-2695.	2.6	33
33	Intensity-modulated radiotherapy for sinonasal teratocarcinoma. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2011, 31, 857-860.	1.0	9
34	Study of relationship between VEGF expression and vasculogenic mimicry of tumor. <i>Chinese-German Journal of Clinical Oncology</i> , 2009, 8, 655-658.	0.1	1