Joon Hak Oh

List of Publications by Citations

Source: https://exaly.com/author-pdf/7411243/joon-hak-oh-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

11,026 156 56 103 h-index g-index citations papers 6.38 164 12,236 11.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
156	Nitrogenated holey two-dimensional structures. <i>Nature Communications</i> , 2015 , 6, 6486	17.4	684
155	High-performance air-stable n-channel organic thin film transistors based on halogenated perylene bisimide semiconductors. <i>Journal of the American Chemical Society</i> , 2009 , 131, 6215-28	16.4	553
154	Crystalline ultrasmooth self-assembled monolayers of alkylsilanes for organic field-effect transistors. <i>Journal of the American Chemical Society</i> , 2009 , 131, 9396-404	16.4	493
153	Boosting the ambipolar performance of solution-processable polymer semiconductors via hybrid side-chain engineering. <i>Journal of the American Chemical Society</i> , 2013 , 135, 9540-7	16.4	422
152	Solution-processable ambipolar diketopyrrolopyrrole-selenophene polymer with unprecedentedly high hole and electron mobilities. <i>Journal of the American Chemical Society</i> , 2012 , 134, 20713-21	16.4	312
151	A crystal-engineered hydrogen-bonded octachloroperylene diimide with a twisted core: an n-channel organic semiconductor. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 740-3	16.4	311
150	Chlorination: a general route toward electron transport in organic semiconductors. <i>Journal of the American Chemical Society</i> , 2009 , 131, 3733-40	16.4	292
149	Selective dispersion of high purity semiconducting single-walled carbon nanotubes with regioregular poly(3-alkylthiophene)s. <i>Nature Communications</i> , 2011 , 2, 541	17.4	291
148	Use of a 1H-benzoimidazole derivative as an n-type dopant and to enable air-stable solution-processed n-channel organic thin-film transistors. <i>Journal of the American Chemical Society</i> , 2010 , 132, 8852-3	16.4	291
147	Two-dimensional polyaniline (C3N) from carbonized organic single crystals in solid state. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 7414-9	11.5	278
146	Core-Fluorinated Perylene Bisimide Dyes: Air Stable n-Channel Organic Semiconductors for Thin Film Transistors with Exceptionally High On-to-Off Current Ratios. <i>Advanced Materials</i> , 2007 , 19, 3692-3	3 <i>69</i> 5	223
145	Investigation of Structure B roperty Relationships in Diketopyrrolepyrrole-Based Polymer Semiconductors via Side-Chain Engineering. <i>Chemistry of Materials</i> , 2015 , 27, 1732-1739	9.6	220
144	High-Performance Air-Stable n-Type Organic Transistors Based on Core-Chlorinated Naphthalene Tetracarboxylic Diimides. <i>Advanced Functional Materials</i> , 2010 , 20, 2148-2156	15.6	210
143	Solution-processed, high-performance n-channel organic microwire transistors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 6065-70	11.5	209
142	The Role of OTS Density on Pentacene and C60 Nucleation, Thin Film Growth, and Transistor Performance. <i>Advanced Functional Materials</i> , 2009 , 19, 1962-1970	15.6	209
141	Flexible FET-type VEGF aptasensor based on nitrogen-doped graphene converted from conducting polymer. <i>ACS Nano</i> , 2012 , 6, 1486-93	16.7	206
140	High-Performance Phototransistors Based on Single-Crystalline n-Channel Organic Nanowires and Photogenerated Charge-Carrier Behaviors. <i>Advanced Functional Materials</i> , 2013 , 23, 629-639	15.6	158

(2018-2015)

139	Tuning Mechanical and Optoelectrical Properties of Poly(3-hexylthiophene) through Systematic Regioregularity Control. <i>Macromolecules</i> , 2015 , 48, 4339-4346	5.5	156
138	Solvent-Resistant Organic Transistors and Thermally Stable Organic Photovoltaics Based on Cross-linkable Conjugated Polymers. <i>Chemistry of Materials</i> , 2012 , 24, 215-221	9.6	140
137	Air-stable n-channel organic thin-film transistors with high field-effect mobility based on N,N?-bis(heptafluorobutyl)-3,4:9,10-perylene diimide. <i>Applied Physics Letters</i> , 2007 , 91, 212107	3.4	137
136	Fabrication of a Highly Transparent Conductive Thin Film from Polypyrrole/Poly(methyl methacrylate) Core/Shell Nanospheres. <i>Advanced Functional Materials</i> , 2005 , 15, 494-502	15.6	137
135	Side Chain Optimization of Naphthalenediimide B ithiophene-Based Polymers to Enhance the Electron Mobility and the Performance in All-Polymer Solar Cells. <i>Advanced Functional Materials</i> , 2016 , 26, 1543-1553	15.6	130
134	Aryl P erfluoroaryl Substituted Tetracene: Induction of Face-to-Face L Stacking and Enhancement of Charge Carrier Properties. <i>Chemistry of Materials</i> , 2011 , 23, 1646-1649	9.6	125
133	Determining Optimal Crystallinity of Diketopyrrolopyrrole-Based Terpolymers for Highly Efficient Polymer Solar Cells and Transistors. <i>Chemistry of Materials</i> , 2014 , 26, 6963-6970	9.6	123
132	Importance of Electron Transport Ability in Naphthalene Diimide-Based Polymer Acceptors for High-Performance, Additive-Free, All-Polymer Solar Cells. <i>Chemistry of Materials</i> , 2015 , 27, 5230-5237	9.6	115
131	Facile Fabrication of Photochromic Dyellonducting Polymer Corellhell Nanomaterials and Their Photoluminescence. <i>Advanced Materials</i> , 2003 , 15, 977-980	24	113
130	Enhancing 2D growth of organic semiconductor thin films with macroporous structures via a small-molecule heterointerface. <i>Nature Communications</i> , 2014 , 5, 4752	17.4	110
129	Boosting the performance and stability of quasi-two-dimensional tin-based perovskite solar cells using the formamidinium thiocyanate additive. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 18173-18182	13	110
128	Eranched Flexible Side Chain Substituted Diketopyrrolopyrrole-Containing Polymers Designed for High Hole and Electron Mobilities. <i>Advanced Functional Materials</i> , 2015 , 25, 247-254	15.6	106
127	Flexible Field-Effect Transistor-Type Sensors Based on Conjugated Molecules. <i>CheM</i> , 2017 , 3, 724-763	16.2	106
126	Wearable high-performance pressure sensors based on three-dimensional electrospun conductive nanofibers. <i>NPG Asia Materials</i> , 2018 , 10, 540-551	10.3	102
125	Nitrogen-doped graphene nanoplatelets from simple solution edge-functionalization for n-type field-effect transistors. <i>Journal of the American Chemical Society</i> , 2013 , 135, 8981-8	16.4	102
124	Toward Environmentally Robust Organic Electronics: Approaches and Applications. <i>Advanced Materials</i> , 2017 , 29, 1703638	24	94
123	Supramolecular Nanostructures of Chiral Perylene Diimides with Amplified Chirality for High-Performance Chiroptical Sensing. <i>Advanced Materials</i> , 2017 , 29, 1605828	24	91
122	Organic Transistor-Based Chemical Sensors for Wearable Bioelectronics. <i>Accounts of Chemical Research</i> , 2018 , 51, 2829-2838	24.3	89

121	A facile synthesis of polypyrrole nanotubes using a template-mediated vapor deposition polymerization and the conversion to carbon nanotubes. <i>Chemical Communications</i> , 2004 , 882-3	5.8	88
120	Large-scale graphene micropattern nano-biohybrids: high-performance transducers for FET-type flexible fluidic HIV immunoassays. <i>Advanced Materials</i> , 2013 , 25, 4177-85	24	85
119	Highly Flexible Organic Nanofiber Phototransistors Fabricated on a Textile Composite for Wearable Photosensors. <i>Advanced Functional Materials</i> , 2016 , 26, 1445-1453	15.6	85
118	Inversion of Dominant Polarity in Ambipolar Polydiketopyrrolopyrrole with Thermally Removable Groups. <i>Advanced Functional Materials</i> , 2012 , 22, 4128-4138	15.6	81
117	Recent advances in organic sensors for health self-monitoring systems. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 8569-8612	7.1	80
116	Naphthalene Diimide Incorporated Thiophene-Free Copolymers with Acene and Heteroacene Units: Comparison of Geometric Features and Electron-Donating Strength of Co-units. <i>Chemistry of Materials</i> , 2013 , 25, 3251-3259	9.6	79
115	Interplay between Energetic and Kinetic Factors on the Ambient Stability of n-Channel Organic Transistors Based on Perylene Diimide Derivatives. <i>Chemistry of Materials</i> , 2009 , 21, 5508-5518	9.6	77
114	High-Mobility Air-Stable Solution-Shear-Processed n-Channel Organic Transistors Based on Core-Chlorinated Naphthalene Diimides. <i>Advanced Functional Materials</i> , 2011 , 21, 4173-4181	15.6	76
113	Fabrication of Photoluminescent-Dye Embedded Poly(methyl methacrylate) Nanofibers and Their Fluorescence Resonance Energy Transfer Properties. <i>Advanced Materials</i> , 2006 , 18, 2216-2219	24	75
112	Influence of intermolecular interactions of electron donating small molecules on their molecular packing and performance in organic electronic devices. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14538	13	68
111	Molecular n-type doping for air-stable electron transport in vacuum-processed n-channel organic transistors. <i>Applied Physics Letters</i> , 2010 , 97, 243305	3.4	68
110	Acceptor-acceptor type isoindigo-based copolymers for high-performance n-channel field-effect transistors. <i>Chemical Communications</i> , 2014 , 50, 2180-3	5.8	67
109	Novel crystalline supramolecular assemblies of amorphous polypyrrole nanoparticles through surfactant templating. <i>Chemical Communications</i> , 2002 , 2200-1	5.8	67
108	Visible-Near Infrared Absorbing Polymers Containing Thienoisoindigo and Electron-Rich Units for Organic Transistors with Tunable Polarity. <i>Advanced Functional Materials</i> , 2013 , 23, 5317-5325	15.6	66
107	High-Performance UVIVisINIR Phototransistors Based on Single-Crystalline Organic SemiconductorIGold Hybrid Nanomaterials. <i>Advanced Functional Materials</i> , 2017 , 27, 1604528	15.6	65
106	Curing behavior of tetrafunctional epoxy resin/hyperbranched polymer system. <i>Polymer</i> , 2001 , 42, 8339	9-8347	65
105	Ultrasensitive artificial synapse based on conjugated polyelectrolyte. <i>Nano Energy</i> , 2018 , 48, 575-581	17.1	64
104	Solution-shear-processed quaterrylene diimide thin-film transistors prepared by pressure-assisted thermal cleavage of swallow tails. <i>Journal of the American Chemical Society</i> , 2011 , 133, 4204-7	16.4	64

(2014-2004)

103	Facile fabrication of polymer and carbon nanocapsules using polypyrrole core/shell nanomaterials. <i>Chemical Communications</i> , 2004 , 794-5	5.8	64	
102	Flexible Organic Phototransistor Array with Enhanced Responsivity via Metal-Ligand Charge Transfer. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 7291-9	9.5	63	
101	Direct solvothermal synthesis of B/N-doped graphene. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 2398-401	16.4	57	
100	Effect of the alkyl spacer length on the electrical performance of diketopyrrolopyrrole-thiophene vinylene thiophene polymer semiconductors. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 11697-11704	7.1	54	
99	Highly Sensitive and Selective Biosensors Based on Organic Transistors Functionalized with Cucurbit[6]uril Derivatives. <i>Advanced Functional Materials</i> , 2015 , 25, 4882-4888	15.6	54	
98	Point-of-Use Detection of Amphetamine-Type Stimulants with Host-Molecule-Functionalized Organic Transistors. <i>CheM</i> , 2017 , 3, 641-651	16.2	52	
97	Siloxane Side Chains: A Universal Tool for Practical Applications of Organic Field-Effect Transistors. <i>Macromolecules</i> , 2016 , 49, 3739-3748	5.5	51	
96	Amplified circularly polarized phosphorescence from co-assemblies of platinum(ii) complexes. <i>Chemical Science</i> , 2019 , 10, 1294-1301	9.4	51	
95	Lyotropic liquid-crystalline solutions of high-concentration dispersions of single-walled carbon nanotubes with conjugated polymers. <i>Small</i> , 2009 , 5, 1019-24	11	50	
94	Ethanol-Processable, Highly Crystalline Conjugated Polymers for Eco-Friendly Fabrication of Organic Transistors and Solar Cells. <i>Macromolecules</i> , 2017 , 50, 4415-4424	5.5	49	
93	Chemically Robust Ambipolar Organic Transistor Array Directly Patterned by Photolithography. <i>Advanced Materials</i> , 2017 , 29, 1605282	24	49	
92	Semiconducting Carbon Nanotubes for Improved Efficiency and Thermal Stability of Polymer E ullerene Solar Cells. <i>Advanced Functional Materials</i> , 2016 , 26, 51-65	15.6	49	
91	Direct Patterning of Organic-Thin-Film-Transistor Arrays via a D ry-Taping[Approach. <i>Advanced Materials</i> , 2009 , 21, 1266-1270	24	48	
90	Stretchable and Self-Healable Conductive Hydrogels for Wearable Multimodal Touch Sensors with Thermoresponsive Behavior. <i>ACS Applied Materials & English Sensors</i> , 11, 26134-26143	9.5	47	
89	Highly sensitive and selective liquid-phase sensors based on a solvent-resistant organic-transistor platform. <i>Advanced Materials</i> , 2015 , 27, 1540-6	24	47	
88	Ambipolar Semiconducting Polymers with Espacer Linked Bis-Benzothiadiazole Blocks as Strong Accepting Units. <i>Chemistry of Materials</i> , 2014 , 26, 4933-4942	9.6	47	
87	Chiral self-sorted multifunctional supramolecular biocoordination polymers and their applications in sensors. <i>Nature Communications</i> , 2018 , 9, 3933	17.4	47	
86	Fluorinated benzothiadiazole (BT) groups as a powerful unit for high-performance electron-transporting polymers. <i>ACS Applied Materials & Amp; Interfaces</i> , 2014 , 6, 20390-9	9.5	46	

85	Highly Conductive Graphene/Ag Hybrid Fibers for Flexible Fiber-Type Transistors. <i>Scientific Reports</i> , 2015 , 5, 16366	4.9	42
84	A novel synthesis of nanocapsules using identical polymer core/shell nanospheres. <i>Journal of Materials Chemistry</i> , 2004 , 14, 2872		42
83	High-Performance Furan-Containing Conjugated Polymer for Environmentally Benign Solution Processing. <i>ACS Applied Materials & Acs Applied & Acs </i>	9.5	39
82	Crystallization Behavior of Poly(ethylene terephthalate) Blended with Hyperbranched Polymers: The Effect of Terminal Groups and Composition of Hyperbranched Polymers. <i>Macromolecules</i> , 2000 , 33, 1864-1870	5.5	39
81	A Role of Side-Chain Regiochemistry of Thienylene Vinylene II hienylene (TVT) in the Transistor Performance of Isomeric Polymers. <i>Macromolecules</i> , 2017 , 50, 884-890	5.5	38
80	Fabrication of Photoluminescent Dyes/Poly(acrylonitrile) Coaxial Nanotubes Using Vapor Deposition Polymerization. <i>Chemistry of Materials</i> , 2006 , 18, 5002-5008	9.6	38
79	Extended perylene diimide double-heterohelicenes as ambipolar organic semiconductors for broadband circularly polarized light detection. <i>Nature Communications</i> , 2021 , 12, 142	17.4	38
78	EAlkyl substituted Dithieno[2,3-d;2?,3?-d?]benzo[1,2-b;4,5-b?]dithiophene Semiconducting Materials and Their Application to Solution-Processed Organic Transistors. <i>Chemistry of Materials</i> , 2012 , 24, 3464-3472	9.6	36
77	Regular H-Bonding-Containing Polymers with Stretchability up to 100% External Strain for Self-Healable Plastic Transistors. <i>Chemistry of Materials</i> , 2020 , 32, 1914-1924	9.6	35
76	Solution-processed flexible organic transistors showing very-low subthreshold slope with a bilayer polymeric dielectric on plastic. <i>Applied Physics Letters</i> , 2009 , 94, 203301	3.4	35
75	Efficient and Air-Stable Aqueous-Processed Organic Solar Cells and Transistors: Impact of Water Addition on Processability and Thin-Film Morphologies of Electroactive Materials. <i>Advanced Energy Materials</i> , 2018 , 8, 1802674	21.8	34
74	Graphene-ruthenium complex hybrid photodetectors with ultrahigh photoresponsivity. <i>Small</i> , 2014 , 10, 3700-6	11	32
73	Boosting the Performance of Organic Optoelectronic Devices Using Multiple-Patterned Plasmonic Nanostructures. <i>Advanced Materials</i> , 2016 , 28, 4976-82	24	30
72	Synergistic Effects of Cation and Anion in an Ionic Imidazolium Tetrafluoroborate Additive for Improving the Efficiency and Stability of Half-Mixed Pb-Sn Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2021 , 31, 2008801	15.6	30
71	A TopDown Approach to Fullerene Fabrication Using a Polymer Nanoparticle Precursor. <i>Advanced Materials</i> , 2004 , 16, 1650-1653	24	29
70	Highly flexible chemical sensors based on polymer nanofiber field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 1525-1531	7.1	28
69	High-Performance Flexible Organic Nano-Floating Gate Memory Devices Functionalized with Cobalt Ferrite Nanoparticles. <i>Small</i> , 2015 , 11, 4976-84	11	28
68	Furan-flanked diketopyrrolopyrrole-based chalcogenophene copolymers with siloxane hybrid side chains for organic field-effect transistors. <i>Polymer Chemistry</i> , 2019 , 10, 2854-2862	4.9	27

67	Water Processable Polythiophene Nanowires by Photo-Cross-Linking and Click-Functionalization. <i>Nano Letters</i> , 2015 , 15, 5689-95	11.5	27
66	Ultra-narrow-bandgap thienoisoindigo polymers: structureproperty correlations in field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 9554-9560	7.1	27
65	High-Performance Visible-Blind UV Phototransistors Based on n-Type Naphthalene Diimide Nanomaterials. <i>ACS Applied Materials & amp; Interfaces</i> , 2018 , 10, 11826-11836	9.5	26
64	A Hippocampus-Inspired Dual-Gated Organic Artificial Synapse for Simultaneous Sensing of a Neurotransmitter and Light. <i>Advanced Materials</i> , 2021 , 33, e2100119	24	23
63	Solution-Assembled Blends of Regioregularity-Controlled Polythiophenes for Coexistence of Mechanical Resilience and Electronic Performance. <i>ACS Applied Materials & District Resilience</i> , 2017, 9, 141	28-141	128
62	Electrical Transport through Single Nanowires of Dialkyl Perylene Diimide. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 10743-10749	3.8	22
61	Effect of alkyl chain spacer on charge transport in n-type dominant polymer semiconductors with a diketopyrrolopyrrole-thiophene-bithiazole acceptor on one complete unit. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3616-3622	7.1	21
60	Deformable and Stretchable Electrodes for Soft Electronic Devices. <i>Macromolecular Research</i> , 2019 , 27, 625-639	1.9	21
59	Polarity and air-stability transitions in field-effect transistors based on fullerenes with different solubilizing groups. <i>ACS Applied Materials & District Sciences</i> , 2013 , 5, 4865-71	9.5	21
58	Morphogenesis of evaporation-induced self-assemblies of polypyrrole nanoparticles dispersed in a liquid medium. <i>Langmuir</i> , 2004 , 20, 8419-22	4	20
57	Photoinduced Charge-Carrier Dynamics of Phototransistors Based on Perylene Diimide/Reduced Graphene Oxide Core/Shell pl Junction Nanowires. <i>Advanced Optical Materials</i> , 2015 , 3, 241-247	8.1	19
56	Morphogenesis and Optoelectronic Properties of Supramolecular Assemblies of Chiral Perylene Diimides in a Binary Solvent System. <i>Scientific Reports</i> , 2017 , 7, 5508	4.9	19
55	Siloxane-based hybrid semiconducting polymers prepared by fluoride-mediated suzuki polymerization. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 4657-60	16.4	19
54	Requirements for Forming Efficient 3-D Charge Transport Pathway in Diketopyrrolopyrrole-Based Copolymers: Film Morphology vs Molecular Packing. <i>ACS Applied Materials & Discrete Amp; Interfaces</i> , 2016 , 8, 12307-15	9.5	19
53	Perovskite Granular Wire Photodetectors with Ultrahigh Photodetectivity. <i>Advanced Materials</i> , 2020 , 32, e2002357	24	18
52	Fabrication of one-dimensional organic nanomaterials and their optoelectronic applications. Journal of Nanoscience and Nanotechnology, 2014 , 14, 1282-302	1.3	18
51	Organic n-Channel Transistors Based on [1]Benzothieno[3,2-b]benzothiophene-Rylene Diimide Donor-Acceptor Conjugated Polymers. <i>ACS Applied Materials & Donor Acceptor Conjugated Polymers</i> . <i>ACS Applied Materials & Donor Acceptor Conjugated Polymers</i> .	9.5	18
50	Understanding of Fluorination Dependence on Electron Mobility and Stability of Naphthalenediimide-Based Polymer Transistors in Environment with 100% Relative Humidity. ACS Applied Materials & amp: Interfaces 2019, 11, 40347, 40357	9.5	17

49	Bioderived and Eco-Friendly Solvent-Processed High-Mobility Ambipolar Plastic Transistors through Controlled Irregularity of the Polymer Backbone. <i>Chemistry of Materials</i> , 2019 , 31, 3831-3839	9.6	15
48	Molecular structure-device performance relationship in polymer solar cells based on indene-C60 bis-adduct derivatives. <i>Korean Journal of Chemical Engineering</i> , 2015 , 32, 261-267	2.8	15
47	Wafer-scale patterning of reduced graphene oxide electrodes by transfer-and-reverse stamping for high performance OFETs. <i>Small</i> , 2013 , 9, 2817-25	11	15
46	Flexible Low-Power Operative Organic Source-Gated Transistors. <i>Advanced Functional Materials</i> , 2019 , 29, 1900650	15.6	14
45	In situ FT-IR spectroscopic investigation on the microstructure of hyperbranched aliphatic polyesters. <i>Polymer</i> , 1999 , 40, 5985-5992	3.9	14
44	Surface-Doped Quasi-2D Chiral Organic Single Crystals for Chiroptical Sensing. <i>ACS Nano</i> , 2020 , 14, 141	4 661 741	1564
43	A Flexible High-Performance Photoimaging Device Based on Bioinspired Hierarchical Multiple-Patterned Plasmonic Nanostructures. <i>Small</i> , 2018 , 14, e1703890	11	13
42	Impact of regioregularity on thin-film transistor and photovoltaic cell performances of pentacene-containing polymers. <i>Journal of Materials Chemistry</i> , 2012 , 22, 4356		13
41	Structural Investigation of Chemiresistive Sensing Mechanism in Redox-Active Porous Coordination Network. <i>Inorganic Chemistry</i> , 2017 , 56, 8735-8738	5.1	12
40	High-Performance Ambipolar Organic Phototransistors Based on CoreBhell pl Junction Organic Single Crystals. <i>ACS Applied Electronic Materials</i> , 2020 , 2, 9-18	4	12
39	ZnO Nanowire Based Photoelectrical Resistive Switches for Flexible Memory. <i>Journal of the Electrochemical Society</i> , 2015 , 162, H713-H718	3.9	11
38	Direct Solvothermal Synthesis of B/N-Doped Graphene. <i>Angewandte Chemie</i> , 2014 , 126, 2430-2433	3.6	11
37	Phenyl Derivative of Dibenzothiopheno[6,5-b:6?,5?-f]Thieno[3,2-b]Thiophene (DPh-DBTTT): High Thermally Durable Organic Semiconductor for High-Performance Organic Field-Effect Transistors. <i>Advanced Electronic Materials</i> , 2017 , 3, 1700142	6.4	11
36	Organic n-channel thin film transistors based on dichlorinated naphthalene diimides 2010 ,		11
35	Highly Enantioselective Graphene-Based Chemical Sensors Prepared by Chiral Noncovalent Functionalization. <i>ACS Applied Materials & Amp; Interfaces</i> , 2018 , 10, 36194-36201	9.5	11
34	Tuning the supramolecular chirality and optoelectronic performance of chiral perylene diimide nanowires via N-substituted side chain engineering. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 8688-869	7 ^{7.1}	10
33	Heterochiral Doped Supramolecular Coordination Networks for High-Performance Optoelectronics. <i>ACS Applied Materials & Amp; Interfaces</i> , 2019 , 11, 20174-20182	9.5	9
32	Highly stretchable fiber transistors with all-stretchable electronic components and graphene hybrid electrodes. <i>Organic Electronics</i> , 2019 , 69, 320-328	3.5	9

(2020-2019)

31	High-Performance Hybrid Photovoltaics with Efficient Interfacial Contacts between Vertically Aligned ZnO Nanowire Arrays and Organic Semiconductors. <i>ACS Omega</i> , 2019 , 4, 9996-10002	3.9	8	
30	Use of heteroaromatic spacers in isoindigo-benzothiadiazole polymers for ambipolar charge transport. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 26512-8	3.6	8	
29	Observation of orientation-dependent photovoltaic behaviors in aligned organic nanowires. <i>Applied Physics Letters</i> , 2013 , 103, 053304	3.4	8	
28	Ambipolar organic phototransistors based on 6,6'-dibromoindigo <i>RSC Advances</i> , 2018 , 8, 14747-14752	3.7	7	
27	Effects of microwave-assisted annealing on the morphology and electrical performance of semiconducting polymer thin films. <i>Organic Electronics</i> , 2016 , 30, 207-212	3.5	7	
26	Non-halogenated solution-processed ambipolar plastic transistors based on conjugated polymers prepared by asymmetric donor engineering. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 14977-14985	7.1	7	
25	Fused Aromatic Network with Exceptionally High Carrier Mobility. Advanced Materials, 2021, 33, e2004	707	6	
24	Highly Efficient Hole Transport Layer-Free Low Bandgap Mixed Pb S n Perovskite Solar Cells Enabled by a Binary Additive System. <i>Advanced Functional Materials</i> ,2110069	15.6	5	
23	Flexible high-performance graphene hybrid photodetectors functionalized with gold nanostars and perovskites. <i>NPG Asia Materials</i> , 2020 , 12,	10.3	5	
22	Optoelectronic Property Modulation in Chiral Organic Semiconductor/Polymer Blends. <i>ACS Applied Materials & Amp; Interfaces</i> , 2020 , 12, 49926-49934	9.5	5	
21	Reduced Pyronin B as a solution-processable and heating-free n-type dopant for soft electronics. Journal of Materials Chemistry C, 2018 , 6, 6672-6679	7.1	5	
20	Organic Phototransistors Based on Self-Assembled Microwires of n-Type Distyrylbenzene Derivative. <i>Asian Journal of Organic Chemistry</i> , 2018 , 7, 2302-2308	3	4	
19	Fabrication of Stretchable and Transparent CoreBhell Polymeric Nanofibers Using Coaxial Electrospinning and Their Application to Phototransistors. <i>Advanced Electronic Materials</i> , 2021 , 7, 20010	06 0 4	4	
18	Neuromorphic bioelectronics based on semiconducting polymers. Journal of Polymer Science,	2.4	4	
17	Diazapentalene-Containing Ultralow-Band-Gap Copolymers for High-Performance Near-Infrared Organic Phototransistors. <i>Chemistry of Materials</i> , 2021 , 33, 7499-7508	9.6	4	
16	Majority-RuleslEffect on Supramolecular Chirality and Optoelectronic Properties of Chiral Tetrachloro-Perylene Diimides. <i>Advanced Optical Materials</i> , 2021 , 9, 2001911	8.1	4	
15	Ultrasensitive Near-Infrared Circularly Polarized Light Detection Using 3D Perovskite Embedded with Chiral Plasmonic Nanoparticles <i>Advanced Science</i> , 2022 , e2104598	13.6	3	
14	Perovskite Photodetectors: Perovskite Granular Wire Photodetectors with Ultrahigh Photodetectivity (Adv. Mater. 32/2020). <i>Advanced Materials</i> , 2020 , 32, 2070238	24	3	

13	Siloxane-Based Hybrid Semiconducting Polymers Prepared by Fluoride-Mediated Suzuki Polymerization. <i>Angewandte Chemie</i> , 2015 , 127, 4740-4743	3.6	2
12	Effects of the Polarity and Bulkiness of End-Functionalized Side Chains on the Charge Transport of Dicyanovinyl-End-Capped Diketopyrrolopyrrole-Based n-Type Small Molecules. <i>ACS Applied Materials & Discourt Materials & Discourt ACS Applied</i>	9.5	2
11	Micro-/nano-sized multifunctional heterochiral metalBrganic frameworks for high-performance visibleBlind UV photodetectors. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 7310-7318	7.1	2
10	An efficient lactone-to-lactam conversion for the synthesis of thiophene Pechmann lactam and the characterization of polymers thereof. <i>Polymer Chemistry</i> , 2018 , 9, 5234-5241	4.9	2
9	Organic Transistors: Chemically Robust Ambipolar Organic Transistor Array Directly Patterned by Photolithography (Adv. Mater. 11/2017). <i>Advanced Materials</i> , 2017 , 29,	24	1
8	Organic Electronics: Flexible Low-Power Operative Organic Source-Gated Transistors (Adv. Funct. Mater. 27/2019). <i>Advanced Functional Materials</i> , 2019 , 29, 1970189	15.6	1
	Organic Transistors: Inversion of Dominant Polarity in Ambipolar Polydiketopyrrolopyrrole with		
7	Thermally Removable Groups (Adv. Funct. Mater. 19/2012). <i>Advanced Functional Materials</i> , 2012 , 22, 4182-4182	15.6	1
7	Thermally Removable Groups (Adv. Funct. Mater. 19/2012). Advanced Functional Materials, 2012,	15.6 21.8	
	Thermally Removable Groups (Adv. Funct. Mater. 19/2012). Advanced Functional Materials, 2012, 22, 4182-4182 Organic Electronics: Efficient and Air-Stable Aqueous-Processed Organic Solar Cells and Transistors: Impact of Water Addition on Processability and Thin-Film Morphologies of		
6	Thermally Removable Groups (Adv. Funct. Mater. 19/2012). Advanced Functional Materials, 2012, 22, 4182-4182 Organic Electronics: Efficient and Air-Stable Aqueous-Processed Organic Solar Cells and Transistors: Impact of Water Addition on Processability and Thin-Film Morphologies of Electroactive Materials (Adv. Energy Mater. 34/2018). Advanced Energy Materials, 2018, 8, 1870149 Bay-Substitution Effect of Perylene Diimides on Supramolecular Chirality and Optoelectronic Properties of Their Self-Assembled Nanostructures. ACS Applied Materials & Control C	21.8	1
5	Thermally Removable Groups (Adv. Funct. Mater. 19/2012). Advanced Functional Materials, 2012, 22, 4182-4182 Organic Electronics: Efficient and Air-Stable Aqueous-Processed Organic Solar Cells and Transistors: Impact of Water Addition on Processability and Thin-Film Morphologies of Electroactive Materials (Adv. Energy Mater. 34/2018). Advanced Energy Materials, 2018, 8, 1870149 Bay-Substitution Effect of Perylene Diimides on Supramolecular Chirality and Optoelectronic Properties of Their Self-Assembled Nanostructures. ACS Applied Materials & Diterfaces, 2021, 13, 12278-12285 Sensors: Highly Sensitive and Selective Liquid-Phase Sensors Based on a Solvent-Resistant	21.8 9·5	1

Wearable Sensors for Healthcare Monitoring and Soft Robotics **2022**, 125-179