

Joon Hak Oh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7411243/joon-hak-oh-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

11,026
citations

56
h-index

103
g-index

164
ext. papers

12,236
ext. citations

11.7
avg, IF

6.38
L-index

#	Paper	IF	Citations
156	Ultrasensitive Near-Infrared Circularly Polarized Light Detection Using 3D Perovskite Embedded with Chiral Plasmonic Nanoparticles.. <i>Advanced Science</i> , 2022 , e2104598	13.6	3
155	Wearable Sensors for Healthcare Monitoring and Soft Robotics 2022 , 125-179		
154	Effects of the Polarity and Bulkiness of End-Functionalized Side Chains on the Charge Transport of Dicyanovinyl-End-Capped Diketopyrrolopyrrole-Based n-Type Small Molecules. <i>ACS Applied Materials & Interfaces</i> , 2021 ,	9.5	2
153	A Hippocampus-Inspired Dual-Gated Organic Artificial Synapse for Simultaneous Sensing of a Neurotransmitter and Light. <i>Advanced Materials</i> , 2021 , 33, e2100119	24	23
152	Fused Aromatic Network Structures: Fused Aromatic Network with Exceptionally High Carrier Mobility (Adv. Mater. 9/2021). <i>Advanced Materials</i> , 2021 , 33, 2170063	24	
151	Bay-Substitution Effect of Perylene Diimides on Supramolecular Chirality and Optoelectronic Properties of Their Self-Assembled Nanostructures. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 12278-12285	9.5	0
150	Micro-/nano-sized multifunctional heterochiral metal-organic frameworks for high-performance visible-blind UV photodetectors. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 7310-7318	7.1	2
149	Fabrication of Stretchable and Transparent Core-Shell Polymeric Nanofibers Using Coaxial Electrospinning and Their Application to Phototransistors. <i>Advanced Electronic Materials</i> , 2021 , 7, 2001000	6.4	4
148	Extended perylene diimide double-heterohelices as ambipolar organic semiconductors for broadband circularly polarized light detection. <i>Nature Communications</i> , 2021 , 12, 142	17.4	38
147	Diazapentalene-Containing Ultralow-Band-Gap Copolymers for High-Performance Near-Infrared Organic Phototransistors. <i>Chemistry of Materials</i> , 2021 , 33, 7499-7508	9.6	4
146	Fused Aromatic Network with Exceptionally High Carrier Mobility. <i>Advanced Materials</i> , 2021 , 33, e2004707	24	6
145	Synergistic Effects of Cation and Anion in an Ionic Imidazolium Tetrafluoroborate Additive for Improving the Efficiency and Stability of Half-Mixed Pb-Sn Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2021 , 31, 2008801	15.6	30
144	Majority-Rules Effect on Supramolecular Chirality and Optoelectronic Properties of Chiral Tetrachloro-Perylene Diimides. <i>Advanced Optical Materials</i> , 2021 , 9, 2001911	8.1	4
143	Perovskite Granular Wire Photodetectors with Ultrahigh Photodetectivity. <i>Advanced Materials</i> , 2020 , 32, e2002357	24	18
142	Regular H-Bonding-Containing Polymers with Stretchability up to 100% External Strain for Self-Healable Plastic Transistors. <i>Chemistry of Materials</i> , 2020 , 32, 1914-1924	9.6	35
141	Flexible high-performance graphene hybrid photodetectors functionalized with gold nanostars and perovskites. <i>NPG Asia Materials</i> , 2020 , 12,	10.3	5
140	High-Performance Ambipolar Organic Phototransistors Based on Core-Shell p-n Junction Organic Single Crystals. <i>ACS Applied Electronic Materials</i> , 2020 , 2, 9-18	4	12

139	Surface-Doped Quasi-2D Chiral Organic Single Crystals for Chiroptical Sensing. <i>ACS Nano</i> , 2020 , 14, 1414661-141564		
138	Perovskite Photodetectors: Perovskite Granular Wire Photodetectors with Ultrahigh Photodetectivity (Adv. Mater. 32/2020). <i>Advanced Materials</i> , 2020 , 32, 2070238	24	3
137	Optoelectronic Property Modulation in Chiral Organic Semiconductor/Polymer Blends. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 49926-49934	9.5	5
136	Highly flexible chemical sensors based on polymer nanofiber field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 1525-1531	7.1	28
135	Tuning the supramolecular chirality and optoelectronic performance of chiral perylene diimide nanowires via N-substituted side chain engineering. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 8688-8697	7.1	10
134	Stretchable and Self-Healable Conductive Hydrogels for Wearable Multimodal Touch Sensors with Thermoresponsive Behavior. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 26134-26143	9.5	47
133	High-Performance Hybrid Photovoltaics with Efficient Interfacial Contacts between Vertically Aligned ZnO Nanowire Arrays and Organic Semiconductors. <i>ACS Omega</i> , 2019 , 4, 9996-10002	3.9	8
132	Furan-flanked diketopyrrolopyrrole-based chalcogenophene copolymers with siloxane hybrid side chains for organic field-effect transistors. <i>Polymer Chemistry</i> , 2019 , 10, 2854-2862	4.9	27
131	Heterochiral Doped Supramolecular Coordination Networks for High-Performance Optoelectronics. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20174-20182	9.5	9
130	Bioderived and Eco-Friendly Solvent-Processed High-Mobility Ambipolar Plastic Transistors through Controlled Irregularity of the Polymer Backbone. <i>Chemistry of Materials</i> , 2019 , 31, 3831-3839	9.6	15
129	Flexible Low-Power Operative Organic Source-Gated Transistors. <i>Advanced Functional Materials</i> , 2019 , 29, 1900650	15.6	14
128	Highly stretchable fiber transistors with all-stretchable electronic components and graphene hybrid electrodes. <i>Organic Electronics</i> , 2019 , 69, 320-328	3.5	9
127	Deformable and Stretchable Electrodes for Soft Electronic Devices. <i>Macromolecular Research</i> , 2019 , 27, 625-639	1.9	21
126	Organic Electronics: Flexible Low-Power Operative Organic Source-Gated Transistors (Adv. Funct. Mater. 27/2019). <i>Advanced Functional Materials</i> , 2019 , 29, 1970189	15.6	1
125	Understanding of Fluorination Dependence on Electron Mobility and Stability of Naphthalenediimide-Based Polymer Transistors in Environment with 100% Relative Humidity. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 40347-40357	9.5	17
124	Non-halogenated solution-processed ambipolar plastic transistors based on conjugated polymers prepared by asymmetric donor engineering. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 14977-14985	7.1	7
123	Amplified circularly polarized phosphorescence from co-assemblies of platinum(ii) complexes. <i>Chemical Science</i> , 2019 , 10, 1294-1301	9.4	51
122	A Flexible High-Performance Photoimaging Device Based on Bioinspired Hierarchical Multiple-Patterned Plasmonic Nanostructures. <i>Small</i> , 2018 , 14, e1703890	11	13

121	Ambipolar organic phototransistors based on 6,6'-dibromoindigo.. <i>RSC Advances</i> , 2018 , 8, 14747-14752	3.7	7
120	Ultrasensitive artificial synapse based on conjugated polyelectrolyte. <i>Nano Energy</i> , 2018 , 48, 575-581	17.1	64
119	High-Performance Visible-Blind UV Phototransistors Based on n-Type Naphthalene Diimide Nanomaterials. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 11826-11836	9.5	26
118	Wearable high-performance pressure sensors based on three-dimensional electrospun conductive nanofibers. <i>NPG Asia Materials</i> , 2018 , 10, 540-551	10.3	102
117	Recent advances in organic sensors for health self-monitoring systems. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 8569-8612	7.1	80
116	Organic Phototransistors Based on Self-Assembled Microwires of n-Type Distyrylbenzene Derivative. <i>Asian Journal of Organic Chemistry</i> , 2018 , 7, 2302-2308	3	4
115	An efficient lactone-to-lactam conversion for the synthesis of thiophene Pechmann lactam and the characterization of polymers thereof. <i>Polymer Chemistry</i> , 2018 , 9, 5234-5241	4.9	2
114	Organic Transistor-Based Chemical Sensors for Wearable Bioelectronics. <i>Accounts of Chemical Research</i> , 2018 , 51, 2829-2838	24.3	89
113	Organic Electronics: Efficient and Air-Stable Aqueous-Processed Organic Solar Cells and Transistors: Impact of Water Addition on Processability and Thin-Film Morphologies of Electroactive Materials (Adv. Energy Mater. 34/2018). <i>Advanced Energy Materials</i> , 2018 , 8, 1870149	21.8	1
112	Highly Enantioselective Graphene-Based Chemical Sensors Prepared by Chiral Noncovalent Functionalization. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 36194-36201	9.5	11
111	Chiral self-sorted multifunctional supramolecular biocoordination polymers and their applications in sensors. <i>Nature Communications</i> , 2018 , 9, 3933	17.4	47
110	Efficient and Air-Stable Aqueous-Processed Organic Solar Cells and Transistors: Impact of Water Addition on Processability and Thin-Film Morphologies of Electroactive Materials. <i>Advanced Energy Materials</i> , 2018 , 8, 1802674	21.8	34
109	Organic n-Channel Transistors Based on [1]Benzothieno[3,2- b]benzothiophene-Rylene Diimide Donor-Acceptor Conjugated Polymers. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 32444-32453	9.5	18
108	Boosting the performance and stability of quasi-two-dimensional tin-based perovskite solar cells using the formamidinium thiocyanate additive. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 18173-18182	13	110
107	Reduced Pyronin B as a solution-processable and heating-free n-type dopant for soft electronics. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 6672-6679	7.1	5
106	A Role of Side-Chain Regiochemistry of ThienyleneVinyleneThienylene (TVT) in the Transistor Performance of Isomeric Polymers. <i>Macromolecules</i> , 2017 , 50, 884-890	5.5	38
105	High-Performance Furan-Containing Conjugated Polymer for Environmentally Benign Solution Processing. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 15652-15661	9.5	39
104	Ethanol-Processable, Highly Crystalline Conjugated Polymers for Eco-Friendly Fabrication of Organic Transistors and Solar Cells. <i>Macromolecules</i> , 2017 , 50, 4415-4424	5.5	49

103	Solution-Assembled Blends of Regioregularity-Controlled Polythiophenes for Coexistence of Mechanical Resilience and Electronic Performance. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 14120-14128	8.5	22
102	Supramolecular Nanostructures of Chiral Perylene Diimides with Amplified Chirality for High-Performance Chiroptical Sensing. <i>Advanced Materials</i> , 2017 , 29, 1605828	24	91
101	Effect of alkyl chain spacer on charge transport in n-type dominant polymer semiconductors with a diketopyrrolopyrrole-thiophene-bithiazole acceptor-donor-acceptor unit. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3616-3622	7.1	21
100	Organic Transistors: Chemically Robust Ambipolar Organic Transistor Array Directly Patterned by Photolithography (Adv. Mater. 11/2017). <i>Advanced Materials</i> , 2017 , 29,	24	1
99	High-Performance UV-Vis-NIR Phototransistors Based on Single-Crystalline Organic Semiconductor-Gold Hybrid Nanomaterials. <i>Advanced Functional Materials</i> , 2017 , 27, 1604528	15.6	65
98	Chemically Robust Ambipolar Organic Transistor Array Directly Patterned by Photolithography. <i>Advanced Materials</i> , 2017 , 29, 1605282	24	49
97	Toward Environmentally Robust Organic Electronics: Approaches and Applications. <i>Advanced Materials</i> , 2017 , 29, 1703638	24	94
96	Point-of-Use Detection of Amphetamine-Type Stimulants with Host-Molecule-Functionalized Organic Transistors. <i>CheM</i> , 2017 , 3, 641-651	16.2	52
95	Phenyl Derivative of Dibenzothiopheno[6,5-b:6',5'-f]Thieno[3,2-b]Thiophene (DPh-DBTTT): High Thermally Durable Organic Semiconductor for High-Performance Organic Field-Effect Transistors. <i>Advanced Electronic Materials</i> , 2017 , 3, 1700142	6.4	11
94	Morphogenesis and Optoelectronic Properties of Supramolecular Assemblies of Chiral Perylene Diimides in a Binary Solvent System. <i>Scientific Reports</i> , 2017 , 7, 5508	4.9	19
93	Structural Investigation of Chemiresistive Sensing Mechanism in Redox-Active Porous Coordination Network. <i>Inorganic Chemistry</i> , 2017 , 56, 8735-8738	5.1	12
92	Flexible Field-Effect Transistor-Type Sensors Based on Conjugated Molecules. <i>CheM</i> , 2017 , 3, 724-763	16.2	106
91	Ultra-narrow-bandgap thienoisindigo polymers: structure-property correlations in field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 9554-9560	7.1	27
90	Side Chain Optimization of Naphthalenediimide-Bithiophene-Based Polymers to Enhance the Electron Mobility and the Performance in All-Polymer Solar Cells. <i>Advanced Functional Materials</i> , 2016 , 26, 1543-1553	15.6	130
89	Boosting the Performance of Organic Optoelectronic Devices Using Multiple-Patterned Plasmonic Nanostructures. <i>Advanced Materials</i> , 2016 , 28, 4976-82	24	30
88	Two-dimensional polyaniline (C3N) from carbonized organic single crystals in solid state. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 7414-9	11.5	278
87	Effects of microwave-assisted annealing on the morphology and electrical performance of semiconducting polymer thin films. <i>Organic Electronics</i> , 2016 , 30, 207-212	3.5	7
86	Flexible Organic Phototransistor Array with Enhanced Responsivity via Metal-Ligand Charge Transfer. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 7291-9	9.5	63

85	Highly Flexible Organic Nanofiber Phototransistors Fabricated on a Textile Composite for Wearable Photosensors. <i>Advanced Functional Materials</i> , 2016 , 26, 1445-1453	15.6	85
84	Semiconducting Carbon Nanotubes for Improved Efficiency and Thermal Stability of PolymerBullerene Solar Cells. <i>Advanced Functional Materials</i> , 2016 , 26, 51-65	15.6	49
83	Requirements for Forming Efficient 3-D Charge Transport Pathway in Diketopyrrolopyrrole-Based Copolymers: Film Morphology vs Molecular Packing. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 12307-15	9.5	19
82	Siloxane Side Chains: A Universal Tool for Practical Applications of Organic Field-Effect Transistors. <i>Macromolecules</i> , 2016 , 49, 3739-3748	5.5	51
81	Highly sensitive and selective liquid-phase sensors based on a solvent-resistant organic-transistor platform. <i>Advanced Materials</i> , 2015 , 27, 1540-6	24	47
80	Sensors: Highly Sensitive and Selective Liquid-Phase Sensors Based on a Solvent-Resistant Organic-Transistor Platform (Adv. Mater. 9/2015). <i>Advanced Materials</i> , 2015 , 27, 1470-1470	24	
79	Nitrogenated holey two-dimensional structures. <i>Nature Communications</i> , 2015 , 6, 6486	17.4	684
78	Tuning Mechanical and Optoelectrical Properties of Poly(3-hexylthiophene) through Systematic Regioregularity Control. <i>Macromolecules</i> , 2015 , 48, 4339-4346	5.5	156
77	Importance of Electron Transport Ability in Naphthalene Diimide-Based Polymer Acceptors for High-Performance, Additive-Free, All-Polymer Solar Cells. <i>Chemistry of Materials</i> , 2015 , 27, 5230-5237	9.6	115
76	Effect of the alkyl spacer length on the electrical performance of diketopyrrolopyrrole-thiophene vinylene thiophene polymer semiconductors. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 11697-11704	7.1	54
75	Water Processable Polythiophene Nanowires by Photo-Cross-Linking and Click-Functionalization. <i>Nano Letters</i> , 2015 , 15, 5689-95	11.5	27
74	ZnO Nanowire Based Photoelectrical Resistive Switches for Flexible Memory. <i>Journal of the Electrochemical Society</i> , 2015 , 162, H713-H718	3.9	11
73	Use of heteroaromatic spacers in isoindigo-benzothiadiazole polymers for ambipolar charge transport. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 26512-8	3.6	8
72	Branched Flexible Side Chain Substituted Diketopyrrolopyrrole-Containing Polymers Designed for High Hole and Electron Mobilities. <i>Advanced Functional Materials</i> , 2015 , 25, 247-254	15.6	106
71	Photoinduced Charge-Carrier Dynamics of Phototransistors Based on Perylene Diimide/Reduced Graphene Oxide Core/Shell p-n Junction Nanowires. <i>Advanced Optical Materials</i> , 2015 , 3, 241-247	8.1	19
70	Organic Electronics: Highly Sensitive and Selective Biosensors Based on Organic Transistors Functionalized with Cucurbit[6]uril Derivatives (Adv. Funct. Mater. 30/2015). <i>Advanced Functional Materials</i> , 2015 , 25, 4920-4920	15.6	
69	Highly Conductive Graphene/Ag Hybrid Fibers for Flexible Fiber-Type Transistors. <i>Scientific Reports</i> , 2015 , 5, 16366	4.9	42
68	Highly Sensitive and Selective Biosensors Based on Organic Transistors Functionalized with Cucurbit[6]uril Derivatives. <i>Advanced Functional Materials</i> , 2015 , 25, 4882-4888	15.6	54

67	High-Performance Flexible Organic Nano-Floating Gate Memory Devices Functionalized with Cobalt Ferrite Nanoparticles. <i>Small</i> , 2015 , 11, 4976-84	11	28
66	Siloxane-Based Hybrid Semiconducting Polymers Prepared by Fluoride-Mediated Suzuki Polymerization. <i>Angewandte Chemie</i> , 2015 , 127, 4740-4743	3.6	2
65	Molecular structure-device performance relationship in polymer solar cells based on indene-C60 bis-adduct derivatives. <i>Korean Journal of Chemical Engineering</i> , 2015 , 32, 261-267	2.8	15
64	Siloxane-based hybrid semiconducting polymers prepared by fluoride-mediated suzuki polymerization. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 4657-60	16.4	19
63	Investigation of StructureProperty Relationships in Diketopyrrolopyrrole-Based Polymer Semiconductors via Side-Chain Engineering. <i>Chemistry of Materials</i> , 2015 , 27, 1732-1739	9.6	220
62	Direct solvothermal synthesis of B/N-doped graphene. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 2398-401	16.4	57
61	Graphene-ruthenium complex hybrid photodetectors with ultrahigh photoresponsivity. <i>Small</i> , 2014 , 10, 3700-6	11	32
60	Acceptor-acceptor type isoindigo-based copolymers for high-performance n-channel field-effect transistors. <i>Chemical Communications</i> , 2014 , 50, 2180-3	5.8	67
59	Determining Optimal Crystallinity of Diketopyrrolopyrrole-Based Terpolymers for Highly Efficient Polymer Solar Cells and Transistors. <i>Chemistry of Materials</i> , 2014 , 26, 6963-6970	9.6	123
58	Fluorinated benzothiadiazole (BT) groups as a powerful unit for high-performance electron-transporting polymers. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 20390-9	9.5	46
57	Enhancing 2D growth of organic semiconductor thin films with macroporous structures via a small-molecule heterointerface. <i>Nature Communications</i> , 2014 , 5, 4752	17.4	110
56	Ambipolar Semiconducting Polymers with Spacer Linked Bis-Benzothiadiazole Blocks as Strong Accepting Units. <i>Chemistry of Materials</i> , 2014 , 26, 4933-4942	9.6	47
55	Direct Solvothermal Synthesis of B/N-Doped Graphene. <i>Angewandte Chemie</i> , 2014 , 126, 2430-2433	3.6	11
54	Fabrication of one-dimensional organic nanomaterials and their optoelectronic applications. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 1282-302	1.3	18
53	Naphthalene Diimide Incorporated Thiophene-Free Copolymers with Acene and Heteroacene Units: Comparison of Geometric Features and Electron-Donating Strength of Co-units. <i>Chemistry of Materials</i> , 2013 , 25, 3251-3259	9.6	79
52	Influence of intermolecular interactions of electron donating small molecules on their molecular packing and performance in organic electronic devices. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14538	13	68
51	Wafer-scale patterning of reduced graphene oxide electrodes by transfer-and-reverse stamping for high performance OFETs. <i>Small</i> , 2013 , 9, 2817-25	11	15
50	Electrical Transport through Single Nanowires of Dialkyl Perylene Diimide. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 10743-10749	3.8	22

49	Visible-Near Infrared Absorbing Polymers Containing Thienoisindigo and Electron-Rich Units for Organic Transistors with Tunable Polarity. <i>Advanced Functional Materials</i> , 2013 , 23, 5317-5325	15.6	66
48	Boosting the ambipolar performance of solution-processable polymer semiconductors via hybrid side-chain engineering. <i>Journal of the American Chemical Society</i> , 2013 , 135, 9540-7	16.4	422
47	Nitrogen-doped graphene nanoplatelets from simple solution edge-functionalization for n-type field-effect transistors. <i>Journal of the American Chemical Society</i> , 2013 , 135, 8981-8	16.4	102
46	Polarity and air-stability transitions in field-effect transistors based on fullerenes with different solubilizing groups. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 4865-71	9.5	21
45	High-Performance Phototransistors Based on Single-Crystalline n-Channel Organic Nanowires and Photogenerated Charge-Carrier Behaviors. <i>Advanced Functional Materials</i> , 2013 , 23, 629-639	15.6	158
44	Observation of orientation-dependent photovoltaic behaviors in aligned organic nanowires. <i>Applied Physics Letters</i> , 2013 , 103, 053304	3.4	8
43	Large-scale graphene micropattern nano-biohybrids: high-performance transducers for FET-type flexible fluidic HIV immunoassays. <i>Advanced Materials</i> , 2013 , 25, 4177-85	24	85
42	Flexible FET-type VEGF aptasensor based on nitrogen-doped graphene converted from conducting polymer. <i>ACS Nano</i> , 2012 , 6, 1486-93	16.7	206
41	Solution-processable ambipolar diketopyrrolopyrrole-selenophene polymer with unprecedentedly high hole and electron mobilities. <i>Journal of the American Chemical Society</i> , 2012 , 134, 20713-21	16.4	312
40	Impact of regioregularity on thin-film transistor and photovoltaic cell performances of pentacene-containing polymers. <i>Journal of Materials Chemistry</i> , 2012 , 22, 4356		13
39	Organic Transistors: Inversion of Dominant Polarity in Ambipolar Polydiketopyrrolopyrrole with Thermally Removable Groups (Adv. Funct. Mater. 19/2012). <i>Advanced Functional Materials</i> , 2012 , 22, 4182-4182	15.6	1
38	Solvent-Resistant Organic Transistors and Thermally Stable Organic Photovoltaics Based on Cross-linkable Conjugated Polymers. <i>Chemistry of Materials</i> , 2012 , 24, 215-221	9.6	140
37	Alkyl substituted Dithieno[2,3-d;2',3'-d']benzo[1,2-b;4,5-b']dithiophene Semiconducting Materials and Their Application to Solution-Processed Organic Transistors. <i>Chemistry of Materials</i> , 2012 , 24, 3464-3472	9.6	36
36	Inversion of Dominant Polarity in Ambipolar Polydiketopyrrolopyrrole with Thermally Removable Groups. <i>Advanced Functional Materials</i> , 2012 , 22, 4128-4138	15.6	81
35	Selective dispersion of high purity semiconducting single-walled carbon nanotubes with regioregular poly(3-alkylthiophene)s. <i>Nature Communications</i> , 2011 , 2, 541	17.4	291
34	Aryl/Perfluoroaryl Substituted Tetracene: Induction of Face-to-Face π -Stacking and Enhancement of Charge Carrier Properties. <i>Chemistry of Materials</i> , 2011 , 23, 1646-1649	9.6	125
33	High-Mobility Air-Stable Solution-Shear-Processed n-Channel Organic Transistors Based on Core-Chlorinated Naphthalene Diimides. <i>Advanced Functional Materials</i> , 2011 , 21, 4173-4181	15.6	76
32	Solution-shear-processed quaterylene diimide thin-film transistors prepared by pressure-assisted thermal cleavage of swallow tails. <i>Journal of the American Chemical Society</i> , 2011 , 133, 4204-7	16.4	64

31	Molecular n-type doping for air-stable electron transport in vacuum-processed n-channel organic transistors. <i>Applied Physics Letters</i> , 2010 , 97, 243305	3.4	68
30	Organic n-channel thin film transistors based on dichlorinated naphthalene diimides 2010 ,		11
29	Use of a 1H-benzoimidazole derivative as an n-type dopant and to enable air-stable solution-processed n-channel organic thin-film transistors. <i>Journal of the American Chemical Society</i> , 2010 , 132, 8852-3	16.4	291
28	High-Performance Air-Stable n-Type Organic Transistors Based on Core-Chlorinated Naphthalene Tetracarboxylic Diimides. <i>Advanced Functional Materials</i> , 2010 , 20, 2148-2156	15.6	210
27	A crystal-engineered hydrogen-bonded octachloroperylene diimide with a twisted core: an n-channel organic semiconductor. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 740-3	16.4	311
26	Solution-processed flexible organic transistors showing very-low subthreshold slope with a bilayer polymeric dielectric on plastic. <i>Applied Physics Letters</i> , 2009 , 94, 203301	3.4	35
25	Solution-processed, high-performance n-channel organic microwire transistors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 6065-70	11.5	209
24	The Role of OTS Density on Pentacene and C60 Nucleation, Thin Film Growth, and Transistor Performance. <i>Advanced Functional Materials</i> , 2009 , 19, 1962-1970	15.6	209
23	Direct Patterning of Organic-Thin-Film-Transistor Arrays via a Dry-Taping Approach. <i>Advanced Materials</i> , 2009 , 21, 1266-1270	24	48
22	Lyotropic liquid-crystalline solutions of high-concentration dispersions of single-walled carbon nanotubes with conjugated polymers. <i>Small</i> , 2009 , 5, 1019-24	11	50
21	High-performance air-stable n-channel organic thin film transistors based on halogenated perylene bisimide semiconductors. <i>Journal of the American Chemical Society</i> , 2009 , 131, 6215-28	16.4	553
20	Crystalline ultrasmooth self-assembled monolayers of alkylsilanes for organic field-effect transistors. <i>Journal of the American Chemical Society</i> , 2009 , 131, 9396-404	16.4	493
19	Interplay between Energetic and Kinetic Factors on the Ambient Stability of n-Channel Organic Transistors Based on Perylene Diimide Derivatives. <i>Chemistry of Materials</i> , 2009 , 21, 5508-5518	9.6	77
18	Chlorination: a general route toward electron transport in organic semiconductors. <i>Journal of the American Chemical Society</i> , 2009 , 131, 3733-40	16.4	292
17	Core-Fluorinated Perylene Bisimide Dyes: Air Stable n-Channel Organic Semiconductors for Thin Film Transistors with Exceptionally High On-to-Off Current Ratios. <i>Advanced Materials</i> , 2007 , 19, 3692-3695	24	223
16	Air-stable n-channel organic thin-film transistors with high field-effect mobility based on N,N'-bis(heptafluorobutyl)-3,4:9,10-perylene diimide. <i>Applied Physics Letters</i> , 2007 , 91, 212107	3.4	137
15	Fabrication of Photoluminescent-Dye Embedded Poly(methyl methacrylate) Nanofibers and Their Fluorescence Resonance Energy Transfer Properties. <i>Advanced Materials</i> , 2006 , 18, 2216-2219	24	75
14	Fabrication of Photoluminescent Dyes/Poly(acrylonitrile) Coaxial Nanotubes Using Vapor Deposition Polymerization. <i>Chemistry of Materials</i> , 2006 , 18, 5002-5008	9.6	38

13	Fabrication of a Highly Transparent Conductive Thin Film from Polypyrrole/Poly(methyl methacrylate) Core/Shell Nanospheres. <i>Advanced Functional Materials</i> , 2005 , 15, 494-502	15.6	137
12	A TopDown Approach to Fullerene Fabrication Using a Polymer Nanoparticle Precursor. <i>Advanced Materials</i> , 2004 , 16, 1650-1653	24	29
11	Morphogenesis of evaporation-induced self-assemblies of polypyrrole nanoparticles dispersed in a liquid medium. <i>Langmuir</i> , 2004 , 20, 8419-22	4	20
10	Facile fabrication of polymer and carbon nanocapsules using polypyrrole core/shell nanomaterials. <i>Chemical Communications</i> , 2004 , 794-5	5.8	64
9	A novel synthesis of nanocapsules using identical polymer core/shell nanospheres. <i>Journal of Materials Chemistry</i> , 2004 , 14, 2872		42
8	A facile synthesis of polypyrrole nanotubes using a template-mediated vapor deposition polymerization and the conversion to carbon nanotubes. <i>Chemical Communications</i> , 2004 , 882-3	5.8	88
7	Facile Fabrication of Photochromic Dye-Conducting Polymer CoreShell Nanomaterials and Their Photoluminescence. <i>Advanced Materials</i> , 2003 , 15, 977-980	24	113
6	Novel crystalline supramolecular assemblies of amorphous polypyrrole nanoparticles through surfactant templating. <i>Chemical Communications</i> , 2002 , 2200-1	5.8	67
5	Curing behavior of tetrafunctional epoxy resin/hyperbranched polymer system. <i>Polymer</i> , 2001 , 42, 8339-8347	3.47	65
4	Crystallization Behavior of Poly(ethylene terephthalate) Blended with Hyperbranched Polymers: The Effect of Terminal Groups and Composition of Hyperbranched Polymers. <i>Macromolecules</i> , 2000 , 33, 1864-1870	5.5	39
3	In situ FT-IR spectroscopic investigation on the microstructure of hyperbranched aliphatic polyesters. <i>Polymer</i> , 1999 , 40, 5985-5992	3.9	14
2	Highly Efficient Hole Transport Layer-Free Low Bandgap Mixed PbSn Perovskite Solar Cells Enabled by a Binary Additive System. <i>Advanced Functional Materials</i> , 2110069	15.6	5
1	Neuromorphic bioelectronics based on semiconducting polymers. <i>Journal of Polymer Science</i> ,	2.4	4