

Siu-Wai Chan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7411897/publications.pdf>

Version: 2024-02-01

102
papers

5,971
citations

117571

34
h-index

69214

77
g-index

105
all docs

105
docs citations

105
times ranked

7854
citing authors

#	ARTICLE	IF	CITATIONS
1	Surface stress of nano-crystals. <i>Materials Chemistry and Physics</i> , 2021, 273, 125091.	2.0	4
2	Fabrication of nano CuAl ₂ O ₄ spinel for copper stabilization and antibacterial application. <i>Journal of Hazardous Materials</i> , 2019, 371, 550-557.	6.5	27
3	Thermal oxygen exchange cycles in mixed manganese perovskites. <i>Ceramics International</i> , 2018, 44, 1343-1347.	2.3	6
4	MRS fall 2017 meeting. <i>Powder Diffraction</i> , 2018, 33, 73-74.	0.4	0
5	Crystallite size dependency of thermal expansion in ceria nanoparticles. <i>Materials Chemistry and Physics</i> , 2017, 192, 311-316.	2.0	8
6	Crystallite-size dependency of the pressure and temperature response in nanoparticles of magnesia. <i>Journal of Nanoparticle Research</i> , 2017, 19, 1.	0.8	5
7	Twin microstructure design in the high-temperature superconductor $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ with nanoparticles addition for enhanced J_c . <i>Superconductor Science and Technology</i> , 2017, 30, 115013.	1.8	0
8	Lattice Expansion in Metal Oxide Nanoparticles: MgO, Co ₃ O ₄ , & Fe ₃ O ₄ . <i>Journal of the American Ceramic Society</i> , 2017, 100, 384-392.	1.9	35
9	Size-Dependent Crystal Properties of Nanocuprite. <i>International Journal of Applied Ceramic Technology</i> , 2016, 13, 389-394.	1.1	10
10	Reduction of Nano-Cu ₂ O: Crystallite Size Dependent and the Effect of Nano-Ceria Support. <i>Journal of Physical Chemistry C</i> , 2015, 119, 17667-17672.	1.5	23
11	Nano-crystals of cerium-hafnium binary oxide: Their size-dependent structure. <i>Journal of Alloys and Compounds</i> , 2015, 644, 996-1002.	2.8	12
12	Size dependent compressibility of nano-ceria: Minimum near 33 nm. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	14
13	3D-Printing Crystallographic Unit Cells for Learning Materials Science and Engineering. <i>Journal of Chemical Education</i> , 2015, 92, 1960-1962.	1.1	59
14	Copper stabilization in beneficial use of waterworks sludge and copper-laden electroplating sludge for ceramic materials. <i>Waste Management</i> , 2014, 34, 1085-1091.	3.7	54
15	All-optical poling and second harmonic generation diagnostic of layer-by-layer assembled photoactive polyelectrolytes. <i>Chemical Physics</i> , 2013, 420, 7-14.	0.9	6
16	Scanning Tunneling Microscopy and Theoretical Study of Water Adsorption on Fe ₃ O ₄ : Implications for Catalysis. <i>Journal of the American Chemical Society</i> , 2012, 134, 18979-18985.	6.6	76
17	Assessing the genomic effects of naked nanoceria in murine neuronal cells. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2012, 8, 599-608.	1.7	27
18	Structure sensitivity of the low-temperature water-gas shift reaction on Cu-CeO ₂ catalysts. <i>Catalysis Today</i> , 2012, 180, 68-80.	2.2	183

#	ARTICLE	IF	CITATIONS
19	Aqueous co-precipitation of Pd-doped cerium oxide nanoparticles: chemistry, structure, and particle growth. <i>Journal of Materials Science</i> , 2012, 47, 299-307.	1.7	42
20	Controlled synthesis of Co ₃ O ₄ nanopolyhedrons and nanosheets at low temperature. <i>Chemical Communications</i> , 2009, , 7569.	2.2	69
21	Charging and Chemical Reactivity of Gold Nanoparticles and Adatoms on the (111) Surface of Single-Crystal Magnetite: A Scanning Tunneling Microscopy/Spectroscopy Study. <i>Journal of Physical Chemistry C</i> , 2009, 113, 10198-10205.	1.5	75
22	<i>In situ</i> ultra-small-angle X-ray scattering study of the solution-mediated formation and growth of nanocrystalline ceria. <i>Journal of Applied Crystallography</i> , 2008, 41, 918-929.	1.9	23
23	Second harmonic generation and photochromic grating in polyurethane films containing diazo isoxazole chromophore. <i>Optical Materials</i> , 2008, 30, 1832-1839.	1.7	5
24	Cubic phase stabilization in nanoparticles of hafnia-zirconia oxides: Particle-size and annealing environment effects. <i>Journal of Applied Physics</i> , 2008, 103, .	1.1	30
25	Substrate Surface Decoration With CeO_2 Nanoparticles: An Effective Method for Improving Flux Pinning in $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Films. <i>IEEE Transactions on Applied Superconductivity</i> , 2007, 17, 3720-3723.	1.1	11
26	In situ Study of the Crystallization from Amorphous to Cubic Zirconium Oxide: Rietveld and Reverse Monte Carlo Analyses. <i>Chemistry of Materials</i> , 2007, 19, 3118-3126.	3.2	74
27	Synthesis and Redox Behavior of Nanocrystalline Hausmannite (Mn_3O_4). <i>Chemistry of Materials</i> , 2007, 19, 5609-5616.	3.2	55
28	Microstructure design by twinning in high-temperature superconductor $\text{YBa}_2\text{Cu}_3\text{O}_7$ for enhanced J_c at high magnetic fields. <i>Physica C: Superconductivity and Its Applications</i> , 2007, 466, 56-60.	0.6	18
29	Phase stability in ceria-zirconia binary oxide nanoparticles: The effect of the Ce ³⁺ concentration and the redox environment. <i>Journal of Applied Physics</i> , 2006, 99, 084313.	1.1	48
30	Cerium and yttrium oxide nanoparticles are neuroprotective. <i>Biochemical and Biophysical Research Communications</i> , 2006, 342, 86-91.	1.0	657
31	Low-Temperature Synthesis of Zinc Oxide Nanoparticles. <i>International Journal of Applied Ceramic Technology</i> , 2006, 3, 272-278.	1.1	35
32	Phases in Ceria-Zirconia Binary Oxide (1-x)CeO ₂ -xZrO ₂ Nanoparticles: The Effect of Particle Size. <i>Journal of the American Ceramic Society</i> , 2006, 89, 1028-1036.	1.9	148
33	Retardation of orientation relaxation of azo-dye doped amorphous polymers upon all-optical poling. <i>Chemical Physics Letters</i> , 2006, 428, 371-375.	1.2	10
34	Twin engineering for high critical current densities in bulk $\text{YBa}_2\text{Cu}_3\text{O}_7$. <i>Physica C: Superconductivity and Its Applications</i> , 2006, 439, 78-84.	0.6	25
35	Second harmonic generation by all-optical poling and its relaxation in the polymer films containing azo sulfonamide chromophores. <i>Optical Materials</i> , 2006, 29, 268-272.	1.7	7
36	Formation of stable Cu ₂ O from reduction of CuO nanoparticles. <i>Applied Catalysis A: General</i> , 2006, 303, 273-277.	2.2	138

#	ARTICLE	IF	CITATIONS
37	Second harmonic generation in zinc oxide nanorods. Applied Physics B: Lasers and Optics, 2006, 84, 351-355.	1.1	75
38	Retardation of the orientation relaxation of azo-dye doped amorphous polymers upon photoinduced isomerization. , 2006, 6331, 279.		0
39	Martensitic Phase Transformation of Isolated HfO ₂ , ZrO ₂ , and Hf _x Zr _{1-x} O ₂ (0 < x < 1) Nanocrystals. Advanced Functional Materials, 2005, 15, 1595-1602.	7.8	102
40	Enthalpy and entropy of twin boundaries in superconducting YBa ₂ Cu ₃ O _{7-δ} . Journal of Applied Physics, 2005, 98, 033908.	1.1	15
41	Cerium oxidation state in ceria nanoparticles studied with X-ray photoelectron spectroscopy and absorption near edge spectroscopy. Surface Science, 2004, 563, 74-82.	0.8	518
42	Ceria nanoparticles: Size, size distribution, and shape. Journal of Applied Physics, 2004, 95, 4319-4326.	1.1	303
43	Twin spacing and its correlation with critical current density in melt-textured YBCO with yttria nanoparticle addition. IEEE Transactions on Applied Superconductivity, 2003, 13, 3502-3505.	1.1	8
44	Faceting and critical current densities of [001] high-angle tilt boundaries in YBCO films. IEEE Transactions on Applied Superconductivity, 2003, 13, 2829-2833.	1.1	5
45	Visible thermal emission from sub-band-gap laser excited cerium dioxide particles. Journal of Applied Physics, 2002, 92, 1936-1941.	1.1	54
46	Microstructure of Film Growth from Filtrating Mono-dispersed Particle Suspension. Journal of Materials Research, 2002, 17, 1055-1060.	1.2	0
47	Grain boundary faceting in YBa ₂ Cu ₃ O _{7-δ} bicrystal thin films on SrTiO ₃ substrates. Journal of Materials Research, 2002, 17, 323-335.	1.2	14
48	Cerium oxide nanoparticles: Size-selective formation and structure analysis. Applied Physics Letters, 2002, 80, 127-129.	1.5	620
49	Wulff model prediction for dependence of lattice parameter on nanocrystal size. Solid State Communications, 2002, 123, 295-297.	0.9	115
50	Electrical Conductivities of (CeO ₂) _{1-x} (Y ₂ O ₃) _x Thin Films. Journal of the American Ceramic Society, 2002, 85, 2222-2229.	1.9	36
51	Size-dependent properties of CeO ₂ nanoparticles as studied by Raman scattering. Physical Review B, 2001, 64, .	1.1	871
52	Grain growth simulation of [001] textured YBCO films grown on (001) substrates with large lattice misfit: Prediction of misorientations of the remaining boundaries. Journal of Electronic Materials, 2001, 30, 422-431.	1.0	1
53	Shape of a twin as related to the inelastic forces acting on twinning dislocations in YBa ₂ Cu ₃ O _{7-δ} . Physical Review B, 2001, 63, .	1.1	23
54	The variation of J_{cgb} with GB misorientation and inclination measured using the scanning SQUID microscope. IEEE Transactions on Applied Superconductivity, 2001, 11, 3880-3883.	1.1	5

#	ARTICLE	IF	CITATIONS
55	Formation and morphology of superconducting Hg-1223 thick film on Ni substrate. Physica C: Superconductivity and Its Applications, 2000, 337, 79-82.	0.6	1
56	Ionic conductivities, sintering temperatures and microstructures of bulk ceramic CeO ₂ doped with Y ₂ O ₃ . Solid State Ionics, 2000, 134, 89-102.	1.3	203
57	Title is missing!. Journal of Materials Science, 2000, 35, 443-448.	1.7	1
58	High resolution transmission electron microscopy of Ba _{1-x} K _x BiO ₃ superconductor-insulator-superconductor grain boundary tunnel junctions. Journal of Materials Research, 1998, 13, 1774-1779.	1.2	5
59	Ionic Conductivities and Microstructures of CeO ₂ :Y ₂ O ₃ Solid Electrolytes. Materials Research Society Symposia Proceedings, 1998, 548, 623.	0.1	4
60	Grain Boundary Conductivities of 0.58% Y ₂ O ₃ Doped CeO ₂ Thin Films. Materials Research Society Symposia Proceedings, 1998, 548, 629.	0.1	3
61	Preparation and microstructural study of CeO ₂ thin films. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1997, 15, 85-92.	0.9	33
62	The stability of Si _{1-x} Ge _x strained layers on small-area trench-isolated silicon. Journal of Materials Research, 1997, 12, 364-370.	1.2	7
63	Microstructural Correlation with Electrical Properties for Y ₂ O ₃ Doped CeO ₂ Thin Films. Materials Research Society Symposia Proceedings, 1997, 500, 279.	0.1	5
64	Grain boundary conductivity and microstructure study of 4% Y ₂ O ₃ doped CeO ₂ thin films. Materials Research Society Symposia Proceedings, 1996, 453, 555.	0.1	4
65	Y ₂ BaCu ₅ addition and its effects on critical currents in large grains of YBa ₂ Cu ₃ O _{7-δ} : A quantitative microstructural study. Journal of Materials Research, 1996, 11, 1616-1626.	1.2	36
66	Mobility of grain boundary dislocations during the conservative untwisting of [001] twist boundaries. Physical Review B, 1996, 53, 16579-16586.	1.1	8
67	Grain Growth Simulation of [001] Textured YBCO Films Grown on (001) Substrates with Large Lattice Misfit: Prediction of Misorientations of the Remaining Boundaries. Materials Research Society Symposia Proceedings, 1995, 403, 77.	0.1	0
68	Ionic Conductivities of Doped CeO ₂ Thin Films as Related to Their Microstructure. Materials Research Society Symposia Proceedings, 1995, 411, 277.	0.1	6
69	Use of carbon films for passivation and environmental protection of superconducting YBa ₂ Cu ₃ O _{7-δ} . Journal of Applied Physics, 1995, 77, 6370-6376.	1.1	14
70	Interface between gold and superconducting YBa ₂ Cu ₃ O _{7-δ} . Journal of Materials Research, 1995, 10, 2428-2432.	1.2	3
71	Degenerate epitaxy, coincidence epitaxy and origin of "special" boundaries in thin films. Journal of Physics and Chemistry of Solids, 1994, 55, 1137-1145.	1.9	34
72	Nature of grain boundaries as related to critical currents in superconducting YBa ₂ Cu ₃ O _{7-δ} . Journal of Physics and Chemistry of Solids, 1994, 55, 1415-1432.	1.9	31

#	ARTICLE	IF	CITATIONS
73	Epitaxial Formation and Characterization of CeO ₂ Films. Materials Research Society Symposia Proceedings, 1994, 355, 513.	0.1	2
74	Growth of superconducting YBaCuO films on spinel and garnet. Applied Physics Letters, 1993, 63, 2964-2966.	1.5	7
75	Al/Au and Cu/Au bilayer metal contacts to YBa ₂ Cu ₃ O _{7-x} thin films. Journal of Applied Physics, 1992, 71, 4082-4084.	1.1	4
76	The critical current density in high fields in epitaxial thin films of YBa ₂ Cu ₃ O _{7-x} : Flux pinning and pair breaking. Journal of Applied Physics, 1992, 72, 4220-4226.	1.1	14
77	A reactive coevaporation system for in situ, epitaxial YBa ₂ Cu ₃ O _{7-x} thin film deposition. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1991, 9, 2648-2652.	0.9	0
78	Characterization of bilayer metal contacts to high T _c superconducting films. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1991, 9, 390-393.	0.9	12
79	Raman Spectroscopy Diagnostics For HIGH-T _c Thin Films. , 1990, , .		2
80	Photoresponse Of Laser Modified High-T _c Superconducting Thin Films. Proceedings of SPIE, 1990, , .	0.8	1
81	Atomic structure and energy of $\alpha^* = 5$ tilt boundaries in gold. Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science, 1990, 21, 2299-2307.	1.4	7
82	Epitaxy of YBaCuO thin films grown on single-crystal MgO. Applied Physics Letters, 1990, 56, 2243-2245.	1.5	106
83	Grain boundaries and interfaces in Y-Ba-Cu-O films laser deposited on single-crystal MgO. Physical Review B, 1990, 42, 10141-10151.	1.1	51
84	Application of a near coincidence site lattice theory to the orientations of YBa ₂ Cu ₃ O _{7-x} grains on (001) MgO substrates. Applied Physics Letters, 1990, 57, 1690-1692.	1.5	153
85	Raman scattering as a contactless room-temperature test of the quality of YBa ₂ Cu ₃ O _{7-x} thin films. Journal of Applied Physics, 1989, 65, 2381-2383.	1.1	6
86	Microstructure of YBa ₂ Cu ₃ O _{7-x} thin films grown on single-crystal SrTiO ₃ . Journal of Applied Physics, 1989, 65, 4719-4722.	1.1	44
87	Superconducting YBa ₂ Cu ₃ O _{7-x} thin films on alkaline earth fluorides. Applied Physics Letters, 1989, 54, 2032-2034.	1.5	26
88	Fabrication of submicrometer features in Y-Ba-Cu-O superconducting thin films. IEEE Transactions on Magnetics, 1989, 25, 1309-1312.	1.2	10
89	Dissipation in high T _c /thin films. IEEE Transactions on Magnetics, 1989, 25, 2237-2240.	1.2	6
90	Infrared studies of AB-plane oriented YBa ₂ Cu ₃ O _{7-x} . Synthetic Metals, 1989, 29, 715-721.	2.1	3

#	ARTICLE	IF	CITATIONS
91	Direct TEM observation of the welding of asperities between two single-crystal gold films. IEEE Transactions on Components, Hybrids and Manufacturing Technology, 1989, 12, 39-42.	0.4	5
92	Study and preparation of high-T/sub c/ superconducting (HTSC) thin films for electronic applications. IEEE Transactions on Components, Hybrids and Manufacturing Technology, 1989, 12, 558-565.	0.4	0
93	Transport in reversibly laser-modified YBa ₂ Cu ₃ O _{7-x} superconducting thin films. Journal of Applied Physics, 1989, 65, 1802-1805.	1.1	16
94	Ellipsometric Study Of YBa ₂ Cu ₃ O _{7-x} , 1989, , .		0
95	Atomic structure of a $\theta = 5$ (310) symmetric tilt boundary in Au. Scripta Metallurgica, 1988, 22, 1093-1096.	1.2	17
96	Effect of the post-deposition processing ambient on the preparation of superconducting YBa ₂ Cu ₃ O _{7-x} coevaporated thin films using a BaF ₂ source. Applied Physics Letters, 1988, 53, 1443-1445.	1.5	71
97	Optical characterization of surface and interface oxygen content in YBa ₂ Cu ₃ O _x . Applied Physics Letters, 1988, 53, 2333-2335.	1.5	36
98	Rapid laser-induced growth of nitride and oxide layers at a beryllium/liquid interface. Journal of Applied Physics, 1987, 62, 293-295.	1.1	9
99	Synthesis Induced by Laser Irradiation at Liquid/Solid Interfaces. Materials Research Society Symposia Proceedings, 1986, 74, 287.	0.1	2
100	Study of energy vs misorientation for grain boundaries in gold by crystallite rotation method II. Tilt boundaries and mixed boundaries. Acta Metallurgica, 1986, 34, 2191-2199.	2.1	53
101	Study of energy vs misorientation for grain boundaries in gold by crystallite rotation method I. [001] Twist boundaries. Acta Metallurgica, 1985, 33, 1113-1119.	2.1	89
102	Test for a possible "melting" transition in grain boundaries in aluminum near the melting point. Scripta Metallurgica, 1985, 19, 1251-1255.	1.2	37