

Jiefa Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7412120/publications.pdf>

Version: 2024-02-01

44
papers

1,127
citations

394421

19
h-index

434195

31
g-index

45
all docs

45
docs citations

45
times ranked

1028
citing authors

#	ARTICLE	IF	CITATIONS
1	MYB transcription factor family in sweet cherry (<i>Prunus avium</i> L.): genome-wide investigation, evolution, structure, characterization and expression patterns. <i>BMC Plant Biology</i> , 2022, 22, 2.	3.6	28
2	Understanding calcium functionality by examining growth characteristics and structural aspects in calcium-deficient grapevine. <i>Scientific Reports</i> , 2022, 12, 3233.	3.3	7
3	FRUITFULL is involved in double fruit formation at high temperature in sweet cherry. <i>Environmental and Experimental Botany</i> , 2022, 201, 104986.	4.2	3
4	Coding of Non-coding RNA: Insights Into the Regulatory Functions of Pri-MicroRNA-Encoded Peptides in Plants. <i>Frontiers in Plant Science</i> , 2021, 12, 641351.	3.6	15
5	SVP-like gene PavSVP potentially suppressing flowering with PavSEP, PavAP1, and PavJONITLESS in sweet cherries (<i>Prunus avium</i> L.). <i>Plant Physiology and Biochemistry</i> , 2021, 159, 277-284.	5.8	20
6	The role of <i>VvMYBA2r</i> and <i>VvMYBA2w</i> alleles of the <i>MYBA2</i> locus in the regulation of anthocyanin biosynthesis for molecular breeding of grape (<i>Vitis</i> spp.) skin coloration. <i>Plant Biotechnology Journal</i> , 2021, 19, 1216-1239.	8.3	39
7	Characterization of a Lytic Bacteriophage against <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> and Its Endolysin. <i>Viruses</i> , 2021, 13, 631.	3.3	18
8	Comparative Metabolic Profiling of Grape Pulp during the Growth Process Reveals Systematic Influences under Root Restriction. <i>Metabolites</i> , 2021, 11, 377.	2.9	1
9	The Role of Strigolactones in the Regulation of Root System Architecture in Grapevine (<i>Vitis vinifera</i>) Tj ETQq1 1 0.784314 rgBT /Over 8799.	4.1	12
10	VvMYB114 mediated by miR828 negatively regulates trichome development of Arabidopsis. <i>Plant Science</i> , 2021, 309, 110936.	3.6	4
11	Exogenous Abscisic Acid Mediates Berry Quality Improvement by Altered Endogenous Plant Hormones Level in <i>Ruiduhongyu</i> Grapevine. <i>Frontiers in Plant Science</i> , 2021, 12, 739964.	3.6	8
12	Cold induced genes (CIGs) regulate flower development and dormancy in <i>Prunus avium</i> L.. <i>Plant Science</i> , 2021, 313, 111061.	3.6	8
13	Comparative fungal diversity and dynamics in plant compartments at different developmental stages under root-zone restricted grapevines. <i>BMC Microbiology</i> , 2021, 21, 317.	3.3	7
14	VvMYB15 and VvWRKY40 Positively Co-regulated Anthocyanin Biosynthesis in Grape Berries in Response to Root Restriction. <i>Frontiers in Plant Science</i> , 2021, 12, 789002.	3.6	6
15	Evolution of volatile compounds during the development of Muscat grape <i>Shine Muscat</i> ™ (<i>Vitis</i>) Tj ETQq1 1 0.784314 rgBT /Over 8,2 59	8,2	59
16	Differential regulation of enzyme activities and physio-anatomical aspects of calcium nutrition in grapevine. <i>Scientia Horticulturae</i> , 2020, 272, 109423.	3.6	14
17	Small RNA Sequencing Analysis of miRNA Expression Reveals Novel Insights into Root Formation under Root Restriction Cultivation in Grapevine (<i>Vitis vinifera</i> L.). <i>International Journal of Molecular Sciences</i> , 2020, 21, 3513.	4.1	7
18	Combined Application of Bacteriophages and Carvacrol in the Control of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Planktonic and Biofilm Forms. <i>Microorganisms</i> , 2020, 8, 837.	3.6	22

#	ARTICLE	IF	CITATIONS
19	The Cytochrome P450 Monooxygenase Inventory of Grapevine (<i>Vitis vinifera</i> L.): Genome-Wide Identification, Evolutionary Characterization and Expression Analysis. <i>Frontiers in Genetics</i> , 2020, 11, 44.	2.3	35
20	Dormancy-Associated MADS-Box (DAM) Genes Influence Chilling Requirement of Sweet Cherries and Co-Regulate Flower Development with SOC1 Gene. <i>International Journal of Molecular Sciences</i> , 2020, 21, 921.	4.1	34
21	Grapevine ABA receptor VvPYL1 regulates root hair development in Transgenic Arabidopsis. <i>Plant Physiology and Biochemistry</i> , 2020, 149, 190-200.	5.8	14
22	The complete chloroplast genome sequence of <i>Vitis pseudoreticulata</i> . <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 3630-3631.	0.4	2
23	Comparative Analysis of miRNA Abundance Revealed the Function of Vvi-miR828 in Fruit Coloring in Root Restriction Cultivation Grapevine (<i>Vitis vinifera</i> L.). <i>International Journal of Molecular Sciences</i> , 2019, 20, 4058.	4.1	17
24	MADS-Box Genes are Involved in Cultivar- and Temperature-Dependent Formation of Multi-pistil and Polycarpy in <i>Prunus avium</i> L.. <i>Journal of Plant Growth Regulation</i> , 2019, 38, 1017-1027.	5.1	6
25	Comparative Metabolic Profiling of Grape Skin Tissue along Grapevine Berry Developmental Stages Reveals Systematic Influences of Root Restriction on Skin Metabolome. <i>International Journal of Molecular Sciences</i> , 2019, 20, 534.	4.1	19
26	The MADS-box genes PaMADS3/4/5 co-regulate multi-pistil formation induced by high temperature in <i>Prunus avium</i> L.. <i>Scientia Horticulturae</i> , 2019, 256, 108593.	3.6	7
27	Characterization and Cloning of Grape Circular RNAs Identified the Cold Resistance-Related <i>Vv-circATS1</i> . <i>Plant Physiology</i> , 2019, 180, 966-985.	4.8	75
28	Genome-Wide Identification, Characterization, and Transcript Analysis of the TCP Transcription Factors in <i>Vitis vinifera</i> . <i>Frontiers in Genetics</i> , 2019, 10, 1276.	2.3	27
29	Selection of reference genes for miRNA qRT-PCR under abiotic stress in grapevine. <i>Scientific Reports</i> , 2018, 8, 4444.	3.3	66
30	Characterization of the ABA Receptor VIPYL1 That Regulates Anthocyanin Accumulation in Grape Berry Skin. <i>Frontiers in Plant Science</i> , 2018, 9, 592.	3.6	32
31	In-Depth Aroma and Sensory Profiling of Unfamiliar Table-Grape Cultivars. <i>Molecules</i> , 2018, 23, 1703.	3.8	14
32	Hydrogen cyanamide improves endodormancy release and blooming associated with endogenous hormones in 'Summit' sweet cherry trees. <i>New Zealand Journal of Crop and Horticultural Science</i> , 2017, 45, 14-28.	1.3	14
33	Proteomic analysis of pear (<i>Pyrus pyrifolia</i>) ripening process provides new evidence for the sugar/acid metabolism difference between core and mesocarp. <i>Proteomics</i> , 2016, 16, 3025-3041.	2.2	16
34	Aroma characterization based on aromatic series analysis in table grapes. <i>Scientific Reports</i> , 2016, 6, 31116.	3.3	85
35	Proteomic analysis of the effects of gibberellin on increased fruit sink strength in Asian pear (<i>Pyrus</i>) Tj ETQq1 1 0.784314 rgBT/Overlock	3.6	20
36	Plant growth regulators improve sweet cherry fruit quality without reducing endocarp growth. <i>Scientia Horticulturae</i> , 2013, 150, 73-79.	3.6	23

#	ARTICLE	IF	CITATIONS
37	Root restriction affected anthocyanin composition and up-regulated the transcription of their biosynthetic genes during berry development in "Summer Black" grape. <i>Acta Physiologiae Plantarum</i> , 2013, 35, 2205-2217.	2.1	22
38	Pollen density on the stigma affects endogenous gibberellin metabolism, seed and fruit set, and fruit quality in <i>Pyrus pyrifolia</i> . <i>Journal of Experimental Botany</i> , 2010, 61, 4291-4302.	4.8	53
39	Gibberellins and N-(2-chloro-4-pyridyl)-N ² -phenylurea improve retention force and reduce water core in pre-mature fruit of Japanese pear cv. Housui. <i>Plant Growth Regulation</i> , 2009, 58, 25-34.	3.4	12
40	Hormonal regulation of fruit set, parthenogenesis induction and fruit expansion in Japanese pear. <i>Plant Growth Regulation</i> , 2008, 55, 231-240.	3.4	40
41	Roles of gibberellins in increasing sink demand in Japanese pear fruit during rapid fruit growth. <i>Plant Growth Regulation</i> , 2007, 52, 161-172.	3.4	55
42	The Impact of Cell Division and Cell Enlargement on the Evolution of Fruit Size in <i>Pyrus pyrifolia</i> . <i>Annals of Botany</i> , 2006, 98, 537-543.	2.9	88
43	¹³ C-photosynthate accumulation in Japanese pear fruit during the period of rapid fruit growth is limited by the sink strength of fruit rather than by the transport capacity of the pedicel. <i>Journal of Experimental Botany</i> , 2005, 56, 2713-2719.	4.8	52
44	Spur Characteristics, Fruit Growth, and Carbon Partitioning in Two Late-maturing Japanese Pear (<i>Pyrus pyrifolia</i> Nakai) Cultivars with Contrasting Fruit Size. <i>Journal of the American Society for Horticultural Science</i> , 2005, 130, 252-260.	1.0	22