

# Angeles Almeida

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7413327/angeles-almeida-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96  
papers

6,635  
citations

44  
h-index

81  
g-index

99  
ext. papers

7,454  
ext. citations

7.8  
avg, IF

5.75  
L-index

#	Paper	IF	Citations
96	Aberrant upregulation of the glycolytic enzyme PFKFB3 in CLN7 neuronal ceroid lipofuscinosis.. <i>Nature Communications</i> , <b>2022</b> , 13, 536	17.4	0
95	Amyloid- $\beta$ Induces Cdh1-Mediated Rock2 Stabilization Causing Neurodegeneration.. <i>Frontiers in Pharmacology</i> , <b>2022</b> , 13, 884470	5.6	0
94	Mitochondrial-nuclear p53 trafficking controls neuronal susceptibility in stroke. <i>IUBMB Life</i> , <b>2021</b> , 73, 582-591	4.7	5
93	Abrogating mitochondrial ROS in neurons or astrocytes reveals cell-specific impact on mouse behaviour. <i>Redox Biology</i> , <b>2021</b> , 41, 101917	11.3	1
92	Preconditioning-Activated AKT Controls Neuronal Tolerance to Ischemia through the MDM2-p53 Pathway. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
91	Glucose metabolism links astroglial mitochondria to cannabinoid effects. <i>Nature</i> , <b>2020</b> , 583, 603-608	50.4	66
90	Nuclear WRAP53 promotes neuronal survival and functional recovery after stroke. <i>Science Advances</i> , <b>2020</b> , 6,	14.3	6
89	Astrocytic mitochondrial ROS modulate brain metabolism and mouse behaviour. <i>Nature Metabolism</i> , <b>2019</b> , 1, 201-211	14.6	59
88	Targeting PFKFB3 alleviates cerebral ischemia-reperfusion injury in mice. <i>Scientific Reports</i> , <b>2019</b> , 9, 116709	7.0	26
87	A novel human Cdh1 mutation impairs anaphase promoting complex/cyclosome activity resulting in microcephaly, psychomotor retardation, and epilepsy. <i>Journal of Neurochemistry</i> , <b>2019</b> , 151, 103-115	6	11
86	Amyloid- $\beta$ promotes neurotoxicity by Cdk5-induced p53 stabilization. <i>Neuropharmacology</i> , <b>2019</b> , 146, 19-27	5.5	25
85	The Neuronal Ischemic Tolerance Is Conditioned by the Tp53 Arg72Pro Polymorphism. <i>Translational Stroke Research</i> , <b>2019</b> , 10, 204-215	7.8	13
84	The MDM2-p53 pathway is involved in preconditioning-induced neuronal tolerance to ischemia. <i>Scientific Reports</i> , <b>2018</b> , 8, 1610	4.9	21
83	Hippocampal neurons require a large pool of glutathione to sustain dendrite integrity and cognitive function. <i>Redox Biology</i> , <b>2018</b> , 19, 52-61	11.3	23
82	Single-Nucleotide Polymorphism 309T>G in the MDM2 Promoter Determines Functional Outcome After Stroke. <i>Stroke</i> , <b>2018</b> , 49, 2437-2444	6.7	10
81	Mitochondrial Complex I Activity is Conditioned by Supercomplex I-IIIIV Assembly in Brain Cells: Relevance for Parkinson's Disease. <i>Neurochemical Research</i> , <b>2017</b> , 42, 1676-1682	4.6	13
80	APC/C-Rock2 pathway controls dendritic integrity and memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 4513-4518	11.5	26

79	Neovascularization and functional recovery after intracerebral hemorrhage is conditioned by the Tp53 Arg72Pro single-nucleotide polymorphism. <i>Cell Death and Differentiation</i> , <b>2017</b> , 24, 144-154	12.7	28
78	Complex I assembly into supercomplexes determines differential mitochondrial ROS production in neurons and astrocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 13063-13068	11.5	175
77	Regulation of Bcl-xL-ATP Synthase Interaction by Mitochondrial Cyclin B1-Cyclin-Dependent Kinase-1 Determines Neuronal Survival. <i>Journal of Neuroscience</i> , <b>2015</b> , 35, 9287-301	6.6	36
76	Astrocyte NMDA receptors activity sustains neuronal survival through a Cdk5-Nrf2 pathway. <i>Cell Death and Differentiation</i> , <b>2015</b> , 22, 1877-89	12.7	95
75	DJ1 represses glycolysis and cell proliferation by transcriptionally up-regulating Pink1. <i>Biochemical Journal</i> , <b>2015</b> , 467, 303-10	3.8	33
74	Cdk5-mediated inhibition of APC/C-Cdh1 switches on the cyclin D1-Cdk4-pRb pathway causing aberrant S-phase entry of postmitotic neurons. <i>Scientific Reports</i> , <b>2015</b> , 5, 18180	4.9	25
73	PINK1 deficiency sustains cell proliferation by reprogramming glucose metabolism through HIF1. <i>Nature Communications</i> , <b>2014</b> , 5, 4514	17.4	64
72	Regulatory T cells modulate inflammation and reduce infarct volume in experimental brain ischaemia. <i>Journal of Cellular and Molecular Medicine</i> , <b>2014</b> , 18, 1571-9	5.6	49
71	Genetic determinants of neuronal vulnerability to apoptosis. <i>Cellular and Molecular Life Sciences</i> , <b>2013</b> , 70, 71-88	10.3	10
70	APC/C-Cdh1 coordinates neurogenesis and cortical size during development. <i>Nature Communications</i> , <b>2013</b> , 4, 2879	17.4	56
69	Brain energy metabolism in glutamate-receptor activation and excitotoxicity: role for APC/C-Cdh1 in the balance glycolysis/pentose phosphate pathway. <i>Neurochemistry International</i> , <b>2013</b> , 62, 750-6	4.4	53
68	Antioxidant and bioenergetic coupling between neurons and astrocytes. <i>Biochemical Journal</i> , <b>2012</b> , 443, 3-11	3.8	177
67	Glutamate excitotoxicity is the key molecular mechanism which is influenced by body temperature during the acute phase of brain stroke. <i>PLoS ONE</i> , <b>2012</b> , 7, e44191	3.7	34
66	Regulation of APC/C-Cdh1 and its function in neuronal survival. <i>Molecular Neurobiology</i> , <b>2012</b> , 46, 547-546.2		37
65	γ-Glutamylcysteine detoxifies reactive oxygen species by acting as glutathione peroxidase-1 cofactor. <i>Nature Communications</i> , <b>2012</b> , 3, 718	17.4	90
64	Excitotoxic stimulus stabilizes PFKFB3 causing pentose-phosphate pathway to glycolysis switch and neurodegeneration. <i>Cell Death and Differentiation</i> , <b>2012</b> , 19, 1582-9	12.7	82
63	The human Tp53 Arg72Pro polymorphism explains different functional prognosis in stroke. <i>Journal of Experimental Medicine</i> , <b>2011</b> , 208, 429-37	16.6	47
62	Bilirubin selectively inhibits cytochrome c oxidase activity and induces apoptosis in immature cortical neurons: assessment of the protective effects of glycooursodeoxycholic acid. <i>Journal of Neurochemistry</i> , <b>2010</b> , 112, 56-65	6	52

61	Group IIA secretory phospholipase A2 (GIIA) mediates apoptotic death during NMDA receptor activation in rat primary cortical neurons. <i>Journal of Neurochemistry</i> , <b>2010</b> , 112, 1574-83	6	24
60	Human neuroblastoma cells with MYCN amplification are selectively resistant to oxidative stress by transcriptionally up-regulating glutamate cysteine ligase. <i>Journal of Neurochemistry</i> , <b>2010</b> , 113, 819-25	6	18
59	E3 ubiquitin ligase APC/C-Cdh1 accounts for the Warburg effect by linking glycolysis to cell proliferation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 738-41	11.5	135
58	The pentose-phosphate pathway in neuronal survival against nitrosative stress. <i>IUBMB Life</i> , <b>2010</b> , 62, 14-8	4.7	41
57	Glycolysis: a bioenergetic or a survival pathway?. <i>Trends in Biochemical Sciences</i> , <b>2010</b> , 35, 145-9	10.3	244
56	The bioenergetic and antioxidant status of neurons is controlled by continuous degradation of a key glycolytic enzyme by APC/C-Cdh1. <i>Nature Cell Biology</i> , <b>2009</b> , 11, 747-52	23.4	524
55	Mitochondria and reactive oxygen and nitrogen species in neurological disorders and stroke: Therapeutic implications. <i>Advanced Drug Delivery Reviews</i> , <b>2009</b> , 61, 1299-315	18.5	84
54	Cdk5 phosphorylates Cdh1 and modulates cyclin B1 stability in excitotoxicity. <i>EMBO Journal</i> , <b>2008</b> , 27, 2736-45	13	90
53	Retinoic acid downregulates Rae1 leading to APC(Cdh1) activation and neuroblastoma SH-SY5Y differentiation. <i>Oncogene</i> , <b>2008</b> , 27, 3339-44	9.2	50
52	Regulation of glycolysis and pentose-phosphate pathway by nitric oxide: impact on neuronal survival. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2008</b> , 1777, 789-93	4.6	78
51	Neuroprotective role of antidiabetic drug metformin against apoptotic cell death in primary cortical neurons. <i>Journal of Molecular Neuroscience</i> , <b>2008</b> , 34, 77-87	3.3	170
50	Poly(ADP-ribose) polymerase-1 protects neurons against apoptosis induced by oxidative stress. <i>Cell Death and Differentiation</i> , <b>2007</b> , 14, 1211-21	12.7	35
49	Inhibition of PTEN by peroxynitrite activates the phosphoinositide-3-kinase/Akt neuroprotective signaling pathway. <i>Journal of Neurochemistry</i> , <b>2007</b> , 102, 194-205	6	69
48	Linking glycolysis with oxidative stress in neural cells: a regulatory role for nitric oxide. <i>Biochemical Society Transactions</i> , <b>2007</b> , 35, 1224-7	5.1	17
47	Modulation of astroglial energy metabolism by nitric oxide. <i>Antioxidants and Redox Signaling</i> , <b>2006</b> , 8, 955-65	8.4	35
46	Increased mitochondrial respiration maintains the mitochondrial membrane potential and promotes survival of cerebellar neurons in an endogenous model of glutamate receptor activation. <i>Journal of Neurochemistry</i> , <b>2005</b> , 92, 183-90	6	27
45	Mitochondrial respiratory chain and free radical generation in stroke. <i>Free Radical Biology and Medicine</i> , <b>2005</b> , 39, 1291-304	7.8	187
44	Inhibition of mitochondrial respiration by nitric oxide: its role in glucose metabolism and neuroprotection. <i>Journal of Neuroscience Research</i> , <b>2005</b> , 79, 166-71	4.4	33

43	Knockdown of glutamate-cysteine ligase by small hairpin RNA reveals that both catalytic and modulatory subunits are essential for the survival of primary neurons. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 38992-9001	5.4	62
42	Cdh1/Hct1-APC is essential for the survival of postmitotic neurons. <i>Journal of Neuroscience</i> , <b>2005</b> , 25, 8115-21	6.6	120
41	Nitric oxide switches on glycolysis through the AMP protein kinase and 6-phosphofructo-2-kinase pathway. <i>Nature Cell Biology</i> , <b>2004</b> , 6, 45-51	23.4	355
40	Regulation of glucose metabolism by nitrosative stress in neural cells. <i>Molecular Aspects of Medicine</i> , <b>2004</b> , 25, 61-73	16.7	33
39	Inhibition of mitochondrial respiration by nitric oxide rapidly stimulates cytoprotective GLUT3-mediated glucose uptake through 5RAMP-activated protein kinase. <i>Biochemical Journal</i> , <b>2004</b> , 384, 629-36	3.8	65
38	Provoking neuroprotection by peroxynitrite. <i>Current Pharmaceutical Design</i> , <b>2004</b> , 10, 867-77	3.3	44
37	Peroxynitrite protects neurons against nitric oxide-mediated apoptosis. A key role for glucose-6-phosphate dehydrogenase activity in neuroprotection. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 864-74	5.4	123
36	Peroxisome proliferator-activated receptor gamma thiazolidinedione agonists increase glucose metabolism in astrocytes. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 5828-36	5.4	132
35	Nitric oxide accounts for an increased glycolytic rate in activated astrocytes through a glycogenolysis-independent mechanism. <i>Brain Research</i> , <b>2002</b> , 945, 131-4	3.7	7
34	Oxygen and glucose deprivation induces mitochondrial dysfunction and oxidative stress in neurones but not in astrocytes in primary culture. <i>Journal of Neurochemistry</i> , <b>2002</b> , 81, 207-17	6	183
33	Tetrahydrobiopterin deficiency increases neuronal vulnerability to hypoxia. <i>Journal of Neurochemistry</i> , <b>2002</b> , 82, 1148-59	6	45
32	Oxidative stress in preterm rat brain is due to mitochondrial dysfunction. <i>Pediatric Research</i> , <b>2002</b> , 51, 34-9	3.2	16
31	Peroxynitrite stimulates L-arginine transport system y(+) in glial cells. A potential mechanism for replenishing neuronal L-arginine. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 29753-9	5.4	18
30	Expression of glucose transporter GLUT3 by endotoxin in cultured rat astrocytes: the role of nitric oxide. <i>Journal of Neurochemistry</i> , <b>2001</b> , 79, 17-24	6	33
29	Depletion of glutathione up-regulates mitochondrial complex I expression in glial cells. <i>Journal of Neurochemistry</i> , <b>2001</b> , 76, 1593-6	6	21
28	A transient inhibition of mitochondrial ATP synthesis by nitric oxide synthase activation triggered apoptosis in primary cortical neurons. <i>Journal of Neurochemistry</i> , <b>2001</b> , 77, 676-90	6	140
27	Different responses of astrocytes and neurons to nitric oxide: the role of glycolytically generated ATP in astrocyte protection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 15294-9	11.5	325
26	Nitric oxide-mediated mitochondrial impairment in neural cells: a role for glucose metabolism in neuroprotection. <i>Progress in Brain Research</i> , <b>2001</b> , 132, 441-54	2.9	5

25	D-Glucose prevents glutathione oxidation and mitochondrial damage after glutamate receptor stimulation in rat cortical primary neurons. <i>Journal of Neurochemistry</i> , <b>2000</b> , 75, 1618-24	6	63
24	Peroxynitrite anion stimulates arginine release from cultured rat astrocytes. <i>Journal of Neurochemistry</i> , <b>1999</b> , 73, 1446-52	6	20
23	Induction of glucose-6-phosphate dehydrogenase by lipopolysaccharide contributes to preventing nitric oxide-mediated glutathione depletion in cultured rat astrocytes. <i>Journal of Neurochemistry</i> , <b>1999</b> , 72, 1750-8	6	69
22	Nitric oxide mediates glutamate-induced mitochondrial depolarization in rat cortical neurons. <i>Brain Research</i> , <b>1999</b> , 816, 580-6	3.7	45
21	Nitric oxide mediates brain mitochondrial maturation immediately after birth. <i>FEBS Letters</i> , <b>1999</b> , 452, 290-4	3.8	13
20	Roles of nitric oxide in brain hypoxia-ischemia. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>1999</b> , 1411, 415-36	4.6	238
19	Nitric oxide mediates brain mitochondrial damage during perinatal anoxia. <i>Brain Research</i> , <b>1998</b> , 787, 117-22	3.7	37
18	Glutamate neurotoxicity is associated with nitric oxide-mediated mitochondrial dysfunction and glutathione depletion. <i>Brain Research</i> , <b>1998</b> , 790, 209-16	3.7	128
17	A rapid method for the isolation of metabolically active mitochondria from rat neurons and astrocytes in primary culture. <i>Brain Research Protocols</i> , <b>1998</b> , 2, 209-14		61
16	Potential mechanisms for nitric oxide-mediated impairment of brain mitochondrial energy metabolism. <i>Biochemical Society Transactions</i> , <b>1997</b> , 25, 944-9	5.1	25
15	Interrelationships between astrocyte function, oxidative stress and antioxidant status within the central nervous system. <i>Progress in Neurobiology</i> , <b>1997</b> , 52, 261-81	10.9	140
14	Isolation and characterization of tightly coupled mitochondria from neurons and astrocytes in primary culture. <i>Brain Research</i> , <b>1997</b> , 764, 167-72	3.7	26
13	Nitric oxide-mediated mitochondrial damage in the brain: mechanisms and implications for neurodegenerative diseases. <i>Journal of Neurochemistry</i> , <b>1997</b> , 68, 2227-40	6	393
12	Fuel utilization by early newborn brain is preserved under congenital hypothyroidism in the rat. <i>Pediatric Research</i> , <b>1996</b> , 40, 410-4	3.2	6
11	Changes of respiratory chain activity in mitochondrial and synaptosomal fractions isolated from the gerbil brain after graded ischaemia. <i>Journal of Neurochemistry</i> , <b>1995</b> , 64, 2222-9	6	88
10	Effect of reperfusion following cerebral ischaemia on the activity of the mitochondrial respiratory chain in the gerbil brain. <i>Journal of Neurochemistry</i> , <b>1995</b> , 65, 1698-703	6	112
9	Postnatal development of the complexes of the electron transport chain in synaptic mitochondria from rat brain. <i>Developmental Neuroscience</i> , <b>1995</b> , 17, 212-8	2.2	39
8	Effect of ethanol consumption on adult rat liver mitochondrial populations analyzed by flow cytometry. <i>Alcoholism: Clinical and Experimental Research</i> , <b>1995</b> , 19, 1327-30	3.7	9

7	Postnatal development of the complexes of the electron transport chain in isolated rat brain mitochondria. <i>Developmental Neuroscience</i> , <b>1994</b> , 16, 321-7	2.2	54
6	Postnatal changes in rhodamine-123 stained mitochondrial populations are sensitive to protein synthesis inhibitors but mimicked in vitro by ATP. <i>FEBS Letters</i> , <b>1994</b> , 344, 50-4	3.8	13
5	Energy metabolism in the developing mammalian brain. <i>Biochemical Society Transactions</i> , <b>1994</b> , 22, 980-3	3.1	10
4	Development of mitochondrial respiratory-chain complexes in neonatal rat brain. <i>Biochemical Society Transactions</i> , <b>1994</b> , 22, 409S	5.1	2
3	Ketogenesis from lactate in rat liver during the perinatal period. <i>Pediatric Research</i> , <b>1992</b> , 31, 415-8	3.2	4
2	Lactate utilization by neonatal rat liver in vitro. <i>Biochemical Society Transactions</i> , <b>1990</b> , 18, 1274-5	5.1	1
1	Thyroid Hormones Regulate the Onset of Osmotic Activity of Rat Liver Mitochondria after Birth		2