

Timothy J Koh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/741415/publications.pdf>

Version: 2024-02-01

84
papers

7,670
citations

76196

40
h-index

62479

80
g-index

85
all docs

85
docs citations

85
times ranked

10467
citing authors

#	ARTICLE	IF	CITATIONS
1	Inflammation and wound healing: the role of the macrophage. <i>Expert Reviews in Molecular Medicine</i> , 2011, 13, e23.	1.6	1,160
2	Selective and Specific Macrophage Ablation Is Detrimental to Wound Healing in Mice. <i>American Journal of Pathology</i> , 2009, 175, 2454-2462.	1.9	528
3	Macrophage phenotypes during tissue repair. <i>Journal of Leukocyte Biology</i> , 2013, 93, 875-881.	1.5	497
4	High and Low Molecular Weight Hyaluronic Acid Differentially Influence Macrophage Activation. <i>ACS Biomaterials Science and Engineering</i> , 2015, 1, 481-493.	2.6	427
5	Blocking Interleukin-1 β Induces a Healing-Associated Wound Macrophage Phenotype and Improves Healing in Type 2 Diabetes. <i>Diabetes</i> , 2013, 62, 2579-2587.	0.3	320
6	Phenotypic Transitions of Macrophages Orchestrate Tissue Repair. <i>American Journal of Pathology</i> , 2013, 183, 1352-1363.	1.9	293
7	Dysregulation of monocyte/macrophage phenotype in wounds of diabetic mice. <i>Cytokine</i> , 2011, 56, 256-264.	1.4	241
8	Macrophage-based therapeutic strategies in regenerative medicine. <i>Advanced Drug Delivery Reviews</i> , 2017, 122, 74-83.	6.6	234
9	Sustained Inflammasome Activity in Macrophages Impairs Wound Healing in Type 2 Diabetic Humans and Mice. <i>Diabetes</i> , 2014, 63, 1103-1114.	0.3	227
10	Effect of an Ankle Orthosis and Ankle Ligament Anesthesia on Ankle Joint Proprioception. <i>American Journal of Sports Medicine</i> , 1994, 22, 223-229.	1.9	213
11	Neutrophils contribute to muscle injury and impair its resolution after lengthening contractions in mice. <i>Journal of Physiology</i> , 2005, 562, 899-913.	1.3	179
12	Endogenous interferon- β is required for efficient skeletal muscle regeneration. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 294, C1183-C1191.	2.1	173
13	Macrophage activation and skeletal muscle healing following traumatic injury. <i>Journal of Pathology</i> , 2014, 232, 344-355.	2.1	163
14	Cytoskeletal disruption and small heat shock protein translocation immediately after lengthening contractions. <i>American Journal of Physiology - Cell Physiology</i> , 2004, 286, C713-C722.	2.1	153
15	Kinematics of Recovery From a Stumble. <i>Journal of Gerontology</i> , 1993, 48, M97-M102.	2.0	142
16	Muscle inflammatory cells after passive stretches, isometric contractions, and lengthening contractions. <i>Journal of Applied Physiology</i> , 2002, 92, 1873-1878.	1.2	137
17	Macrophage PPAR β and impaired wound healing in type 2 diabetes. <i>Journal of Pathology</i> , 2015, 236, 433-444.	2.1	128
18	Diabetes medications: Impact on inflammation and wound healing. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 746-752.	1.2	127

#	ARTICLE	IF	CITATIONS
19	The murine excisional wound model: Contraction revisited. <i>Wound Repair and Regeneration</i> , 2015, 23, 874-877.	1.5	119
20	In vivo tracking of the human patella. <i>Journal of Biomechanics</i> , 1992, 25, 637-643.	0.9	114
21	Impaired Muscle Regeneration in Ob/ob and Db/db Mice. <i>Scientific World Journal, The</i> , 2011, 11, 1525-1535.	0.8	94
22	Bilateral deficit is larger for step than for ramp isometric contractions. <i>Journal of Applied Physiology</i> , 1993, 74, 1200-1205.	1.2	86
23	HSP25 protects skeletal muscle cells against oxidative stress. <i>Free Radical Biology and Medicine</i> , 2004, 37, 1455-1462.	1.3	83
24	Lengthening contractions are not required to induce protection from contraction-induced muscle injury. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001, 281, R155-R161.	0.9	81
25	Cross talk in surface electromyograms of human hamstring muscles. <i>Journal of Orthopaedic Research</i> , 1992, 10, 701-709.	1.2	77
26	Do Small Heat Shock Proteins Protect Skeletal Muscle from Injury?. <i>Exercise and Sport Sciences Reviews</i> , 2002, 30, 117-121.	1.6	76
27	Low-Intensity Vibration Improves Angiogenesis and Wound Healing in Diabetic Mice. <i>PLoS ONE</i> , 2014, 9, e91355.	1.1	76
28	Functional and physical interaction between the selenium-binding protein 1 (SBP1) and the glutathione peroxidase 1 selenoprotein. <i>Carcinogenesis</i> , 2010, 31, 1360-1366.	1.3	75
29	Macrophage Dysregulation and Impaired Skin Wound Healing in Diabetes. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 528.	1.8	75
30	Nod-Like Receptor Protein-3 Inflammasome Plays an Important Role during Early Stages of Wound Healing. <i>PLoS ONE</i> , 2015, 10, e0119106.	1.1	74
31	Urokinase-Type Plasminogen Activator Plays Essential Roles in Macrophage Chemotaxis and Skeletal Muscle Regeneration. <i>Journal of Immunology</i> , 2008, 180, 1179-1188.	0.4	73
32	Contributions of cell subsets to cytokine production during normal and impaired wound healing. <i>Cytokine</i> , 2015, 71, 409-412.	1.4	72
33	COX-2 inhibitor reduces skeletal muscle hypertrophy in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 296, R1132-R1139.	0.9	68
34	Urokinase-type plasminogen activator and macrophages are required for skeletal muscle hypertrophy in mice. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 293, C1278-C1285.	2.1	64
35	Mice deficient in plasminogen activator inhibitor-1 have improved skeletal muscle regeneration. <i>American Journal of Physiology - Cell Physiology</i> , 2005, 289, C217-C223.	2.1	61
36	Technique and ground reaction forces in the back handspring. <i>American Journal of Sports Medicine</i> , 1992, 20, 61-66.	1.9	60

#	ARTICLE	IF	CITATIONS
37	Decoupling of Bilateral Paraspinal Excitation in Subjects with Low Back Pain. <i>Spine</i> , 1992, 17, 1219-1223.	1.0	57
38	Fatigue rates of vastus medialis oblique and vastus lateralis during static and dynamic knee extension. <i>Journal of Orthopaedic Research</i> , 1991, 9, 391-397.	1.2	56
39	Advanced Technologies to Improve Wound Healing: Electrical Stimulation, Vibration Therapy, and Ultrasound—What Is the Evidence?. <i>Plastic and Reconstructive Surgery</i> , 2016, 138, 94S-104S.	0.7	48
40	Urokinase-type plasminogen activator increases hepatocyte growth factor activity required for skeletal muscle regeneration. <i>Blood</i> , 2009, 114, 5052-5061.	0.6	44
41	Macrophages in Healing Wounds: Paradoxes and Paradigms. <i>International Journal of Molecular Sciences</i> , 2021, 22, 950.	1.8	44
42	Passive Stretches Protect Skeletal Muscle of Adult and Old Mice From Lengthening Contraction-Induced Injury. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003, 58, B592-B597.	1.7	42
43	Diabetes induces myeloid bias in bone marrow progenitors associated with enhanced wound macrophage accumulation and impaired healing. <i>Journal of Pathology</i> , 2019, 249, 435-446.	2.1	40
44	Macrophage-Specific Expression of Urokinase-Type Plasminogen Activator Promotes Skeletal Muscle Regeneration. <i>Journal of Immunology</i> , 2011, 187, 1448-1457.	0.4	37
45	Eccentric training does not increase sarcomere number in rabbit dorsiflexor muscles. <i>Journal of Biomechanics</i> , 1998, 31, 499-501.	0.9	32
46	Increasing the moment arm of the tibialis anterior induces structural and functional adaptation. <i>Journal of Biomechanics</i> , 1998, 31, 593-599.	0.9	31
47	<i>Quercus infectoria</i> inhibits Set7/NF- κ B inflammatory pathway in macrophages exposed to a diabetic environment. <i>Cytokine</i> , 2017, 94, 29-36.	1.4	28
48	Evaluation of voluntary and elicited dorsiflexor torque-angle relationships. <i>Journal of Applied Physiology</i> , 1995, 79, 2007-2013.	1.2	26
49	Enhanced Proliferation of Ly6C+ Monocytes/Macrophages Contributes to Chronic Inflammation in Skin Wounds of Diabetic Mice. <i>Journal of Immunology</i> , 2021, 206, 621-630.	0.4	25
50	Three-Dimensional in Vivo Kinematics of the Shoulder during Humeral Elevation. <i>Journal of Applied Biomechanics</i> , 1998, 14, 312-326.	0.3	24
51	Do adaptations in serial sarcomere number occur with strength training?. <i>Human Movement Science</i> , 1995, 14, 61-77.	0.6	22
52	Improved transfection technique for adherent cells using a commercial lipid reagent. <i>BioTechniques</i> , 2003, 35, 936-940.	0.8	22
53	Low-intensity vibrations accelerate proliferation and alter macrophage phenotype in vitro. <i>Journal of Biomechanics</i> , 2016, 49, 793-796.	0.9	21
54	Low-Intensity Vibration Improves Muscle Healing in a Mouse Model of Laceration Injury. <i>Journal of Functional Morphology and Kinesiology</i> , 2018, 3, 1.	1.1	21

#	ARTICLE	IF	CITATIONS
55	Proliferation of Ly6C+ monocytes/macrophages contributes to their accumulation in mouse skin wounds. <i>Journal of Leukocyte Biology</i> , 2020, 107, 551-560.	1.5	21
56	Regulation of cadherin-based epithelial cell adhesion by endocytosis. <i>Frontiers in Bioscience - Elite</i> , 2009, 1, 61.	0.9	19
57	A panning DLT procedure for three-dimensional videography. <i>Journal of Biomechanics</i> , 1993, 26, 741-751.	0.9	17
58	Assessing Macrophage Phenotype During Tissue Repair. <i>Methods in Molecular Biology</i> , 2013, 1037, 507-518.	0.4	16
59	MicroCT angiography detects vascular formation and regression in skin wound healing. <i>Microvascular Research</i> , 2016, 106, 57-66.	1.1	15
60	Increased skin blood flow during low intensity vibration in human participants: Analysis of control mechanisms using short-time Fourier transform. <i>PLoS ONE</i> , 2018, 13, e0200247.	1.1	15
61	The urokinase-type plasminogen activator receptor is not required for skeletal muscle inflammation or regeneration. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 293, R1152-R1158.	0.9	14
62	Modulation of bone's sensitivity to low-intensity vibrations by acceleration magnitude, vibration duration, and number of bouts. <i>Osteoporosis International</i> , 2015, 26, 1417-1428.	1.3	13
63	Thrombospondin-1 levels correlate with macrophage activity and disease progression in dysferlin deficient mice. <i>Neuromuscular Disorders</i> , 2016, 26, 240-251.	0.3	13
64	Oxidant Signaling Mediated by Nox2 in Neutrophils Promotes Regenerative Myelopoiesis and Tissue Recovery following Ischemic Damage. <i>Journal of Immunology</i> , 2018, 201, 2414-2426.	0.4	13
65	Expression of genes in the skeletal muscle of individuals with cachexia/sarcopenia: A systematic review. <i>PLoS ONE</i> , 2019, 14, e0222345.	1.1	13
66	Skin Wounding-Induced Monocyte Expansion in Mice Is Not Abrogated by IL-1 Receptor 1 Deficiency. <i>Journal of Immunology</i> , 2019, 202, 2720-2727.	0.4	13
67	An implantable electrical interface for in vivo studies of the neuromuscular system. <i>Journal of Neuroscience Methods</i> , 1996, 70, 27-32.	1.3	12
68	CCL28-induced CCR10/eNOS interaction in angiogenesis and skin wound healing. <i>FASEB Journal</i> , 2020, 34, 5838-5850.	0.2	12
69	New Peroxisome Proliferator-Activated Receptor Agonist (GQ-11) Improves Wound Healing in Diabetic Mice. <i>Advances in Wound Care</i> , 2019, 8, 417-428.	2.6	10
70	Parameter-Dependency of Low-Intensity Vibration for Wound Healing in Diabetic Mice. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 654920.	2.0	9
71	Liver is a primary source of insulin-like growth factor-1 in skin wound healing. <i>Journal of Endocrinology</i> , 2022, 252, 59-70.	1.2	9
72	Specificity and Plasticity of Mammalian Skeletal Muscles. <i>Journal of Applied Biomechanics</i> , 2000, 16, 98-109.	0.3	8

#	ARTICLE	IF	CITATIONS
73	Thrombospondin-1 and disease progression in dysferlinopathy. <i>Human Molecular Genetics</i> , 2017, 26, 4951-4960.	1.4	7
74	Local low-intensity vibration improves healing of muscle injury in mice. <i>Physiological Reports</i> , 2020, 8, e14356.	0.7	7
75	Targeting the NOD-Like Receptor Pyrin Domain Containing 3 Inflammasome to Improve Healing of Diabetic Wounds. <i>Advances in Wound Care</i> , 2023, 12, 644-656.	2.6	7
76	Reduced apoptosis of monocytes and macrophages is associated with their persistence in wounds of diabetic mice. <i>Cytokine</i> , 2021, 142, 155516.	1.4	6
77	Mechanical strain increases gene transfer to skeletal muscle cells. <i>Journal of Biomechanics</i> , 2007, 40, 1995-2001.	0.9	5
78	Utilisation of skin blood flow as a precursor for pressure injury development in persons with acute spinal cord injury: A proof of concept. <i>International Wound Journal</i> , 2022, 19, 2191-2199.	1.3	3
79	Regenerative effect of platelet-rich plasma in the murine ischemic limbs. <i>Life Sciences</i> , 2021, 284, 119934.	2.0	1
80	Interplay between neutrophils and skeletal muscle after exercise. <i>What's going on?</i> , 2006, , 32-33.		1
81	uPA and inflammation in skeletal muscle hypertrophy. <i>FASEB Journal</i> , 2006, 20, A802.	0.2	1
82	Minimizing cross talk in surface electromyograms. <i>Journal of Biomechanics</i> , 1992, 25, 751.	0.9	0
83	Bone marrow monopoiesis and wound healing in diabetes. , 2020, , 535-553.		0
84	uPA and macrophages in muscle regeneration. <i>FASEB Journal</i> , 2010, 24, 801.34.	0.2	0