

# Anthony Aizer,, Fhrs

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/741557/anthony-aizer-fhrs-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36  
papers

641  
citations

9  
h-index

25  
g-index

40  
ext. papers

835  
ext. citations

4.6  
avg, IF

3.94  
L-index

#	Paper	IF	Citations
36	ICD shocks and complications in patients with inherited arrhythmia syndromes. <i>IJC Heart and Vasculature</i> , <b>2021</b> , 37, 100908	2.4	
35	Elimination of Incessant Ventricular Tachycardia in Ischemic Cardiomyopathy with High-density Grid Technology. <i>Journal of Innovations in Cardiac Rhythm Management</i> , <b>2021</b> , 12, 45-46	1.1	
34	QT interval dynamics and triggers for QT prolongation immediately following cardiac arrest. <i>Resuscitation</i> , <b>2021</b> , 162, 171-179	4	1
33	Electrocardiographic Risk Stratification in COVID-19 Patients. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 636073	5.4	3
32	Rebooting atrial fibrillation ablation in the COVID-19 pandemic. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2021</b> , 1	2.4	1
31	Lesion Sequence and Catheter Spatial Stability Affect Lesion Quality Markers in Atrial Fibrillation Ablation. <i>JACC: Clinical Electrophysiology</i> , <b>2021</b> , 7, 367-377	4.6	9
30	Time to diagnosis of acute complications after cardiovascular implantable electronic device insertion and optimal timing of discharge within the first 24 hours. <i>Heart Rhythm</i> , <b>2021</b> , 18, 2110-2114	6.7	0
29	Early ICD lead failure in defibrillator systems with multiple leads via cephalic access. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 1462-1469	2.7	5
28	QT interval prolongation and torsade de pointes in patients with COVID-19 treated with hydroxychloroquine/azithromycin. <i>Heart Rhythm</i> , <b>2020</b> , 17, 1425-1433	6.7	176
27	Comparison of the Effect of Atrial Fibrillation Detection Algorithms in Patients With Cryptogenic Stroke Using Implantable Loop Recorders. <i>American Journal of Cardiology</i> , <b>2020</b> , 129, 25-29	3	5
26	Esophageal temperature dynamics during high-power short-duration posterior wall ablation. <i>Heart Rhythm</i> , <b>2020</b> , 17, 721-727	6.7	26
25	The QT interval in patients with COVID-19 treated with hydroxychloroquine and azithromycin. <i>Nature Medicine</i> , <b>2020</b> , 26, 808-809	50.5	207
24	Rapid pacing and high-frequency jet ventilation additively improve catheter stability during atrial fibrillation ablation. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 1678-1686	2.7	10
23	Ablation in Atrial Fibrillation with Ventricular Pacing Results in Similar Spatial Catheter Stability as Compared to Ablation in Sinus Rhythm with Atrial Pacing.. <i>Journal of Atrial Fibrillation</i> , <b>2020</b> , 13, 2373	0.8	
22	Contact-force radiofrequency ablation of non-paroxysmal atrial fibrillation: improved outcomes with increased experience. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2020</b> , 58, 69-75	2.4	1
21	Quantitative analysis of ablation technique predicts arrhythmia recurrence following atrial fibrillation ablation. <i>American Heart Journal</i> , <b>2020</b> , 220, 176-183	4.9	6
20	Multiple procedure outcomes for nonparoxysmal atrial fibrillation: Left atrial posterior wall isolation versus stepwise ablation. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 3117-3123	2.7	2

19	Inappropriate ICD Shock as a Result of TASER Discharge. <i>JACC: Case Reports</i> , <b>2020</b> , 2, 1166-1169	1.2	
18	Response to: Do not yet abandon cephalic vein access for multiple leads in ICD implantation. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 2789-2790	2.7	1
17	Direct autotransfusion following emergency pericardiocentesis in patients undergoing cardiac electrophysiology procedures. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 1379-1384	2.7	0
16	Factors predicting persistence of AV nodal block in post-TAVR patients following permanent pacemaker implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2019</b> , 42, 1347-1354	1.6	4
15	Utilization of a Radiation Safety Time-Out Reduces Radiation Exposure During Electrophysiology Procedures. <i>JACC: Clinical Electrophysiology</i> , <b>2019</b> , 5, 626-634	4.6	3
14	Left Atrial Occlusion Device Implantation: the Role of the Echocardiographer. <i>Current Cardiology Reports</i> , <b>2019</b> , 21, 66	4.2	2
13	Photorealistic imaging of left atrial appendage occlusion/exclusion. <i>Echocardiography</i> , <b>2019</b> , 36, 1601-1604	1.4	3
12	Multimodality Imaging of Danon Disease in a Patient with a Novel Mutation. <i>Case</i> , <b>2019</b> , 3, 235-238	0.5	
11	Simultaneous pace-ablate during CARTO-guided pulmonary vein isolation with a contact-force sensing radiofrequency ablation catheter. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2019</b> , 54, 119-124	2.4	4
10	Slow pathway modification for treatment of pseudo-pacemaker syndrome due to first-degree atrioventricular block with dual atrioventricular nodal physiology. <i>HeartRhythm Case Reports</i> , <b>2018</b> , 4, 98-101	1	4
9	Pacing Mediated Heart Rate Acceleration Improves Catheter Stability and Enhances Markers for Lesion Delivery in Human Atria During Atrial Fibrillation Ablation. <i>JACC: Clinical Electrophysiology</i> , <b>2018</b> , 4, 483-490	4.6	10
8	Clinical Course of Sarcoidosis in World Trade Center-Exposed Firefighters. <i>Chest</i> , <b>2018</b> , 153, 114-123	5.3	32
7	Multimodality Imaging of a Rare Case of Bronchogenic Cyst Presenting as New-Onset Atrial Fibrillation in a Young Woman. <i>Case</i> , <b>2018</b> , 2, 254-257	0.5	
6	Echocardiographic Guidance of the Novel WaveCrest Left Atrial Appendage Occlusion Device. <i>Case</i> , <b>2018</b> , 2, 297-300	0.5	3
5	Three-dimensional transesophageal echocardiography to facilitate transeptal puncture and left atrial appendage occlusion via upper extremity venous access. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2015</b> , 8, 988-90	6.4	1
4	Effect of Obstructive Sleep Apnea Treatment on Atrial Fibrillation Recurrence: A Meta-Analysis. <i>JACC: Clinical Electrophysiology</i> , <b>2015</b> , 1, 41-51	4.6	65
3	The role of multimodality imaging in percutaneous left atrial appendage suture ligation with the LARIAT device. <i>Journal of the American Society of Echocardiography</i> , <b>2014</b> , 27, 699-708	5.8	15
2	Narrow complex tachycardia with cycle length variability--what is the mechanism?. <i>Heart Rhythm</i> , <b>2012</b> , 9, 1335-7	6.7	1

- 1 Standardization and validation of an automated algorithm to identify fractionation as a guide for atrial fibrillation ablation. *Heart Rhythm*, **2008**, 5, 1134-41

6.7 40