

# Anthony Aizer,, Fhrs

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/741557/publications.pdf>

Version: 2024-02-01

39  
papers

950  
citations

840119

11  
h-index

454577

30  
g-index

40  
all docs

40  
docs citations

40  
times ranked

2167  
citing authors

#	ARTICLE	IF	CITATIONS
1	The QT interval in patients with COVID-19 treated with hydroxychloroquine and azithromycin. <i>Nature Medicine</i> , 2020, 26, 808-809.	15.2	279
2	QT interval prolongation and torsade de pointes in patients with COVID-19 treated with hydroxychloroquine/azithromycin. <i>Heart Rhythm</i> , 2020, 17, 1425-1433.	0.3	229
3	Effect of Obstructive Sleep Apnea Treatment on Atrial Fibrillation Recurrence. <i>JACC: Clinical Electrophysiology</i> , 2015, 1, 41-51.	1.3	105
4	Standardization and validation of an automated algorithm to identify fractionation as a guide for atrial fibrillation ablation. <i>Heart Rhythm</i> , 2008, 5, 1134-1141.	0.3	47
5	Esophageal temperature dynamics during high-power short-duration posterior wall ablation. <i>Heart Rhythm</i> , 2020, 17, 721-727.	0.3	45
6	Clinical Course of Sarcoidosis in World Trade Center-Exposed Firefighters. <i>Chest</i> , 2018, 153, 114-123.	0.4	43
7	Rapid pacing and high-frequency jet ventilation additively improve catheter stability during atrial fibrillation ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1678-1686.	0.8	24
8	Lesion Sequence and Catheter Spatial Stability Affect Lesion Quality Markers in Atrial Fibrillation Ablation. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 367-377.	1.3	17
9	The Role of Multimodality Imaging in Percutaneous Left Atrial Appendage Suture Ligation with the LARIAT Device. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 699-708.	1.2	16
10	Pacing Mediated Heart Rate Acceleration Improves Catheter Stability and Enhances Markers for Lesion Delivery in Human Atria During Atrial Fibrillation Ablation. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 483-490.	1.3	16
11	Comparison of the Effect of Atrial Fibrillation Detection Algorithms in Patients With Cryptogenic Stroke Using Implantable Loop Recorders. <i>American Journal of Cardiology</i> , 2020, 129, 25-29.	0.7	13
12	Electrocardiographic Risk Stratification in COVID-19 Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 636073.	1.1	12
13	Subcutaneous versus transvenous implantable defibrillator in patients with hypertrophic cardiomyopathy. <i>Heart Rhythm</i> , 2022, 19, 759-767.	0.3	11
14	Factors predicting persistence of AV nodal block in post-TAVR patients following permanent pacemaker implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1347-1354.	0.5	8
15	Quantitative analysis of ablation technique predicts arrhythmia recurrence following atrial fibrillation ablation. <i>American Heart Journal</i> , 2020, 220, 176-183.	1.2	7
16	Rebooting atrial fibrillation ablation in the COVID-19 pandemic. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, , 1.	0.6	7
17	Photorealistic imaging of left atrial appendage occlusion/exclusion. <i>Echocardiography</i> , 2019, 36, 1601-1604.	0.3	6
18	Multiple procedure outcomes for nonparoxysmal atrial fibrillation: Left atrial posterior wall isolation versus stepwise ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 3117-3123.	0.8	6

#	ARTICLE	IF	CITATIONS
19	Early ICD lead failure in defibrillator systems with multiple leads via cephalic access. Journal of Cardiovascular Electrophysiology, 2020, 31, 1462-1469.	0.8	6
20	Slow pathway modification for treatment of pseudo-pacemaker syndrome due to first-degree atrioventricular block with dual atrioventricular nodal physiology. HeartRhythm Case Reports, 2018, 4, 98-101.	0.2	5
21	Utilization of a Radiation Safety Time-Out Reduces Radiation Exposure During Electrophysiology Procedures. JACC: Clinical Electrophysiology, 2019, 5, 626-634.	1.3	5
22	Left Atrial Occlusion Device Implantation: the Role of the Echocardiographer. Current Cardiology Reports, 2019, 21, 66.	1.3	5
23	Simultaneous pace-ablate during CARTO-guided pulmonary vein isolation with a contact-force sensing radiofrequency ablation catheter. Journal of Interventional Cardiac Electrophysiology, 2019, 54, 119-124.	0.6	5
24	Contact-force radiofrequency ablation of non-paroxysmal atrial fibrillation: improved outcomes with increased experience. Journal of Interventional Cardiac Electrophysiology, 2020, 58, 69-75.	0.6	4
25	QT interval dynamics and triggers for QT prolongation immediately following cardiac arrest. Resuscitation, 2021, 162, 171-179.	1.3	4
26	Outcomes of posterior wall isolation with pulmonary vein isolation for paroxysmal atrial fibrillation. Journal of Cardiovascular Electrophysiology, 2022, 33, 209-217.	0.8	4
27	Narrow complex tachycardia with cycle length variability—what is the mechanism?. Heart Rhythm, 2012, 9, 1335-1337.	0.3	3
28	Three-Dimensional Transesophageal Echocardiography to Facilitate Transseptal Puncture and Left Atrial Appendage Occlusion via Upper Extremity Venous Access. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 988-990.	2.1	3
29	Echocardiographic Guidance of the Novel WaveCrest Left Atrial Appendage Occlusion Device. Case, 2018, 2, 297-300.	0.1	3
30	Inappropriate ICD Shock as a Result of TASER Discharge. JACC: Case Reports, 2020, 2, 1166-1169.	0.3	3
31	Direct autotransfusion following emergency pericardiocentesis in patients undergoing cardiac electrophysiology procedures. Journal of Cardiovascular Electrophysiology, 2020, 31, 1379-1384.	0.8	3
32	Time to diagnosis of acute complications after cardiovascular implantable electronic device insertion and optimal timing of discharge within the first 24 hours. Heart Rhythm, 2021, 18, 2110-2114.	0.3	3
33	Multimodality Imaging of a Rare Case of Bronchogenic Cyst Presenting as New-Onset Atrial Fibrillation in a Young Woman. Case, 2018, 2, 254-257.	0.1	1
34	Response to: Do not yet abandon cephalic vein access for multiple leads in ICD implantation. Journal of Cardiovascular Electrophysiology, 2020, 31, 2789-2790.	0.8	1
35	ICD shocks and complications in patients with inherited arrhythmia syndromes. IJC Heart and Vasculature, 2021, 37, 100908.	0.6	1
36	Multimodality Imaging of Danon Disease in a Patient with a Novel LAMP2 Mutation. Case, 2019, 3, 235-238.	0.1	0

#	ARTICLE	IF	CITATIONS
37	Elimination of Incessant Ventricular Tachycardia in Ischemic Cardiomyopathy with High-density Grid Technology. <i>Journal of Innovations in Cardiac Rhythm Management</i> , 2020, 12, 45-46.	0.2	0
38	Ablation in Atrial Fibrillation with Ventricular Pacing Results in Similar Spatial Catheter Stability as Compared to Ablation in Sinus Rhythm with Atrial Pacing. <i>Journal of Atrial Fibrillation</i> , 2020, 13, 2373.	0.5	0
39	Urgent catheter ablation for treatment refractory symptomatic atrial fibrillation: Health care utilization and outcomes. <i>Heart Rhythm</i> , 2022, 19, 1208-1209.	0.3	0