
## Hideyuki Ihara

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7415577/publications.pdf Version: 2024-02-01



Ηισενιικί Ιμλάλ

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | True significance of N-acetylglucosaminyltransferases GnT-III, V and α1,6 fucosyltransferase in epithelial-mesenchymal transition and cancer. Molecular Aspects of Medicine, 2021, 79, 100905.   | 2.7 | 27        |
| 2  | The Roles of the N-terminal α-helical and C-terminal Src Homology 3 Domains in the Enzymatic Functions of FUT8. Trends in Glycoscience and Glycotechnology, 2021, 33, J69-J73.   | 0.0 | 0         |
| 3  | The Roles of the N-terminal α-helical and C-terminal Src Homology 3 Domains in the Enzymatic Functions of FUT8. Trends in Glycoscience and Glycotechnology, 2021, 33, E69-E73.   | 0.0 | Ο         |
| 4  | Involvement of the α-helical and Src homology 3 domains in the molecular assembly and enzymatic<br>activity of human α1,6-fucosyltransferase, FUT8. Biochimica Et Biophysica Acta - General Subjects, 2020,<br>1864, 129596.                           | 1.1 | 11        |
| 5  | Characterization of MiFUT11 from Mangifera indica L.: A functional core α1,3-fucosyltransferase potentially involved in the biosynthesis of immunogenic carbohydrates in mango fruit. Phytochemistry, 2019, 165, 112050.                               | 1.4 | 1         |
| 6  | Molecular cloning and functional expression of Lewis type α1,3/α1,4-fucosyltransferase cDNAs from<br>Mangifera indica L Phytochemistry, 2017, 144, 98-105.   | 1.4 | 4         |
| 7  | Control of Clycans by Enzyme Competitions. , 2015, , 1163-1171.  |     | 3         |
| 8  | Fucosyltransferase 8. GDP-Fucose N-Glycan Core α6-Fucosyltransferase (FUT8). , 2014, , 581-596.  |     | 5         |
| 9  | Cloning, expression and characterization of Bombyx mori α1,6-fucosyltransferase. Biochemical and<br>Biophysical Research Communications, 2014, 450, 953-960.   | 1.0 | 10        |
| 10 | 1α,25-Dihydroxyvitamin D3 enhances γ-glutamyl transpeptidase activity in LLC-PK1 porcine kidney epithelial<br>cells. Molecular Medicine Reports, 2014, 10, 2111-2115.  | 1,1 | 1         |
| 11 | Mannosyl (Beta-1,4-)-Glycoprotein Beta-1,4-N-Acetylglucosaminyltransferase (MGAT3);<br>β1,4-N-Acetylglucosaminyltransferase III (GnT-III, GlcNAcT-III). , 2014, , 209-222.   |     | 5         |
| 12 | Control of Glycans by Enzyme Competitions. , 2014, , 1-8.  |     | 0         |
| 13 | An Assay for $\hat{I}\pm$ 1,6-Fucosyltransferase (FUT8) Activity Based on the HPLC Separation of a Reaction Product with Fluorescence Detection. Methods in Molecular Biology, 2013, 1022, 335-348.  | 0.4 | 7         |
| 14 | Difucosylation of chitooligosaccharides by eukaryote and prokaryote α1,6-fucosyltransferases.<br>Biochimica Et Biophysica Acta - General Subjects, 2013, 1830, 4482-4490.  | 1.1 | 10        |
| 15 | MD-2-dependent human Toll-like receptor 4 monoclonal antibodies detect extracellular association of<br>Toll-like receptor 4 with extrinsic soluble MD-2 on the cell surface. Biochemical and Biophysical<br>Research Communications, 2013, 440, 31-36. | 1.0 | 5         |
| 16 | Reduced Surface Expression of TLR4 by a V254I Point Mutation Accounts for the Low<br>Lipopolysaccharide Responder Phenotype of BALB/c B Cells. Journal of Immunology, 2013, 190, 195-204.  | 0.4 | 25        |
| 17 | Multiple potential regulatory sites of TLR4 activation induced by LPS as revealed by novel inhibitory human TLR4 mAbs. International Immunology, 2012, 24, 495-506.  | 1.8 | 18        |
| 18 | Measurement of peroxiredoxin-4 serum levels in rat tissue and its use as a potential marker for<br>hepatic disease. Molecular Medicine Reports, 2012, 6, 379-384.  | 1.1 | 18        |

HIDEYUKI IHARA

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Different consequences of reactions with hydrogen peroxide and t-butyl hydroperoxide in the hyperoxidative inactivation of rat peroxiredoxin-4. Journal of Biochemistry, 2011, 149, 443-453.  | 0.9 | 11        |
| 20 | Clinicopathologic Application of Lectin Histochemistry. Applied Immunohistochemistry and Molecular<br>Morphology, 2010, 18, 518-525.  | 0.6 | 7         |
| 21 | N-Glycosylation engineering of lepidopteran insect cells by the introduction of the Â1,4-N-acetylglucosaminyltransferase III gene. Glycobiology, 2010, 20, 1147-1159.   | 1.3 | 25        |
| 22 | Fucosylation of chitooligosaccharides by human Â1,6-fucosyltransferase requires a nonreducing terminal chitotriose unit as a minimal structure. Glycobiology, 2010, 20, 1021-1033.  | 1.3 | 22        |
| 23 | Expression of N-terminally truncated forms of rat peroxiredoxin-4 in insect cells. Protein Expression and Purification, 2010, 72, 1-7.  | 0.6 | 12        |
| 24 | Bidirectional N-acetylglucosamine transfer mediated by Â-1,4-N-acetylglucosaminyltransferase III.<br>Glycobiology, 2008, 19, 368-374.   | 1.3 | 15        |
| 25 | Crystal structure of mammalian α1,6-fucosyltransferase, FUT8. Glycobiology, 2007, 17, 455-466.  | 1.3 | 114       |
| 26 | Core Fucosylation Regulates Epidermal Growth Factor Receptor-mediated Intracellular Signaling.<br>Journal of Biological Chemistry, 2006, 281, 2572-2577.  | 1.6 | 281       |
| 27 | A specific detection of GlcNAcβ1-6Manα1 branches in N-linked glycoproteins based on the specificity of<br>N-acetylglucosaminyltransferase VI. Glycobiology, 2006, 16, 431-439.  | 1.3 | 6         |
| 28 | Reaction mechanism and substrate specificity for nucleotide sugar of mammalian<br>α1,6-fucosyltransferase—a large-scale preparation and characterization of recombinant human FUT8.<br>Glycobiology, 2006, 16, 333-342.               | 1.3 | 67        |
| 29 | β1,4-N-Acetylglucosaminyltransferase III potentiates β1 integrin-mediated neuritogenesis induced by serum deprivation in Neuro2a cells. Glycobiology, 2006, 16, 564-571.  | 1.3 | 30        |
| 30 | Cell-Cell Interaction-dependent Regulation of N-Acetylglucosaminyltransferase III and the Bisected<br>N-Glycans in GE11 Epithelial Cells. Journal of Biological Chemistry, 2006, 281, 13038-13046.                                    | 1.6 | 57        |
| 31 | Caveolin-1 Regulates the Functional Localization of N-Acetylglucosaminyltransferase III within the<br>Golgi Apparatus. Journal of Biological Chemistry, 2003, 278, 25295-25301.   | 1.6 | 32        |
| 32 | Addition of Â1-6 GlcNAc branching to the oligosaccharide attached to Asn 772 in the serine protease<br>domain of matriptase plays a pivotal role in its stability and resistance against trypsin. Glycobiology,<br>2003, 14, 139-146. | 1.3 | 52        |
| 33 | Â1,4-N-Acetylglucosaminyltransferase III down-regulates neurite outgrowth induced by costimulation of epidermal growth factor and integrins through the Ras/ERK signaling pathway in PC12 cells. Glycobiology, 2003, 14, 177-186.     | 1.3 | 52        |
| 34 | A catalytically inactive β1,4-N -acetylglucosaminyltransferase III (GnT-III) behaves as a dominant negative<br>GnT-III inhibitor. FEBS Journal, 2002, 269, 193-201.   | 0.2 | 26        |
| 35 | An enzymatic method of analysis for GDP-l-fucose in biological samples, involving high-performance<br>liquid chromatography. Analytical Biochemistry, 2002, 310, 100-106.   | 1.1 | 10        |
| 36 | Down-regulation of the α-Gal Epitope Expression inN-Glycans of Swine Endothelial Cells by<br>Transfection with theN-Acetylglucosaminyltransferase III Gene. Journal of Biological Chemistry, 2001,<br>276, 32867-32874.               | 1.6 | 41        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | The Critical Role of the Stem Region as a Functional Domain Responsible for the Oligomerization and<br>Golgi Localization of N-Acetylglucosaminyltransferase V. Journal of Biological Chemistry, 2001, 276,<br>759-765. | 1.6 | 47        |
| 38 | The Addition of Bisecting N-Acetylglucosamine Residues to E-cadherin Down-regulates the Tyrosine Phosphorylation of β-Catenin. Journal of Biological Chemistry, 2001, 276, 475-480.                                     | 1.6 | 88        |