
Jamileh Javidpour

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7416663/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Between source and sea: The role of wastewater treatment in reducing marine microplastics. Journal of Environmental Management, 2020, 266, 110642.	3.8	122
2	First record of Mnemiopsis leidyi A. Agassiz 1865 in the Baltic Sea. Aquatic Invasions, 2006, 1, 299-302.	0.6	120
3	Microsatellites reveal origin and genetic diversity of Eurasian invasions by one of the world's most notorious marine invader, <i>Mnemiopsis leidyi</i> (Ctenophora). Molecular Ecology, 2010, 19, 2690-2699.	2.0	93
4	The first occurrence of the ctenophore Mnemiopsis leidyi in the North Sea. Helgoland Marine Research, 2007, 61, 153-155.	1.3	85
5	Annual assessment of the predation of Mnemiopsis leidyi in a new invaded environment, the Kiel Fjord (Western Baltic Sea): a matter of concern?. Journal of Plankton Research, 2009, 31, 729-738.	0.8	60
6	Seasonal changes and population dynamics of the ctenophore Mnemiopsis leidyi after its first year of invasion in the Kiel Fjord, Western Baltic Sea. Biological Invasions, 2009, 11, 873-882.	1.2	56
7	Is salinity an obstacle for biological invasions?. Global Change Biology, 2018, 24, 2708-2720.	4.2	49
8	Ocean current connectivity propelling the secondary spread of a marine invasive comb jelly across western Eurasia. Global Ecology and Biogeography, 2018, 27, 814-827.	2.7	38
9	Population genetics of the invasive ctenophore Mnemiopsis leidyi in Europe reveal source–sink dynamics and secondary dispersal to the Mediterranean Sea. Marine Ecology - Progress Series, 2013, 485, 25-36.	0.9	35
10	A perspective on the potential of using marine organic fertilizers for the sustainable management of coastal ecosystem services. Environmental Sustainability, 2020, 3, 105-115.	1.4	34
11	Factors influencing the spatial and temporal distribution of microplastics at the sea surface – A year-long monitoring case study from the urban Kiel Fjord, southwest Baltic Sea. Science of the Total Environment, 2020, 736, 139493.	3.9	34
12	Diet and stable isotope analyses reveal the feeding ecology of the orangeback squid Sthenoteuthis pteropus (Steenstrup 1855) (Mollusca, Ommastrephidae) in the eastern tropical Atlantic. PLoS ONE, 2017, 12, e0189691.	1.1	27
13	High cadmium and mercury concentrations in the tissues of the orange-back flying squid, Sthenoteuthis pteropus, from the tropical Eastern Atlantic. Ecotoxicology and Environmental Safety, 2018, 163, 323-330.	2.9	24
14	Spreading and physico-biological reproduction limitations of the invasive American comb jelly Mnemiopsis leidyi in the Baltic Sea. Biological Invasions, 2012, 14, 341-354.	1.2	23
15	Tackling the jelly web: Trophic ecology of gelatinous zooplankton in oceanic food webs of the eastern tropical Atlantic assessed by stable isotope analysis. Limnology and Oceanography, 2021, 66, 289-305.	1.6	21
16	Temporal dietary shift in jellyfish revealed by stable isotope analysis. Marine Biology, 2016, 163, 112.	0.7	19
17	Food quality matters: Interplay among food quality, food quantity and temperature affecting life history traits of Aurelia aurita (Cnidaria: Scyphozoa) polyps. Science of the Total Environment, 2019, 656, 1280-1288.	3.9	15
18	Seasonal variability of the fatty acid composition in Aurelia aurita (Cnidaria: Scyphozoa): implications for gelativore food web studies. Journal of Plankton Research, 2020, 42, 440-452.	0.8	14

JAMILEH JAVIDPOUR

#	Article	IF	CITATIONS
19	Jellyfishing in Europe: Current Status, Knowledge Gaps, and Future Directions towards a Sustainable Practice. Sustainability, 2021, 13, 12445.	1.6	14
20	Can we shop ourselves to a clean sea? An experimental panel approach to assess the persuasiveness of private labels as a private governance approach to microplastic pollution. Marine Pollution Bulletin, 2020, 153, 110927.	2.3	13
21	Protect high seas biodiversity. Science, 2021, 372, 1048-1049.	6.0	13
22	Cannibalism makes invasive comb jelly, Mnemiopsis leidyi, resilient to unfavourable conditions. Communications Biology, 2020, 3, 212.	2.0	12
23	Food availability drives plastic self-repair response in a basal metazoan- case study on the ctenophore Mnemiopsis leidyi A. Agassiz 1865. Scientific Reports, 2017, 7, 16419.	1.6	9
24	Review of jellyfish trophic interactions in the Baltic Sea. Marine Biology Research, 2021, 17, 311-326.	0.3	9
25	Potential pathways of invasion and dispersal of Mnemiopsis leidyi A. Agassiz 1865 in the Baltic Sea. Hydrobiologia, 2010, 649, 107-114.	1.0	8
26	Reconsidering evidence for Mnemiopsis invasion in European waters: reply. Journal of Plankton Research, 2010, 32, 97-98.	0.8	8
27	Tracking Fatty Acids From Phytoplankton to Jellyfish Polyps Under Different Stress Regimes: A Three Trophic Levels Experiment. Frontiers in Ecology and Evolution, 2018, 6, .	1.1	7
28	Using Drones to Measure Jellyfish Density in Shallow Estuaries. Journal of Marine Science and Engineering, 2021, 9, 659.	1.2	6
29	Pelagic Cnidaria and Ctenophora diversity patterns and trends in Macaronesia insular systems (NE) Tj ETQq1 1 (0.784314 r 0.3	rgBŢ /Overlock
30	Habitat association of larval fish assemblages in the northern Persian Gulf. Marine Pollution Bulletin, 2015, 97, 105-110.	2.3	3
31	Quantifying top-down control and ecological traits of the scyphozoan Aurelia aurita through a dynamic plankton model. Journal of Plankton Research, 2018, , .	0.8	2
32	Characterization of the coccolithophore community off Cabo Verde archipelago, including the Senghor Seamount (Eastern North Atlantic). Estuarine, Coastal and Shelf Science, 2021, 250, 107146.	0.9	1