

# Flávio Roberto Mello Garcia

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7416812/publications.pdf>

Version: 2024-02-01

109  
papers

1,254  
citations

471509  
17  
h-index

501196  
28  
g-index

109  
all docs

109  
docs citations

109  
times ranked

862  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Global potential distribution of <i>Anastrepha grandis</i> (Diptera, Tephritidae) under climate change scenarios. <i>Crop Protection</i> , 2022, 151, 105836.  | 2.1 | 3         |
| 2  | ATLANTIC ANTS: a data set of ants in Atlantic Forests of South America. <i>Ecology</i> , 2022, 103, e03580.  | 3.2 | 9         |
| 3  | Effectiveness of <i>Steinernema rarum</i> (Rhabditida: Steinernematidae) Against <i>Drosophila suzukii</i> (Diptera: Drosophilidae). <i>Journal of Economic Entomology</i> , 2022, 115, 967-971.   | 1.8 | 4         |
| 4  | < i>Drosophila suzukii Management in Latin America: Current Status and Perspectives. <i>Journal of Economic Entomology</i> , 2022, 115, 1008-1023.   | 1.8 | 35        |
| 5  | Interspecific competition in <i>Trichopria anastrephae</i> parasitism (Hymenoptera: Diapriidae) and <i>Pachycrepoideus vindemmiae</i> (Hymenoptera: Pteromalidae) parasitism on pupae of <i>Drosophila suzukii</i> (Diptera: Drosophilidae). <i>Phytoparasitica</i> , 2021, 49, 207-215. | 1.2 | 12        |
| 6  | Impact of gamma radiation dose on sterility and quality parameters of <i>Anastrepha fraterculus</i> (Diptera: Tephritidae). <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20190249.   | 0.8 | 1         |
| 7  | Effectiveness of Entomopathogenic Nematodes Against <i>Ceratitis capitata</i> (Diptera: Tephritidae) Pupae and Nematode Compatibility with Chemical Insecticides. <i>Journal of Economic Entomology</i> , 2021, 114, 248-256.  | 1.8 | 10        |
| 8  | Insecticide-mediated effects on mating success and reproductive output of <i>Drosophila suzukii</i> . <i>Ecotoxicology</i> , 2021, 30, 828-835.  | 2.4 | 9         |
| 9  | Effects of temperature and relative humidity on mating and survival of sterile <i>Drosophila suzukii</i> . <i>Journal of Applied Entomology</i> , 2021, 145, 789-799.  | 1.8 | 7         |
| 10 | Potential global distribution of the south American cucurbit fruit fly <i>Anastrepha grandis</i> (Diptera: Tephritidae). <i>Tropical Pest Management</i> , 2021, 67, 105050.   | 2.1 | 7         |
| 11 | First record of parasitoids (Hymenoptera: Braconidae) associated with <i>Anastrepha barbiellinii</i> Lima, 1938 (Diptera: Tephritidae). <i>Brazilian Journal of Biology</i> , 2021, 81, 1125-1126.   | 0.9 | 0         |
| 12 | Ant diversity (Hymenoptera: Formicidae) in Turvo State Park, municipality of Derrubadas, state of Rio Grande do Sul, Brazil. <i>Brazilian Journal of Biology</i> , 2021, 83, e239642.  | 0.9 | 0         |
| 13 | What is the influence of agroecological and conventional crops under ant assemblages?. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20201821.  | 0.8 | 0         |
| 14 | Spatio-Temporal Distribution of <i>Anastrepha fraterculus</i> and <i>Ceratitis capitata</i> (Diptera: Tephritidae) Captures and their Relationship with Fruit Infestation in Farms with a Diversity of Hosts. <i>Florida Entomologist</i> , 2021, 104, .                                 | 0.5 | 3         |
| 15 | <i>Zelus pedestris</i> (Hemiptera: Reduviidae): a new record of predator of <i>Ceratitis capitata</i> (Diptera: Tephritidae). <i>Tropical Pest Management</i> , 2021, 67, 105051.  | 0.9 | 10        |
| 16 | Some Aspects of the Biology of <i>Trichopria anastrephae</i> (Hymenoptera: Diapriidae), a Resident Parasitoid Attacking <i>Drosophila suzukii</i> (Diptera: Drosophilidae) in Brazil. <i>Journal of Economic Entomology</i> , 2020, 113, 81-87.  | 1.8 | 17        |
| 17 | Effect of temperature on the development time and life-time fecundity of <i>Trichopria anastrephae</i> parasitizing <i>Drosophila suzukii</i> . <i>Journal of Applied Entomology</i> , 2020, 144, 857-865.   | 1.8 | 9         |
| 18 | Release-Recapture Test of Dispersal and Survival of Sterile Males of <i>Ceratitis capitata</i> (Diptera: Tephritidae). <i>Tropical Pest Management</i> , 2020, 66, 104622.   | 1.2 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | First transcriptome of the Neotropical pest <i>Euschistus heros</i> (Hemiptera: Pentatomidae) with dissection of its siRNA machinery. <i>Scientific Reports</i> , 2020, 10, 4856.   | 3.3 | 20        |
| 20 | Effect of temperature on reproduction, development, and phenotypic plasticity of <i>Drosophila suzukii</i> in Brazil. <i>Entomologia Experimentalis Et Applicata</i> , 2020, 168, 817-826.  | 1.4 | 11        |
| 21 | Biological Control of Tephritid Fruit Flies in the Americas and Hawaii: A Review of the Use of Parasitoids and Predators. <i>Insects</i> , 2020, 11, 662.   | 2.2 | 63        |
| 22 | <i>Drosophila suzukii</i> Management in the Agriculture 4.0 Context. , 2020, , 269-277.   |     | 1         |
| 23 | Introduction to <i>Drosophila suzukii</i> Management. , 2020, , 1-9.  |     | 3         |
| 24 | Basis for Area-Wide Management of <i>Drosophila suzukii</i> in Latin America. , 2020, , 93-110.   |     | 15        |
| 25 | Influence of wing bands and behavior of <i>Anastrepha fraterculus</i> (Diptera: Tephritidae) by the presence of <i>Megafreya sutrix</i> (Araneae: Salticidae). <i>Anais Da Academia Brasileira De Ciencias</i> , 2020, 92 SupplÂ1, e20181306.                                       | 0.8 | 1         |
| 26 | Radiation effects on <i>Drosophila suzukii</i> (Diptera: Drosophilidae) reproductive behaviour. <i>Journal of Applied Entomology</i> , 2019, 143, 88-94.  | 1.8 | 21        |
| 27 | Toxicity of Bacterial Isolates on Adults of <i>Zaprionus indianus</i> (Diptera: Drosophilidae) and Parasitoids <i>Trichopria anastrephae</i> (Hymenoptera: Diapriidae) and <i>Pachycrepoideus vindemmiae</i> (Hymenoptera: Pteromalidae). <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> |     |           |
| 28 | Spatial distribution and control levels of <i>Anastrepha</i> spp. (Diptera: Tephritidae) in guava orchards. <i>Anais Da Academia Brasileira De Ciencias</i> , 2019, 91, e20180428.  | 0.8 | 8         |
| 29 | Toxicities of Insecticidal Toxic Baits to Control <i>Ceratitis capitata</i> (Diptera: Tephritidae): Implications for Field Management. <i>Journal of Economic Entomology</i> , 2019, 112, 2782-2789.  | 1.8 | 7         |
| 30 | Effects of Extrinsic, Intraspecific Competition and Host Deprivation on the Biology of <i>Trichopria anastrephae</i> (Hymenoptera: Diapriidae) Reared on <i>Drosophila suzukii</i> (Diptera: Drosophilidae). <i>Neotropical Entomology</i> , 2019, 48, 957-965.                     | 1.2 | 21        |
| 31 | Evaluation of food baits to capture <i>Drosophila suzukii</i> in the southern of Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2019, 91, e20180375.   | 0.8 | 9         |
| 32 | Population Dynamics of <i>Drosophila suzukii</i> (Diptera: Drosophilidae) in Berry Crops in Southern Brazil. <i>Neotropical Entomology</i> , 2019, 48, 699-705.   | 1.2 | 13        |
| 33 | Toxicities and Residual Effect of Spinosad and Alpha-Cypermethrin-Based Baits to Replace Malathion for <i>Ceratitis capitata</i> (Diptera: Tephritidae) Control. <i>Journal of Economic Entomology</i> , 2019, 112, 1798-1804.  | 1.8 | 16        |
| 34 | Insecticide Toxicity to <i>Drosophila suzukii</i> (Diptera: Drosophilidae) parasitoids: <i>Trichopria anastrephae</i> (Hymenoptera: Diapriidae) and <i>Pachycrepoideus vindemmiae</i> (Hymenoptera: Pteromalidae). <i>Journal of Economic Entomology</i> , 2019, 112, 1197-1206.    | 1.8 | 29        |
| 35 | <i>Cotesia invirae</i> , sp. nov., from South Brazil: a new gregarious microgastrine wasp (Hymenoptera: Pteromalidae). <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>  | 0.4 | 4         |
| 36 | Entomologia, 2019, 63, 136-140.   |     |           |
|    | Potential distribution of <i>Bactrocera oleae</i> and the parasitoids <i>Fopius arisanus</i> and <i>Psyttalia concolor</i> , aiming at classical biological control. <i>Biological Control</i> , 2019, 132, 144-151.  | 3.0 | 13        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Bioassay Method for Toxicity Studies of Toxic Bait Formulations to <i>Ceratitis capitata</i> (Diptera: Tephritidae) 1.0784314_2rgBT /Overlock 10   | 1.2 | 10        |
| 38 | Laboratory and field assessments of lethal and sublethal toxicities of acetogenin-based bioinsecticides against <i>Zaprionus indianus</i> (Diptera: Drosophilidae). Chilean Journal of Agricultural Research, 2019, 79, 501-511. | 1.1 | 7         |
| 39 | Phenological asynchrony between the fruit fly <i>Anastrepha fraterculus</i> and early maturing peach cultivars could contribute to pesticide use reduction. Spanish Journal of Agricultural Research, 2019, 17, e1001.           | 0.6 | 6         |
| 40 | Desaparecimento de abelhas polinizadoras nos sistemas naturais e agrícolas: Existe uma explicação? Revista De Ciencias Agroveterinarias, 2019, 18, .   | 0.2 | 8         |
| 41 | The diversity of Odonata adults™ at Pampa Biome from Brazil. Revista De Biologia Tropical, 2019, 67, .   | 0.4 | 3         |
| 42 | Faunal analysis and injuries characterization of Polistinae (Hymenoptera, Vespidae) in niagara rosada vineyards in Bento Gonçalves, Rio Grande do Sul state, Brazil. Bioscience Journal, 2019, 35, .                             | 0.4 | 1         |
| 43 | Does the surrounding vegetation influence the fruit fly assemblage in guava orchards?. Bioscience Journal, 2019, 35, .   | 0.4 | 2         |
| 44 | Efeitos do extrato supercrólico de <i>Melia azedarach</i> (Meliaceae) no controle de <i>Sitophilus zeamais</i> Motschulsky, 1855 (Coleoptera, Curculionidae). Revista De Ciencias Agroveterinarias, 2019, 18, .                  | 0.2 | 2         |
| 45 | Níveis de infestação de <i>Zaprionus indianus</i> (Diptera: Drosophilidae) em diferentes frutos hospedeiros. Revista De Ciencias Agroveterinarias, 2019, 18, .   | 0.2 | 3         |
| 46 | The curvicauda species group of <i>Anastrepha</i> Schiner, 1868 (Diptera, Tephritidae, Trypetinae) in Uruguay: new records of species and host plant. Check List, 2019, 15, 1167-1172.   | 0.4 | 4         |
| 47 | Ampliação da área ocorrência de <i>Drosophila suzukii</i> (Diptera, Drosophilidae) em Santa Catarina, Brasil. Revista De Ciencias Agroveterinarias, 2019, 18, 526-529.   | 0.2 | 2         |
| 48 | Effects of Irradiation Dose on Sterility Induction and Quality Parameters of <i>Drosophila suzukii</i> (Diptera: Drosophilidae). Journal of Economic Entomology, 2018, 111, 741-746.   | 1.8 | 31        |
| 49 | Biological Activity of <i>Bacillus thuringiensis</i> (Bacillales: Bacillaceae) in <i>Anastrepha fraterculus</i> (Diptera: Tephritidae). Journal of Economic Entomology, 2018, 111, 1486-1489.                                    | 1.8 | 6         |
| 50 | Concentration and lethal time of toxic baits based on spinosyns on <i>Ceratitis capitata</i> and <i>Diachasmimorpha longicaudata</i> 1. Pesquisa Agropecuaria Tropical, 2018, 48, 323-330.                                       | 1.0 | 6         |
| 51 | Population suppression of <i>Ceratitis capitata</i> (Wiedemann) on table grapes using toxic baits. Anais Da Academia Brasileira De Ciencias, 2018, 90, 3963-3973.  | 0.8 | 10        |
| 52 | Biology and fertility life table of <i>Drosophila suzukii</i> on artificial diets. Entomologia Experimentalis Et Applicata, 2018, 166, 932-936.  | 1.4 | 28        |
| 53 | Sequential sampling plan for fruit fly species of the Genus <i>Anastrepha</i> (Diptera: Tephritidae) in guava orchards. Anais Da Academia Brasileira De Ciencias, 2018, 90, 3607-3614.   | 0.8 | 1         |
| 54 | Fruit fly (Diptera: Tephritidae) assemblage in a feijoa orchard in Santa Catarina State, Brazil. Revista Colombiana De Entomologia, 2018, 44, 110.   | 0.4 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | FAUNA DE FORMIGAS EM ÁREAS DE PRESERVAÇÃO PERMANENTE DE USINA HIDROELÉTRICA. Ciencia Florestal, 2018, 28, 1741-1754.  | 0.3 | 4         |
| 56 | Development of <i>Anastrepha grandis</i> (Diptera: Tephritidae) under constant temperatures and field validation of a laboratory model for temperature requirements. Crop Protection, 2017, 100, 38-44.       | 2.1 | 14        |
| 57 | <i>Drosophila suzukii</i> in Southern Neotropical Region: Current Status and Future Perspectives. Neotropical Entomology, 2017, 46, 591-605.  | 1.2 | 73        |
| 58 | Does organic management of agroecosystems contribute to the maintenance of the richness of ants?. Semina: Ciencias Agrarias, 2017, 38, 3455.  | 0.3 | 2         |
| 59 | Ant assemblage (Hymenoptera: Formicidae) in three wind farms in the State of Paraná, Brazil. Brazilian Journal of Biology, 2017, 77, 176-184.   | 0.9 | 6         |
| 60 | Richness and structure of ant assemblies (Hymenoptera: Formicidae) in Atlantic forest in southern Brazil. Anais Da Academia Brasileira De Ciencias, 2017, 89, 2719-2729.                                      | 0.8 | 3         |
| 61 | Global potential distribution of <i>Drosophila suzukii</i> (Diptera, Drosophilidae). PLoS ONE, 2017, 12, e0174318.  | 2.5 | 158       |
| 62 | Effects of insecticides on adults and eggs of <i>Drosophila suzukii</i> (Diptera, Drosophilidae). Revista Colombiana De Entomologia, 2017, 43, 208.   | 0.4 | 18        |
| 63 | ESTRUTURA DA ASSEMBLEIA DE SCOLYTINAE (COLEOPTERA: CURCULIONIDAE) EM ÁREAS FLORESTADAS COM <i>Eucalyptus</i> spp. NO SUL DO RIO GRANDE DO SUL. Ciencia Florestal, 2017, 27, 1167-1177.                        | 0.3 | 4         |
| 64 | BACILLUS THURINGIENSIS VAR. ISRAELENSIS COMO ALTERNATIVA PARA O CONTROLE POPULACIONAL DE AEDES AEGYPTI (LINNAEUS, 1762) (DIPTERA: CULICIDAE). Ciência E Natura, 2017, 39, 211.                                | 0.0 | 3         |
| 65 | First Report of <i>Neosilba pradoi</i> and <i>Dasiops frieseni</i> (Diptera: Lonchaeidae) in Cultivated and Wild Hosts in Uruguay. Florida Entomologist, 2017, 100, 831-832.                                  | 0.5 | 3         |
| 66 | Insecticide activity of clove essential oil on bean weevil and maize weevil. Revista Brasileira De Engenharia Agricola E Ambiental, 2016, 20, 72-77.  | 1.1 | 32        |
| 67 | Efficiency of inert mineral dusts in the control of corn weevil. Revista Brasileira De Engenharia Agricola E Ambiental, 2016, 20, 158-162.  | 1.1 | 2         |
| 68 | New species of tree cricket <i>Oecanthus</i> Serville, 1831 (Orthoptera: Gryllidae: Oecanthinae) from Reserva Natural Vale, Espírito Santo, Brazil, with chromosome complement. Zootaxa, 2016, 4173, 137-146. | 0.5 | 9         |
| 69 | Evaluation of Food Lures for Fruit Flies (Diptera: Tephritidae) Captured in a Citrus Orchard of the Serra Gaúcha. Florida Entomologist, 2016, 99, 381-384.  | 0.5 | 22        |
| 70 | <i>Anastrepha aczeli</i> Blanchard and <i>Anastrepha similis</i> Greene (Diptera: Tephritidae) in Minas Gerais, Brazil. Ciencia Rural, 2015, 45, 1727-1728.   | 0.5 | 2         |
| 71 | Insects related to Olive culture in Rio Grande do Sul State, Brazil. Ciencia Rural, 2015, 45, 2125-2130.  | 0.5 | 23        |
| 72 | Biology of <i>Anastrepha grandis</i> (Diptera: Tephritidae) in Different Cucurbits. Journal of Economic Entomology, 2015, 108, 1034-1039.   | 1.8 | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | PRIMEIRO REGISTRO DE <i>Drosophila suzukii</i> (MATSUMURA, 1931) (DIPTERA: DROSOPHILIDAE) PARA O ESTADO DO PARANÁ, BRASIL E DE NOVOS HOSPEDEIROS. Revista De Ciências Ambientais, 2015, 9, . | 0.0 | 3         |
| 74 | <i>Alphitobius diaperinus</i> (Coleoptera: Tenebrionidae) Susceptibility to<i>Cunila angustifolia</i> Essential Oil. Journal of Medical Entomology, 2013, 50, 1040-1045.                     | 1.8 | 15        |
| 75 | Augmentative Biological Control Using Parasitoids for Fruit Fly Management in Brazil. Insects, 2013, 4, 55-70.   | 2.2 | 39        |
| 76 | Ants associated with pathogenic microorganisms in brazilian hospitals: attention to a silent vector. Acta Scientiarum - Health Sciences, 2013, 35, .   | 0.2 | 6         |
| 77 | Flutuação populacional de moscas-das-frutas (Diptera, Tephritidae) em pomares de pêssego e maracujazeiro em Iracemaína, Santa Catarina. Biotemas, 2012, 25, .                                | 0.1 | 6         |
| 78 | Oxicenus maxwelli (Keifer) (Acarí: Eriophyidae) danificando a cultura da oliveira, Olea europaea L., no Estado do Rio Grande do Sul. Ciencia Rural, 2012, 42, 767-769.                       | 0.5 | 4         |
| 79 | ATIVIDADE INSETICIDA DE <i>Cunila angustifolia</i> SOBRE ADULTOS DE <i>Acanthoscelides obtectus</i> EM LABORATÓRIO. Ciencia Y Tecnología, 2012, 5, 1-5.                                      | 0.1 | 3         |
| 80 | Tephritis Flies (Diptera, Tephritoidea) and Their Plant Hosts from the State of Santa Catarina in Southern Brazil. Florida Entomologist, 2011, 94, 151-157.                                  | 0.5 | 36        |
| 81 | Formigas urbanas da cidade de Xanxerê, Santa Catarina, Brasil. Biotemas, 2011, 22, .   | 0.1 | 9         |
| 82 | Riqueza de formigas (Hymenoptera: Formicidae) da Bacia da Sanga Caramuru, município de Chapecó-SC. Biotemas, 2011, 22, 95.   | 0.1 | 4         |
| 83 | Tefritídeos endofágicos (Diptera: Tephritidae) associados à Asteraceae em Chapecó, Santa Catarina doi:10.5007/2175-7925.2011v24n1p15. Biotemas, 2011, 24, .                                  | 0.1 | 3         |
| 84 | Ants (Hymenoptera: Formicidae) in five hospitals of Porto Alegre, Rio Grande do Sul State, Brazil. Acta Scientiarum - Health Sciences, 2011, 33, .   | 0.2 | 8         |
| 85 | Primeiro registro de <i>Trichopria anastrephae</i> , parasitóide de moscas-das-frutas, no Rio Grande do Sul. Ciencia Rural, 2011, 41, 1297-1299.   | 0.5 | 19        |
| 86 | Análise faunística de gafanhotos na Floresta Nacional de Chapecó, Santa Catarina. Pesquisa Florestal Brasileira, 2011, 31, 43-50.  | 0.1 | 3         |
| 87 | Flutuação populacional de gafanhotos na Floresta Nacional de Chapecó, Santa Catarina. Ciencia Rural, 2009, 39, 555-558.  | 0.5 | 2         |
| 88 | Moscas-das-frutas em pomares de pêssego e maracujazeiro, no Município de Iracemaína, Santa Catarina, Brasil. Ciencia Rural, 2009, 39, 1565-1568.   | 0.5 | 12        |
| 89 | First Host Plant Record for <i>Anastrepha elegans</i> (Diptera: Tephritidae). Florida Entomologist, 2008, 91, 317-318.   | 0.5 | 5         |
| 90 | Diversidade de formigas na Floresta Nacional de Chapecó, Santa Catarina, Brasil. Ciencia Rural, 2008, 38, 1810-1816.   | 0.5 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Análise faunística e flutuação populacional de cigarrinhas (Hemiptera, Cicadellidae) em pomar cítrico no município de Chapecó, Santa Catarina. Biotemas, 2008, 21, .  | 0.1 | 0         |
| 92  | Primeiro registro de <i>Tomoplagia reimoseri</i> Hendel e <i>Xanthaciura mallochi</i> Aczél (Diptera: Tephritidae) para o Estado de Santa Catarina, Brasil. Ciencia Rural, 2008, 38, 1762-1764.   | 0.5 | 2         |
| 93  | Epidemiologia do aranhemismo no município de Chapecó, Santa Catarina, Brasil. Semina: Ciências Biológicas E Da Saude, 2007, 28, 93.   | 0.2 | 0         |
| 94  | Association of ants (Hymenoptera: Formicidae) with bacteria in hospitals in the State of Santa Catarina. Revista Da Sociedade Brasileira De Medicina Tropical, 2006, 39, 523-526.   | 0.9 | 23        |
| 95  | Primeiro registro de <i>Glycaspis brimblecombei</i> Moore 1964, (Hemiptera: Psyllidae) em Eucalipto no Estado de Santa Catarina, Brasil. Ciencia Rural, 2006, 36, 653-655.  | 0.5 | 4         |
| 96  | Conservação suano-peixe: aspectos ambientais e qualidade do pescado. Revista Brasileira De Zootecnia, 2004, 33, 267-276.  | 0.8 | 11        |
| 97  | NATIVE HYMENOPTERAN PARASITOIDS ASSOCIATED WITH FRUIT FLIES (DIPTERA: TEHRITIDAE) IN SANTA CATARINA STATE, BRAZIL. Florida Entomologist, 2004, 87, 517-521.   | 0.5 | 33        |
| 98  | Primeiro registro da cochonilha <i>Pendularia paraguariensis</i> Granara de Willink, 1999 (Hemiptera:) Tj ETQq0 0 0 rgBT_0.5 Overlock_2 10 Tf 50 4  |     |           |
| 99  | Flutuação populacional de <i>Anastrepha fraterculus</i> (Wiedemann, 1830) (Diptera, Tephritidae) na Região Oeste de Santa Catarina, Brasil. Revista Brasileira De Entomologia, 2003, 47, 415-420.   | 0.4 | 15        |
| 100 | Análise faunística de espécies de moscas-das-frutas (Diptera: Tephritidae) na região Oeste de Santa Catarina. Neotropical Entomology, 2003, 32, 421-426.  | 1.2 | 24        |
| 101 | Primeiro registro de ocorrência de <i>Galeopsomyia fausta</i> La Salle & Peña (Hymenoptera: Eulophidae) no estado de Santa Catarina, Brasil. Neotropical Entomology, 2000, 29, 373-376.   | 0.2 | 0         |
| 102 | Flutuação populacional de <i>Anastrepha fraterculus</i> (Wiedemann) e <i>Ceratitis capitata</i> (Wiedemann) (Diptera, Tephritidae) em pomares de pêssego em Porto Alegre, Rio Grande do Sul. Revista Brasileira De Zoologia, 1998, 15, 153-158. | 0.5 | 13        |
| 103 | Análise faunística de moscas-das-frutas (diptera, tephritidae) em pomares de pêssego em Porto Alegre, Rio Grande do Sul. Revista Brasileira De Zoologia, 1998, 15, 1111-1117.   | 0.5 | 14        |
| 104 | Biological activity of entomopathogenic nematodes on <i>Anastrepha fraterculus</i> (Diptera: Tephritidae). Bioscience Journal, 0, 37, e37047.   | 0.4 | 3         |
| 105 | Faunal analysis and population density of fruit flies (Diptera: tephritidae) in an orchard located in the central western region of Minas Gerais, Brazil. Bioscience Journal, 0, , 960-968.   | 0.4 | 2         |
| 106 | Impact of global warming on the distribution of <i>Anastrepha grandis</i> (Diptera: Tephritidae) in Brazil. Arquivos Do Instituto Biológico, 0, 87, .   | 0.4 | 5         |
| 107 | Can ants contribute to the conservative biological control of the south american fruit fly?. Bioscience Journal, 0, , 941-948.  | 0.4 | 6         |
| 108 | Infestation index of <i>Drosophila suzukii</i> (Diptera: Drosophilidae) in small fruit in southern Brazil. Arquivos Do Instituto Biológico, 0, 87, .  | 0.4 | 11        |

# ARTICLE

IF CITATIONS

|     |   |     |   |
|-----|---|-----|---|
| 109 | Elio Corseuil: Obituary (1930-2020). EntomoBrasilis, 0, 13, e925. | 0.2 | 0 |
|-----|---|-----|---|