

John W Schmidt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7417315/publications.pdf>

Version: 2024-02-01

44
papers

1,282
citations

394286

19
h-index

377752

34
g-index

45
all docs

45
docs citations

45
times ranked

1046
citing authors

#	ARTICLE	IF	CITATIONS
1	Twenty-Four-Month Longitudinal Study Suggests Little to No Horizontal Gene Transfer In Situ between Third-Generation Cephalosporin-Resistant Salmonella and Third-Generation Cephalosporin-Resistant Escherichia coli in a Beef Cattle Feedyard. <i>Journal of Food Protection</i> , 2022, 85, 323-335.	0.8	2
2	Resistomes and microbiome of meat trimmings and colon content from culled cows raised in conventional and organic production systems. <i>Animal Microbiome</i> , 2022, 4, 21.	1.5	6
3	A Farm-to-Fork Quantitative Microbial Exposure Assessment of β -Lactam-Resistant Escherichia coli among U.S. Beef Consumers. <i>Microorganisms</i> , 2022, 10, 661.	1.6	3
4	Characterization of Escherichia coli harboring colibactin genes (clb) isolated from beef production and processing systems. <i>Scientific Reports</i> , 2022, 12, 5305.	1.6	2
5	Antimicrobial Resistance in U.S. Retail Ground Beef with and without Label Claims Regarding Antibiotic Use. <i>Journal of Food Protection</i> , 2021, 84, 827-842.	0.8	12
6	A Comparative Quantitative Assessment of Human Exposure to Various Antimicrobial-Resistant Bacteria among U.S. Ground Beef Consumers. <i>Journal of Food Protection</i> , 2021, 84, 736-759.	0.8	5
7	Metagenomic Characterization of the Microbiome and Resistome of Retail Ground Beef Products. <i>Frontiers in Microbiology</i> , 2020, 11, 541972.	1.5	12
8	No Change in Risk for Antibiotic-Resistant Salmonellosis from Beef, United States, 2002–2010. <i>Emerging Infectious Diseases</i> , 2020, 26, 2108-2117.	2.0	8
9	Seasonal Prevalence of Shiga Toxin-Producing Escherichia coli on Pork Carcasses for Three Steps of the Harvest Process at Two Commercial Processing Plants in the United States. <i>Applied and Environmental Microbiology</i> , 2020, 87, .	1.4	11
10	In-Feed Tylosin Phosphate Administration to Feedlot Cattle Minimally Affects Antimicrobial Resistance. <i>Journal of Food Protection</i> , 2020, 83, 350-364.	0.8	9
11	Antimicrobial Resistance at Two U.S. Cull Cow Processing Establishments. <i>Journal of Food Protection</i> , 2020, 83, 2216-2228.	0.8	6
12	Food Service Pork Chops from Three U.S. Regions Harbor Similar Levels of Antimicrobial Resistance Regardless of Antibiotic Use Claims. <i>Journal of Food Protection</i> , 2019, 82, 1667-1676.	0.8	21
13	Cropland Amendment with Beef Cattle Manure Minimally Affects Antimicrobial Resistance. <i>Journal of Environmental Quality</i> , 2019, 48, 1683-1693.	1.0	10
14	Functional blaKPC-2 Sequences Are Present in U.S. Beef Cattle Feces Regardless of Antibiotic Use. <i>Foodborne Pathogens and Disease</i> , 2018, 15, 444-448.	0.8	23
15	Surface pH of Fresh Beef as a Parameter To Validate Effectiveness of Lactic Acid Treatment against Escherichia coli O157:H7 and Salmonella. <i>Journal of Food Protection</i> , 2018, 81, 1126-1133.	0.8	9
16	Similar Levels of Antimicrobial Resistance in U.S. Food Service Ground Beef Products with and without a "Raised without Antibiotics" Claim. <i>Journal of Food Protection</i> , 2018, 81, 2007-2018.	0.8	48
17	Effects of In-Feed Chlortetracycline Prophylaxis in Beef Cattle on Antimicrobial Resistance Genes. <i>Foodborne Pathogens and Disease</i> , 2018, 15, 689-697.	0.8	12
18	Biofilm Formation, Antimicrobial Resistance, and Sanitizer Tolerance of <i>Salmonella enterica</i> Strains Isolated from Beef Trim. <i>Foodborne Pathogens and Disease</i> , 2017, 14, 687-695.	0.8	28

#	ARTICLE	IF	CITATIONS
19	Impact of "Raised without Antibiotics" Beef Cattle Production Practices on Occurrences of Antimicrobial Resistance. <i>Applied and Environmental Microbiology</i> , 2017, 83, .	1.4	99
20	Salmonella in Peripheral Lymph Nodes of Healthy Cattle at Slaughter. <i>Frontiers in Microbiology</i> , 2017, 8, 2214.	1.5	55
21	Escherichia coli O157:H7 Strains Isolated from High-Event Period Beef Contamination Have Strong Biofilm-Forming Ability and Low Sanitizer Susceptibility, Which Are Associated with High pO157 Plasmid Copy Number. <i>Journal of Food Protection</i> , 2016, 79, 1875-1883.	0.8	21
22	Antimicrobial-Resistant Fecal Bacteria from Ceftiofur-Treated and Nonantimicrobial-Treated Comingled Beef Cows at a Cow-Calf Operation. <i>Microbial Drug Resistance</i> , 2016, 22, 598-608.	0.9	35
23	Effects of In-Feed Chlortetracycline Prophylaxis in Beef Cattle on Animal Health and Antimicrobial-Resistant Escherichia coli. <i>Applied and Environmental Microbiology</i> , 2016, 82, 7197-7204.	1.4	44
24	Diagnostic Accuracy of Rectoanal Mucosal Swab of Feedlot Cattle for Detection and Enumeration of Salmonella enterica. <i>Journal of Food Protection</i> , 2016, 79, 531-537.	0.8	8
25	Occurrence of Antimicrobial-Resistant Escherichia coli and Salmonella enterica in the Beef Cattle Production and Processing Continuum. <i>Applied and Environmental Microbiology</i> , 2015, 81, 713-725.	1.4	75
26	Efficacy of Antimicrobial Compounds on Surface Decontamination of Seven Shiga Toxin-Producing Escherichia coli and Salmonella Inoculated onto Fresh Beef. <i>Journal of Food Protection</i> , 2015, 78, 503-510.	0.8	14
27	Antimicrobial-Resistant Bacterial Populations and Antimicrobial Resistance Genes Obtained from Environments Impacted by Livestock and Municipal Waste. <i>PLoS ONE</i> , 2015, 10, e0132586.	1.1	118
28	Immersion in Antimicrobial Solutions Reduces Salmonella enterica and Shiga Toxin-Producing Escherichia coli on Beef Cheek Meat. <i>Journal of Food Protection</i> , 2014, 77, 538-548.	0.8	16
29	The physiologic state of Escherichia coli O157:H7 does not affect its detection in two commercial real-time PCR-based tests. <i>Food Microbiology</i> , 2013, 33, 205-212.	2.1	2
30	Mixed Biofilm Formation by Shiga Toxin-Producing Escherichia coli and Salmonella enterica Serovar Typhimurium Enhanced Bacterial Resistance to Sanitization due to Extracellular Polymeric Substances. <i>Journal of Food Protection</i> , 2013, 76, 1513-1522.	0.8	82
31	Influence of Therapeutic Ceftiofur Treatments of Feedlot Cattle on Fecal and Hide Prevalences of Commensal Escherichia coli Resistant to Expanded-Spectrum Cephalosporins, and Molecular Characterization of Resistant Isolates. <i>Applied and Environmental Microbiology</i> , 2013, 79, 2273-2283.	1.4	31
32	Characterization of Escherichia coli O157:H7 Strains Isolated from Supershedding Cattle. <i>Applied and Environmental Microbiology</i> , 2013, 79, 4294-4303.	1.4	45
33	Cross-sectional Study Examining Salmonella enterica Carriage in Subiliac Lymph Nodes of Cull and Feedlot Cattle at Harvest. <i>Foodborne Pathogens and Disease</i> , 2013, 10, 368-374.	0.8	87
34	Prevalence, Enumeration, Serotypes, and Antimicrobial Resistance Phenotypes of Salmonella enterica Isolates from Carcasses at Two Large United States Pork Processing Plants. <i>Applied and Environmental Microbiology</i> , 2012, 78, 2716-2726.	1.4	41
35	Microbiological Analysis of Bovine Lymph Nodes for the Detection of Salmonella enterica. <i>Journal of Food Protection</i> , 2012, 75, 854-858.	0.8	58
36	Evaluation of Commonly Used Antimicrobial Interventions for Fresh Beef Inoculated with Shiga Toxin-Producing Escherichia coli Serotypes O26, O45, O103, O111, O121, O145, and O157:H7. <i>Journal of Food Protection</i> , 2012, 75, 1207-1212.	0.8	74

#	ARTICLE	IF	CITATIONS
37	Detection of Escherichia coli O157:H7 and Salmonella enterica in Air and Droplets at Three U.S. Commercial Beef Processing Plants. <i>Journal of Food Protection</i> , 2012, 75, 2213-2218.	0.8	23
38	Efficacy of Hypobromous Acid as a Hide-On Carcass Antimicrobial Intervention. <i>Journal of Food Protection</i> , 2012, 75, 955-958.	0.8	15
39	Dual-Serotype Biofilm Formation by Shiga Toxin-Producing Escherichia coli O157:H7 and O26:H11 Strains. <i>Applied and Environmental Microbiology</i> , 2012, 78, 6341-6344.	1.4	14
40	Novel Common Integration Sites Targeted by Mouse Mammary Tumor Virus Insertion in Mammary Tumors Have Oncogenic Activity. <i>PLoS ONE</i> , 2011, 6, e27425.	1.1	27
41	Generation of ramoplanin-resistant Staphylococcus aureus. <i>FEMS Microbiology Letters</i> , 2010, 310, 104-111.	0.7	14
42	Inoculation of Beef with Low Concentrations of Escherichia coli O157:H7 and Examination of Factors That Interfere with Its Detection by Culture Isolation and Rapid Methods. <i>Journal of Food Protection</i> , 2010, 73, 2180-2188.	0.8	9
43	NBU1 integrase: evidence for an altered recombination mechanism. <i>Molecular Microbiology</i> , 2006, 60, 152-164.	1.2	5
44	An Immunoreceptor Tyrosine Activation Motif in the Mouse Mammary Tumor Virus Envelope Protein Plays a Role in Virus-Induced Mammary Tumors. <i>Journal of Virology</i> , 2006, 80, 9000-9008.	1.5	43