Azadeh Tadjarodi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7418273/publications.pdf

Version: 2024-02-01

214721 218592 2,373 79 26 47 citations g-index h-index papers 79 79 79 3364 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Synthesis and characterization of Pd nanoparticles anchored on MIL 101(Cr) as a novel and recyclable catalyst for the Suzuki cross-coupling reactions. Microporous and Mesoporous Materials, 2022, 331, 111599.	2.2	4
2	Designing a novel 3D nanofibrous scaffold based on nanoalloy AuAg NPs (AuAg@ PAN NFs) for osteogenic differentiation of human adipose derived mesenchymal stem cells (hADMSCs). European Polymer Journal, 2022, 167, 111073.	2.6	1
3	Core shell Fe3O4@TiO2/silica aerogel nanocomposite; synthesis and study of structural, magnetic and photocatalytic properties. Microporous and Mesoporous Materials, 2022, 338, 111757.	2.2	10
4	Preparation of nanocomposite with different component ratios of CuWO4 nanoparticles and nitrogen-doped reduced graphene oxide to compare their supercapacitive properties. Journal of Alloys and Compounds, 2021, 856, 157302.	2.8	6
5	Synthesis of ZnMoO4 nanofibers by ultrasonic bath method and investigation of their supercapacitive properties. Materials Today Communications, 2021, 26, 101794.	0.9	3
6	Design and Characterization of Ticagrelorâ€Loaded Chitosan Biopolymer to Improve Chemical and Biological Properties of the Drug. ChemistrySelect, 2021, 6, 1741-1747.	0.7	1
7	Low molecular weight chitosan-cyanocobalamin nanoparticles for controlled delivery of ciprofloxacin: Preparation and evaluation. International Journal of Biological Macromolecules, 2021, 176, 459-467.	3.6	20
8	The effect of annealing temperature on the structure and supercapacitive properties of copper tungstate. Materials Letters, 2021, 293, 129644.	1.3	3
9	Synthesis and study of the pseudocapacitive behavior of heterojunctional NiTiO3-based chitosan nanocomposite. Journal of Physics and Chemistry of Solids, 2020, 139, 109309.	1.9	12
10	Synthesis of ZnFe2O4 nanoparticles with high specific surface area for high-performance supercapacitor. Journal of Materials Science: Materials in Electronics, 2020, 31, 23025-23036.	1.1	18
11	Synthesis and Characterization of Magnetic Zeolite Y–Palladium–Nickel Ferrite by Ultrasonic Irradiation and Investigating Its Catalytic Activity in Suzuki–Miyaura Cross-Coupling Reactions. ACS Omega, 2019, 4, 10640-10648.	1.6	27
12	Synthesis of perovskite-like NiTiO3 nanoparticles as an electrode material by a rapid solid combustion technique induced by microwave irradiation. Ceramics International, 2019, 45, 18772-18777.	2.3	9
13	Preparation, characterization, DFT calculations and ethylene oligomerization studies of iron(II) complexes bearing 2-(1H-benzimidazol-2-yl)-phenol derivatives. Journal of Coordination Chemistry, 2018, 71, 1180-1192.	0.8	4
14	Ultrafast synthesis of crystalline Cu 2 ZnSnS 4 nanoparticles by solid state microwave heating technique and study of their electrochemical behavior. Materials Letters, 2018, 225, 9-12.	1.3	6
15	Activation of hexamethyldisilazane (HMDS) by TiO2 nanoparticles for protection of alcohols and phenols: the effect of the catalyst phase on catalytic activity. Research on Chemical Intermediates, 2018, 44, 2951-2963.	1.3	8
16	Synthesis and characterization of Ni(II) complexes bearing of 2â€(1 <i>H</i> –benzimidazolâ€2â€yl)â€phenol derivatives as highly active catalysts for ethylene oligomerization. Applied Organometallic Chemistry, 2018, 32, e4015.	1.7	15
17	Green synthesis and characterization of palladium nanoparticles supported on zeolite Y by sonochemical method, powerful and efficient catalyst for Suzukiâ€Miyaura coupling of aryl halides with phenylboronic acid. Applied Organometallic Chemistry, 2018, 32, e4594.	1.7	17
18	Cobalt complexes based on 2-(1H-benzimidazol-2-yl)-phenol derivatives: preparation, spectral studies, DFT calculations and catalytic behavior toward ethylene oligomerization. Journal of Coordination Chemistry, 2017, 70, 1800-1814.	0.8	6

#	Article	IF	CITATIONS
19	A flexible mechanochemical route for the synthesis of copper oxide nanorods/nanoparticles/nanowires for supercapacitor applications: The effect of morphology on the charge storage ability. Journal of Alloys and Compounds, 2017, 695, 114-123.	2.8	75
20	H2S gasochromic effect of mixed ammonium salts of phosphomolybdate nanoparticles synthesized by microwave assisted technique. Sensors and Actuators B: Chemical, 2016, 237, 715-723.	4.0	4
21	Speciation analysis of inorganic arsenic in food and water samples by electrothermal atomic absorption spectrometry after magnetic solid phase extraction by a novel MOF-199/modified magnetite nanoparticle composite. RSC Advances, 2016, 6, 113727-113736.	1.7	27
22	One pot microwave synthesis of MCM-41/Cu based MOF composite with improved CO 2 adsorption and selectivity. Microporous and Mesoporous Materials, 2016, 231, 154-162.	2.2	64
23	Central composite design optimization of Ce(<scp>iii</scp>) ion removal from aqueous solution using modified SBA-15 mesoporous silica. New Journal of Chemistry, 2016, 40, 5128-5134.	1.4	36
24	Highly efficient ultrasonic-assisted removal of $Hg(II)$ ions on graphene oxide modified with 2-pyridinecarboxaldehyde thiosemicarbazone: Adsorption isotherms and kinetics studies. Ultrasonics Sonochemistry, 2016, 33, 118-128.	3.8	126
25	Synthesis and property modification of MCM-41 composited with Cu(BDC) MOF for improvement of CO 2 adsorption Selectivity. Journal of CO2 Utilization, 2016, 14, 126-134.	3.3	41
26	The novel synthesis of highly water-soluble few-layer graphene nanosheets by a simple one-pot chemical route and without any modification. Materials Chemistry and Physics, 2016, 183, 297-305.	2.0	4
27	Nanomagnetic zirconia-based sulfonic acid (Fe ₃ H): a new, efficient and recyclable solid acid catalyst for the protection of alcohols via HMDS under solvent free conditions. RSC Advances. 2016. 6. 63480-63487.	1.7	11
28	Highly efficient simultaneous ultrasonic-assisted adsorption of Pb(II), Cd(II), Ni(II) and Cu (II) ions from aqueous solutions by graphene oxide modified with 2,2′-dipyridylamine: Central composite design optimization. Ultrasonics Sonochemistry, 2016, 32, 265-276.	3.8	204
29	A magnetic nanocomposite prepared from chelator-modified magnetite (Fe3O4) and HKUST-1 (MOF-199) for separation and preconcentration of mercury(II). Mikrochimica Acta, 2016, 183, 1391-1399.	2.5	67
30	Solid state preparation and photocatalytic activity of bismuth oxybromide nanoplates. Research on Chemical Intermediates, 2016, 42, 2429-2447.	1.3	19
31	Mechanochemically prepared BiOCl nanoplates for removal of rhodamine B and pentachlorophenol. Monatshefte FÃ⅓r Chemie, 2016, 147, 685-696.	0.9	15
32	ZnFe ₂ O ₄ nanoparticles and a clay encapsulated ZnFe ₂ O ₄ nanocomposite: synthesis strategy, structural characteristics and the adsorption of dye pollutants in water. RSC Advances, 2015, 5, 56145-56156.	1.7	45
33	Facile and fast, one pot microwave synthesis of metal organic framework copper terephthalate and study CO2 and CH4 adsorption on it. Journal of Porous Materials, 2015, 22, 1161-1169.	1.3	24
34	Innovative one pot synthesis method of the magnetic zinc ferrite nanoparticles with a superior adsorption performance. Materials Letters, 2015, 152, 57-59.	1.3	12
35	Photocatalytic activity of CuO nanoparticles incorporated in mesoporous structure prepared from bis(2-aminonicotinato) copper(II) microflakes. Transactions of Nonferrous Metals Society of China, 2015, 25, 3634-3642.	1.7	57
36	Solid phase extraction of Cd(II) and Pb(II) ions based on a novel functionalized Fe 3 O 4 @ SiO 2 core-shell nanoparticles with the aid of multivariate optimization methodology. Materials Science and Engineering C, 2015, 49, 416-421.	3.8	37

#	Article	IF	Citations
37	Optimization of catalytic activity of sulfated titania for efficient synthesis of isoamyl acetate by response surface methodology. Monatshefte FÃ $\frac{1}{4}$ r Chemie, 2015, 146, 1949-1957.	0.9	14
38	Microwave-assisted synthesis of bismuth oxybromochloride nanoflakes for visible light photodegradation of pollutants. Physica B: Condensed Matter, 2015, 475, 14-20.	1.3	22
39	Solvent free synthesis of ZnO nanostructures and evaluation of their capability for water treatment. Materials Research Bulletin, 2015, 70, 468-477.	2.7	11
40	Photocatalytic activity of mesoporous microbricks of ZnO nanoparticles prepared by the thermal decomposition of bis(2-aminonicotinato) zinc (II). Chinese Journal of Catalysis, 2015, 36, 742-749.	6.9	25
41	Mixed ammonium silver phosphomolybdate salt nanostructures; solid state synthesis, characterization of driving agent role and photocatalytic property. Materials Letters, 2015, 161, 464-467.	1.3	5
42	Synthesis, characterization, and optical properties of lead(II) coordination polymers and nanosize lead oxide core of polymer. Monatshefte FÃ $\frac{1}{4}$ r Chemie, 2015, 146, 35-45.	0.9	11
43	Adsorption of La(III) in aqueous systems by N-(2-hydroxyethyl) salicylaldimine-functionalized mesoporous silica. Materials Research Bulletin, 2015, 61, 113-119.	2.7	39
44	A green synthesis of copper oxide nanoparticles by mechanochemical method. Current Chemistry Letters, 2014, 3, 215-220.	0.5	20
45	Solid phase extraction of heavy metal ions based on a novel functionalized magnetic multi-walled carbon nanotube composite with the aid of experimental design methodology. Mikrochimica Acta, 2014, 181, 597-605.	2.5	63
46	Improving hydrogen production via water splitting over Pt/TiO2/activated carbon nanocomposite. International Journal of Hydrogen Energy, 2014, 39, 7262-7269.	3.8	72
47	Preparation of CdO Rhombus-Like Nanostructure and Its Photocatalytic Degradation of Azo Dyes from Aqueous Solution. Nanomaterials and Nanotechnology, 2014, 4, 16.	1.2	33
48	A novel magnetic metal organic framework nanocomposite for extraction and preconcentration of heavy metal ions, and its optimization via experimental design methodology. Mikrochimica Acta, 2013, 180, 1073-1084.	2.5	114
49	Adsorption kinetics, thermodynamic studies, and high performance of CdO cauliflower-like nanostructure on the removal of Congo red from aqueous solution. Journal of Nanostructure in Chemistry, $2013, 3, 1$.	5.3	23
50	Thermal conductivity studies of novel nanofluids based on metallic silver decorated mesoporous silica nanoparticles. Materials Research Bulletin, 2013, 48, 4150-4156.	2.7	37
51	Application of a facile solid-state process to synthesize the CdO spherical nanoparticles. International Nano Letters, 2013, 3, 1.	2.3	24
52	Experimental investigation of thermo-physical properties of platelet mesoporous SBA-15 silica particles dispersed in ethylene glycol and water mixture. Ceramics International, 2013, 39, 7649-7655.	2.3	18
53	Ba0.69Sr0.17Cd0.07Zn0.07Fe12O19 nanostrucutres/conducting polyaniline nanocomposites; synthesis, characterization and microwave absorption performance. Journal of Alloys and Compounds, 2013, 554, 284-292.	2.8	37
54	A novel electrochemical sensor based on metal-organic framework for electro-catalytic oxidation of L-cysteine. Biosensors and Bioelectronics, 2013, 42, 426-429.	5.3	253

#	Article	IF	CITATIONS
55	Preparation, Characterization and Photocatalytic Properties of Ba-Cd-Sr-Ti Doped Fe3O4 Nanohollow Spheres on Removal of Congo Red Under Visible-Light Irradiation. Journal of Superconductivity and Novel Magnetism, 2013, 26, 219-228.	0.8	15
56	Experimental design to optimize the synthesis of CdO cauliflower-like nanostructure and high performance in photodegradation of toxic azo dyes. Materials Research Bulletin, 2013, 48, 935-942.	2.7	47
57	Determination of Trichloroacetic Acid (TCAA) Using CdO Nanoparticles Modified Carbon Paste Electrode. Electroanalysis, 2013, 25, 487-492.	1.5	13
58	Synthesis and characterization of the special ZnO nanostructure by mechanochemical process. Materials Letters, 2013, 92, 108-110.	1.3	15
59	Fabrication of a PVC membrane samarium(III) sensor based on N,N′,N″-tris(4-pyridyl)trimesic amide as a selectophore. Materials Science and Engineering C, 2013, 33, 870-874.	3.8	30
60	Synthesis of tetrakis(carboxyphenyl)porphyrin coated paramagnetic iron oxide nanoparticles via amino acid for photodegradation of methylene blue. Turkish Journal of Chemistry, 2013, 37, 879-888.	0.5	4
61	The removal of 2,4-dichlorophenol under visible light irradiation by silver indium sulfide nanoparticles synthesized by microwave. Current Chemistry Letters, 2013, 2, 77-84.	0.5	3
62	Dibromido(2,9-dimethyl-1,10-phenanthroline-ΰ ² <i>N</i> , <i>N</i> ,2)zinc. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, m811-m811.	0.2	3
63	Bis(2-amino-3-methylpyridine-l̂ºN1)dichloridomercury(II). Acta Crystallographica Section E: Structure Reports Online, 2012, 68, m1099-m1099.	0.2	2
64	(Acetato-κ2O,O′)(acetato-κO)bis(2-amino-3-methylpyridine-κN1)cobalt(II). Acta Crystallographica Section E: Structure Reports Online, 2012, 68, m1260-m1261.	0.2	1
65	Di-ν-chlorido-bis[(2-amino-4-methylpyridine-κN)chloridomercury(II)]. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, m1300-m1301.	0.2	2
66	Preparation of AgInS2 nanoparticles by a facile microwave heating technique; study of effective parameters, optical and photovoltaic characteristics. Applied Surface Science, 2012, 263, 449-456.	3.1	28
67	Preparation and characterization of nano-porous silica aerogel from rice husk ash by drying at atmospheric pressure. Materials Research Bulletin, 2012, 47, 2584-2589.	2.7	86
68	Synthesis and characterization of CdO nanocrystalline structure by mechanochemical method. Materials Letters, 2011, 65, 1025-1027.	1.3	70
69	The effect of chelating agents on synthesised nano-sized CoAl _{2O_{4 by thermal decomposition. International Journal of Nanomanufacturing, 2010, 5, 376.}}	0.3	O
70	Bis(2-amino-3-methylpyridine)dichloridocobalt(II). Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m1293-m1294.	0.2	5
71	Synthesis and Crystal Structure of a Novel Mixed Ligand Cadmium(II) Complex of Benz-1,3-Thiazoline-2-Thione and 1,10-Phenanthroline. Journal of Chemical Crystallography, 2009, 39, 368-371.	0.5	3
72	Determination of terbium(III) ions in phosphate rock samples by a Tb3+–PVC membrane sensor based on N, N-Dimethyl-N′, N″-bis(4-methoxyphenyl)phosphoramidate. Materials Science and Engineering C, 2008, 28, 1489-1494.	3.8	84

#	Article	IF	CITATIONS
73	Novel ferrocene modified poly(amide ether amide)s and investigation of physical and thermal properties. European Polymer Journal, 2007, 43, 498-506.	2.6	21
74	Structural characterization of a copper(II) complex containing oxidative cyclization of N-2-(4-picolyl)-N′-(4-methoxyphenyl)thiourea, new ligands of 4-picolylthiourea derivatives and the precursor molecular structure of oxidative cyclization of N-(2-pyridyl)-N′-(4-methoxyphenyl)thiourea. Polyhedron, 2007, 26, 4609-4618.	1.0	21
75	The electronic effects of substituents onnJPX(n = 2, 3; X = H, C) coupling constants and phospl chemical shifts; syntheses and spectroscopic investigation of some phosphoramidates. Main Group Chemistry, 2005, 4, 111-119.	o.4	1
76	Synthesis and Characterization of Cobalt(II), Nickel(II), and Zinc(II) Complexes with N,N ′-bis(Trans-) Tj ETQq0 (0 0 rgBT 0.8	Overlock 10
77	N,N-Dimethyl-N′,N′′-bis(4-methylphenyl)phosphoramidate. Acta Crystallographica Section E: Structure Reports Online, 2002, 58, o200-o201.	0.2	4
78	Experimental demonstration of anomeric effect and structure: X-ray conformational and configurational analysis of N-2-(1,4-dioxane)-N′-(p-methylbenzenesulfonyl)-O-(p-methylphenoxy) isourea. Tetrahedron, 2002, 58, 2621-2625.	1.0	22
79	Bis(4-nitrophenyl)N,N-dimethylphosphoramidate. Acta Crystallographica Section E: Structure Reports Online, 2001, 57, o472-o473.	0.2	1