

# David R Bundle

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7418819/publications.pdf>

Version: 2024-02-01

110  
papers

5,009  
citations

87843

38  
h-index

98753

67  
g-index

117  
all docs

117  
docs citations

117  
times ranked

3366  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Tip of Brucella O-Polysaccharide Is a Potent Epitope in Response to Brucellosis Infection and Enables Short Synthetic Antigens to Be Superior Diagnostic Reagents. <i>Microorganisms</i> , 2022, 10, 708.	1.6	1
2	A Three Component Synthetic Vaccine Containing a $\hat{I}^2$ -Mannan T-Cell Peptide Epitope and a $\hat{I}^2$ -Glucan Dendritic Cell Ligand. <i>Molecules</i> , 2018, 23, 1961.	1.7	18
3	Synthetic glycoconjugates characterize the fine specificity of Brucella A and M monoclonal antibodies. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 3874-3883.	1.5	8
4	Novel Solutions for Vaccines and Diagnostics To Combat Brucellosis. <i>ACS Central Science</i> , 2017, 3, 224-231.	5.3	32
5	Clustering of P<sup>K</sup>-trisaccharides on amphiphilic cyclodextrin reveals unprecedented affinity for the Shiga-like toxin Stx2. <i>Chemical Communications</i> , 2017, 53, 10528-10531.	2.2	10
6	Brucellosis: Improved Diagnostics and Vaccine Insights from Synthetic Glycans. <i>Accounts of Chemical Research</i> , 2017, 50, 2958-2967.	7.6	38
7	Improved Serodiagnosis of Bovine Brucellosis by Novel Synthetic Oligosaccharide Antigens Representing the Capping M Epitope Elements of Brucella O-Polysaccharide. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1204-1210.	1.8	22
8	Monoclonal Antibody-Defined Specific C Epitope of Brucella O-Polysaccharide Revisited. <i>Vaccine Journal</i> , 2015, 22, 979-982.	3.2	24
9	Synthesis of a 1,3 $\hat{I}^2$ -glucan hexasaccharide designed to target vaccines to the dendritic cell receptor, Dectin-1. <i>Carbohydrate Research</i> , 2015, 408, 96-106.	1.1	14
10	Temporary Conversion of Protein Amino Groups to Azides: A Synthetic Strategy for Glycoconjugate Vaccines. <i>Methods in Molecular Biology</i> , 2015, 1331, 145-157.	0.4	0
11	Evaluation of a focused virtual library of heterobifunctional ligands for <i>Clostridium difficile</i> toxins. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 283-298.	1.5	4
12	Synthesis of antifungal vaccines by conjugation of $\hat{I}^2$ -1,2 trimannosides with T-cell peptides and covalent anchoring of neoglycopeptide to tetanus toxoid. <i>Carbohydrate Research</i> , 2015, 403, 123-134.	1.1	13
13	The Crystal Structure of Shiga Toxin Type 2 with Bound Disaccharide Guides the Design of a Heterobifunctional Toxin Inhibitor. <i>Journal of Biological Chemistry</i> , 2014, 289, 885-894.	1.6	23
14	Synthesis of modified <i>Trichinella spiralis</i> disaccharide epitopes and a comparison of their recognition by chemical mapping and saturation transfer difference NMR. <i>Carbohydrate Research</i> , 2014, 383, 1-13.	1.1	8
15	Oligosaccharides and Peptide Displayed on an Amphiphilic Polymer Enable Solid Phase Assay of Hapten Specific Antibodies. <i>Bioconjugate Chemistry</i> , 2014, 25, 685-697.	1.8	14
16	Molecular Recognition of <i>Brucella</i> A and M Antigens Dissected by Synthetic Oligosaccharide Glycoconjugates Leads to a Disaccharide Diagnostic for Brucellosis. <i>Journal of the American Chemical Society</i> , 2014, 136, 16260-16269.	6.6	39
17	Design and Synthesis of a Universal Antigen to Detect Brucellosis. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 7181-7185.	7.2	19
18	Poly(N-vinyl-2-pyrrolidone-co-vinyl alcohol), a Versatile Amphiphilic Polymeric Scaffold for Multivalent Probes. <i>Organic Letters</i> , 2013, 15, 5190-5193.	2.4	12

#	ARTICLE	IF	CITATIONS
19	Synthesis of a trisaccharide repeat of the zwitterionic Sp1 capsular polysaccharide utilizing 2-azido-4-benzylamino-4N,3-O-carbonyl-2,4,6-trideoxy-d-galactopyranosyl trichloroacetimidate. Carbohydrate Research, 2013, 378, 26-34.	1.1	5
20	The synthesis of a multivalent heterobifunctional ligand for specific interaction with Shiga toxin 2 produced by E. coli O157:H7. Carbohydrate Research, 2013, 378, 4-14.	1.1	9
21	Designing a new antifungal glycoconjugate vaccine. Chemical Society Reviews, 2013, 42, 4327-4344.	18.7	60
22	R&A-cktitelbild: Design and Synthesis of a Universal Antigen to Detect Brucellosis (Angew. Chem.) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.6	0
23	Enhanced Immunogenicity of a Tricomponent Mannan Tetanus Toxoid Conjugate Vaccine Targeted to Dendritic Cells via Dectin-1 by Incorporating Î²-Glucan. Journal of Immunology, 2013, 190, 4116-4128.	0.4	68
24	A Î²-mannan trisaccharide conjugate vaccine aids clearance of Candida albicans in immunocompromised rabbits. Vaccine, 2012, 30, 6263-6269.	1.7	35
25	Synthesis of a Candida albicans tetrasaccharide spanning the Î²1,2-mannan phosphodiester Î±-mannan junction. Organic and Biomolecular Chemistry, 2012, 10, 8348.	1.5	18
26	Synthesis of three trisaccharide congeners to investigate frame shifting of Î²1,2-mannan homo-oligomers in an antibody binding site. Carbohydrate Research, 2012, 357, 7-15.	1.1	17
27	Design of a <i>Candida albicans</i> Disaccharide Conjugate Vaccine by Reverse Engineering a Protective Monoclonal Antibody. ACS Chemical Biology, 2012, 7, 1754-1763.	1.6	35
28	Molecular Recognition of Candida albicans (1â†'2)-Î²-Mannan Oligosaccharides by a Protective Monoclonal Antibody Reveals the Immunodominance of Internal Saccharide Residues. Journal of Biological Chemistry, 2012, 287, 18078-18090.	1.6	39
29	Self-Adjuvanting Glycopeptide Conjugate Vaccine against Disseminated Candidiasis. PLoS ONE, 2012, 7, e35106.	1.1	66
30	Designing a Candida albicans Conjugate Vaccine by Reverse Engineering Protective Monoclonal Antibodies. , 2012, , 121-145.		2
31	Supramolecular Complexing of Membrane Siglec CD22 Mediated by a Polyvalent Heterobifunctional Ligand that Templates on IgM. Bioconjugate Chemistry, 2011, 22, 546-550.	1.8	16
32	Synthesis and Immunogenicity of a Glycopolymer Conjugate. Bioconjugate Chemistry, 2011, 22, 274-281.	1.8	38
33	A structurally diversified linker enhances the immune response to a small carbohydrate hapten. Glycoconjugate Journal, 2011, 28, 149-164.	1.4	27
34	â€œDoubleâ€œClickâ€œ Protocol for Synthesis of Heterobifunctional Multivalent Ligands: Toward a Focused Library of Specific Norovirus Inhibitors. Chemistry - A European Journal, 2011, 17, 7438-7441.	1.7	26
35	Targeting Norovirus Infectionâ€”Multivalent Entry Inhibitor Design Based on NMR Experiments. Chemistry - A European Journal, 2011, 17, 7442-7453.	1.7	62
36	Eliciting carbohydrate-specific immune response against sialosides: success and challenges. Future Medicinal Chemistry, 2011, 3, 519-534.	1.1	1

#	ARTICLE	IF	CITATIONS
37	Impact of the Nature and Size of the Polymeric Backbone on the Ability of Heterobifunctional Ligands to Mediate Shiga Toxin and Serum Amyloid P Component Ternary Complex Formation. <i>Toxins</i> , 2011, 3, 1065-1088.	1.5	12
38	Synthesis of Monomeric and Dimeric Repeating Units of the Zwitterionic Type-1 Capsular Polysaccharide from <i>Streptococcus pneumoniae</i> . <i>Chemistry - A European Journal</i> , 2010, 16, 3476-3488.	1.7	44
39	A novel glycosyl donor for synthesis of 2-acetamido-4-amino-2,4,6-trideoxy- $\beta$ -D-galactopyranosides. <i>Carbohydrate Research</i> , 2010, 345, 2323-2327.	1.1	14
40	Synthesis of monodeoxy and mono-O-methyl congeners of methyl $\beta$ -D-mannopyranosyl-(1 $\rightarrow$ 2)- $\beta$ -D-mannopyranoside for epitope mapping of anti-Candida albicans antibodies. <i>Carbohydrate Research</i> , 2009, 344, 555-569.	1.1	14
41	Efficient synthesis of d-xylo and d-ribo-phytosphingosines from methyl 2-amino-2-deoxy- $\beta$ -D-hexopyranosides. <i>Carbohydrate Research</i> , 2009, 344, 2120-2126.	1.1	16
42	Synthesis of monodeoxy and mono-O-methyl congeners of methyl $\beta$ -D-mannopyranosyl-(1 $\rightarrow$ 2)- $\beta$ -D-mannopyranoside for epitope mapping of anti-Candida albicans antibodies. <i>Carbohydrate Research</i> , 2009, 344, 1397-1411.	1.1	6
43	Concise and Efficient Synthesis of 2-Acetamido-2-deoxy- $\beta$ -D-hexopyranosides of Diverse Aminosugars from 2-Acetamido-2-deoxy- $\beta$ -D-glucose. <i>Journal of Organic Chemistry</i> , 2009, 74, 580-589.	1.7	54
44	A Novel Linker Methodology for the Synthesis of Tailored Conjugate Vaccines Composed of Complex Carbohydrate Antigens and Specific T <sub>H</sub> Cell Peptide Epitopes. <i>Chemistry - A European Journal</i> , 2008, 14, 5908-5917.	1.7	29
45	Synthesis and Immunochemical characterization of S-linked Glycoconjugate Vaccines against <i>Candida albicans</i> . <i>Chemistry - A European Journal</i> , 2008, 14, 6474-6482.	1.7	30
46	An Entropically Efficient Supramolecular Inhibition Strategy for Shiga Toxins. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 672-676.	7.2	26
47	A Uniquely Small, Protective Carbohydrate Epitope May Yield a Conjugate Vaccine for <i>Candida albicans</i> . <i>ACS Symposium Series</i> , 2008, , 163-183.	0.5	3
48	Bifunctional CD22 Ligands Use Multimeric Immunoglobulins as Protein Scaffolds in Assembly of Immune Complexes on B Cells. <i>Journal of the American Chemical Society</i> , 2008, 130, 7736-7745.	6.6	68
49	Synthetic glycopeptide vaccines combining $\beta$ -mannan and peptide epitopes induce protection against candidiasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 13526-13531.	3.3	205
50	In vivo supramolecular templating enhances the activity of multivalent ligands: A potential therapeutic against the Escherichia coli O157 AB5 toxins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 16837-16842.	3.3	77
51	Protein Scaffolds for Multivalent Display of High-Affinity CD22 Ligands. <i>FASEB Journal</i> , 2008, 22, 810.1.	0.2	0
52	Affinities of Shiga toxins 1 and 2 for univalent and oligovalent Pk-trisaccharide analogs measured by electrospray ionization mass spectrometry. <i>Glycobiology</i> , 2007, 17, 1127-1137.	1.3	42
53	Synthesis and immunochemical studies on a <i>Candida albicans</i> cluster glycoconjugate vaccine. <i>Organic and Biomolecular Chemistry</i> , 2007, 5, 3477.	1.5	35
54	A carbohydrate vaccine exceeds the sum of its parts. <i>Nature Chemical Biology</i> , 2007, 3, 605-606.	3.9	17

#	ARTICLE	IF	CITATIONS
55	Chemoenzymatic synthesis of GM3 and GM2 gangliosides containing a truncated ceramide functionalized for glycoconjugate synthesis and solid phase applications. <i>Organic and Biomolecular Chemistry</i> , 2006, 4, 142-154.	1.5	31
56	A general, efficient and stereospecific route to sphingosine, sphinganine, phytosphingosine and their analogs. <i>Organic and Biomolecular Chemistry</i> , 2006, 4, 1140.	1.5	39
57	Chemical and Chemoenzymatic Synthesis of S-Linked Ganglioside Analogues and Their Protein Conjugates for Use as Immunogens. <i>Chemistry - A European Journal</i> , 2006, 12, 845-858.	1.7	78
58	Thiooligosaccharide Conjugate Vaccines Evoke Antibodies Specific for Native Antigens. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 7725-7729.	7.2	88
59	Ligand-assisted Aggregation of Proteins. <i>Journal of Biological Chemistry</i> , 2005, 280, 31999-32008.	1.6	33
60	The design, synthesis and evaluation of high affinity macrocyclic carbohydrate inhibitors. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 2723.	1.5	23
61	Heterobifunctional Multivalent Inhibitor-Adaptor Mediates Specific Aggregation between Shiga Toxin and a Pentraxin. <i>Organic Letters</i> , 2005, 7, 4369-4372.	2.4	37
62	Synthesis of Glycoconjugate Vaccines for <i>Candida albicans</i> Using Novel Linker Methodology. <i>Journal of Organic Chemistry</i> , 2005, 70, 7381-7388.	1.7	74
63	Developing high affinity oligosaccharide inhibitors: conformational pre-organization paired with functional group modification. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 2733.	1.5	8
64	Glycosyltransferase-Catalyzed Synthesis of Thiooligosaccharides. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 613-615.	7.2	49
65	Synthesis of ganglioside epitopes for oligosaccharide specific immunoabsorption therapy of Guillain-Barré syndrome. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 1199-1212.	1.5	37
66	S-Linked Ganglioside Analogues for Use in Conjugate Vaccines. <i>Organic Letters</i> , 2004, 6, 897-900.	2.4	70
67	A New Homobifunctional p-Nitro Phenyl Ester Coupling Reagent for the Preparation of Neoglycoproteins. <i>Organic Letters</i> , 2004, 6, 4407-4410.	2.4	87
68	Assessment in Mice of the Therapeutic Potential of Tailored, Multivalent Shiga Toxin Carbohydrate Ligands. <i>Journal of Infectious Diseases</i> , 2003, 187, 640-649.	1.9	146
69	The Unique Solution Structure and Immunochemistry of the <i>Candida albicans</i> $\beta$ -1,2-Mannopyranan Cell Wall Antigens. <i>Journal of Biological Chemistry</i> , 2002, 277, 3440-3446.	1.6	80
70	Synthesis of disaccharide congeners of the <i>Trichinella spiralis</i> glycan and binding site mapping of two monoclonal antibodies. <i>Canadian Journal of Chemistry</i> , 2002, 80, 1141-1161.	0.6	9
71	Synthesis of three <i>Salmonella</i> epitopes for biosensor studies of carbohydrate-antibody interactions. <i>Canadian Journal of Chemistry</i> , 2002, 80, 1131-1140.	0.6	8
72	Efficient stereoselective synthesis of 1-thio- $\beta$ -mannopyranosides. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001, , 832-837.	1.3	18

#	ARTICLE	IF	CITATIONS
73	Synthesis and structure-activity relationships of di- and trisaccharide inhibitors for Shiga-like toxin Type 1. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001, , 838-853.	1.3	26
74	Mild Oxidative One-Pot Allyl Group Cleavage. <i>Organic Letters</i> , 2001, 3, 2835-2838.	2.4	52
75	A Tethered Disaccharide Trapped As Its anti Conformer Calibrates the Karplus Relationship for <sup>3</sup> J <sub>C,H</sub> Coupling Constants. <i>Journal of the American Chemical Society</i> , 2001, 123, 4362-4363.	6.6	12
76	Synthesis of Di- to Hexasaccharide 1,2-Linked $\beta$ -Mannopyranan Oligomers, a Terminal S-Linked Tetrasaccharide Congener and the Corresponding BSA Glycoconjugates. <i>Journal of Organic Chemistry</i> , 2001, 66, 8411-8423.	1.7	81
77	Donor substrate specificity of recombinant human blood group A, B and hybrid A/B glycosyltransferases expressed in <i>Escherichia coli</i> . <i>FEBS Journal</i> , 2001, 259, 770-775.	0.2	81
78	A practical route to 3,6-dideoxyhexoses. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 465-479.	1.8	9
79	Shiga-like toxins are neutralized by tailored multivalent carbohydrate ligands. <i>Nature</i> , 2000, 403, 669-672.	13.7	853
80	Synthesis of a $\beta$ 1,2-Mannopyranosyl Tetrasaccharide Found in the Phosphomannan Antigen of <i>Candida albicans</i> . <i>Organic Letters</i> , 2000, 2, 2939-2942.	2.4	41
81	Synthesis of three tethered trisaccharides to probe entropy contributions in carbohydrate-protein interactions. <i>Israel Journal of Chemistry</i> , 2000, 40, 189-208.	1.0	9
82	Efficient Synthesis of 3,6-Dideoxy- $\beta$ -d-arabino-hexopyranosyl-Terminated LacdiNac Glycan Chains of the <i>Trichinella spiralis</i> Parasite. <i>Journal of Organic Chemistry</i> , 2000, 65, 3064-3073.	1.7	31
83	Crystal state and solution conformation of the B blood group trisaccharide $\beta$ -1-Fucp-(1 $\rightarrow$ 2)-[ $\beta$ -d-Galp]- (1 $\rightarrow$ 3)]- $\beta$ -d-Galp-OCH <sub>3</sub> . <i>FEBS Journal</i> , 1999, 259, 295-303.	0.2	28
84	Constrained H-Type 2 Blood Group Trisaccharide Synthesized in a Bioactive Conformation via Intramolecular Glycosylation. <i>Journal of Organic Chemistry</i> , 1999, 64, 9080-9089.	1.7	25
85	Micro-Scale Frontal Affinity Chromatography with Mass Spectrometric Detection: A New Method for the Screening of Compound Libraries. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 3383-3387.	7.2	129
86	Synthesis of Tethered Trisaccharides To Probe Inter-Saccharide Flexibility in Carbohydrate-Protein Interactions. <i>Journal of Organic Chemistry</i> , 1998, 63, 6288-6301.	1.7	38
87	Thermodynamic and Conformational Implications of Glycosidic Rotamers Preorganized for Binding. <i>Journal of the American Chemical Society</i> , 1998, 120, 5317-5318.	6.6	55
88	Observation of the Anti Conformation of a Glycosidic Linkage in an Antibody-Bound Oligosaccharide. <i>Journal of the American Chemical Society</i> , 1998, 120, 10547-10548.	6.6	33
89	Expression of a Recombinant Human Glycosyltransferase from a Synthetic Gene and its Utilization for Synthesis of the Human Blood Group B Trisaccharide. <i>FEBS Journal</i> , 1995, 234, 323-328.	0.2	48
90	Synthesis of a Pentasaccharide Epitope for the Investigation of Carbohydrate-Protein Interactions. <i>Journal of Organic Chemistry</i> , 1995, 60, 7316-7327.	1.7	32

#	ARTICLE	IF	CITATIONS
91	Modulation of antibody affinity by synthetic modifications of the most exposed pyranose residue of a trisaccharide epitope. <i>Bioorganic and Medicinal Chemistry</i> , 1994, 2, 1221-1229.	1.4	7
92	The solution structure of a trisaccharide-antibody complex: comparison of NMR measurements with a crystal structure. <i>Biochemistry</i> , 1994, 33, 5183-5192.	1.2	109
93	The synthesis of antibody binding-site probes: a hexasaccharide and two pentasaccharides related to the Brucella A antigen and prepared by in situ activation of thioglycosides with bromine. <i>Carbohydrate Research</i> , 1992, 216, 67-78.	1.1	16
94	The design and synthesis of antibody binding site probes: three pentasaccharide analogues of the Brucella A antigen prepared by activation in situ of thioglycosides with bromine. <i>Carbohydrate Research</i> , 1991, 211, 59-75.	1.1	33
95	Block synthesis of two pentasaccharide determinants of the Brucella M antigen using thioglycoside methodologies. <i>Canadian Journal of Chemistry</i> , 1989, 67, 497-502.	0.6	34
96	Synthetic antigenic determinants of the Brucella A polysaccharide: A disaccharide thioglycoside for block synthesis of pentasaccharide and lower homologues of 1,2-linked 4,6-dideoxy-4-formamido- $\alpha$ -D-mannose. <i>Canadian Journal of Chemistry</i> , 1989, 67, 491-496.	0.6	35
97	Synthesis of antigenic determinants of the Brucella a antigen, utilizing methyl 4-azido-4,6-dideoxy- $\alpha$ -D-mannopyranoside efficiently derived from d-mannose. <i>Carbohydrate Research</i> , 1988, 174, 239-251.	1.1	71
98	Analysis of the lipopolysaccharide of <i>Pseudomonas maltophilia</i> 555. <i>Biochemistry and Cell Biology</i> , 1987, 65, 968-977.	0.9	45
99	Identification of the A and M antigens of Brucella as the O-polysaccharides of smooth lipopolysaccharides. <i>Canadian Journal of Microbiology</i> , 1987, 33, 979-981.	0.8	17
100	Synthesis of 4,6-dideoxy-4-formamido- $\alpha$ -D-mannose containing tri-, tetra-, and penta-saccharides, antigenic determinants of the Brucella A and M antigens. <i>Journal of the Chemical Society Chemical Communications</i> , 1987, , 1648-1650.	2.0	5
101	Structural elucidation of the Brucella melitensis M antigen by high-resolution NMR at 500 MHz. <i>Biochemistry</i> , 1987, 26, 8717-8726.	1.2	83
102	The structure of the antigenic lipopolysaccharide O-chains produced by <i>Salmonella urbana</i> and <i>Salmonella godesberg</i> . <i>Carbohydrate Research</i> , 1986, 156, 107-122.	1.1	47
103	Structure of the O-chain of the phenol-phase soluble cellular lipopolysaccharide of <i>Yersinia enterocolitica</i> serotype O:9. <i>FEBS Journal</i> , 1984, 139, 195-200.	0.2	243
104	Antigenic determinant of <i>Salmonella</i> serogroup B. Synthesis of a trisaccharide glycoside for use as an artificial antigen. <i>Carbohydrate Research</i> , 1984, 133, 333-338.	1.1	10
105	Preparation of glycoconjugates for use as artificial antigens: A simplified procedure. <i>Carbohydrate Research</i> , 1983, 124, 313-318.	1.1	50
106	Antigenic determinants of <i>Salmonella</i> serogroups A and D1. Synthesis of trisaccharide glycosides for use as artificial antigens. <i>Carbohydrate Research</i> , 1982, 103, 29-40.	1.1	81
107	Artificial carbohydrate antigens: the synthesis of a tetrasaccharide hapten, a <i>Shigella flexneri</i> O-antigen repeating unit. <i>Carbohydrate Research</i> , 1980, 80, 75-85.	1.1	27
108	Displacement of sugar chlorosulphates by bromide, azide, and acetate; a convenient synthesis of methyl 3,6-dideoxy- $\beta$ -D-ribo-hexopyranoside. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1979, , 2751-2755.	0.9	19

#	ARTICLE	IF	CITATIONS
109	A facile synthesis of methyl 3,6-dideoxy- $\beta$ -L-xylo-hexopyranoside (colitose). Canadian Journal of Chemistry, 1978, 56, 2686-2690.	0.6	32
110	The Unique Solution Structure and Immunochemistry of the Candida albicans $\beta$ 1, 2-Mannopyranan Cell Wall Antigen. , 0, , 145-187.		1