## Damir Valić

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7418895/publications.pdf

Version: 2024-02-01

		1125743	
19	168	8	13
papers	citations	h-index	g-index
19	19	19	203
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Malondialdehyde concentrations in the intestine and gills of Vardar chub (Squalius vardarensis) Tj ETQq1 1 0.7843	314 rgBT 5.3	/Overlock 10 22
2	Influence of technological and municipal wastewaters on vulnerable karst riverine system, Krka River in Croatia. Environmental Science and Pollution Research, 2018, 25, 4715-4727.	5.3	22
3	Assessment of general condition of fish inhabiting a moderately contaminated aquatic environment. Environmental Science and Pollution Research, 2013, 20, 4954-4968.	5.3	19
4	Histopathology investigation on the Vardar chub (Squalius vardarensis) populations captured from the rivers impacted by mining activities. Ecotoxicology and Environmental Safety, 2016, 129, 35-42.	6.0	19
5	Pomphorhynchus laevis (Acanthocephala) from the Sava River basin: New insights into strain formation, mtDNA-like sequences and dynamics of infection. Parasitology International, 2015, 64, 243-250.	1.3	17
6	Total and cytosolic concentrations of twenty metals/metalloids in the liver of brown trout Salmo trutta (Linnaeus, 1758) from the karstic Croatian river Krka. Ecotoxicology and Environmental Safety, 2018, 147, 537-549.	6.0	12
7	Preliminary studies on bacterial diversity of cultured bluefin tuna Thunnus thynnus from the Adriatic Sea. Aquaculture Research, 2006, 37, 1265-1266.	1.8	9
8	Mining waste as a cause of increased bioaccumulation of highly toxic metals in liver and gills of Vardar chub (Squalius vardarensis Karaman, 1928). Environmental Pollution, 2019, 247, 564-576.	7.5	9
9	Alien macroinvertebrates in Croatian freshwaters. Aquatic Invasions, 2020, 15, 593-615.	1.6	8
10	The karyotype and NOR phenotype of Telestes ukliva (Cyprinidae). Folia Zoologica, 2010, 59, 169-173.	0.9	6
11	Effects of heavy metal pollution on pigmented macrophages in kidney of <scp>V</scp> ardar chub ( <scp><i>S</i></scp> <i>S</i> Karaman). Microscopy Research and Technique, 2017, 80, 930-935.	2.2	6
12	Identification, phylogenetic relationships and a new maximum size of two rudd populations (Scardinius, Cyprinidae) from the Adriatic Sea drainage, Croatia. Biologia (Poland), 2013, 68, 539-545.	1.5	3
13	Culturable microbiota associated with farmed Atlantic bluefin tuna ( <i>Thunnusthynnus</i> ). Aquatic Living Resources, 2017, 30, 30.	1.2	3
14	The effect of different pollutants exposure on the pigment content of pigmented macrophage aggregates in the spleen of Vardar chub ( Squalius vardarensis Karaman, 1928). Microscopy Research and Technique, 2020, 83, 1141-1152.	2.2	3
15	Microbial Characterisation of the Sava River. Handbook of Environmental Chemistry, 2015, , 201-228.	0.4	3
16	Invasion of the zebra mussel (Dreissena polymorpha) in a Dinaric karst river after formation of a new reservoir. Biolnvasions Records, 2020, 9, 519-537.	1.1	2
17	Application of Calcified Structures in Fish as Indicators of Metal Exposure in Freshwater Ecosystems. Environments - MDPI, 2022, 9, 14.	3.3	2
18	Contribution of alien peracarid crustaceans to the biocontamination of benthic macroinvertebrate assemblages in Croatian large rivers., 2022, 41, 1.		2

#	Article	IF	CITATIONS
19	Furunculosis in cultured Arctic charr (Salvelinus alpinus) in Croatia. Aquaculture Research, 2010, 41, no-no.	1.8	1