

Jens Eilers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7418903/publications.pdf>

Version: 2024-02-01

65
papers

5,972
citations

94269

37
h-index

128067

60
g-index

71
all docs

71
docs citations

71
times ranked

6627
citing authors

#	ARTICLE	IF	CITATIONS
1	Multinucleated Giant Cells in Adipose Tissue Are Specialized in Adipocyte Degradation. <i>Diabetes</i> , 2021, 70, 538-548.	0.3	18
2	Adipocyte death triggers a pro-inflammatory response and induces metabolic activation of resident macrophages. <i>Cell Death and Disease</i> , 2021, 12, 579.	2.7	47
3	Large, Stable Spikes Exhibit Differential Broadening in Excitatory and Inhibitory Neocortical Boutons. <i>Cell Reports</i> , 2021, 34, 108612.	2.9	35
4	Active zone compaction correlates with presynaptic homeostatic potentiation. <i>Cell Reports</i> , 2021, 37, 109770.	2.9	30
5	Calcium dependence of neurotransmitter release at a high fidelity synapse. <i>ELife</i> , 2021, 10, .	2.8	23
6	Undisturbed climbing fiber pruning in the cerebellar cortex of $CX3CR1$ -deficient mice. <i>Glia</i> , 2020, 68, 2316-2329.	2.5	4
7	Neocortical High Probability Release Sites Are Formed by Distinct Ca^{2+} Channel-to-Release Sensor Topographies during Development. <i>Cell Reports</i> , 2019, 28, 1410-1418.e4.	2.9	20
8	Myosin VI Drives Clathrin-Mediated AMPA Receptor Endocytosis to Facilitate Cerebellar Long-Term Depression. <i>Cell Reports</i> , 2019, 28, 11-20.e9.	2.9	15
9	Developmental Easing of Short-Term Depression in "Winner" Climbing Fibers. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 183.	1.8	0
10	The transgenic mouse line Igsf9- eGFP allows targeted stimulation of inferior olive efferents. <i>Journal of Neuroscience Methods</i> , 2018, 296, 84-92.	1.3	9
11	Photophysical properties of Na^{+} -indicator dyes suitable for quantitative two-photon fluorescence lifetime measurements. <i>Journal of Microscopy</i> , 2018, 272, 136-144.	0.8	6
12	Apparent calcium dependence of vesicle recruitment. <i>Journal of Physiology</i> , 2018, 596, 4693-4707.	1.3	29
13	Munc13-3 Is Required for the Developmental Localization of Ca^{2+} Channels to Active Zones and the Nanopositioning of Cav2.1 Near Release Sensors. <i>Cell Reports</i> , 2018, 22, 1965-1973.	2.9	45
14	Neurons exhibit <i>Lyz2</i> promoter activity in vivo: Implications for using $LysM^{Cre}$ mice in myeloid cell research. <i>European Journal of Immunology</i> , 2016, 46, 1529-1532.	1.6	84
15	STIM1, STIM2, and Orai1 regulate store-operated calcium entry and purinergic activation of microglia. <i>Glia</i> , 2015, 63, 652-663.	2.5	90
16	A use-dependent increase in release sites drives facilitation at calretinin-deficient cerebellar parallel-fiber synapses. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 27.	1.8	22
17	Developmental Tightening of Cerebellar Cortical Synaptic Influx-Release Coupling. <i>Journal of Neuroscience</i> , 2015, 35, 1858-1871.	1.7	46
18	A method for long-term live imaging of tissue macrophages in adipose tissue explants. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 308, E1023-E1033.	1.8	33

#	ARTICLE	IF	CITATIONS
19	K _v 10.1 opposes activity-dependent increase in Ca ²⁺ influx into the presynaptic terminal of the parallel fibre-Purkinje cell synapse. <i>Journal of Physiology</i> , 2015, 593, 181-196.	1.3	44
20	Munc13-3 Superprimes Synaptic Vesicles at Granule Cell-to-Basket Cell Synapses in the Mouse Cerebellum. <i>Journal of Neuroscience</i> , 2014, 34, 14687-14696.	1.7	37
21	Local proliferation of macrophages in adipose tissue during obesity-induced inflammation. <i>Diabetologia</i> , 2014, 57, 562-571.	2.9	193
22	Ultrafast Action Potentials Mediate Kilohertz Signaling at a Central Synapse. <i>Neuron</i> , 2014, 84, 152-163.	3.8	111
23	Paired-pulse facilitation at recurrent Purkinje neuron synapses is independent of calbindin and parvalbumin during high-frequency activation. <i>Journal of Physiology</i> , 2013, 591, 3355-3370.	1.3	56
24	Restricted diffusion of calretinin in cerebellar granule cell dendrites implies Ca ²⁺ -dependent interactions via its EF-hand 5 domain. <i>Journal of Physiology</i> , 2013, 591, 3887-3899.	1.3	12
25	Nanodomain Coupling at an Excitatory Cortical Synapse. <i>Current Biology</i> , 2013, 23, 244-249.	1.8	90
26	Calcium Rubies: A Family of Red-Emitting Functionalizable Indicators Suitable for Two-Photon Ca ²⁺ Imaging. <i>Journal of the American Chemical Society</i> , 2012, 134, 14923-14931.	6.6	70
27	Diffusion and Extrusion Shape Standing Calcium Gradients During Ongoing Parallel Fiber Activity in Dendrites of Purkinje Neurons. <i>Cerebellum</i> , 2012, 11, 694-705.	1.4	9
28	SpRET: Highly Sensitive and Reliable Spectral Measurement of Absolute FRET Efficiency. <i>Microscopy and Microanalysis</i> , 2011, 17, 176-190.	0.2	37
29	Rapid Active Zone Remodeling during Synaptic Plasticity. <i>Journal of Neuroscience</i> , 2011, 31, 6041-6052.	1.7	428
30	Bassoon Speeds Vesicle Reloading at a Central Excitatory Synapse. <i>Neuron</i> , 2010, 68, 710-723.	3.8	184
31	P2Y1 receptors inhibit long-term depression in the prefrontal cortex. <i>Neuropharmacology</i> , 2010, 59, 406-415.	2.0	34
32	STIM2 Regulates Capacitive Ca ²⁺ Entry in Neurons and Plays a Key Role in Hypoxic Neuronal Cell Death. <i>Science Signaling</i> , 2009, 2, ra67.	1.6	233
33	The Ataxia (axJ) Mutation Causes Abnormal GABAA Receptor Turnover in Mice. <i>PLoS Genetics</i> , 2009, 5, e1000631.	1.5	37
34	Dye Loading with Patch Pipettes: Figure 1. <i>Cold Spring Harbor Protocols</i> , 2009, 2009, pdb.prot5201.	0.2	11
35	Spine neck geometry determines spino-dendritic cross-talk in the presence of mobile endogenous calcium binding proteins. <i>Journal of Computational Neuroscience</i> , 2009, 27, 229-243.	0.6	56
36	A new culturing strategy improves functional neuronal development of human neural progenitor cells. <i>Journal of Neurochemistry</i> , 2009, 109, 238-247.	2.1	24

#	ARTICLE	IF	CITATIONS
37	Impaired Synaptic Plasticity and Motor Learning in Mice with a Point Mutation Implicated in Human Speech Deficits. <i>Current Biology</i> , 2008, 18, 354-362.	1.8	304
38	Homosynaptic Long-Term Synaptic Potentiation of the "Winner" Climbing Fiber Synapse in Developing Purkinje Cells. <i>Journal of Neuroscience</i> , 2008, 28, 798-807.	1.7	79
39	Spino-dendritic cross-talk in rodent Purkinje neurons mediated by endogenous Ca ²⁺ -binding proteins. <i>Journal of Physiology</i> , 2007, 581, 619-629.	1.3	46
40	Photo-physical properties of Ca ²⁺ -indicator dyes suitable for two-photon fluorescence-lifetime recordings. <i>Journal of Microscopy</i> , 2007, 225, 209-213.	0.8	44
41	Parvalbumin is freely mobile in axons, somata and nuclei of cerebellar Purkinje neurones. <i>Journal of Neurochemistry</i> , 2007, 100, 727-735.	2.1	41
42	Combined Fluorometric and Electrophysiological Recordings. <i>NeuroMethods</i> , 2007, , 121-148.	0.2	0
43	Quantitative two-photon Ca ²⁺ imaging via fluorescence lifetime analysis. <i>Cell Calcium</i> , 2006, 40, 73-79.	1.1	75
44	Calbindin D28k targets myo-inositol monophosphatase in spines and dendrites of cerebellar Purkinje neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 5850-5855.	3.3	94
45	Diffusional Mobility of Parvalbumin in Spiny Dendrites of Cerebellar Purkinje Neurons Quantified by Fluorescence Recovery after Photobleaching. <i>Biophysical Journal</i> , 2003, 84, 2599-2608.	0.2	69
46	Mutational analysis of dendritic Ca ²⁺ kinetics in rodent Purkinje cells: role of parvalbumin and calbindin D28k. <i>Journal of Physiology</i> , 2003, 551, 13-32.	1.3	148
47	Combined Fluorometric and Electrophysiological Recordings. , 2002, , 111-134.		1
48	GABA-mediated Ca ²⁺ signalling in developing rat cerebellar Purkinje neurones. <i>Journal of Physiology</i> , 2001, 536, 429-437.	1.3	82
49	Large-scale oscillatory calcium waves in the immature cortex. <i>Nature Neuroscience</i> , 2000, 3, 452-459.	7.1	429
50	NMDA Receptor-Mediated Subthreshold Ca ²⁺ Signals in Spines of Hippocampal Neurons. <i>Journal of Neuroscience</i> , 2000, 20, 1791-1799.	1.7	262
51	Two-photon Na ⁺ imaging in spines and fine dendrites of central neurons. <i>Pflugers Archiv European Journal of Physiology</i> , 1999, 439, 201-207.	1.3	60
52	Two-photon Na ⁺ imaging in spines and fine dendrites of central neurons. <i>Pflugers Archiv European Journal of Physiology</i> , 1999, 439, 201-207.	1.3	60
53	A new class of synaptic response involving calcium release in dendritic spines. <i>Nature</i> , 1998, 396, 757-760.	13.7	390
54	Importance of the Intracellular Domain of NR2 Subunits for NMDA Receptor Function In Vivo. <i>Cell</i> , 1998, 92, 279-289.	13.5	419

#	ARTICLE	IF	CITATIONS
55	Local dendritic Ca ²⁺ signaling induces cerebellar long-term depression.. Learning and Memory, 1997, 4, 159-168.	0.5	53
56	Ataxia and altered dendritic calcium signaling in mice carrying a targeted null mutation of the calbindin D28k gene. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 1488-1493.	3.3	370
57	Dendritic signal integration. Current Opinion in Neurobiology, 1997, 7, 385-390.	2.0	78
58	The flaginsserter: a simple device for automatically marking events in video recordings. Journal of Neuroscience Methods, 1997, 78, 151-156.	1.3	3
59	Axonal calcium entry during fast Ca^{2+} action potentials in rat cerebellar Purkinje neurones.. Journal of Physiology, 1996, 495, 641-647.	1.3	69
60	Ca ²⁺ signals underlying synaptic plasticity in cerebellar Purkinje neurones. Seminars in Neuroscience, 1996, 8, 271-279.	2.3	0
61	Localized calcium signalling and neuronal integration in cerebellar Purkinje neurones. Cell Calcium, 1996, 20, 215-226.	1.1	53
62	Calcium signaling in a narrow somatic submembrane shell during synaptic activity in cerebellar Purkinje neurons.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 10272-10276.	3.3	87
63	Subthreshold synaptic Ca ²⁺ signalling in fine dendrites and spines of cerebellar Purkinje neurons. Nature, 1995, 373, 155-158.	13.7	336
64	Patch Clamp and Calcium Imaging in Brain Slices. , 1995, , 213-229.		24
65	Neocortical High Probability Release Sites are Formed by Distinct Ca ²⁺ Channel to Release Sensor Topographies During Development. SSRN Electronic Journal, 0, , .	0.4	0