

Nicholas M Mohr

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7418914/nicholas-m-mohr-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142 papers	2,021 citations	24 h-index	40 g-index
166 ext. papers	3,493 ext. citations	5.3 avg, IF	4.96 L-index

#	Paper	IF	Citations
142	Comparative Effectiveness of Moderna, Pfizer-BioNTech, and Janssen (Johnson & Johnson) Vaccines in Preventing COVID-19 Hospitalizations Among Adults Without Immunocompromising Conditions - United States, March-August 2021. <i>Morbidity and Mortality Weekly Report</i> , 2021 , 70, 1337-1343	31.7	116
141	Association Between mRNA Vaccination and COVID-19 Hospitalization and Disease Severity. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2043-2054	27.4	105
140	Sustained Effectiveness of Pfizer-BioNTech and Moderna Vaccines Against COVID-19 Associated Hospitalizations Among Adults - United States, March-July 2021. <i>Morbidity and Mortality Weekly Report</i> , 2021 , 70, 1156-1162	31.7	92
139	Interim Estimates of Vaccine Effectiveness of Pfizer-BioNTech and Moderna COVID-19 Vaccines Among Health Care Personnel - 33 U.S. Sites, January-March 2021. <i>Morbidity and Mortality Weekly Report</i> , 2021 , 70, 753-758	31.7	85
138	Lower tidal volume at initiation of mechanical ventilation may reduce progression to acute respiratory distress syndrome: a systematic review. <i>Critical Care</i> , 2013 , 17, R11	10.8	71
137	Effectiveness of mRNA Covid-19 Vaccine among U.S. Health Care Personnel. <i>New England Journal of Medicine</i> , 2021 ,	59.2	66
136	The use of inhaled prostaglandins in patients with ARDS: a systematic review and meta-analysis. <i>Chest</i> , 2015 , 147, 1510-1522	5.3	64
135	Emergency department hyperoxia is associated with increased mortality in mechanically ventilated patients: a cohort study. <i>Critical Care</i> , 2018 , 22, 9	10.8	63
134	Effectiveness of SARS-CoV-2 mRNA Vaccines for Preventing Covid-19 Hospitalizations in the United States. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	60
133	Lung-Protective Ventilation Initiated in the Emergency Department (LOV-ED): A Quasi-Experimental, Before-After Trial. <i>Annals of Emergency Medicine</i> , 2017 , 70, 406-418.e4	2.1	55
132	Mechanical ventilation and acute lung injury in emergency department patients with severe sepsis and septic shock: an observational study. <i>Academic Emergency Medicine</i> , 2013 , 20, 659-69	3.4	52
131	Interhospital Transfer Delays Appropriate Treatment for Patients With Severe Sepsis and Septic Shock: A Retrospective Cohort Study. <i>Critical Care Medicine</i> , 2015 , 43, 2589-96	1.4	50
130	Generational influences in academic emergency medicine: teaching and learning, mentoring, and technology (part I). <i>Academic Emergency Medicine</i> , 2011 , 18, 190-9	3.4	50
129	Mechanical Ventilation and ARDS in the ED: A Multicenter, Observational, Prospective, Cross-sectional Study. <i>Chest</i> , 2015 , 148, 365-374	5.3	45
128	Potentially Avoidable Pediatric Interfacility Transfer Is a Costly Burden for Rural Families: A Cohort Study. <i>Academic Emergency Medicine</i> , 2016 , 23, 885-94	3.4	40
127	Clinical severity of, and effectiveness of mRNA vaccines against, covid-19 from omicron, delta, and alpha SARS-CoV-2 variants in the United States: prospective observational study.. <i>BMJ, The</i> , 2022 , 376, e069761	5.9	39
126	A Quasi-Experimental, Before-After Trial Examining the Impact of an Emergency Department Mechanical Ventilator Protocol on Clinical Outcomes and Lung-Protective Ventilation in Acute Respiratory Distress Syndrome. <i>Critical Care Medicine</i> , 2017 , 45, 645-652	1.4	32

125	Emergency Department Telemedicine Shortens Rural Time-To-Provider and Emergency Department Transfer Times. <i>Telemedicine Journal and E-Health</i> , 2018 , 24, 582-593	5.9	32
124	Inter-hospital transfer is associated with increased mortality and costs in severe sepsis and septic shock: An instrumental variables approach. <i>Journal of Critical Care</i> , 2016 , 36, 187-194	4	32
123	Analgesedation Practices and the Impact of Sedation Depth on Clinical Outcomes Among Patients Requiring Mechanical Ventilation in the ED: A Cohort Study. <i>Chest</i> , 2017 , 152, 963-971	5.3	31
122	Achieving regionalization through rural interhospital transfer. <i>American Journal of Emergency Medicine</i> , 2015 , 33, 1288-96	2.9	30
121	Telemedicine Use Decreases Rural Emergency Department Length of Stay for Transferred North Dakota Trauma Patients. <i>Telemedicine Journal and E-Health</i> , 2018 , 24, 194-202	5.9	28
120	Emergency Department vancomycin use: dosing practices and associated outcomes. <i>Journal of Emergency Medicine</i> , 2013 , 44, 910-8	1.5	26
119	Vaccination rates and acceptance of SARS-CoV-2 vaccination among U.S. emergency department health care personnel. <i>Academic Emergency Medicine</i> , 2021 , 28, 455-458	3.4	25
118	Rural Patients With Severe Sepsis or Septic Shock Who Bypass Rural Hospitals Have Increased Mortality: An Instrumental Variables Approach. <i>Critical Care Medicine</i> , 2017 , 45, 85-93	1.4	24
117	Pulmonary Mechanics and Mortality in Mechanically Ventilated Patients Without Acute Respiratory Distress Syndrome: A Cohort Study. <i>Shock</i> , 2018 , 49, 311-316	3.4	24
116	Telemedicine Provides Noninferior Research Informed Consent for Remote Study Enrollment: A Randomized Controlled Trial. <i>Academic Emergency Medicine</i> , 2016 , 23, 759-65	3.4	24
115	Emergency Department Telemedicine Is Used for More Severely Injured Rural Trauma Patients, but Does Not Decrease Transfer: A Cohort Study. <i>Academic Emergency Medicine</i> , 2017 , 24, 177-185	3.4	21
114	Machine Learning in Relation to Emergency Medicine Clinical and Operational Scenarios: An Overview. <i>Western Journal of Emergency Medicine</i> , 2019 , 20, 219-227	3.3	20
113	Prehospital tidal volume influences hospital tidal volume: A cohort study. <i>Journal of Critical Care</i> , 2015 , 30, 495-501	4	19
112	An evidence-based medicine curriculum implemented in journal club improves resident performance on the Fresno test. <i>Journal of Emergency Medicine</i> , 2015 , 48, 222-229.e1	1.5	19
111	Reducing the burden of acute respiratory distress syndrome: the case for early intervention and the potential role of the emergency department. <i>Shock</i> , 2014 , 41, 378-87	3.4	19
110	Urinary Squamous Epithelial Cells Do Not Accurately Predict Urine Culture Contamination, but May Predict Urinalysis Performance in Predicting Bacteriuria. <i>Academic Emergency Medicine</i> , 2016 , 23, 323-30	3.4	19
109	Serum anion gap predicts lactate poorly, but may be used to identify sepsis patients at risk for death: A cohort study. <i>Journal of Critical Care</i> , 2018 , 44, 223-228	4	18
108	A clinical decision rule identifies risk factors associated with antimicrobial-resistant urinary pathogens in the emergency department: a retrospective validation study. <i>Annals of Pharmacotherapy</i> , 2015 , 49, 649-55	2.9	17

107	Telemedicine-Assisted Intubation in Rural Emergency Departments: A National Emergency Airway Registry Study. <i>Telemedicine Journal and E-Health</i> , 2017 , 23, 290-297	5.9	17
106	The ED-SED Study: A Multicenter, Prospective Cohort Study of Practice Patterns and Clinical Outcomes Associated With Emergency Department SEDation for Mechanically Ventilated Patients. <i>Critical Care Medicine</i> , 2019 , 47, 1539-1548	1.4	17
105	Effectiveness of SARS-CoV-2 mRNA Vaccines for Preventing Covid-19 Hospitalizations in the United States 2021 ,		17
104	Telemedicine Physical Examination Utilizing a Consumer Device Demonstrates Poor Concordance with In-Person Physical Examination in Emergency Department Patients with Sore Throat: A Prospective Blinded Study. <i>Telemedicine Journal and E-Health</i> , 2018 , 24, 790-796	5.9	15
103	Telemedicine Is Associated with Faster Diagnostic Imaging in Stroke Patients: A Cohort Study. <i>Telemedicine Journal and E-Health</i> , 2019 , 25, 93-100	5.9	15
102	Discordance Between Patient and Clinician Experiences and Priorities in Rural Interhospital Transfer: A Mixed Methods Study. <i>Journal of Rural Health</i> , 2016 , 32, 25-34	4.6	15
101	Lung-protective ventilation initiated in the emergency department (LOV-ED): a study protocol for a quasi-experimental, before-after trial aimed at reducing pulmonary complications. <i>BMJ Open</i> , 2016 , 6, e010991	3	14
100	Etomidate Use Is Associated With Less Hypotension Than Ketamine for Emergency Department Sepsis Intubations: A NEAR Cohort Study. <i>Academic Emergency Medicine</i> , 2020 , 27, 1140-1149	3.4	13
99	Association Between Partial Pressure of Arterial Carbon Dioxide and Survival to Hospital Discharge Among Patients Diagnosed With Sepsis in the Emergency Department. <i>Critical Care Medicine</i> , 2018 , 46, e213-e220	1.4	13
98	Generational influences in academic emergency medicine: structure, function, and culture (Part II). <i>Academic Emergency Medicine</i> , 2011 , 18, 200-7	3.4	13
97	Effectiveness of mRNA Vaccination in Preventing COVID-19-Associated Invasive Mechanical Ventilation and Death - United States, March 2021-January 2022.. <i>Morbidity and Mortality Weekly Report</i> , 2022 , 71, 459-465	31.7	13
96	The impact of cardiac dysfunction on acute respiratory distress syndrome and mortality in mechanically ventilated patients with severe sepsis and septic shock: an observational study. <i>Journal of Critical Care</i> , 2015 , 30, 65-70	4	12
95	Importance of Decision Support Implementation in Emergency Department Vancomycin Dosing. <i>Western Journal of Emergency Medicine</i> , 2015 , 16, 557-64	3.3	11
94	Characterizing critical care physician staffing in rural America: a description of Iowa intensive care unit staffing. <i>Journal of Critical Care</i> , 2014 , 29, 194-8	4	11
93	Early antipyretic exposure does not increase mortality in patients with gram-negative severe sepsis: a retrospective cohort study. <i>Internal and Emergency Medicine</i> , 2012 , 7, 463-70	3.7	11
92	Point: Should antipyretic therapy be given routinely to febrile patients in septic shock? Yes. <i>Chest</i> , 2013 , 144, 1096-1098	5.3	11
91	Effectiveness of a Third Dose of Pfizer-BioNTech and Moderna Vaccines in Preventing COVID-19 Hospitalization Among Immunocompetent and Immunocompromised Adults - United States, August-December 2021.. <i>Morbidity and Mortality Weekly Report</i> , 2022 , 71, 118-124	31.7	11
90	Sepsis-associated pulmonary complications in emergency department patients monitored with serial lactate: An observational cohort study. <i>Journal of Critical Care</i> , 2015 , 30, 1163-8	4	10

89	Emergency Department Telemedicine Consults are Associated with Faster Time-to-Electrocardiogram and Time-to-Fibrinolysis for Myocardial Infarction Patients. <i>Telemedicine Journal and E-Health</i> , 2020 , 26, 1440-1448	5.9	10
88	Key High-efficiency Practices of Emergency Department Providers: A Mixed-methods Study. <i>Academic Emergency Medicine</i> , 2018 , 25, 795-803	3.4	9
87	Low tidal volume ventilation should be the routine ventilation strategy of choice for all emergency department patients. <i>Annals of Emergency Medicine</i> , 2012 , 60, 215-6	2.1	8
86	Factors associated with availability of anticoagulation reversal agents in rural and community emergency departments. <i>American Journal of Health-System Pharmacy</i> , 2018 , 75, 72-77	2.2	8
85	The "double eights mask brace" improves the fit and protection of a basic surgical mask amidst COVID-19 pandemic. <i>Journal of the American College of Emergency Physicians Open</i> , 2021 , 2, e12335	1.6	8
84	Duration of prehospital intubation is not a risk factor for development of early ventilator-associated pneumonia. <i>Journal of Critical Care</i> , 2014 , 29, 539-44	4	7
83	Continuous capnography should be used for every emergency department procedural sedation. <i>Annals of Emergency Medicine</i> , 2013 , 61, 697-8	2.1	7
82	Boarding of critically ill patients in the emergency department. <i>Journal of the American College of Emergency Physicians Open</i> , 2020 , 1, 423-431	1.6	7
81	Telemedicine is associated with rapid transfer and fewer involuntary holds among patients presenting with suicidal ideation in rural hospitals: a propensity matched cohort study. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 1033-1039	5.1	7
80	The Association Between Telemedicine and Emergency Department (ED) Disposition: A Stepped Wedge Design of an ED-Based Telemedicine Program in Critical Access Hospitals. <i>Journal of Rural Health</i> , 2020 , 36, 360-370	4.6	7
79	HRSAQ evidence-based tele-emergency network grant program: Multi-site prospective cohort analysis across six rural emergency department telemedicine networks. <i>PLoS ONE</i> , 2021 , 16, e0243211	3.7	7
78	Partial pressure of arterial carbon dioxide and survival to hospital discharge among patients requiring acute mechanical ventilation: A cohort study. <i>Journal of Critical Care</i> , 2017 , 41, 29-35	4	6
77	Prehospital oral chlorhexidine does not reduce the rate of ventilator-associated pneumonia among critically ill trauma patients: A prospective concurrent-control study. <i>Journal of Critical Care</i> , 2015 , 30, 787-92	4	6
76	Clinical and demographic factors associated with antipyretic use in gram-negative severe sepsis and septic shock. <i>Annals of Pharmacotherapy</i> , 2011 , 45, 1207-16	2.9	6
75	Provider-to-provider telemedicine improves adherence to sepsis bundle care in community emergency departments. <i>Journal of Telemedicine and Telecare</i> , 2021 , 27, 518-526	6.8	6
74	Sedation Depth is Associated with Increased Hospital Length of Stay in Mechanically Ventilated Air Medical Transport Patients: A Cohort Study. <i>Prehospital Emergency Care</i> , 2020 , 24, 783-792	2.8	6
73	Central Venous Access Capability and Critical Care Telemedicine Decreases Inter-Hospital Transfer Among Severe Sepsis Patients: A Mixed Methods Design. <i>Critical Care Medicine</i> , 2019 , 47, 659-667	1.4	6
72	Potentially avoidable inter-facility transfer from Veterans Health Administration emergency departments: A cohort study. <i>BMC Health Services Research</i> , 2020 , 20, 110	2.9	5

71	No Decrease in Early Ventilator-Associated Pneumonia After Early Use of Chlorhexidine. <i>American Journal of Critical Care</i> , 2016 , 25, 173-7	1.7	5
70	Normal Saline Solution and Lactated Ringer® Solution Have a Similar Effect on Quality of Recovery: A Randomized Controlled Trial. <i>Annals of Emergency Medicine</i> , 2019 , 73, 160-169	2.1	5
69	Real-Time Learning Through Telemedicine Enhances Professional Training in Rural Emergency Departments. <i>Telemedicine Journal and E-Health</i> , 2021 , 27, 441-447	5.9	5
68	Averted Transfers in Rural Emergency Departments Using Telemedicine: Rates and Costs Across Six Networks. <i>Telemedicine Journal and E-Health</i> , 2021 , 27, 481-487	5.9	5
67	Protocol for a multicentre, prospective cohort study of practice patterns and clinical outcomes associated with emergency department sedation for mechanically ventilated patients: the ED-SED Study. <i>BMJ Open</i> , 2018 , 8, e023423	3	5
66	Urban and Rural Emergency Department Performance on National Quality Metrics for Sepsis Care in the United States. <i>Journal of Rural Health</i> , 2019 , 35, 490-497	4.6	4
65	Clinical and epidemiological variability in severe sepsis: an ecological study. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 741-745	5.1	4
64	Evaluation of emergency department derived delirium prediction models using a hospital-wide cohort. <i>Journal of Psychosomatic Research</i> , 2019 , 127, 109850	4.1	4
63	Antimicrobial Therapy for Pneumonia in the Emergency Department: The Impact of Clinical Pharmacists on Appropriateness. <i>Western Journal of Emergency Medicine</i> , 2017 , 18, 856-863	3.3	4
62	Perceptions and Perceived Utility of Rural Emergency Department Telemedicine Services: A Needs Assessment. <i>Telemedicine Journal and E-Health</i> , 2020 , 26, 855-864	5.9	4
61	Emergency department telemedicine consults decrease time to interpret computed tomography of the head in a multi-network cohort. <i>Journal of Telemedicine and Telecare</i> , 2021 , 27, 343-352	6.8	4
60	Implementation of an ED-based bundled mechanical ventilation protocol improves adherence to lung-protective ventilation. <i>American Journal of Emergency Medicine</i> , 2021 , 43, 186-194	2.9	4
59	Telemedicine for Early Treatment of Sepsis 2019 , 255-280		3
58	Inpatient hospital performance is associated with post-discharge sepsis mortality. <i>Critical Care</i> , 2020 , 24, 626	10.8	3
57	Thirty-day hospital readmissions among mechanically ventilated emergency department patients. <i>Emergency Medicine Journal</i> , 2018 , 35, 252-256	1.5	3
56	Validation of a Clinical Decision Rule to Identify Risk Factors Associated With Multidrug-Resistant Urinary Pathogens in the Emergency Department. <i>Annals of Pharmacotherapy</i> , 2019 , 53, 56-60	2.9	3
55	Protective ventilation for patients without acute respiratory distress syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 654	27.4	3
54	Change in temperature profile may precede fever and be an early indicator of sepsis: a case report. <i>Shock</i> , 2011 , 36, 318-20; discussion 320-1	3.4	3

53	Prediction Models for Severe Manifestations and Mortality due to COVID-19: A Systematic Review.. <i>Academic Emergency Medicine</i> , 2022 ,	3.4	3
52	Clinical Severity and mRNA Vaccine Effectiveness for Omicron, Delta, and Alpha SARS-CoV-2 Variants in the United States: A Prospective Observational Study. 2022 ,		3
51	An estimate of missed pediatric sepsis in the emergency department. <i>Diagnosis</i> , 2021 , 8, 193-198	4.2	3
50	The Use of Electronic Consent for COVID-19 Clinical Trials: Lessons for Emergency Care Research During a Pandemic and Beyond. <i>Academic Emergency Medicine</i> , 2020 , 27, 1183-1186	3.4	3
49	The ED-AWARENESS Study: A Prospective, Observational Cohort Study of Awareness With Paralysis in Mechanically Ventilated Patients Admitted From the Emergency Department. <i>Annals of Emergency Medicine</i> , 2021 , 77, 532-544	2.1	3
48	Emergency department charges may be associated with mortality in patients with severe sepsis and septic shock: a cohort study. <i>BMC Emergency Medicine</i> , 2018 , 18, 62	2.4	3
47	Reduced Computed Tomography Use in the Emergency Department Evaluation of Headache Was Not Followed by Increased Death or Missed Diagnosis. <i>Western Journal of Emergency Medicine</i> , 2018 , 19, 319-326	3.3	3
46	Preferences for emergency medical service transport after childhood injury: An emergency department-based multi-methods study. <i>Injury</i> , 2020 , 51, 1961-1969	2.5	2
45	Using continuous quantitative capnography for emergency department procedural sedation: a systematic review and cost-effectiveness analysis. <i>Internal and Emergency Medicine</i> , 2018 , 13, 75-85	3.7	2
44	Limiting acute respiratory distress syndrome in the emergency department: a survey of US academic emergency medicine physicians. <i>European Journal of Emergency Medicine</i> , 2014 , 21, 387-8	2.3	2
43	Low Tidal Volume Ventilation for Emergency Department Patients: A Systematic Review and Meta-Analysis on Practice Patterns and Clinical Impact.. <i>Critical Care Medicine</i> , 2022 ,	1.4	2
42	Effectiveness of mRNA vaccines in preventing COVID-19 hospitalization by age and burden of chronic medical conditions among immunocompetent US adults, March-August 2021.. <i>Journal of Infectious Diseases</i> , 2021 ,	7	2
41	A study protocol for a multicentre, prospective, before-and-after trial evaluating the feasibility of implementing targeted SEDation after initiation of mechanical ventilation in the emergency department (The ED-SED Pilot Trial). <i>BMJ Open</i> , 2020 , 10, e041987	3	2
40	The "Double Eights Mask Brace" Improves the Fit and Protection and Protection of a Basic Surgical Mask Amidst Covid-19 Pandemic		2
39	Double inter-hospital transfer in Sepsis patients presenting to the ED does not worsen mortality compared to single inter-hospital transfer. <i>Journal of Critical Care</i> , 2020 , 56, 49-57	4	2
38	Association of admission clinical predictors and functional outcome in patients with Cerebral Venous and Dural Sinus Thrombosis. <i>Clinical Neurology and Neurosurgery</i> , 2020 , 188, 105563	2	2
37	Rural Interfacility Emergency Department Transfers: Framework and Qualitative Analysis. <i>Western Journal of Emergency Medicine</i> , 2020 , 21, 858-865	3.3	2
36	Diagnosed and Undiagnosed COVID-19 in US Emergency Department Health Care Personnel: A Cross-sectional Analysis. <i>Annals of Emergency Medicine</i> , 2021 , 78, 27-34	2.1	2

35	Economic Evaluation of the Emergency Department After Implementation of an Emergency Psychiatric Assessment, Treatment, and Healing Unit. <i>Academic Emergency Medicine</i> , 2021 , 28, 82-91	3.4	2
34	Esophageal Perforation After Failed Prehospital Intubation. <i>Clinical Practice and Cases in Emergency Medicine</i> , 2018 , 2, 255-257	0.9	2
33	SARS-CoV-2 Seroprevalence and Drug Use in Trauma Patients from Six Sites in the United States 2021 ,		2
32	Opportunities for achieving resuscitation goals during the inter-emergency department transfer of severe sepsis patients by emergency medical services: A case series. <i>Journal of Critical Care</i> , 2019 , 52, 163-165	4	1
31	End-tidal CO Monitoring is Available in Most Community Hospitals in a Rural State: A Health System Survey. <i>Western Journal of Emergency Medicine</i> , 2019 , 20, 232-236	3.3	1
30	Diagnosis and Treatment of Acute Respiratory Distress Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 305-306	27.4	1
29	Protocol for a prospective, observational cohort study of awareness in mechanically ventilated patients admitted from the emergency department: the ED-AWARENESS study. <i>BMJ Open</i> , 2019 , 9, e033379	3.3	1
28	Prediction Models for Severe Manifestations and Mortality due to COVID-19: A Rapid Systematic Review		1
27	Outcomes Associated with Lower Doses of Ketamine by Emergency Medical Services for Profound Agitation. <i>Western Journal of Emergency Medicine</i> , 2021 , 22, 1183-1189	3.3	1
26	Against the current: back-transfer as a mechanism for rural regionalization. <i>American Journal of Managed Care</i> , 2017 , 23, e287-e294	2.1	1
25	Epinephrine before defibrillation in patients with shockable in-hospital cardiac arrest: propensity matched analysis. <i>BMJ, The</i> , 2021 , 375, e066534	5.9	0
24	Association of Rural and Critical Access Hospital Status With Patient Outcomes After Emergency Department Visits Among Medicare Beneficiaries. <i>JAMA Network Open</i> , 2021 , 4, e2134980	10.4	0
23	Concept review of regionalized systems of acute care: Is regionalization the next frontier in sepsis care?. <i>Journal of the American College of Emergency Physicians Open</i> , 2022 , 3, e12631	1.6	0
22	Opioid and benzodiazepine use in the emergency department and the recognition of delirium within the first 24 hours of hospitalization.. <i>Journal of Psychosomatic Research</i> , 2021 , 153, 110704	4.1	0
21	Patterns of Care and Clinical Outcomes in Patients with Cerebral Sinus Venous Thrombosis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020 , 29, 105313	2.8	0
20	The Iowa less aggressive protocol: A mixed-methods study on the novel treatment protocol of atrial fibrillation. <i>American Journal of Emergency Medicine</i> , 2021 , 45, 439-445	2.9	0
19	High-efficiency Practices of Residents in an Academic Emergency Department: A Mixed-methods Study. <i>AEM Education and Training</i> , 2021 , 5, e10517	2.2	0
18	TELEmedicine as an intervention for sepsis in emergency departments: a multicenter, comparative effectiveness study (TELEvised Study). <i>Journal of Comparative Effectiveness Research</i> , 2021 , 10, 77-91	2.1	0

17	The AIR-SED Study: A Multicenter Cohort Study of SEDation Practices, Deep Sedation, and Coma Among Mechanically Ventilated AIR Transport Patients. 2021 , 3, e0597	0
16	Vancomycin-resistant Enterococcus colonization does not accurately predict resistant Enterococcus infections. <i>Journal of Critical Care</i> , 2017 , 38, 236	4
15	Two-Item Fall Screening Tool Identifies Older Adults at Increased Risk of Falling after Emergency Department Visit. <i>Western Journal of Emergency Medicine</i> , 2020 , 21, 1275-1282	3.3
14	Safety of Back-Transfer to Local Hospitals During an Acute Care Hospitalization. <i>Journal of Rural Health</i> , 2018 , 34, 431-438	4.6
13	Heart rate variability in the risk stratification of emergency department patients with chest pain. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 363-365	2.9
12	Response. <i>Chest</i> , 2014 , 145, 667	5.3
11	Increased mortality with early therapeutic hypothermia after cardiac arrest - a case study in allocation bias. <i>Resuscitation</i> , 2012 , 83, e221; author reply e223	4
10	Education to increase efficiency in senior emergency medicine residents: too little, too late?. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7
9	Inter-Hospital Transfer of the Critically Ill COVID-19 Patient 2021 , 175-187	
8	Inter-hospital Transfer of the Critically Ill 2020 , 621-635	
7	Concurrent Proximal Fractures Are Rare in Distal Forearm Fractures: A National Cross-sectional Study. <i>Western Journal of Emergency Medicine</i> , 2019 , 20, 747-759	3.3
6	The authors reply. <i>Critical Care Medicine</i> , 2018 , 46, e718-e719	1.4
5	In Reply to Ivor Douglas Letter to the Editor 2021-1053. <i>Annals of Emergency Medicine</i> , 2021 , 78, 573	2.1
4	New Zealand Emergency Department COVID-19 Preparedness: a cross-sectional survey and narrative view.. <i>BMJ Open</i> , 2022 , 12, e053611	3
3	In reply.. <i>Annals of Emergency Medicine</i> , 2022 , 79, 319-320	2.1
2	1414: EMERGENCY DEPARTMENT TELEMEDICINE IS USED FOR PATIENTS WITH MORE SEVERE SEPSIS IN RURAL HOSPITALS. <i>Critical Care Medicine</i> , 2022 , 50, 709-709	1.4
1	10: THE SUSTAINABILITY OF LUNG-PROTECTIVE VENTILATION IN THE ED: A 5-YEAR, SINGLE-CENTER EXPERIENCE. <i>Critical Care Medicine</i> , 2022 , 50, 5-5	1.4